53-76
V. 83-105

INDEX

LIBRARY
OCT 10 1980

Transactions

of

The American Fisheries Society

1953-1976

Volumes 83-105

INDEX

Transactions
of
The American Fisheries Society

1953-1976
Volumes 83-105

Compiled by
William C. Beckman

American Fisheries Society
5410 Grosvenor Lane
Bethesda, Maryland 20014
1980

Publication of this Index

was aided by a grant from the

UNITED STATES FISH AND WILDLIFE SERVICE

Final preparation of the Index

was accomplished by

Maureen T. McCarthy and Sally M. Kendall

Copyright 1980 by the

American Fisheries Society

CONTENTS

Abbreviations iv

Part 1: Subject Index 1-158

Part 2: Author Index 159-208

Part 3: Species Index 209-241

ABBREVIATIONS

AB Alberta
AK Alaska
AL Alabama
AR Arkansas
AZ Arizona

BC British Columbia

CA California
CO Colorado
CT Connecticut

DC District of Columbia
DE Delaware

E East

FL Florida

GA Georgia

HI Hawaii

IA Iowa
ID Idaho
IL Illinois
IN Indiana

KS Kansas
KY Kentucky

L Lake
LA Louisiana

MA Massachusetts
MB Manitoba
MD Maryland
ME Maine
MI Michigan
MN Minnesota
MO Missouri
MS Mississippi
MT Montana

N North
NB New Brunswick
NC North Carolina
ND North Dakota
NE Nebraska
NF Newfoundland
NH New Hampshire
NJ New Jersey
NM New Mexico
NS Nova Scotia
NT Northwest Territories
NV Nevada
NY New York

OH Ohio
OK Oklahoma
ON Ontario
OR Oregon

PA Pennsylvania
PQ Quebec Province

R River
RI Rhode Island

S South
SC South Carolina
SD South Dakota
SK Saskatchewan

TN Tennessee
TX Texas

US United States
UT Utah

VA Virginia
VT Vermont

W West
WA Washington
WI Wisconsin
WV West Virginia
WY Wyoming

YUK Yukon

PART 1: SUBJECT INDEX

Abate, mosquito control, effect on fiddler crab 105:546
Abnormalities, frequency in GA estuarine fishes 99:95
ABS, effects
  on bluegill 92:372
  on estuarine fishes 94:26
  on flagfish feeding 95:109
Absorption, flavor compounds, channel catfish 102:774
Abundance
  benthos, under reduced drawdown 104:526
  bluegill, in AL pond 100:762
  changes in, sand shiner 98:451
  channel catfish
    AL pond 100:765
    L. Sharpe, SD 103:53
  ciscos in L. Michigan 86:400; 93:155
  data, fishery, Green Bay, L. Michigan 104:245
  effect of fertilization on plankton and benthos 91:303
  effect of hydrographic conditions on 87:287
  factors in decline of lake trout 85:112
  fathead minnow 97:52
  fishes
    Clearwater L., MO 87:240
    in upper and middle Colorado R. basins 104:217
  fish in unimpounded drainage 86:153
  food organisms, guthion-treated and non-treated ponds 94:207
  freshwater drum, fluctuations 94:345
  index of, walleye, Clear L., IA 89:251
  lake herring, factors influencing, western L. Superior 100:691
  lake trout, decrease in L. Michigan 85:104
  larval Atlantic menhaden, NC inlets 100:296
  longfin smelt 103:46
  method for estimating, spot shrimp on nursery area 100:781
  prediction of 87:289
  redear sunfish, in AL pond 100:763
  relative
    American eel 99:54
    largemouth bass in AL pond 100:760
  seasonal
    American lobster, Boothbay, ME 104:669
    46 species, Rehoboth and Indian R. bays, DE 102:556
    variation in lake trout 85:106
  spotted seatrout 91:395
  striped bass
    Sacramento-San Joaquin estuary 101:442
    Santee Cooper Reservoir 85:158
  summer, fishes, effect of temperature in tidal cove 103:325
  trout, Sagehen Creek, CA 101:463
  winter flounder, estuarine year-class 105:647
  yellow perch, effect of walleye predation on 103:15
Acanthocephalan parasite
  of bass 95:24
  of English sole 102:405
  on largemouth bass, bluegill, warmouth 104:279
  recruitment by bluegill 105:486
  transfer from one fish to another 98:332
Acanthurid, food of grouper 89:12
Acara, black
  disease in 83:331
  introduced into FL 102:4
Acclimation rate to higher temperature
  brown bullhead 100:670
  channel catfish juveniles 100:665
  goldfish 100:670
  opaleye 100:670
Accumulation, ^{131}I, seasonal variation in channel catfish 100:237
Acetylcholinesterase
  activity 90:145
  inhibited by Dursban in bluegill and largemouth bass 101:424
Acid, lactic, in brook trout blood following air drop 98:263
Acid mine drainage, effect on macrobenthos, use of sequential comparison index 101:701
Acid rock, impact on aquatic biota from road construction in regions of sulfide mineralization 104:677
Acid stream, raw limestone neutralizer 92:173
Acoustic
  conditioning, rainbow trout, induced aggregation 101:35
  estimates, pelagic ichthyomass, L. Tanganyika 105:581
Acridine Orange, used to stain oysters 100:588
Acriflavine, egg disinfectant 83:314; 85:308
Acrylamide gel, separation of fish brain protein 99:94
Acrylic colors, list of, used in marking fish 103:141
Activity
  alewife, at fishway, effect of environment 101:583
  rhythms, large and smallmouth bass 105:400
  scope for, influence of temperature on cutthroat trout 104:552
  studies, use of ultrasonic recorder 97:15
Address
  Banquet, 100th Anniversary 100:158
  Keynote 92:74; 93:120; 94:110; 95:122 96:94; 99:262; 100:151; 101:150, 158,163; 102:213; 103:406; 104:183
  President's 83:357; 84:319; 85:285; 86:436; 87:406; 88:16; 89:89; 90:93; 91:105; 92:73; 93:111;

94:107; 95:121; 96:93; 98:134; 99:257; 101:147; 102:211; 103:157; 104:181
Acceptance 94:121; 95:143
Welcoming 96:87; 98:133
Adenocarcinomas 83:267
Adhesions
salmon, possible causes 94:179
visceral, in high seas salmon 94:177
Aeration, of hypolimnion, effect on depth distribution, rainbow trout 102:715
Aerial planting
equipment 87:183
trout, OR 87:182
Age
alewife, L. Michigan 96:387
bass
largemouth 98:295
spotted 91:324
white 100:567
yellow 104:513
bluefish 105:523
bluegill, two heated TX reservoirs 104:506
burbot 101:667
carpsucker, highfin 105:411
catfish, flathead 97:65; 98:118
char, Arctic 94:395
chub, roundtail 98:198
cobia 96:343
Dolly Varden 90:30; 96:223
drum
black 102:584
freshwater 98:116
red 105:41
eel, American 99:57
gar, longnose 103:402
haddock 88:212
herring, blueback 98:622
killifish
plains 98:461
striped 93:197
mackerel, horse, off Chile 102:591
minnow, fathead 103:743
paddlefish 92:243
perch
Pacific ocean, juvenile 105:193
Sacramento, CA 104:232
white 103:117
yellow 104:726
quillback 105:411
redhorse, black 99:550
salmon, sockeye, juvenile migrants 97:367
seaperch, white 102:448
searobin, striped 99:343
seatrout, spotted 91:84
shad
American 87:139
threadfin 99:739
shiner
coastal 100:729
sand 98:448
spottail 88:338
silverside, Waccamaw 98:470
smelt, rainbow 88:250; 93:382; 93:631
squawfish, CO 98:197
stoneroller 89:266
surfperches, three 99:475
tautog, RI 96:134
toadfish, oyster 92:171
trout
cutthroat 91:81; 100:52
searun 100:302
lake 94:75
rainbow, Chilean 101:604
juvenile 101:18
whitefish
Alaskan broad 105:526
mountain 104:68; 105:208
round, L. Michigan 93:46
Age and growth
bass
largemouth 88:241; 89:379
redeye 83:207
smallmouth 85:136; 86:120
striped 85:154
bluegill 83:58; 89:379
catfish, flathead 88:351
chub
creek 84:228
Utah 85:217; 90:274
crappie, black 89:379
dolphin 97:271
fallfish 100:718
fishes, Salt R., MO 87:116
gar, longnose 91:252
kokanee 90:30
mooneye 90:170
perch
black 95:108
yellow 84:243,249; 89:379
redhorse, Des Moines R., IA 91:416
shiner
cherryfin 104:518
emerald 96:249
shrimp, northern 98:72
squawfish, northern 88:199
sturgeon, lake 84:207
sucker
longnose 83:44
mountain 98:210
trout
brook 101:466
brown 101:466
cutthroat 84:243,282; 90:29
lake 85:257
rainbow 96:223; 101:466
various species, OK lakes 85:63
walleye 84:255; 90:130,192
whitefish
lake, L. Michigan 87:190; 89:323
pigmy 84:180
Age and growth program
Control Data 3600, FORTRAN 63, FORTRAN IV 96:364
Univac 1107, FORTRAN IV 95:229
Age composition
bloater 97:154
carp 95:374
chub, creek, population 84:234
crappie, black 83:178
darter, tessellated 101:82
menhaden, Atlantic landings, 101:291
minnow, silverjaw, spawning fish 100:517
salmon, Atlantic, catches 98:49
snapper, gray, catch 91:377
steelhead, runs 84:30
trout
brook 96:384
brown 91:57
cutthroat 84:281
walleye 83:154
Green Bay 90:481
whitefish, lake, catches 99:39
Age determination
alewife, critique of scale method 92:409
from scales 98:622

bluegill, scale method validation 91:362
chub, Utah, opercular bones 85:217
from scales 85:217
herring, Atlantic, from otoliths 93:11
menhaden, Atlantic, coastal movements inferred from changes in 100:708
rockfish, copper, from otoliths 102:413
salmon, Atlantic, hatchery-reared, validity of scale method 88:193
seatrout, spotted 91:84
sole, flathead 100:250
sturgeon, lake 84:213
validity 84:214
trout
lake, from branchiostegals 89:344
validity of 83:91
Age distribution
catch, L. Fort Smith, AR 95:52
determination from age-length keys and length distribution, IBM 7090/7094, FORTRAN IV 95:230
lake whitefish, L. Huron 91:224
Age, effect of, on survival and growth of juvenile striped bass 104:560
Age frequency, cutthroat trout moving downstream 94:338
Age groups, alewife, Long Pond, ME 90:282
Age-length
interaction, realtion to fecundity, northern mottled sculpin 104:64
relationship
bass, smallmouth 85:136
seaperch, white 102:448
sturgeon, lake 84:221
trout, cutthroat 91:80
Age, maximum
lake trout, 30 lakes 95:418
validation of, from otoliths, Atlantic cod 99:359
Age relationship
to fecundity, northern mottled sculpin 104:64
to time of annulus formation, brook trout 88:176
Age, sexual maturity
gar, longnose 91:256
snapper, gray 91:382
whitefish, lake 93:78
Age, spawning
bass, striped 91:281
trout, lake 97:264
Age, year-class distribution in catch, walleye 90:309
Aggregation
induced, rainbow trout, by acoustics 101:35
spawning, Nassau grouper 101:257
Aholehole, caloric content loss through protein catabolism 103:38
Air drop, drift bottle modification 93:203
Akton
effect on bluegill 101:318
rainbow trout, exposed to 101:317
Alabama, management and productivity of state-owned public fishing lakes 85:208
Alarm substances, fright reactions, southeastern US fishes 98:664
Albacore
availability and sea temperature 91:269
catch on high seas, N. Pacific 93:288
effect of thermocline on purse seining for 96:126
food of 94:241
immunological and biochemical genetics 99:152
in Gulf and Caribbean 85:13
juveniles, taken in midwater trawl 99:60
management, E. Pacific Ocean 99:629
migration, Atlantic Ocean 98:589
supplies of 83:395
Albinism
carp 97:209
madtom, tadpole 101:566
partial, new records, Hetersomata 96:400
Aldrin
accumulation in freshwater ostracods 100:565
acute toxicity level 97:402
distribution, L. Poinsett, SD 99:496
effect on stonefly naiads 93:27
toxicity
to cladocerans 95:166
to fish 87:47; 88:24; 90:265
Alevin
chinook salmon, effect of gamma radiation on 99:112
salmon, stonefly nymphs, predator or scavenger? 99:677
Alewife
activity at a fishway in realtion to environment 101:583
age determination, critique of scale method 92:409
age from scales 98:622
age, growth, fecundity, L. Michigan 96:387
anadromous
movement and spawning 103:392
spawning 103:312
bathymetric distribution, L. Superior 95:251
catch, commercial fisheries 84:365
caught
in electric beam trawl 97:292
in trawls, L. Huron 102:119
changes in population 102:779
DDT in 99:392
differential sex mortality from handling 90:80
effect of differential digestion rates of zooplankton on determination of selective feeding 105:89
effect of entrance pool weir elevation and fish density on passage through weir 102:398
effect of marking on recapture and survival 102:633
effect of metabolites 89:38
effect of temperature
on electrolyte balance and osmoregulation in fresh and sea water 100:624
on rate of development and survival on eggs and larvae 99:376
electivity indices 105:93
eliminated *Daphnia* from lake 96:2
food habits 105:92
food interrelationships with brook trout, Atlantic salmon, and rainbow smelt 98:641
fry, taken by new net 97:63
growth 90:284
juvenile
migratory behavior and growth 104:483
production 102:434
response to water currents in experimental chamber 104:494

landlocked, depth distribution
seasonal, in shallow eutrophic lake 105:395
vertical gill net 97:297
lethal and preferred temperatures 105:96
management 90:285
mortality 90:285
occurrence
Atlantic coastal fisheries 88:105
Barrows Stream, ME 99:298
deeper waters, L. Michigan 93:156
Little Bay de Noc, MI 103:10
Long Pond, ME 89:212
Love Lake, ME 96:11
Saginaw Bay, L. Michigan 88:331
origin and dispersal, Great Lakes 86:97
percent composition, trawl catches 100:70
possible forage fish for Atlantic salmon 102:396
predation on zooplankton, ten Adirondack lakes 100:325
prey
of bass, striped 97:317
of bluefish 105:525
of burbot 101:673
of salmon
Atlantic 103:396
coho 103:127
of trout, brook 103:396
of walleye 100:474
records, Great Lakes 90:170
research, Great Lakes 102:156
response to temperature differentials 101:740
restoration in Long Pond, ME 90:281
salmon planted to control, L. Michigan 105:491
seasonal distribution, ME estuary 102:543
selection
of large zooplankton 99:571
of prey 99:320
of warmer channels for migrating 99:381
sex ratio 90:284
spawning, 90:285
species interaction, Great Lakes 99:754
stocked
for food of Atlantic salmon 100:325
in Long Pond, ME 90:281
successful immigration, Great Lakes 105:6
summer abundance, tidal cove 103:327
survival enhanced by salt in water during handling 103:595
taxonomy 86:100
tidal cove, night catch 104:31
utilization by piscivorous fishes 101:55
Alfalfa, dehydrate, in channel catfish diet 101:95
Algae
concentration factors, DDT-R 100:212
control
by potassium permanganate 100:815
by sodium arsenite 94:130
culture of, for shrimp larvae 98:752
destroyed by ammonium nitrogen 102:74
effect of DDT-R on 102:208
effect on COD 102:607
food, of
alewife 100:327
buffalo 96:71; 99:335
buffalo, bigmouth 99:572
catfish
channel, fry 101:614
flathead 88:348
chub
roundtail 98:204
Utah 91:271
crappie, white
postlarval 97:257
young 100:310
Dolly Varden 88:256
fallfish 100:725
fishes, larval, first food of 101:219
flounder, winter, young 103:264
minnow, bluntnose, 102:800
perch
Sacramento 103:401
silver 105:516
pinfish 105:516
pupfish, Amargosa 104:537
salmon, coho 103:128
shad, gizzard 102:379
shiner
coastal 100:730
common 102:801
mimic 102:797
spottail 88:341; 93:41
shrimp, larval 98:752
spot 105:516
sucker
longnose 103:427
mountain 98:214
toadfish 105:516
growth, in Alabama lakes 89:352
in Henry's L., ID 84:277
mortality due to high temperature 101:694
Algae, blue-green, effect of liming on 86:338
food, of
shad, gizzard 87:80
shiner, emerald 96:254
synthesize flavor compounds 102:774
Algae, green, food of gizzard shad 87:80
Algae, yellow-green, effect of liming on 86:340
Alizarin red, used to stain oysters 100:588
Alkaline lakes, northern pike in NE 91:326
Alkaline phosphate, differences in level in blood of salmon 93:95
Alkalinity
change due to fertilization 89:203
effect on antimycin 100:15
increased by liming 92:176
Nebraska lakes 91:327
phenolphthalein, Colorado reservoirs 86:295
total
control in aquatic bioassays 101:752
effect of channelization on, Missouri R., NE 97:383
in glacial lakes 93:262
in Rainy R., MN 96:287
Alkalinization, effect on plankton production 86:337
Alkyl benzene sulfonate (ABS), effects
on aquatic invertebrates 92:152
on bluegill 92:372
Allethrin, toxicity to cladocerans 95:167
Alpha glycerophosphate dehydrogenase, in rainbow trout 101:494
Aluminum hydroxide, toxicity to rainbow trout 100:644
Aluminum, recovery of rainbow trout from poisoning by 102:152
Amberjack, attracted to artificial structure 100:87
Ambicoloration, in tank-cultured flounders 104:158
Amino acids, essential for growth, channel

catfish 99:90
Amitrole, effect on fishes 96:415
Ammocoetes, habitat 91:385
Ammonia,
anhydrous
effect on phytoplankton 102:78
effect on pond 102:73
lethal
to crayfish 102:75
to fish 102:75
to freshwater shrimp 102:80
to tadpoles 102:75
to zooplankton 102:75
factor, trout hatchery 102:325
lethal concentration for *Daphnia* 102:74
levels in water 86:64
nitrogen
caused disappearance of algae 102:74
effect on fish below sewage outfall 102:288
production per pound trout feed 102:325
Ammonium
chloride, effect on blacknose dace 105:431
hydroxide, added to incubation water 86:66
nitrate, effect on aquatic vegetation 91:8
Amphibians, residual concentrations of dieldrin in 105:698
Amphipods
culture, reproduction, and temperature tolerance, in laboratory 101:253
dominant bottom organisms, L. Michigan 89:193
effects
of heated water on drift 99:782
of herbicides on 98:438
food, of
alewife 105:92
bass, white 103:29,33
bullhead, black 91:315; 94:5
chub, creek 100:287
crappie, white, young 100:310
Dolly Varden 88:256; 94:407
drum, red 104:37
fishes
marine, juvenile 102:514
Mississippi R. 89:33
flounder 105:516
winter 103:830
young 103:264
haddock 94:247
hakes 101:518
kokanee 102:34
minnow, fathead 103:748
perch
Pacific ocean, juvenile 105:198
Sacramento 103:401; 104:235
silver 105:516
yellow 103:464
young of the year 104:722
pigfish 105:516
pinfish 105:516
pipefish 105:516
pompano, juvenile 100:486
salamanders 102:36
salmon, coho 103:12
salmonids 103:812
sauger 97:162
sculpin, black 103:272
shiner, spottail 93:41
silverside
Mississippi 105:516
Waccamaw 98:470
spot 105:516
studfish, northern 101:375
toadfish 92:172
tonguefish, blackcheek 105:204
trout 103:426
brook 98:254; 103:132
cutthroat 100:305
rainbow 102:35
walleye 86:26
whitefish, lake 90:304
intermediate host, acanthocephalan parasite of bluegill 105:488
labelled with isotope 90:52
marine, fed young coho salmon 91:157
occurrence
Paul L., BC 88:186
Rainy R., MN 96:293
Valley Creek, MN 91:244
sampling in N. Pacific 101:577
taken in drift net 103:510
temperature tolerance of two species 102:431
used in food competition model 103:772
Amplifier, for detecting movement and electrical potentials of fish 103:391
Amur, white, toxicity of salicylanilide I, 101:528
Analysis
electrophoretic, of hybrids of Atlantic salmon and brown trout 99:229
heavy metal, method of wet digestion of fish tissue 104:803
Anchoa, for fish meal, Chile 102:591
Anchoveta
Peru
effect of closed seasons on catch per recruit and biomass 97:240
relationship between fishing effort and catch per effort 97:236
tax in California 102:181
use of quinaldine in marking and handling 99:802
Anchovy
dynamic interaction, men and birds, Peru current 99:461
fed amphipods 103:772
food habits 105:516
food, of
bass, striped 97:317
bonito, common 95:227
drum, red 104:38
shad, American 86:304
killed by Antimycin 98:291
production, Peru current 94:128
Anchovy, Argentine, deformed by high temperature 101:694
Anchovy, bay
fin rot in 102:599
food competition of blueback herring 103:308
food of 102:511
food of bluefish 105:525
gas bubble mortality 92:321
in NC inlets 100:301
length-weight relationship 102:554
not infected by parasitic isopods 105:327
standard length-total length relationship 104:408
taken
in drop-net 104:47
in nekton subsampler 105:512
temperature effect on larvae 101:693

Anchovy, Hawaiian, tagging method 104:53
Anchovy, northern
  caught in purse seine, Columbia River estuary 102:343
  DNA value in 99:124
  fisheries, history 102:178
  monthly occurrence, Big Beef Harbor, WA 101:727
  simulated biomass 98:568
  temperature effect on growth 101:691
Anchovy, Pacific, estimate of population 97:237
Anchovy, silver, immature, caught in NC inlets 100:301
Anchovy, striped
  food of 102:511
  in NC inlets 100:301
  led by night lights 102:818
Androgen
  level in rainbow trout 103:375
  production of all male tilapias 104:342
  seasonal
    change, sockeye salmon 103:375
    in goldfish 103:375
Androgenesis, potential for monosex culture 105:14
Anemone, sea, abundance on substrates 104:51
Anesthesia, of fishes, by MS 222 89:165
Anesthetic
  quinaldine
    for handling intertidal fishes 99:802
    influence of pH on effectiveness for fishes 100:544
  4-SP, effect on lamprey and fishes 93:206
Angelfish
  blue, lymphocystis in 83:333
  French, population variability 94:314
Angioepithelial nodules (AEN) in flathead sole 100:252
Angler harvest
  Alabama
    fish pond 100:758
    lakes 89:355
  bluegills 97:246
  simulated, effect on biomass and production of bass population 104:270
Anglers
  cost expenditures 102:299
  estimation of fraction returning tags 103:616
Angler success
  Alabama fishing lakes 94:129
  illegal-sized trout, MI 91:145
  quality determinant, sport fishery values 95:357
  rainbow trout 86:264
Angling
  brook trout, effect of flies-only restriction 91:295
  catch
    in MN lake 89:69
    seasonal changes 89:67
  comparison of actual and reported times 102:641
  effect of copper sulfate on success of 91:424
  effect on abundance of steelhead 102:745
  factor influencing catchability of largemouth bass 98:317
  for channel catfish, catchout ponds 105:247
  harvest, walleyes 84:134
  journal, trout, MI 1903-05 95:101
  methods, lake trout 85:263
  promotion and regulation, reservoirs 87:350
  quality under different regulations 95:89
  rainbow smelt, variations 88:250
  results under special and normal regulations, trout stream, MI 94:219
  vulnerability, cutthroat trout 103:427
Aniline blue, used to stain oysters 100:588
Annelids
  effect of fluctuations in water flow on 103:321
  food
    of bass, largemouth 98:298
    of flounder, winter 103:265
    of haddock 94:247
    of logperch 88:213
    of rockfish, copper 102:415
    of studfish, northern 101:375
  in polluted waters 88:111
  not killed by Antimycin 98:291
  parasite on largemouth bass, bluegill, warmouth 104:280
  test animals, brine water toxicity 84:98
Annual cycle, sport fishing activity, warmwater discharge, Galveston Bay, TX 102:573
Annuli
  alewife, description 92:410
  false
    caused by low oxygen 99:367
    on scales
      bluegill 83:70; 99:363
      salmon, Atlantic 88:195
      sunfish, spotted 85:128
      whitefish, lake 99:366
  freshwater on steelhead scale, interpretation 84:28
  on branchiostegals of lake trout 89:345
  saltwater on steelhead scale, interpretation 84:29
Annulus formation
  alewife 96:388
  bloater 97:153
  bluegill, Texas reservoirs 104:507
  failure of 83:98
    bass
      largemouth 92:389
      white 92:389
      yellow 92:384
    bluegill 92:389
    carp 92:389
    crappie, white 92:389
    grayling 92:389
    perch, European 92:389
    trout
      brook 92:389
      brown 92:389
      rainbow 92:389
    walleye 92:389
  menhaden, Atlantic 103:292
  perch
    Nile, L. Chad 104:503
    white 98:322
  silverside, brook 97:295
  smelt, rainbow 93:386
  surfperches 99:480
  tigerfish, L. Bengweulu, Zambia 104:499
  tilapia, Kafue R., Zambia 104:503
  tilapias 103:284
  time of
    bass, redeye 83:206
    bluegill 83:61; 91:367
    crappie, black 83:179
    perch

white 103:118
yellow 86:179
salmon, Atlantic 92:196
shad, threadfin 99:743
sucker, mountain 98:211
trout
brook 88:176
brown 83:96
walleye 90:197
trout, lake 96:271
validity of
bluegills 83:61
catfish, flathead 98:119
dolphin 97:274
perch, yellow 86:176
shad, American 87:145
snapper, gray 91:380
tautog opercle 96:135
Anomalies
brook trout adipose and pelvic fins 104:414
gross physical, in irradiated and non-irradiated F_1 coho salmon 102:438
Antibiotics
effect on virus 101:268
in channel catfish diet supplement 101:95
used to control furunculosis 97:226
Ants
Argentinian, spread in U.S. 97:5
fire, control of by Mirex 103:366; 105:546
food, of
bass, spotted 98:659
salmon, coho 105:608
Antigens, bacteriophage, immune response in thornback 101:115
Antimycin
effectiveness of potassium permanganate to detoxify 104:579
effects of physical and chemical conditions on detoxification 100:13
growth inhibitor to yeast 100:13
half-life of biological activity 101:100
removed from water by activated carbon 105:120
toxicant in marine habitat 98:288
toxicology study 96:320
use in fish removal 96:210
Antimycin A
evaluation as parasiticide 103:618
toxicity to ostracods 102:828
Apomorphine, used to collect stomach contents 98:700
Apparatus
constant-flow delivery for chronic bioassay 100:135
continuous-flow, automatic, toxicity study 97:501
control ambient light cycles 100:128
for feeding brine shrimp to fishes 91:230
olfactory, development in cutthroat trout 101:284
simple flow-through, maintain fixed concentration of toxicants 97:498
Applicator, cartridge-fed, new fish tag 97:57
Aquaculture, marine, research at Univ. Miami 98:738
Aqualin, acute toxicity level 97:402
Aquarium
research, for shipboard use 97:286
simulated stream flow in 94:274
system, marine pelagic fishes 96:143
tropical fishes, as laboratory animals 102:249
Aquatic
invertebrates, effect of ABS on 92:152
macroinvertebrates, sampler for 91:420
plants
DDT content 90:247
in fertilized sunfish ponds 105:538
L. St. Lawrence, ON 95:373
saline lakes, NE 91:328
sciences, information retrieval system 91:151
Arachidonate, effect of temperature on, channel catfish 101:98
Arachnids, food
of chub, roundtail 98:204
of Dolly Varden 88:256
of salmon, coho 103:12
of silverside, brook 99:437
of studfish, Virginia 101:375
Arachnoids, food of brook silverside 97:301
Aramite, toxicity to caldocerans 95:166
Arapaima, proposed introduction 102:6
Arawana, proposed introduction 102:6
Archives, American Fisheries Society Publications 100:396
Argonaut, food of skipjack tuna 94:238
Aroclor
acutely toxic to estuarine animals 104:584
effects on embryos and fry of sheepshead minnow 103:582
effects on embryos, fry, and juveniles, and adult sheepshead minnow 104:584
effects on fathead minnow and flagfish 103:562
effect on survival and reproduction of waterfleas, midge and scud 103:722
Aroma
fish 90:175
relationship to size and body area 98:533
Arsenite, effect on fishes 96:415
Arsenous acid, used to collect stomach contents 98:698
Arthropods, food of young winter flounder 103:264
Ascorbic acid
deficiency in fish 83:259
requirement of coho salmon and rainbow trout 98:762
Ash content, coho salmon 89:305
Ash effluent, effect on mosquitofish 105:686
Atrazine, effect on fishes 96:415
Attraction, coastal pelagic fishes to artificial structures 100:86
Auditors report 92:79; 93:117; 94:112; 95:127; 96:92; 97:100; 98:178; 99:273; 100:175; 102:233; 103:181; 104:198
Aureomycin, used to preserve fish 87:443
Autopsy technique, for zinc-caused mortality 93:174
Availability, function of, in food choice, largemouth bass 90:277
Avitaminosis 83:255
Avoidance
estimate, yellow perch to tow net 101:721
of domestic sewage, threshold for blacknose dace 105:438
Award

American Motors Conservation 104:210
Best Paper 100:163
Best Student Paper 104:209
of Excellence 99:258; 100:162; 101:179; 102:236; 103:185; 104:208
Special
to R. W. Eschmeyer 83:369
to students 101:210
Trout Unlimited 101:179

B

Bacitracin, treatment, kidney disease 88:120
Backswimmer
susceptibility to DDVP and phosphamidon 98:431
toxicity of 2-(digeranylamino)-ethanol 103:738
Bacteria
count before and after rotenone treatment 90:292
iron, Danish soils 92:260
L. Erie 90:155
pathogenic to fish 83:241; 84:275,294
pseudomonad, prevalence in lake 103:114
Bacterial antigens, immune response
in blue gourami 104:289
in zebra fish, effect of zinc on 105:456
Bacterial infection, relationship of river pollution to, salmon and suckers 98:685
Bait
aquatic species, effects of harvesting 104:446
shrimp, fishing for 89:135
trout, effectiveness of salmon eggs and earthworms 89:280
Balistid, food of grouper 89:12
Balloonfish, population variability 94:314
Barbel
flying, susceptibility to DDVP and Phosphamidon 98:431
zone, in west European streams 88:157
Barbels, chondromas and osteomas in 83:275
Barbfish, population variability 94:314
Barb, rosy, golden, and tinfoil, introduced into Florida 102:4
Barnacle
cyprides, food of juvenile Pacific ocean perch 105:198
food
of juvenile marine fishes 102:514
of permit and pompano 98:483
in FL saltwater impoundment 98:289
killed by hurricane 91:377
Barracuda, great
barring 97:208
near artificial structures 100:89; 102:569
tagging 90:497
Barrier
fish, electrical 86:269
hurricane, related to winter flounder movement 91:189
Basket, for washing benthological samples 100:590
Bass
parasites of 95:24
status in OK reservoirs 84:40
Bass, black sea
internal anchor tagging 101:358
protogynous hermaphrodite 93:301
serum protein and cholesterol levels 95:215
Bass, kelp, relationship of length to fecundity 101:67
Bass, largemouth
ability to swim in low-oxygen water 88:88
activity rhythms and light intensity preference 105:400
age and growth 98:295
age determination 83:177
alternate polarity shocker, effect on 85:239
angler harvest
Alabama lakes 89:355
Brown's L., WI 85:241
angling as factor influencing catchability 98:317
annuli 92:385
avoidance of low oxygen 89:18
behavioral suppression by interspecific competition for space 105:682
biochemical constituents 92:168
body-scale relationship 85:247
catch
by electrofishing
Lake Monona, WI 103:670
versus seining 88:35
in AL
intensive fishing pond 100:759
public lakes 85:208
TVA lakes 88:83
in colored gillnets 102:111
in MN 85:36; 89:68
changes in population, Au Sable R., MI, 1920-72 105:35
coefficient of condition 92:394
comparison of catch rates, gill nets 93:236
daily gain in growth 91:261
DDE and lindane in 105:127
DDT in 99:392
development 91:32
digestion rate and food consumption 89:206
digestive rate 93:269
dissolved oxygen requirement 90:377
distribution in destratified lake 100:355
effect on, of
cadmium 105:558
DDT-R 100:208
drawdown 87:35
gizzard shad 85:58
herbicides 98:441
mercury 103:134
pesticide 97:400
sanctuary for population 104:441
simulated angler harvest, biomass and production 104:270
temperature,
digestion 90:402
swimming rate 96:373
weight, swimming speed 103:357
elemental composition 101:545
embryo
predation by pond snail 101:734
survival in low dissolved oxygen 104:122
energy expenditure during yolk absorption 98:398

escape from fyke net 97:59
exploitation
  Gladstone L., MN 91:48
  rate 85:254
external sex determination 103:343
failure
  to form annuli 92:389
  to use supplemental food 100:622
fathead minnow cleans monogenetic nematode from 99:600
feeding habits 93:269; 98:296
finclipping causes mortality 102:757
food choice, function of availability and vulnerability 90:277
food conversion and growth rate 88:125
food conversion rate 92:184
food habits 89:230
food intake 103:277
food of 91:9; 101:650
  bass, largemouth 98:298
    fingerling 91:34
  piscivorous fishes 101:57
  salmon, coho 105:609
food preferences 93:315
forage fish unavailable 98:294
formation of year classes 91:29
fry, diel activity and feeding of schooled 105:624
growth 88:332; 89:27; 93:269
  affected by low oxygen 99:367
  at various temperatures 90:334
  first-year 89:222
  in new reservoir 87:246
  in small pond 92:391
  northern and southern subspecies, their hybrids, and comparison of catchability 105:240
  rate 87:233
    Brown's L., WI 85:241
    Florida 93:146
harvest 98:299
hours to empty stomach 98:383
hybridization 95:280
in
  Alabama ponds 105:634
  Big Piney R., MO 103:761
  California reservoir 87:202
  Chipola R., FL 88:191
  commercial catch, Norris Reservoir 92:362
  Conowingo pond, PA 105:167
  Dale Hollow tailwater 85:77
  Fern L., WA 88:4
  fertilized ponds 105:536
  four CO lakes 104:234
  Gull L., MI 98:632
  insecticide contaminated farm pond 91:221
  Lake Taneycomo, MO 97:140
  Lake Waccamaw, NC 98:468
  Long L., MN 102:795
  Louisiana waters 88:10
  Massachusetts ponds 87:108
  Mille Lacs, MN 85:192
  Minnesota lakes 87:53
  Missouri R. reservoirs 87:360
  Moapa R., NV 105:505
  Munsel L., OR 100:55
  Owasco L., NY 105:233
  Owens Valley, CA 100:503
  prairie lake, MN 88:178
  Priest Lakes, IL 90:27
  Sheed's Creek, TN 83:204
  Smith Mountain Reservoir, PA 105:176
  Smiths Branch, IL 88:266
  southeastern US reservoirs 87:335
  Stager L., MI 96:2
  strip mine ponds, IL 84:117
  Tennessee streams 86:147; 88:137
  Thompson Lakes, MT 84:241
  Thurston L., CA 104:232
  upper and middle Colorado R. basins 104:227
increase in L. Ontario, 1880 99:758
increased production 102:622
induced spawning 102:442
infected by blackspot 94:150
influence of diurnal oxygen pulse on serum proteins 94:363
initial records of monogenetic gill parasites, central Columbia R., WA 101:723
injury-increased susceptability to predation 96:427
introduced
  California reservoirs 87:325
  Lake Atitlan, Guatemala 96:210
  Washington lakes 86:113
jaw-injection to mark 95:433
killed by
  anhydrous ammonia 102:77
  endrin 90:332
  rotenone 90:292
  toxaphene 85:180
  zinc 93:181
length-frequency distribution 98:301
length-weight relationship 83:118; 89:227
lesions in 83:266
loss over drop box spillway 97:493
mortality,
  from DDT 92:422
  rate 85:254; 87:230; 91:46
movement
  in impoundments, determined by underwater telemetry 104:696
  in Missouri streams 85:39
nest desertion 97:258
nests destroyed by waves 104:524
older fish, lower fecundity 98:10
oxygen consumption 102:127
parasite community structure 104:277
parasitic copepod on 88:128
population
  Alabama 83:50
  Florida 85:120
  Thomas Bay 85:112
population and harvest, Gladstone L., MN 91:42
population estimate 92:394
  Brown's L., WI 85:241
population management 102:164
predator, on
  finclipped bluegills 101:563
  grebe, giant pied-bill, Lake Atitlan, Guatemala 96:210
  killifish, plains 98:464
  mosquitofish 101:367
  perch, yellow, finclipped 101:565
preference for selected bait species 102:355
production
  Alabama ponds 89:145
  small pond 92:391
pugheadedness 94:97
pyloric caeca count, to separate fry from

spotted bass 95:226
reaction to oxygen concentrations 97:453
recapture of tagged 89:295
reduced survival from fin clipping 100:465
regurgitation of transmitters 104:56
repopulation after fish kill 103:83
reproduction in crowded sunfish ponds 105:244
reproductive cycles in cooling reservoir 104:77
sampling of young in a lake 89:185
scarred by lamprey 90:84
selectivity of gill net 88:198
sexual maturity and fecundity 91:23
size limit in management 87:229
spawning 91:30
dates 89:224
in laboratory 101:539
standing crop, farm ponds
Kentucky 89:333
Oregon 92:25
stocked
after toxaphene application 94:212
Alabama
lakes 94:129
public lakes 85:209
Arizona reservoirs 99:746
channel catfish ponds 105:247
Little Dixie L., MO 98:295
new impoundment 92:2
stocking rate, farm pond 99:808
stomach analysis 91:303; 98:295
success, in IA ponds 86:361
suggested introduction, New Zealand 97:2
survival, growth, and abundance, AL pond 100:760
survive supersaturation of gases 103:720
susceptibility, to
DDT 99:89
insecticides 99:20
tagged for individual recognition 97:55
temperature, upper lethal 104:383
test animal, organic phosphorus insecticides 90:143
test for efficacy of quinaldine anesthetic 100:544
toxicity, of
2-(digeranylamino)-ethanol 103:738
dursban 101:421
guthion 94:204
organic phosphorus insecticides 91:176
salicylanilide I 101:528
TFM 91:342
tumor 83:271
use of
brush shelter by spawning 104:264
emetic to collect stomach contents 98:698
in toxicity of brine water study 84:98
Stoeltzner's method, scale growth 94:94
virtual population estimates, L. Fort Smith, AR 95:52
vulnerability of forage organisms to 93:315
young
evacuation rate 102:759
food of 96:74
Bass, peacock, importation in FL 102:3
Bass, redeye
age and growth 83:207
annulus formation 83:206
diseases and parasites 83:208
fecundity and maturity 83:209
food habits 83:207
growth and habits 83:202
in Chipola R., FL 88:191
in AL
lakes 85:210
ponds 83:208
length-weight relationship 83:204
migration 83:210
reproduction in hatcheries 83:209
scale regeneration 83:205
Bass, rock
body-scale relationship 99:470
catch, electrofishing, L. Monona 103:670
caught in electric beam trawl 97:292
change in population, Au Sable R., MI, 1920-72 105:35
cold branded 102:638
food of piscivorous fishes 101:56
fry, taken in new net 97:63
growth 84:253
in new reservoir 87:247
hypoxia, effects on 101:488
in
Big Flatbrook, NJ 99:55
Big Piney R., MO 103:761
Chipola R., FL 88:191
Crooked L., IN 97:296
Gull L., MI 98:632
Lake DeSmet, WY 91:63
Lake Winnibigoshish 90:312
Little Bay de Noc, MI 103:10
Mille Lacs, MN 85:192
Minnesota lakes 87:53; 92:13
Quabbin Reservoir, MA 89:28
Rich Creek, VA 104:447
Smiths Branch, IL 88:266
southeastern US reservoirs 87:335
Stormy L., WI 103:127
Sylco Creek, TN 83:204
Tennessee streams 86:147; 88:137
induced spawning 88:55
infected by blackspot 94:150
killed, by
electrical barrier 86:279
zinc 93:181
movement, in
MO streams 85:39
warmwater stream 90:449
rate of escape from trap net 97:61
repopulation after fish kill 103:83
retention of mercury in muscle 105:296
sexing of 88:149
standing crop, ON streams 94:351
tagging of 90:452
taken by spearfishing 92:32
tumor in 83:271
Bass, smallmouth
absence in heavy wood-fiber pollution 92:220
acclimated in Belgium 88:160
activity rhythms and light intensity preferences 105:400
age and growth 86:120; 103:763
alternate polarity shocker, effect on 85:239
body-scale relationship 90:459
catch estimate, mark-recovery method 100:497
changes in population, AuSable R., MI 1920-72 105:35
cold branded 102:638
comparison of food of black redhorse 99:556
daily gain in growth 91:261

DDT content 95:163
difference in growth in subspecies 102:170
disease in 83:266
effect on
finclipping and other factors, survival and growth 100:460
herbicides 96:414
nutrition enrichment, population 102:346
radioactive effluent 86:123
simulated angler harvest, biomass and production 104:270
stocking, fishery 103:757
temperature, developing meristic structures 102:142
factors affecting fry production 104:83
failure
method to obtain gut contents from small live fish 105:521
stocking, CA reservoir 87:202
food conversion and growth rate 88:125
food conversion rate 92:184
food habits 101:58
food of chain pickerel 102:150
fry, effect of temperature on swimming ability 97:175
growth 89:27
in new reservoir 87:245
homing behavior 91:346
in
Barrows stream, ME 99:298
Big Flatbrook, NJ 99:55
Black River, MO 87:243
commercial catch, Norris Reservoir 92:362
Conowingo Pond, PA 105:167
DesMoines R., IA 91:413
Gull L., MI 98:632
Lake Taneycomo, MO 97:140
Love L., ME 96:11
Maine lake 91:425; 101:609
Massachusetts ponds 87:108
Minnesota lake 87:53
Oneida L., NY 103:462
Owasco L., NY 105:233
Rich Creek, VA 104:447
Schoodic L., ME 102:121
Sebago L., ME 95:160
Sheed's Creek, TN 83:203
Smiths Branch, IL 88:266
South Branch L., ME 104:390
southeastern US reservoirs 87:335
Stager L., MI 96:2
Stormy L., WI 103:127
strip mine ponds 84:124
tailwaters, Dale Hollow reservoir 85:77
Tennessee streams 86:147; 88:137
increase, L., Ontario, 1880 99:758
infected by blackspot 94:150
initial records of monogenetic gill parasites, central Columbia R., WA 101:723
insecticide residues in tissues 99:423
introduced
CA reservoirs 87:325
Long Pond ME 89:212
killed
electrical barrier 86:279
toxaphene 91:15
zinc 93:181
lethal dissolved oxygen concentration 90:326
marked, injected dye 96:168
movement and distribution
Middle Snake R. 99:44
streams 85:39
warmwater stream 90:449
nest desertion 97:258
oxygen requirement in exercise 93:210
predator on lake trout eggs 86:240
residues of DDT, PCB, mercury, copper and cadminum in 103:577
scale appearance-body length 93:199
scale development 95:435
scarred by lamprey 90:84
spawning, Columbia R., WA 86:119
sport fish, Oneida L., NY 100:740
sport fishery, Columbia R., WA 86:113
squamation chronology 99:429
tagging 86:117; 90:450
for individual recognition 97:55
toxicity to
2-(digeranylamino)-ethanol 103:738
salicylanilide I 101:528
transplant, in WA 86:116
tumor in 83:271
use by
automatic brine shrimp feeder 98:533
brush shelter, spawning 104:264
year-class yields, Manitoulin Island, ON 85:135
Bass, spotted
aggregation 99:542
catch, seine vs. electrofishing 88:35
comparison of catch rates, gill nets 93:236
food of 98:647
growth and survival
in Lake Taneycomo, MO 97:140
Louisiana backwaters 88:10
Rich Creek, VA 104:447
Sheed's Creek, TN 83:203
southeastern US reservoirs 87:335
introduced in California reservoirs 87:325
killed by rotenone 90:292 2
movement in streams, MO 85:39
population, AL 83:50
pyloric caeca count, to separate fry from largemouth bass 95:226
tagged for individual recognition 97:55
use of brush shelter by spawning 104:264
Bass, striped
catch, Maine estuary 102:543
determining sex of 87:104
distribution and abundance, in relation to river flow, Sacramento-San Joaquin estuary 101:442
effect on
dredge spoil disposal, catch 103:500
shear, eggs and larvae 105:149
electrophoretic definition
homing populations 105:281
populations 102:221
fecundity 95:328
feed
on Atlantic menhaden young 102:421
on Atlantic silverside 104:762
fingerling culture
evaluation 102:13
factors effecting growth and survival 102:17
food habits and feeding behavior 102:15
growth patterns 102:16
fin rot in 102:599
growth 101:448
gynogenesis in intergeneric crosses

105:13
hematological responses to fullers earth 104:780
in
Atlantic coastal fisheries 88:105
Sacramento-San Joaquin Basin 87:325
southeastern US reservoirs 87:335
jawless, stunted growth 104:408
juvenile, survival and growth, effect of salinity, temperature, and age 104:560
killed in power plant intakes 99:848
louver guidance 86:40
meristic counts 94:278
migrations
Sacramento-San Joaquin R. population 96:327
tagged, Atlantic coast 90:13
models predicting withdrawals of Hudson River bass into power plants, comparison with field data 104:710
opercular strap tag retention 102:636
parasitic isopod on 105:328
predation, on Atlantic croaker 97:313
pugheadedness 94:97; 100:367
reproduction, Cooper-Santee reservoir 85:144
seasonal movements, Long Island Sound and New York Bight 97:320
sexual maturity determined by ovum diameters 91:279
sonic tracking 101:453
spawning 97:340
time 101:448
stocked in reservoirs 102:169
tagged
movements, Chesapeake Bay 104:703
Quebec 86:348
tagging 97:320
tests 88:319
total dissolved solids block spawning run 96:405
Bass, white
abundance, Clear L., IA 89:249
age and growth 100:567
age at maturity 100:569
catch
electrofishing, L. Monona, WI 103:670
in different colored gill nets 102:111
seine vs. electrofishing 88:35
TVA lakes, AL 88:83
comparison of catch rates, gill nets 93:236
competitor with freshwater drum 96:219
effects of swimming and food uptake on respiration 100:537
electrophoresis 102:22
energy transformation 103:32
failure to form annuli 92:389
fecundity 102:446
feeding, sight or scent 91:326
food 99:440; 103:25
of piscivorous fishes 101:57
of walleye 100:474
food habits 105:77
fry, food of walleye 98:122
in
commercial catch, Norris reservoir 92:362
Crab Orchard L., 103:277
Elephant Butte L., NM 105:223
Little Bay de Noc, MI 103:10
southeastern US reservoirs 87:335
Turtle Creek Reservoir, KS 99:324
Upper Mississippi R. impoundments 94:346
infected by *Argulus* 99:599
killed
rotenone 90:292
zinc 93:181
lethal dissolved oxygen concentration 90:326
mayflies and caddisflies as food 89:32
pathogenic bacteria in 103:115
pesticide residue in 99:499
population, AL 83:50
residues of DDT, PCB, mercury, copper and cadmium in 103:577
sampling of young in a lake 89:185
scarred by lamprey 90:84
sexing of 88:149
shed transmitters from stomach 104:56
sonic tracking 101:455; 103:636
spawning, induced 88:55
tagging with ultrasonic transmitter 95:350
taken by spearfishing 92:32
use of emerald shiner as food 96:247
Bass, yellow
age and growth 104:513
body-scale relationship 92:384
cannibalism in 102:739
catch, electrofishing, L. Monona 103:670
effect of removal on walleye 87:34
failure to form annuli 92:384
feeding interaction between adult and young 99:732
food habits 87:100
Crab Orchard Lake 103:277
Iowa lake 87:81
Louisiana backwaters 88:10
pathogenic bacteria in 103:115
sampling of young in a lake 89:185
sexing of 88:149
stocked, catchable size, result 92:236
stunted 105:6
taken by spearfishing 92:32
Batfish, shortnose, population variability 94:314
Bayer 29493, effect on stonefly naiads 93:27
Bayer 73
effect on oxygen consumption, midge 103:551
toxicity to ostracods 102:829
toxicity to 21 freshwater invertebrates 105:322
Baytex, toxicity
cladocerans 95:167
fishes 99:22
Bear, polar, lipid value 84:153
Beaver dams
beneficial influence on trout 84:76
effect on trout migration 84:77
Beaver-trout relationship 84:75
Beetle, moss, food of amargosa pupfish 104:536
Beetle, parnid, in polluted river 88:115
Beetle, riffle, elutriated from stony substrate 104:823
Beetles
as food
bass, spotted 98:649
Dolly Varden 88:256
salamanders 102:36
salmon, coho 105:608
salmon, sockeye 102:34
trout, brook 89:80
trout, rainbow 102:35
toxicity of DDVO and phosphamidon 98:431

Behavior
avoidance, mosquitofish to insecticides 103:557
bluegill, effect of negative buoyancy on 101:507
courting, skipjack tuna 99:93
fish, effect of reduced oxygen concentration 90:324
flounder, winter, in natural habitat 98:717
homing
bass, smallmouth 91:346
walleye 91:350
marked American lobster 99:409
migratory
alewife, juvenile 104:483
salmon, sockeye, fry 91:133
predator-prey, altered by mercury 103:134
reproductive, northern squawfish 98:108
spawning, rainbow smelt 94:167
splake, fingerlings 90:328
sunfish, green, at pond overflow 103:620
thermoregulation, fishes in heated effluent 103:633
trout, brook, fingerlings 90:328
tuna, inferences from fishermen's logbooks 98:77
underwater observation, pumpkinseed 100:350
Behaviorial development, gars, L. Texoma 101:108
Beluga, X-ray treatment of sperm 105:13
Benthic invertebrates, circular chamber for counting 104:406
Benthic macroinvertebrates, quantitative artificial substrate sampler for 100:136
Benthic organisms
effect of coho spawning on 100:61
estimate of numbers 97:304
taken in suction sampler, list of 104:403
taxa affected and not affected by spawning coho salmon 100:66
Benthic photosynthesis 92:6
Benthic samples, use of sugar flotation and dye to sort 100:794
Benthological samples, basket for washing 100:590
Benthos
estuarine, use of artificial substrate for sampling 104:50
indicator of water quality 103:507
quantitative sampling with suction sampler on rocky substrate in river 104:398
quantities in fish ponds 99:710
relative abundance, Missouri R., NE 97:383
Benthos, affected by
fertilization 91:303
nutritional enrichment 102:351
reduced fall drawdown 104:526
toxaphene 85:183; 94:210
Benzocaine
anesthetic properties 97:496
removal from water by activated carbon 105:120
Bermuda grass, cover plant, reservoir basin 87:329
Beta-carotene, trout coloration 95:410
Betadine, toxicity to rainbow trout eggs 103:73
BHC (benzen hexachloride)
presence
commercial fish pellets 95:212
Louisiana surface waters 95:315
salmon, Atlantic 101:641
toxicity
acute level 97:402
to fish 88:25
to trout, rainbow 87:46
Bibliographic sources 83:20
Bibliography, annotated, fish and fisheries literature sources 100:403
Bicarbonate alkalinity, range of, brine polluted stream 85:21
Bicarbonate, in various waters 84:99
Bidrin, toxicity to red crayfish 92:428
Bigeye, food of blue marlin 91:226
Bighead, undesirable exotic 100:184
Big scales, heterogamety 99:134
Billfish
in Cooper-Santee Reservoir, SC 85:148
Pacific, fishery, 1903-69 104:1
Bioassay
aquatic, control of pH, total alkalinity, or total carbonate 101:752
chronic, device for constant flow delivery 100:135
fathead minnow, effect of instant temperature increase 101:403
fish, halflife of activity of Antimycin 101:100
flow-through, salinity controller 104:388
intermittent-flow, device for metering chemicals 101:55
methods
organic phosphorus insecticides 87:42
toxicity tests 88:25
procedures, fish toxicants 83:104
results toxicity tests, insecticides 88:26
Biochemical genetic variation
salmon 101:494
trout, rainbow, stocks 101:494
Biochemistry, Indian carps, blood 90:1
Bioconcentration, PCB, in rainbow trout 104:785
Biofilter, revolving plate type, evaluation in recirculating units 105:704
Biological characteristics
Oregon experimental ponds 91:307
Rainy R., MN 96:289
three Maine lakes 94:10
Biological conditions, in brine polluted stream 85:25
Biological factors, influencing distribution, sheepshead minnow 101:90
Biological materials, ponds, effect on COD 102:606
Biology
catfish, flathead 88:344
fallfish 100:717
shrimp
northern 98:60
pink 89:1
trout, lake, significance of food habits 95:415
Biology, reproductive, silverjaw minnow 100:510
Biomass
bass, effect of simulated harvest on production 104:270
catchable, Pacific ocean perch 101:68
dynamics
and food competition, computer model, use in fishery management 103:215
fish, a model 103:786

fishes, Rehoboth-Indian R. Bays, DE 102:554
index of, yellow perch 100:746
Biota, aquatic, impact of acid rock mineralization on 104:677
Biotin
index of well-being, rainbow trout 86:166
requirement of trout 83:256
Birds, aquatic, prey on S. American freshwater crabs 101:597
Birth, seasons of, rockfish, OR 91:231
Bismarck Brown Y
marking fish 102:459
salmon, sockeye, fry 92:379
shad, American 99:600
troutperch 99:600
Bitterling, ovipositor 98:526
Bittern, parasites in 88:96
American, predator on rainbow trout 98:226
parasites in 88:96
Blackfish
Alaska
gill net selectivity 91:263
in Chignik L. system 88:255
food of Dolly Varden 88:256
Blackfly
control by DDT, Sebago L., ME 95:161
effect of DDT on 86:214
killed by TFM 96:412
larvae, eliminated with parathion 90:143
toxicity of Bayer 73 and TFM 105:324
Blackspot, trematode parasite on centrarchids 94:143
Blenny, bay, lymphocystis virus in 105:333
Blenny, Florida, food of 102:511
Blenny, marbled, population variability 94:314
Blenny, mussel, lymphocystis virus in 105:333
Blenny, rockpool, lymphocystus virus in 105:333
Bloater
age and size at maturity 97:155
annulus formation 97:153
bathymetric distribution, L. Superior 95:251
decline in L. Michigan 99:759
eaten by burbot 101:673
fecundity 97:157
fed lake trout 92:36
food of 97:157
L. Michigan 92:245
gill net selectivity 90:413
growth changes 97:146
hermaphroditic 99:611
length-weight relationship 97:146
parasitic copepod on 105:492
percent composition, trawl catches 100:700
seasonal and depth distribution of larvae, L. Michigan 95:388
spawning 97:156
Blood
cell size, spotted moray 98:330
cell volume, opaleye 98:330
characteristics, rainbow trout, influence of capture methods on 95:170
effect of hypoxia on, channel catfish 103:593
studies of some marine teleosts 98:328
sunfish, redear, exposed to Hydrothol 191 98:53
total volume, fishes 100:238
Blood chemistry, effect of ferric hydroxide suspension on, common shiner 105:450
Blood flour, in hatchery diet 98:773
Blood glucose, common shiner, effect of ferric hydroxide on 105:453
Blood groups, tunas 99:153
Blood serum
complement in 96:351
effect of zinc and copper on osmolality, channel catfish 100:639
Blood sugar, rainbow trout, effect of MS-222 on 101:125
Bloodworms
accumulate ^{36}CL-DDT 101:323
killed by TFM 96:412
Bloor's mixture, blood preservative 84:151
Bluefish
age, growth, and food 105:523
aquarium system for 96:143
catch, ME estuary 102:543
description of embryonic and early larval stages 95:264
development and distribution of eggs and young 103:477
effect of dredge spoil disposal on catch 103:500
feed on
Atlantic menhaden 102:421
Atlantic silverside 104:762
fin rot in 102:599
juveniles, food of bluefish 105:525
larvae, similarities and differences from other species 103:486
movement and migration 99:719
parasitic copepod on 105:328
scale development 104:773
summer abundance, tidal pool 103:327
toxicity of endrin to 95:155
uptake of mixed fission products 95:145
Bluegill
abundance, survival and growth in OK pond 100:762
AChE inhibited by 62C47 100:674
age and growth of 83:58
in two TX heated reservoirs 104:506
angler harvest, AL lakes 89:355
annulus formation 83:61
assimilation of pesticides 95:212
associated largemouth bass 91:42
avoidance of low oxygen 89:18
body-scale relationship 83:63; 97:245
catch
Alabama intensive fishing pond 100:759
Lake Monona, WI, electrofishing 103:670
seine vs. electrofishing 88:35
TVA lakes, AL 88:83
changes in population, AuSable R., MI, 1920-72 105:35
chronic effects
copper, on survival, growth, and reproduction 104:353
2,4-D 99:1
coefficient of condition 85:65
comparison of catch rates, gill nets 93:236
condition factor 89:74
crossed with redbreast sunfish 91:334
DDE and lindane in 105:127
DDT in 99:392
diel patterns of distribution and feeding 103:255
digestive rate 93:269
disease in 83:264

dissolved oxygen requirement 90:377
distribution and condition
  destratified lake 100:355
  heated water reservoir 103:520
  of sex ratios 92:435
effect of,on
  ABS 92:372; 94:30
  dissolved oxygen, tolerance to zinc 104:132
  endrin 90:394
  heptachlor 95:297
  herbicides 96:414; 98:441
  hydrogen sulfide 96:32
    response to MS-222 105:447
  largemouth bass spawning 105:244
  Mirex 97:185; 103:366
  negative buoyancy, behavior 101:507
  pesticide 97:400
  sanctuary, population 104:441
  sodium arsenite 95:289
  stress, nitrogen excretion 102:629
eggs and fry, toxicity of Kuron to 102:630
elimination of DDT-C^{14}, dieldrin-C^{14}, lindane-C^{14} from 96:301
embryological comparison with bluegill X pumpkinseed 98:669
energy cost of food utilization 103:38
energy deficit, mortality 98:398
escape from fyke net 97:59
exhaust water, toxic to 104:363
exposed to cadmium 105:550
external sex determination 103:343
factors influencing seasonal change in angler catch 89:67
  toxicity of LAS 100:1
failure to form annuli 92:389
false annuli 83:70; 99:363
feed on
  Argulus 99:599
  Daphnia 96:2
  longnose gar eggs 91:258
feeding habits 93:269
finclipped
  survival 87:221
  vulnerability to predation by largemouth bass 101:563
food of 87:98; 89:75; 91:9,221; 100:124
  bass 88:126
  bass, largemouth 90:278; 93:316; 98:298; 101:651; 103:277; 105:241
    fingerling 91:34
  pike, northern 97:28
food similar to Sacramento perch 103:402
forage for northern pike 101:561
freshwater cell line BF 2 102:599
fry, intralacustrine movements 96:416
gas secretion 101:509
gonadal quiescense, winter 101:270
growth 93:269
  calculated 85:63
  inhibited by heptachlor 99:489
  in new reservoir 87:250
habits similar to redear sunfish 94:140
harvest 98:299
hemosiderin in spleen 97:48
histological effect of ABS 92:376
homing tendency 100:352
hours to empty stomach 98:383
hybridization 95:280
hybrids of, and
  sunfish, green, growth in low temperatures 104:333
  sunfish, redear, subsist on natural food 100:619
in
  Alabama 83:49
    ponds 105:634
  Big Piney R., MO 103:761
  Brown's L., WI 85:242
  California reservoir 87:202
  catchout ponds 105:252
  Cedar Creek, WI 94:2
  Chipola R., FL 88:191
  Conowingo Pond, PA 105:167
  Crooked L., IN 97:296
  fertilized ponds 105:536
  four CO lakes 104:234
  Gull L., MI 98:632
  insecticide-contaminated farm pond 91:221
  Lake Taneycomo, MO 97:140
  Lake Waccamaw, NC 98:468
  Long L., MN 102:795
  Louisiana backwaters 88:10
  Mille Lacs, MN 85:192
  Minnesota lake 87:53
  Missouri R. reservoirs 87:360
  Munsel L., OR 100:55
  Quabbin Reservoir, MA 89:27
  small OK lakes 85:58
  Smith Mountain reservoir, PA 105:176
  Smith's Branch, IL 88:266
  southeastern US reservoirs 87:335
  strip mine ponds, IL 84:117
  tailwaters, Dale Hollow Reservoir 85:77
  Tennessee streams 86:147; 88:137
  upper and middle Colorado R. basins 104:227
infected with blackspot 94:150
influence of diurnal oxygen pulse on serum protein 94:363
introduced
  California reservoirs 87:325
  monogenetic trematode into CA 101:724
jaw-injection to mark 95:433
killed by
  anhydrous ammonia 102:77
  endrin 90:332
  rotenone 90:292
  zinc 93:181
kinetics of locomotion 104:752
lactic acid in blood after exercise 98:266
larval, first foods 101:219
length frequency 85:62
length-weight
  equation 85:61
  relationship 83:59; 103:682
lethal effect of noise on larvae 102:134
marked, injected with dye 96:163
meristic studies 91:333
minimum size limit 87:229
model for biomass dynamics 103:786
mortality curves, affected by temperature and zinc stress 101:435
mortality from DDT 92:422
nitrogen excretion 100:19
numbers, estimated by poisoning and trapping 85:71
oxygen consumption 102:127
parasite community structure 104:277
parasitic copepod on 88:128
pesticide residue in 99:499
population 100:69
  estimate 85:61
  management 102:164
production

Alabama public lakes 85:210
in replicate ponds 99:74
less than tilapia 89:143
response to added attachment surface for fish food organisms 102:622
theoretical equilibrium yields 97:242
rate of digestion 97:491
recruitment of helminth parasites by 105:486
removal from MA ponds 87:108
repopulation after fish kill 103:83
residues of copper in tissues 104:356
resistance to endrin 95:325
respiratory movements 100:26
response to diurnal temperature change 103:138
retained chitin in stomach 101:113
rotenone treatment 85:68
sampling of young in a lake 89:185
scale appearance-body length 93:199
scale
development 95:435
erosion 83:177
regeneration 83:206
scarred by lamprey 90:84
seasonal variation in protein in pituitary gland 100:360
serum protein variability 103:630
in geographically defined populations 105:281
sex ratios, four populations 96:420
spawning 91:25
squamation chronology 99:429
standing crop 100:72
Kentucky farm ponds 89:333
Oregon farm ponds 92:25
starvation and protein utilization 100:18
stocked
Alabama public lakes 85:208; 94:129
catchable size, result 92:236
Little Dixie L., MO 98:295
prairie lake, MN 88:179
stocking rate, farm pond 99:808
stomach analysis 91:303
success in Iowa ponds 86:361
susceptibility to
DDT 99:89
insecticides 99:20
predation 96:428
swimming endurance and resistance to copper and malathion, after exposure to H_2S 101:620
taken by spearfishing 92:32
temperature acclimation levels 103:688
test fish
cyanide toxicity 95:10
electrofishing 88:143
organic phosphorus insecticides 90:143
rotenone 99:806
toxicity tests 87:43; 88:25
thermal response 105:692
toxaphene, concentration to kill 85:180
toxicity
antimycin 101:101
BHC 87:46
cadmium 103:729
DDT 87:46
dieldrin 86:253
2-(digeranylamino)-ethanol 103:738
dursban 101:420
guthion 94:204
hydrogen sulfide 105:442
juglone 99:511
organic phosphorous insecticides 91:176
potassium permanganate 104:580
salicylanilide I 101:528
studies 90:264
TFM 91:342
toxaphene 87:46
undersirable transplant 85:311
upper lethal temperatures 102:838
use of ice water to prevent regurgitation of stomach contents 92:68
used in
intergeneric hybridization 100:611
toxicity tests 84:98
validation of scale method for age and growth 91:362
variations in hematocrit values 105:291
ventilation rate 105:112
vertebral damage, exposure to acutely toxic levels of pesticides 101:317
winter angling, bait for 85:37
Board, measuring, double vernier 98:529
Boarfish, catch in high seas, N. Pacific 93:288
Boating, and fishing, portions of AuSable R., MI 96:257
Boatmen, water
food of brook trout 94:189
killed by TFM 96:412
BOD
hatchery effluents 102:329
Lake Erie 90:158
Body area, relationship to flavor and aroma 98:533
Body-bone relationship, tautog 96:136
Body-branchiostegal relationship, longnose gar 91:254
Body composition, channel catfish, effect of feeding rate and temperature 101:94
Body depth-total length relationship, two killifishes 95:224
Body fat, densitometric method of determining concentration in fish 95:318
Body length-opercular length relationship
carp 85:218
perch 85:218
Body measurement
hybrid, walleye X sauger 97:170
post-, prolarvae, sauger, walleye 97:169
Body ratios, normal and dwarfed lake whitefish 93:84
Body-scale relationship
alewife 92:412; 96:391
bass
largemouth 85:247
smallmouth 90:459
white 100:567
yellow 92:384; 104:513
bluegill 83:63; 91:369; 97:245
calculation of growth 99:468
carp 100:279
carpsucker, river 100:279
chub, roundtail 98:198
dolphin 97:273
drum, freshwater 98:117
minnow
fathead 103:751
spottail 93:36
perch
Pacific ocean, juvenile 105:193
white 103:117
yellow 86:184
pollock 91:227

redhorse, black 99:551
salmon, Atlantic 90:457
shad, American 87:139
shiner
sand 98:448
spottail 88:336
smelt, rainbow 93:387
squawfish, Colorado 98:197
tigerfish 104:501
trout
brook 96:384
cutthroat 84:275
lake 89:274; 94:79;96:272
rainbow 101:21
walleye 90:131,192
whitefish
lake 39:327; 93:80; 99:33
mountain 105:209
Body size, variations in channel catfish 105:267
Body-spine relationship, flathead catfish 98:119
Bonito
blackfin, abundance, W. Atlantic 85:15
common, in N. Gulf of Mexico 95:227
Pacific
color anomalies in 101:371
courting behavior 99:93
intraspecific variation in lens protein 100:528
passage of food through intestines 98:384
swimming speed 95:203
Bonytongue, undesirable exotic 100:184
Book reviews 88:70,147; 89:84,243,315,383; 90:86,232,341,502; 91:129,237, 330,430; 92:69,187,323,440; 93:108,213,320,402; 94:99,197,281, 413; 95:116,234,332,442; 96:78, 231,367,431; 97:67,212,306,508; 98:125,341,545,728; 99:249,445, 614,814; 100:141,371,592,798; 101:136,385,568,757; 102:196,500, 666,850; 103:146,411,645,833; 104:161,415,635,824; 105:181,353, 494,567,643,737
Bottom fauna
effect of beaver dams on 84:79
drought on 88:276
improved sampler, stream 90:225
in
farm pond, SC 91:218
Lake Erie 90:153
Minnesota lake 89:70
polluted river, MI 88:115
Smith's Branch, IL 88:278
recolonization of denuded bottoms by drift 93:311
standing crop, in Wenatchee R., WA 88:186
Bottom invertebrates
numbers, Yellowstone R. system 90:246
stream, method of estimating production rate 91:243
Bottom organisms, effect on
sodium arsenite 95:294
temperature, ice and fluctuating water levels 92:140
Bottom sediment, effect on northern shrimp 98:67
Bottom, stream, recolonization of denuded, by drift 93:311
Bottom type, effect on year-class strength, largemouth bass 91:38
Bowfin
food habits 101:62
in
Gladstone L., MN 91:42
Lake Waccamaw, NC 98:467
Little Bay de Noc, MI 103:10
Louisiana backwaters 88:10
Minnesota lake 87:53
Tamiami canal 89:206
Tennessee streams 86:155
predation on forage fishes 96:427
prey on rainbow trout, Great Lakes 100:342
scarred by lamprey 90:84
serum complement 96:238
spawning area 89:223
taken by spearfishing 92:32
undersirable introduction 85:311
Brachyurans, food of juvenile pompano 100:486
Brain acetylcholinesterase
from cutthroat trout 100:672
inhibited in bluegill and largemouth bass by Dursban 101:424
inhibition by pesticides, cause of death in sheepshead minnow 101:534
Branchiostegal rays, annuli
gar, longnose 91:252
trout, lake 91:253
Branchiuran, parasitic, on dying Atlantic menhaden 101:559
Branding, cold, techniques, effect of topical location on 102:637
Bream
disease in 83:264
gross weight efficiency 97:27
survival of eggs, effect of depth 91:39
zone, in W. European streams 88:157
Bream, Black Sea, eggs, predation by snail 101:734
Breeding, selective
goldfish 86:350
salmon, chinook 90:160
trout 86:350
Breeding, sheepshead minnow, effects of reduced salinity 101:91
Brewer's yeast, in hatchery diet 98:773
Brine
chemical composition 84:99
production, oil wells 85:18
wastes, stream pollutants 85:18
waters
tolerance levels 85:19
toxicity of 84:97
Brood stock, rainbow trout, by selective breeding 85:93
Brush shelters
reservoirs 87:346
use as cover by spawning bass 104:264
Bryozoans, food of buffalofishes 99:335
Budworm, spruce, DDT spraying for 86:208
Buffalo
abundance in impoundments, Mississippi R. 94:339
commercial production, Elephant Butte reservoir, NM 105:222
in
Alabama 83:50
Louisiana backwaters 88:10
killed by zinc 93:180
rearing of, commercially 87:438
taken by spearfishing 92:32
use

in ricefield fishery 87:302
of Stoeltzner's method, scale growth 94:94
Buffalo, bigmouth
catch
electrofishing, L. Monona 103:670
in TVA lakes, AL 88:83
commercial fishing, Denison Reservoir, OK 84:45
comparison of catch rates, gill nets 93:236
effect of pesticide 97:400
food habits 96:70
food of 99:333
food selectivity 99:571
gynogenesis in intergeneric crosses 105:13
in
Missouri R. reservoirs 87:360
southeastern US reservoirs 87:335
limited reproduction following drawdown 87:32
pesticide residue in 99:499
scarred by lamprey 90:84
serum complement 96:238
sexing of 88:149
slow growth, Lewis and Clark L. 100:276
toxicity of Guthion 94:204
transferrins 102:28
two allele transferrin system 105:286
Buffalo, black
catch, in TVA lakes, AL 88:83
food of 99:333
gynogenesis in intergeneric crosses 105:13
in Black R., MO 87:243
Buffalo, largemouth, toxicity of 2-(diger-anylamino)-ethanol 103:737
Buffalo, smallmouth
catch
in different color gill nets 102:111
TVA lakes, AL 88:83
commercial fishery, Denison Reservoir, OK 84:45
comparison of catch rates, gill nets 93:236
food habits 96:70
food of 99:333
growth rate 87:123
in
Black R., MO 87:243
Missouri reservoirs 87:360
southeastern US reservoirs 87:335
Tennessee streams 86:144; 88:137
killed by rotenone 90:292
lacking jaws 103:142
limited reproduction following drawdown 87:32
removal from Norris Reservoir 92:357
sexing of 88:149
slow growth, Lewis and Clark L. 100:276
Bug, water, susceptibility to DDVP and phosphamidon 98:431
Bullfrog
anchor parasites in 99:443
food of largemouth bass 90:278
tadpoles
food of largemouth bass 93:316
toxicity of Guthion 94:204
Bullhead
angler harvest, AL lakes 89:355
catch, in MN lake 89:68
food of northern pike 97:28
freshwater cell line BB 102:599
growth, in new reservoir 87:252
in
Louisiana backwaters 88:10
Minnesota lakes 85:36
southeastern US reservoirs 87:336
killed by zinc 93:180
movement in streams 85:40
survived rotenone treatment, AL lakes 94:129
taken by spearfishing 92:32
used for antiserum production 100:576
Bullhead, black
catch
electrofishing, Lake Monona 103:670
in Red Lakes, MN 99:28
coefficient of condition 85:65
DDT and metabolites in 92:423
digestion rate 91:315; 93:269
diurnal periodicity 94:1
feeding habits 93:269
food of largemouth bass 90:278; 93:316
forage for northern pike 101:561
growth 93:269
variation, sources 98:35
in
alkaline lakes, NE 97:53
Fern L. WA 88:4
four CO lakes 104:234
Gladstone L., MN 91:42
Missouri R. reservoirs 87:360
Moapa R., NV 105:505
prairie lake, MN 88:78
Smith's Branch, IL 88:266
tailwater, Dale Hollow reservoir 85:77
upper and middle Colorado R. basins 104:227
introduced in CA reservoirs 87:325
juvenile, summer food of 99:597
killed by
anhydrous ammonia 102:77
rotenone 90:292
toxaphene 91:15
length at maturity 101:483
length-weight equation 85:61
loss over drop box spillway 97:493
oxygen consumption 102:127
pathogenic bacteria in 103:115
periodicity of feeding 94:5
pesticide residue in 99:499
population 85:63
predator on plains killifish 98:464
production, Red Lakes, MN 83:133
repopulation after fish kill 103:82
reproductive potential 101:483
resistance to endrin 95:325
sampling of young, in lake 89:185
schooling 99:541
sexing of 88:149
sexual pheromone in 101:302
spawning time 101:484
stocked, catchable size, results 92:236
success in IA ponds 86:361
susceptibility to insecticides 99:21
toxicity, of
antimycin 101:101
guthion 94:205
$KMnO_4$, 104:580
juglone 99:511
salicylanilide I 101:528
test animal
brine water 84:97
rotenone 99:806
Bullhead, brown
absence in heavy wood fiber pollution

92:220
catch
electrofishing, L. Monona 103:670
TVA lakes, AL 88:83
caught in electric beam trawl 97:292
changes in population, AuSable R., MI 1920-72 105:35
copper increased blood glucose and hematocrit 105:454
DDT in 99:392
diseases 83:265
distribution in destratified lake 100:355
effect of pesticide 97:400
exchange of zinc 90:444
failure of method to obtain gut content from small live fish 105:521
feed by scent 91:326
food habits 88:200
in acid polluted water 104:541
food, of
largemouth bass 101:651
piscivorous fishes 101:56
heat tolerance 103:334
in
Adirondack lakes 100:326
Barrows stream 99:298
Big Flatbrook, NJ 99:55
California reservoir 87:202
Cold Stream Pond, ME 85:258
Congamond L., MA 105:395
Conowingo Pond, PA 105:169
Cranberry Pond, MA 100:350
Gladstone L., MN 91:42
Lake Roesiger, WA 103:811
Little Bay de Noc, MI 103:10
Love L., ME 96:11
Maine lake 91:425; 101:609
Minnesota lake 86:286; 87:53
Munsel L., OR 100:55
Owasco L., NY 105:233
prarie lake, MN 88:178
Quabbin Reservoir, MA 89:27
Sebago L., ME 95:160
Thurston L., CA 104:232
increase, indicator of pike winterkill 98:692
introduced in CA reservoirs 87:325
killed by electrical barrier 86:279
production, in ponds, AL 89:145
rate of acclimation to higher temperatures 100:670
rate of escape from trap net 97:60
reappearance after rotenone poisoning 92:18
removal from MA ponds 87:108
resistance to pesticide for squawfish 98:683
scarred by lamprey 90:84
selectivity of gill net 88:198
standing crop, OR farm ponds 92:27
stocked, catchable size, results 92:236
test fish, rotenone 99:806
toxicity
parathion 101:317
zinc 90:446
upper lethal temperature 104:383
zinc collects in spleen 104:456
Bullhead, flat
in
Chipola R., FL 88:191
Lake Waccamaw, NC 98:468
Bullhead, speckled, in Alabama lakes 85:210
Bullhead, yellow
catch, electrofishing, L. Monona 103:670
changes in population, Au Sable R., MI, 1920-72 105:35
effect of pesticide 97:400
food of largemouth bass 101:651
harvest 98:299
in
Alabama lakes 85:210
Big Piney R., MO 103:761
Chipola R., FL 88:191
Gladstone L., MN 91:42
Gull L., MI 98:632
Lake Waccamaw, NC 98:468
Minnesota lake 87:53
Smith's Branch, IL 88:266
influence of diurnal oxygen pulse on serum proteins 94:363
introduced in CA reservoirs 87:325
killed by
rotenone 92:292
toxaphene 91:15
movement in streams, MO 85:39
repopulation after fish kill 103:82
resistance to endrin 95:325
scarred by lamprey 90:84
standing crop, KY farm ponds 89:336
toxicity of TFM 91:342
Bullrush
in
Lake Atitlan 96:210
Nebraska alkaline lakes 91:328
nesting site, largemouth bass 91:31
perch spawn on 84:242
used by spawning fathead minnow 97:54
Bumper, feed on jelly fish 98:703
Buoyancy, negative, effect on behavior of bluegill 101:507
Burbot
age, growth, reproduction and food habits 101:667
associated species of pygmy whitefish, L. Superior 84:196
bathymetric distribution, L. Superior 95:251
catch
diurnal variation 86:31
Red Lakes, MN 99:28
caught in electric beam trawl 97:292
food habits 89:374; 101:59
food, of
inconnu 94:273
perch, yellow 85:201
trout, lake 94:172
walleye 96:19; 103:15
fry, taken in new net 97:63
in
deep water, L. Michigan 86:393; 93:156
Little Bay de Noc, MI 103:10
Sebago L., ME 95:160
killed by electrical barrier 86:279
percent composition, trawl catches 100:700
predation on lake trout eggs 86:240
prey on rainbow trout, Great Lakes 100:342
simulated food competition with lake trout 103:221
spawning grounds 84:48
taken by spearfishing 92:32
Burrfish, bridled, population variability 94:314
Burrfish, striped
food habits 105:516
population variability 94:314

Burrowing behavior, brook stickleback 99:433
Business session 83:351; 84:315,386; 85:281; 86:433; 87:403; 88:214; 89:87; 90:93; 91:104; 92:72; 93;110; 94:106; 95:121; 96:87; 97:75; 98:133; 99:257; 100:151; 101:147; 102:211; 103:157; 104:181
Butterfish
  catch, ME estuary 102:543
  eggs and larvae 95:264
  fin rot in 102:599
  food of bluefish 105:525
  immature, caught in NC inlets 100:301
  in Atlantic coastal fisheries 88:105
  larvae, similar to bluefish 103:486
  retention in pound nets 105:370
Butterfish, gulf, association with jellyfish 98:703
Button bush, in backwater lakes, LA 88:8
By-laws
  changes in 95:143
  Fishery Administrators Section 103:174
  Fish Health Section 103:171

C

Caddisfly
  effect on
    DDT 86:215
    herbicides 98:438
    low oxygen 101:675
  elutriated from stony substrate 104:823
  food, of
    chub, creek 100:285
    Dolly Varden 88:256
    Mississippi R. fishes 89:32
    salmon, coho 91:407
    sturgeon, shovelnose 98:515
    trout
      brook 84:82
      cutthroat 84:291
    walleye 86:26
  in
    Clinton R., MI 88:114
    Valley Creek, MN 91:244
    Wenatchee R., WA 88:187
  killed by TFM 96:412
  larvae, food of lake whitefish 90:304
  pupae, caloric content 102:365
  toxicity of Bayer 73 and TFM 105:324
Cadmium
  cause of gill damage 104:132
  effect of dissolved oxygen on toxicity of, to mummichog 104:129
  residues in yellow perch, white bass, smallmouth bass 103:577
  toxic effects on brook trout 105:550
  toxicity to bluegill 103:729
Cadmium-cyanide, toxicity to fish 95:8
Cadmium sulfide, marking sea lamprey larvae 93:21
Cage, fish holding, collapsible 98:337
Calcium
  content in brine water 85:18
  effect of pond soil on, in water 100:580
  in various water 84:99
Calcium hydroxide, precipitates iron hydroxide, Denmark 92:262
Calcium isotope, Ca-45, uptake by guppies 90:53
California, fisheries problems in reservoirs 87:319
Caloric content
  diet items of walleye 102:365
  white bass 103:35
Caloric expenditure, for food utilization, bluegill 103:41
Canada
  commercial fisheries 86:467; 87:442
  fisheries research on Great Lakes 86:419
  salmon fishery catch 87:442
Cancidin, treatment, kidney diseases 88:120
Cannibalism
  factor in survival of walleye 102:739
  in
    bass, largemouth 91:39
    bass, yellow 102:739
    perch, European 102:739
    perch, yellow 103:462
    walleye 86:26
Cans, beverage, used by fish 101:566
Capelin, as food of
  cutthroat trout 100:305
  Dolly Varden 91:92; 94:407
Captan, effect on farm pond 91:215
Capture, methods, influence on blood and mortality, rainbow trout 95:170
Carangids, in shipboard aquarium 97:287
Carapace, length-width relationship
  king crab 92:318
  tanner crab 94:269
Carapace width-total length relationship, blue crab 99:795
Carbarasone, controls internal parasites 83:221
Carbaryl
  toxicity to brown trout 102:137
  toxicity to fishes 99:22
  uptake and persistence in channel catfish 102:137
Carbomycin, treatment of kidney disease 88:120
Carbon, activated, removal of toxic chemical from water 105:119
Carbon dioxide
  affecting sockeye salmon survival in air supersaturated waters 105:425
  effect on toxicity of nickelcyanide 95:18
  tissue tension, trout, high altitude lakes 102:132
  utilization by phytoplankton following liming 86:341
Carbon filter, construction 105:121
Carbon isotope, C-14
  DDT, uptake, distribution, and elimination, rainbow trout 99:689
  dieldrin
    goldfish
      elimination and turnover 101:686
      uptake and distribution 100:215
    trout, rainbow, uptake, distribution, and elimination 99:689
  estimates, net primary productivity 94:9
  use in fish culture and hydrobiology 90:49
Carbon, organic, effect on northern shrimp 98:67
Carbonate,
  in various waters 84:99
  total, control of, in aquatic bioassay 101:752

Carcinoma, epidermoid 83:267
Cardinalfish, bronze, population variability 94:314
Careers in fisheries 88:16
Carp
  absence in CA reservoir 87:202
  abundance, in impoundments, Mississippi R. 94:339
  affected by rotenone 90:291
  age composition 95:374
  aging, use of opercles 96:135
  albinistic 97:209
  at ladder, John Day Dam 99:670
  bacterial infection 98:268
  biflagellate on gill 94:333
  catch
    different colored gill nets 102:111
    electrofishing, L. Monona 103:670
    Minnesota lake 89:68
    TVA lakes, AL 88:83
  caught in
    purse seine, Columbia R. estuary 102:343
    trawls, L. Huron 102:119
  cause of suspended silt 86:296
  commercial fisheries, Denison Reservoir, OK 84:45
  commercial production, Elephant Butte Reservoir, NM 105:222
  comparison of catch rates, gill nets 93:236
  control of reproduction through water drawdowns 87:23
  culture in multispecies ponds 99:710
  DDT in 99:392
  2-(digeranylamino)-ethanol, highly toxic to 103:738
  disease in 83:247,264,331
  dropsy, use of chloromycetin 87:376
  effect of
    nutrition enrichment on population 102:346
    pesticide on 97:400
    sodium fluoride on 89:358
  eggs, toxicity of mercury and selenium 103:822
  esterases present in brain homogenates 100:675
  evacuation rate 102:762
  failure to form annuli 92:389
  fecundity 95:374
  feeding rate, estimate, radioisotope method 95:363
  flavor and aroma, relation to size and area 98:533
  food habits 105:77
  forage for nothern pike 101:561
  furunculosis in 89:241
  gill damage by cadmium 104:132
  growth
    and condition, in altered environment 100:276
    calculated 85:63
    in new reservoir 87:253
    rate 87:122
    slow, Lewis and Clark L. 100:276
  hybridization, with
    carp, bighead 105:12
    carp, grass, production of 105:10
  in
    Alabama 83:50
      intensive fishing pond 100:758
    Big Piney R., MO 103:761
    Cedar Creek, WI 94:2
    Chipola R., FL 88:191
    Colorado lakes 104:234
    Columbia R., WA 86:116
    Crab Orchard L. 103:277
    DesMoines R., IA 91:413
    Green R., UT 98:196
    Lake DeSmet, WY 91:63
    Lake Waccamaw, NC 98:468
    Louisiana backwaters 88:10
    Missouri R. reservoirs 87:360
    Moapa R., NV 105:505
    Montana ponds 89:379
    Muddy Run pumped storage pond 105:168
    Owens Valley, CA 100:503
    prairie lake, MN 88:178
    Smith Mountain Reservoir, PA 105:176
    Smiths Branch, IL 88:266
    southeastern US reservoirs 87:335
    Tennessee streams 86:144; 88:137
    upper and middle Colorado R. basins 104:224
    west European streams 88:156
  increased production, Israeli ponds 92:292
  insecticide residues in tissues 99:423
  interactions, other species 105:6
  introduced into FL 102:4
  invasion of Manitoba and Saskatchewan 88:203
  killed by
    endrin 90:332
    zinc 93:180
  lethal dosage of fluoride 89:361
  lipids in 84:150
  marked, injected dye 96:168
  mouthless 103:142
  movement in streams, MO 85:39
  need for vitamin C 98:762
  no pelvic fins 92:67
  nutrient content of offal and small fish 99:810
  parasitic copepod on 88:128
  pesticide residue in 99:499
  pondfish in AL 89:142
  population in Oklahoma lakes 85:58
  prey of
    bass, largemouth 93:316
    squawfish, Colorado 98:203
  pughead 103:642
  reduced growth in inbred 105:273
  relationship between yield and population size 99:87
  removal
    by netting, northeastern US 90:221
    from Norris Reservoir 92:357
    use of toxaphene 94:213
  reproductive biology 95:372
  scale development 100:570
  scale regeneration 83:206
  scarred by lamprey 90:84
  sensitivity to chlorinated hydrocarbon 91:182
  sex ratio 95:373
  sexual maturity 95:373
  sperm, chemical and physical characteristics 98:785
  spines, in age determination 84:218
  squamation chronology 99:429
  susceptibility to insecticides 99:21
  taken by spearfishing 92:32
  taste panel tests 90:175
  temperature
    of tissues 105:710
    stress, change in hematology 105:596

toxaphene, lethal concentration 85:181
toxicity, of
guthion 94:205
juglone 99:511
$KMnO_4$ 104:580
salicylanilide I 101:528
undesirable exotic 100:184
use in ricefield fishery 87:302
use of pituitary, induced spawning 88:54
use of Stoeltzner method, scale growth 94:94
variation in production in replicate ponds 99:74
weight increases in population of different densities 91:234
yield, compared with primary productivity 105:578
Carp, bighead
culture in multispecies ponds 99:708
hybridization with grass carp 105:12
Carp, black, culture in multispecies ponds 99:710
Carp, grass
culture in multispecies ponds 99:708
delayed release 99:293
fed elodea, nitrogen and phosphorus balance in 103:587
proposed introduction 102:8
toxicity of 2-(digeranylamino)-ethanol 103:740
undesirable exotic 100:184
use in control of pond weeds 105:241
Carp, grass X carp, production of 105:10
Carp, Indian
blood chemistry of 90:1
tolerance to DDVP and phosphamidon 98:430
Carp, silver
culture in multispecies ponds 99:708
gynogenesis in intergeneric crosses 105:13
undesirable exotic 100:184
Carpsucker
catch in TVA lakes, AL 88:83
commercial fisheries, Denison Reservoir, OK 84:45
commercial production, Elephant Butte L., NM 105:222
fry, food of walleye 98:122
in
Alabama 83:50
Clearwater L., MO 87:255
killed by zinc 93:180
removal from Norris Reservoir 92:357
taken by spearfishing 92:32
use
in ricefield fishery 87:302
Stoeltzner method, scale growth 94:94
Carpsucker, highfin
age, growth and fecundity 105:411
in L. Taneycomo, MO 97:140
Carpsucker, river
catch in different colored gill nets 102:111
comparison of catch rates, gill nets 93:236
distribution and condition in heated water reservoir 103:520
food of sauger 97:162
growth and condition, in altered environment 100:276
growth rate 87:121
slow, in Lewis and Clark L. 100:276
in
Missouri R. reservoirs 87:360
Smith's Branch, IL 88:266
killed, by
anhydrous ammonia 102:77
rotenone 90:292
life history 105:411
longnose gar eggs as food 91:258
method of estimating fecundity 98:523
population estimate 98:520
scarred by Lamprey 90:84
schooling of 98:520
tagging 98:520
Casamino acids, formula, for phage activation assay 101:121
Case history, pumped storage projects
Muddy Run 105:165
Smith Mountain-Leesville 105:173
Casoron
effect on pond invertebrates 98:438
toxicity to cladocerans 95:168
Cataract, in hatchery lake trout 92:34
Catch
angler, AL fishing lakes 94:129
contribution of native and stocked walleye fingerlings to 101:644
finclipped rainbow trout 102:755
methods for estimating, mark-recovery 100:495
Minnesota lake 89:69
trout
cutthroat, Echo L., WA 86:358
rainbow, Paul L., BC 88:36
Catchability
comparison between northern and southern subspecies of largemouth bass 105:240
fishes, variations due to color of gill net 102:109
largemouth bass, angling as factor influencing 98:317
tuna, changes in net avoidance 98:89
Catch, annual
Atlantic menhaden 101:291
New England cod, comparison actual and simulation model 97:239
total, Pacific halibut 97:239
Catch, by month, 17 species, Galveston Bay, TX 102:574
Catch, commercial
bass, striped, Atlantic coast 90:13
drum, freshwater, Upper Mississippi River 94:341
walleye
Lac La Ronge 86:27
Lake Erie 101:659
Red Lakes, MN 90:205
whitefish, lake, L. Huron 91:223
Catch, commercial and experimental, comparisons, L. Kariba 97:462
Catch, commercial fisheries
Canada 87:442; 89:120; 90:118
Mexico 89:123
Puerto Rico 89:123
United States 89:116; 90:118
Catch, comparison of latin square net to conventional nets 93:236
Catch, composition
estimation, CDC 3200, Fortran IV 96:230
fyke net, MA pond 87:110
rough fishes, Norris Reservoir 92:357
Catch curves, and mortality rates 90:181
Catch-density relationship, Atlantic salmon 102:736
Catch, diel fluctuation, larval Gulf menhaden 101:729

Catch, diurnal variation, fishes 86:31
Catch, effect of stocking location on adult rainbow trout 98:27
Catch-effort, use in population estimate, blue crab 94:287
Catch, electrical trawl, efficiency for shrimp 105:135
Catch, electrofishing, in lakes 88:144
Catch, estimating number of marked fish in 105:664
Catch, forecasting, commercially fishes populations, by analog computer simulation 98:560
Catch, game fish, commercial gear, Norris Reservoir 92:362
Catching efficiency, standard vs. electrical wing trawl 102:116
Catch, marked coho salmon, Puget Sound 98:600
Catch, Missouri R. reservoirs 87:360
Catch, net, confidence limits associated with means and medians 89:53
Catch, nighttime, tidal cove, ME 104:30
Catch, pelagic fishes, Sheepscot-Black R. estuary, ME 102:543
Catch per angler trip 86:35
Catch, percentage composition, species caught in nets, Wagon Train Reservoir, NE 100:735
Catch per hour, Clearwater L., MO 87:254
Catch per unit effort
  commercial gear, Norris Reservoir 92:358
  factors influencing 85:104
  flounder, Mexican 97:505
  perch, Pacific ocean 101:70
  trawl, for sauger 97:162
  tunas
    eastern Pacific Ocean 99:632
    skipjack, simulated 98:569
    yellowfin, simulated 98:569
Catch, principal commercial fisheries 88:171
Catch rate, per hour, L. Taneycomo, MO 97:141
Catch rates, electric shocker, Big Piney R., MO 103:761
Catch, results, commercial fishes, standard vs. electric wing trawls 102:119
Catch-sampling, use in population estimate, blue crab 94:287
Catch, species
  anchoveta, Peru 99:462
  bass, largemouth
    Alabama pond 100:759
    Browns L., WI 85:243
    L. Fort Smith, AR 95:53
  bluegill, AL pond 100:759
  catfish, channel
    Alabama pond 100:760
    restocked stream 104:260
  crappie, white, in new reservoir 87:244
  cutlassfish, monthly CPUE 96:119
  eel, American, biological characteristics, L. Ontario 102:374
  paddlefish, Lake of the Ozarks, MO 92:242
  permit 98:484
  salmon, Atlantic
    Baltic Sea 92:286
    Schoodic L., ME 102:734
  shrimp, effect of radius and direction of tow of Renfro beam trawl on 97:127
  snapper
    gray, age composition 91:380
    silk, by month 102:848
  steelhead 101:33
  sunfish, redear, in AL pond 100:760
  trout
    brook, age composition 92:199
    cutthroat, Munsel L., OR 100:57
    lake, L. Michigan 85:103
    rainbow, liberated yearlings 88:37
  walleye
    Minnesota lake 87:67
    net sampling, Clear L., IA 89:252
Catch, sport fishing, Pacific billfish 104:1
Catch, state-owned public fishing lakes, AL 85:213
Catch statistics
  angler 83:161,171
  commercial 83:131
  trout, Sagehen Creek, CA 101:471
  Yellowstone L., WY 85:160
Catch, stocked catchable size fish 92:237
Catch-to-escapement, coho salmon, Puget Sound 98:599
Catch, total
  Isaac Walton L., IL 92:237
  recorded, index year-class strength 85:137
Catch, trawl, blue crab, effect of tickler chain and tow duration on 101:732
Catch, value of, Atlantic coastal fisheries 88:106
Catch, various nets, TVA lakes, AL 88:83
Catfish
  abundance, growth, survival and maturation, L. Sharpe, SD 103:53
  hybrids, salinity tolerance 100:790
  in Smith Mountain Reservoir, PA 105:176
  parasitic, S. American, undesirable exotic 100:184
  plasma protein, electrophoretic comparison, human 97:455
  spines, in age determination 84:218
Catfish, armored, introduced into FL 102:4
Catfish, Asian, undesirable exotic 100:184
Catfish, blue
  catch in TVA lakes, AL 88:83
  caught in Norris Reservoir 92:358
  commercial fisheries, Denison Reservoir, OK 84:45
  commercial rearing 87:439
  comparison of catch rates, gill nets 93:236
  food of juveniles 91:95
  in
    Alabama 83:50
    Louisiana backwaters 88:10
    southeastern US reservoirs 87:336
Catfish, channel
  abundance, growth, survival, in AL pond 100:765
  AChE inhibited by 62C47 100:674
  age and size 97:65
  amino acids essential for growth 99:90
  antimycin, as selective toxicant 103:736
  catch
    Alabama intensive fishing pond 100:757
    in different colored gill nets 102:111
    TVA lakes, AL 88:83
  catchout pond, experience with 105:247
  caught in trawls, L. Huron 102:119
  coefficient of condition 104:261
  commercial fisheries, Denison Reservoir, OK 84:45
  comparison of catch rates, gill nets

93:236
determination of protein digestibility of feeds 102:831
DDT in 99:392
dieldrin in muscle 105:301
disease in 83:266
dissolved oxygen requirement 90:377
distribution and condition in heated reservoir 103:520
distribution in destratified lake 100:355
effect, of
changed diets on growth 92:432
diethylstilberol in diet 101:537
feeding rates and temperature on growth, food conversion, body composition 101:94
frequency of feeding 104:317
hydrogen sulfide 96:31
hypoxia on blood and tissue electrolytes 103:593
lowered oxygen on embryos and larvae 103:623
mirex on production 103:366
pesticide 97:400
stanozalol on growth 102:444
zinc and copper on osmolality of blood serum 100:639
endrin concentration in blood 97:260
estrogen level in 103:376
factors influencing feeding behavior in culture ponds 105:718
fingerlings, effects of 3 diets on growth and mineral retention 105:481
flavor compound absorption 102:774
fry, food habits and growth 101:613
growth
in low temperatures 104:333
rate 87:127
variation, sources 98:35
harvest 98:299
heat-stressed 101:716
home areas and swim ways in culture ponds 105:725
in
Alabama 83:50
Big Piney R., MO 103:761
California reservoir 87:202
Chipole R., FL 88:191
Conowingo Pond, PA 105:167
Des Moines R., IA 91:413
Green R., UT 98:196
Lake Taneycomo, MO 97:140
Louisiana backwaters 88:10
Missouri R. reservoirs 87:360
prairie lake, MN 88:178
Saginaw Bay, L. Michigan 88:331
southeastern US reservoirs 87:336
upper and middle Colorado R. basins 104:226
influence, of
culture conditions on oxygen consumption 104:332
dissolved oxygen on growth 102:835
intensive culture 100:619
introduced in CA reservoirs 87:325
juvenile
found in beverage can 101:566
rate of acclimation to high temperatures 100:665
killed, by
endrin 95:325
rotenone 90:292
zinc 93:181
lactic acid in blood 98:266
locomotor response to a pheromone from ripe females 101:302
mayflies and caddisflies as food 89:32
movement
marked, in Little Sioux R., IA 96:351
Missouri streams 85:39
tagged, in upper Mississippi R. 92:165
through lock, Cooper-Santee Reservoir 85:148
nitrogen and phosphorus levels in water in feeding operation 104:811
not infected by blackspot 94:150
nutrient content of offal and small fish 99:809
pathogenic bacteria in 103:115
pesticide residue in 99:499
predator on plains killifish 98:464
production in AL ponds 89:145
propogation, induced spawning 88:54
rapid method for decalcifying pectoral spines for sectioning 97:210
rearing commercially 87:438
removal from Norris Reservoir 92:357
require dietary phosphorus 104:548
scarred by lamprey 90:84
schooling and shelter seeking tendencies 99:540
serum complement 96:238
sexing of 88:149
spermatology study 105:463
sperm morphology and ultrastructure 105:475
standing crop, KY farm ponds 89:336
stocked
after fish kill 104:256
catchable size, results 92:236
in
Arizona reservoirs 99:746
bass ponds 100:460
Little Dixie L., MO 98:295
new impoundment, AZ 92:2
Oklahoma lakes 85:59
stocking rate, farm pond 99:808
streptococcal infection in 103:360
susceptibility, to
DDT 99:89
insecticides 99:21
tagged in PQ 86:348
taken by spearfishing 92:32
technique for sexing 105:460
test animal, toxicity of brine water 84:98
thermal responses 105:692
tolerance for guthion 94:203
toxicity, of
antimycin 101:101
juglone 99:511
$KMnO_4$ 104:580
salicylanilide I 101:528
threshold 84:100
uptake and persistance of carbaryl in 102:137
use of Antimycin A against gillworm 103:618
use of recirculating water in culture of 105:704
value of fiber in production diets 104:328
variations in body size, dressout weight, and lipid content and their correlations 105:267
virus, experimental infections with several strains 104:140
Zectran, lethal to, in laboratory 101:342
Catfish, channel X blue catfish, salinity tolerance 100:790

Catfish, electric, undesirable exotic 100:184
Catfish, flathead
  age 97:65
  age and growth 98:118
  biology of, KS 88:344
  catch
    in different colored gill nets 102:111
    TVA lakes, AL 88:83
  commercial fisheries, Denison Reservoir, OK 84:45
  commercial rearing of 87:439
  comparison of catch rates, gill nets 93:236
  flavor and aroma, relation to size and area 98:533
  growth rate 87:129
  in
    Alabama 83:50
    Des Moines R., IA 91:413
    new reservoir 87:253
    southeastern US reservoirs 87:336
  induced spawning 88:55
  infected by *Argulus* 99:599
  killed by rotenone 90:292
  length 97:65
  movement in streams, MO 85:39
  removal from Norris Reservoir 92:357
  scarred by lamprey 90:84
  sexing of 88:149
  surgical transplanting of transmitters 104:56
  taken by spearfishing 92:32
Catfish, gafftopsail, killed by hurricane 91:377
Catfish, Indian
  egg-bound 91:87
  increased photoperiods stimulate ovaries 101:274
Catfish, sea
  catch, Galveston Bay 102:574
  food of alligator gar 96:297
  killed by hurricane 91:377
  predation on brown shrimp 97:503
  streptococcal infection in 103:359; 104:286
  survived antimycin treatment 98:291
Catfish, walking
  introduced into FL 102:4
  undesirable exotic 100:184
Catfish, white
  cadmium residue in tissues 105:558
  diseases in 83:267
  effect of pesticide on 97:400
  found in beverage can 101:566
  in
    Alabama intensive fishing pond 100:758
    California reservoir 87:202
    Conowingo Pond, PA 105:169
    Lake Waccamaw, NC 98:468
    southeastern US reservoirs 87:336
  introduced, in
    California reservoirs 87:325
    Thurston L., CA 104:232
  louver guidance 86:40
  nutrient content of offal and small fish 99:809
Cations, effect of DDT on, in hepatopancreas of penaeid shrimp 101:547
Catostomids, aberrant scalation 93:202
Cattail
  control of AL lakes 85:214
  in
    Cedar Creek, WI 94:2
    Iowa fish ponds 86:368
    Lake Atitlan, Guatemala 96:210
    strip mine ponds, IL 84:123
Cavefish, spring, oxygen preference 97:448
CDC 3200, estimation of catch composition 96:230
CDC 3600, computer, mark and recovery population estimates 98:332
CDC 6600, relative fishery power, program 101:133
Celery, wild, in Browns L., WI 85:242
Cellulose acetate, use in electrophoresis 96:131
Census, underwater, stream fish population 92:146
Centrarchids
  electrophoretic determination of inheritance of enzyme systems 105:281
  food chain pickerel 99:439
  intergeneric hybridization 95:280
  intergeneric hybrids, development of embryos 100:611
Centrifugation, density-gradient, separation of organisms and detritus 100:138
Cephalopods, food of juvenile Pacific ocean perch 105:198
Ceratopogonids
  abundance, bethos, Platte Creek 104:527
  food, of
    salamanders 102:36
    salmon, sockeye 102:34
    trout, rainbow 102:35
Cerium isotopes
  Ce-141, uptake by fishes 95:150
  Ce-144, marking flounders 96:152
  Ce-144--Pr-144, uptake by fishes 95:150
Certified Fishery Scientists, list of 101:211; 102:276; 103:209; 104:211
Cesium isotopes
  Cs-137, use in carp feeding estimation 95:363
  Cs-137--Ba-137, uptake by fishes 95:150
Cestode
  in rainbow trout 94:184
  parasite, of
    bass 95:24
    largemouth bass, bluegill, warmouth 104:279
    minnow, fathead 97:54; 103:751
    paddlefish 92:243
    shrimp, pink 99:790
    stickleback, threespine 103:632
  parasitic, comparison of 5 species 103:612
  trypanorhynchan, in brown shrimp 101:226
  two new species from catostomid fishes of S.E. United States 103:610
Chaetognaths, food of juvenile Pacific ocean perch 105:198
Chain, tickler, effect on catch of blue crab by trawl 101:732
Chamber
  circular, for counting bethic organisms 104:406
  electrode, recording respiratory and other movements, freeswimming animals 100:22
  portable observation, for fish behavior study 102:456
Channelization, effect on limnology of Missouri R., NE 97:380
Chaoborans, food of Sacramento perch

103:401
Char
food of 92:277
interaction with brown trout, Scandinavia 92:276
return to same spawning grounds 100:41
Characteristics, to separate white and black crappie larvae 98:326
Char, Arctic
effect on brown trout 87:97
in Matamek R. system 102:708
intraspecific variability 103:423
life history, ME 94:393
polymorphism in esterases 99:147
predator on salmon 88:253
reproductive biology and early life history 105:615
spawning 105:420
Cheat, watershed vegetation, stripmine 84:120
Chemical analysis
bottom sediments 91:16
Clayton L., NM 91:14
cod otoliths 93:18
experimental water, LAS tests 100:3
Fern L., WA 92:18
fish 91:16
Moapa R., NV 105:505
Rainy R. system 92:222
Silver L., WA 92:18
tissue of carp and trout 89:360
two ID streams 100:772; 101:334
vegetation samples 91:16
water
in chronic temperature tests, fathead minnow 100:661
temperature effects on alewife 100:625
Chemical characteristics
fish sperm 98:785
Green R., UT 98:195
Hannedaga L., NY 94:229
Horsetooth Reservoir, CO 93:139
Missouri R., NE 97:382
Oregon experimental ponds 91:305
precocious male chinook salmon 98:23
Saline R., MI 105:628
three OR streams 94:40
Chemical composition
salmon, coho 89:301
trout
brook 89:49
rainbow, urine following stress 98:20
Chemical condition, before and after fertilization, marl lake 93:169
Chemical cycles, traced with isotopes 90:49
Chemical data, L. Erie 90:155
Chemical factors
diel movement, sockeye salmon 98:260
influence, on
catch 89:77
distribution, sheepshead minnow 101:89
Chemcial oxygen demand
effect of temperature 102:608
of waters and biological materials from ponds 102:606
Chemical-physical analysis, Wagon Train Reservoir, NE 100:735
Chemical properties, walleye sperm 99:521
Chemical stimulation, sea lamprey, periodicity 90:73
Chemistry
glacial lakes 93:260
ponds, treated with 2,4-D, Tishamingo, OK 99:4
water
effect of agricultural limestone on 104:308
Moapa R., NV 101:410
preimpoundment study, VA 101:705
Schoodic and W. Grand lakes, ME 101:639
Chem-Fish, effect on municipal water supply 90:287
Chemosterilant, insect, TEPA, effect on guppy 98:280
Chilliwack R., BC, steelhead in 84:27
Chironomids
abundance, benthos, Platte Creek 104:527
comparison of samples, 3 dredges 99:605
drift collected 104:530
effect of DDT on 86:212
food, of
bass
spotted 98:649
white 99:440; 103:27,33
yellow 99:733
bluegill 103:258
buffalo 96:71
carp 105:78
crappie, white, young 100:309
drum, freshwater 97:443
larval fishes 101:222
logperch 88:213
perch
Sacramento 103:401
yellow 103:464; 105:78
pupfish, amargosa 104:536
redhorse 91:418
salamanders 102:36
salmon, sockeye 102:34
shiner, common 102:801
silverside, brook 99:438
squawfish, Colorado 98:202
sucker, longnose 103:427
trout 103:426
brook 103:132
rainbow 102:35
walleye 86:26; 98:122; 105:78
fry 96:19
whitefish, mountain 102:766
Chironomid larvae, food, of
perch, yellow 104:722
whitefish, lake 90:304
Chiselmouth, in Columbia R., WA 86:116
Chloramine
effect on blacknose dace 105:431
toxicity to blacknose dace 105:313
Chloramphenicol treatment, of
furunculosis 83:313; 97:226
kidney disease 88:120
Chlordane
acute toxicity level 97:402
resistance of freshwater shrimp to 99:697
toxicity, to
cladocerans 95:166
fish 87:47; 88:24; 90:265
Chloride
effect on toxicity of fluoride 89:363
in various waters 84:99
range, in brine water 85:22
Chlorinated hydrocarbons
biologically magnified in lentic environments 100:207
effect on zooplankton 92:211
residual in pond soil treated for mosquito control 92:211
residues in tissue 99:424

toxicity, to
carp 91:182
cladocerans 95:166
fish 87:47; 88:23
Chlorinated residues, ^{14}C-dieldrin, uptake and distribution, goldfish 100:215
Chlorine
effect of treated sewage effluents on fish life 102:286
in domestic sewage, effect on blacknose dace 105:430
induced mortality in fishes 104:800
toxicity to pink and chinook salmon 103:569
use in disease treatment 83:322
Chlorine free, toxicity to blacknose dace 105:569
Chlorobenzilate, toxicity to cladocerans 95:166
Chloromycetin, for carp dropsy 87:376
Chlorophyll
plastic bag determination 98:336
production, before and after fertilization, marl lake 93:171
Chlorophyll-a, in fertilization tubes 97:427
Chlortetracycline
treatment, kidney disease 88:120
use to control furunculosis 97:226
Chlorthion
physiological effect on fish 90:143
toxicity to fish 87:41; 88:30; 91:177
Cholesterol, in trout liver 84:151
Choline, requirement of trout 83:258
Chromium hexavalent, toxicity to fathead minnow 104:567
Chromosome morphology, analysis of hybrid swarm 99:139
Chromosomes, and speciation, Atlantic salmon 99:105
Chronic exposure, effect of sublethal concentration of ABS on fishes 94:28
Chub
disease of 83:303
fishery, L. Superior 100:695
in west European streams 88:156
Lake Superior 84:196
production, L. Michigan 83:396
taken by spearfishing 92:32
Chub, bigeye, in Black R., MO 87:243
Chub, bluehead
abnormal spleen 103:642
in Rich Creek, VA 104:447
Chub, bonytail, in upper and middle Colorado R. basins 104:217
Chub, creek
blackspot parasite in 88:151
changes in population, AuSable R., MI, 1920-72 105:35
effect of stream improvement of standing crop 103:637
food of burbot 89:375
in
Adirondack lakes 100:326
Barrows Stream, ME 99:298
beaver pond 84:77
Cherry Run, PA 92:307
Coldstream Pond, ME 85:258
Floods Pond, ME 105:616
Love L., ME 96:11
Pigeon R., MI 90:256; 91:408
Rich Creek, VA 104:447
Smiths Branch, IL 88:266
Tennessee 83:203
upper and middle Colorado R. basins 104:225
killed by electrical barrier 86:279
leech infestation 98:115
length and growth of 0-year class 84:228
not infected by blackspot 94:150
obtaining gut contents from live fish 105:520
population in PA streams 91:54
predation on plains killifish 98:464
repopulation after fish kill 103:84
standing crop, ON streams 94:352
summer foods 100:283
test fish, toxicity to toxaphene 85:181
Chub, European, microsporidian parasite in 93:8
Chub, hornyhead
changes in population, AuSable R., MI, 1920-72 105:35
food of creek chub 100:287
in
Big Piney R., MO 103:761
Smiths Branch, IL 88:266
nest used by many species 100:720
oxygen requirement in exercise 93:210
Chub, humpback, in upper and middle Colorado R. basins 104:217
Chub, lake
food of inconnu 94:273
in
Cold Stream Pond, ME 85:258
Montana 98:209
Sebago L., ME 95:160
mortality from DDT 95:163
percent composition, trawl catches 100:700
Chub, least
fed isotope labelled food 90:52
feeding ability 98:404
Chub, peamouth
depth distribution, vertical gill net 97:297
diel vertical distribution 91:225
Chub, redspot, repopulation after fish kill 103:84
Chub, river
changes in population, AuSable R., MI, 1920-72 105:35
in Great Smoky Mountains National Park 89:263
nest used by many species 100:720
population in PA streams 91:54
standing crop, ON streams 94:352
Chub, roundtail
food of Colorado squawfish 98:203
in
Moapa R., NV 105:505
upper and middle Colorado R. basins 104:217
life history 98:193
Chub, silver
in L. Erie 86:58
oxygen requirement in exercise 93:210
Chubsucker, creek
in
Smiths Branch, IL 88:266
Lake Waccamaw, NC 98:468
jaw injection to mark 95:433
parasitic copepod on 88:128
Chubsucker, lake
effect of herbicides on 86:414
food of northern pike 97:28
in L. Waccamaw, NC 98:468
removal from MA ponds 87:108

Chubsucker, sharpfin
in MS 99:439
repopulation after decimation 104:256
return to decimated stream section 99:776
Chub, thicktail, habitat 103:531
Chub, tui
change in population following impoundment, Sagehen Creek 102:628
food of Sacramento perch 103:401
in Eagle L., CA 90:271
predation on cui-ui eggs 102:148
Chub, Utah
age and growth 85:217
biology 90:269
food habits 90:269
in upper and middle Colorado R. basins 104:221
population, Rocky Mountain region 90:223
spawning 90:272
Chydorids, food of bluntnose minnow 102:800
Cicadellids, food, of
bluntnose minnow 102:800
mimic shiner 102:797
Cichlid
African, in commercial fish catch, FL 92:317
firemouth, introduced into FL 102:4
pearl, introduced into FL 102:4
pike, confiscated from FL aquarist 102:3
Cichlid, release, opinion on effects of 97:197
Cigarfish, observed by underwater television 86:160
Cirripedids
food of toadfish 92:172
larvae, food of juvenile Atlantic herring 100:122
Cisco
body-scale relationship 99:470
catch
diurnal variation 86:31
Lake Huron 86:103
crossed, with
Lake whitefish 91:196
round whitefish 91:196
decline, L. Michigan 99:759
effect of formalin and freezing on length, weight, and condition factor 103:136
efficiency of gill nets for 102:779
feed on *Daphnia* 96:1
food habits and prey selection, zooplankton 105:607
food of 92:246
food, of
trout, lake 86:80; 95:415
walleye 86:26; 103:15
in
deep water, Lake Michigan, changes in populations 86:393
Gull L., MI 98:632
Lake Michigan 85:102
Lake Superior 84:196
Minnesota lakes 85:191; 86:286; 87:53
Owasco L., NY 105:233
increased abundance following decline of lake trout 94:216
Ivlev's electivity indices for zooplankton 105:612
Lake Michigan
biological characteristics 86:395
production 87:190
removal, effect on lake trout 87:35
scarcity, L. Erie 90:153
select large *Daphnia* 99:571
selectivity of gill net 90:413
temperature tolerance, young of the year 99:526
use of chemical mutagens 105:13
Cisco, blackfin
good of 92:246
in L. Superior 97:146
percent composition, trawl catches 100:700
Cisco, deepwater
Great Lakes 83:396
reduced stocks, Great Lakes 102:158
status in L. Michigan 93:155
Cisco, least
food of inconnu 94:273
in Chatanika R., AK 100:362
Cisco, longjaw, bathymetric distribution, L. Superior 95:251
Cisco nets, catch of lake trout in 95:113
Cisco, shortjaw
bathymetric distribution, L. Superior 95:251
in L. Superior 97:146
percent composition, trawl catches 100:700
Cisco, shortnose
bathymetric distribution, L. Superior 95:251
food of 92:246
in L. Superior 97:146
percent composition, trawl catches 100:700
Cladocerans
abundance in guthion-treated and nontreated ponds 94:207
decimated by rotenone 104:390
disappearance after rotenone treatment 92:21
effect, of
artificial destratification on 102:450
sodium arsenite 95:295
and silvex on 94:376
food, of
alewife 100:327; 105:92
bass
largemouth, fingerlings 89:231
fry 105:625
spotted 98:649
striped, fingerlings 102:15
white 99:440; 103:27,33; 105:78
yellow 105:78
bloater 92:248
bluegill 103:258
buffalo, bigmouth 99:572
buffalofishes 99:335
carp 105:78
catfish, channel, fry 101:615
chub, Utah 90:271
cisco 105:609
crappie
black 105:78
white 105:78
young 100:309
drum, freshwater 97:443
first food of larval fishes 101:219
herring
Atlantic 100:122
blueback 103:304
juvenile marine fishes 102:514
minnow, fathead 103:748
Mississippi fishes 89:32

perch
Sacramento 103:401
yellow 88:330; 104:731; 105:78
young of the year 104:722
salamanders 102:36
salmon
chinook, juvenile 105:74
coho 103:12; 105:608
sockeye 102:34
salmonids 103:812
shiner
spottail 93:41; 105:78
Waccamaw 98:470
silverside, Mississippi 105:87
smelt, rainbow 90:439; 96:634
squawfish, Colorado 98:202
studfish, northern 101:375
trout
brook 94:189
rainbow 102:35
walleye 98:122; 105:78
young 96:19
in Alpine Lake 102:677
numbers, drift collected 104:531
taken in drift net 103:512
toxicity, of
chlorobenzilate 95:166
herbicides 95:168
pesticides 95:165
Clam
effect of ABS on 94:29
farms, experimental 84:13
food, of
burbot 101:673
pompano juveniles 101:486
shad, gizzard 102:379
sunfishes 100:125
killed by TFM 96:412
landings, eastern US 97:80
occurrence of toxins during red tide 100:112
siphons, feed winter flounder 102:614
toxicity, of
Bayer 73 and TFM 105:324
2-(digeranylamino)-ethanol 103:738
Sevin 96:29
Clam, Asiatic, introduced into central Arizona reservoirs 99:333
Clam, butler, angler success, sport fishing quality 95:357
Clam, cockle
angler success, sport fishing quality 95:357
toxicity of Sevin 96:26
Clam, fingernail
food, of
cisco, blackfin 92:246
drum, freshwater 96:218
sucker, longnose 83:40
in
beaver pond 84:81
Clinton R., MI 88:114
rediae in 98:1
Clam, gaper, angler success, sport fishing quality 95:357
Clam, hard
fed phytoplankton labelled with isotope 90:53
tolerance to low sallinity 98:744
Clam, littleneck, angler success, sport fishing quality 95:357
Clam, soft-shell
abundance 84:13
angler success, sport fishing quality 95:357
Chesapeake Bay 98:310
effect, of
predation 84:13
temperature 84:13
Clam, sunray, toxicity during red tide 100:113
Classification
estuarine 99:830
South American freshwater crabs 101:596
Clearwater L., MO, new impoundment study 87:240
Climatic features, Mississippi R. 94:339
Clingfish, emerald, population variability 94:314
Clinton R., MI, polluted 88:114
Clover, sweet, watershed cover, strip mines, IL 84:120
Clupeoids
erythrocyte antigen differences 93:89
landings, Pacific coast 97:83
Cluster analysis, fish in upper Potomac R. 100:750
Cobalt^{60}, marking flounder 96:155
Cobia
age, growth, fecundity 96:343
near midwater artificial structure 102:569
Cod
Canada 83:297
electrophoresis
of populations 102:21
separation of sub-populations 105:281
evacuation rate 102:762
landing, US 97:79
marine, food of inconnu 94:274
New England, annual catch, comparison of actual and simulated model 97:239
predation on Atlantic herring 96:359
pugheadedness 94:97
Cod, Atlantic
effect of dredge spoil disposition on catch 103:500
effects of tagging on growth 96:37
feed on Atlantic silversides 104:762
use of analog computer, catch forecasting 98:564
validation of ages determined from otoliths 99:359
Cod, black, catch, Washington 84:301
Codfish, anemia, due to fasting 105:598
Codfish, Norwegian, tail rot disease 102:596
Cod, Pacific
in Little Port Walter Estuary 91:93
monthly occurrence, Big Beef Harbor, WA 101:727
Cod, rock, catch, Washington 84:301
Coefficient of condition
bass, largemouth 92:394; 93:151
bluegill 83:59; 104:509
catfish, channel 104:261
cisco, effect of formalin and freezing on 103:136
crappie, black 83:191
darter, tessellated 101:86
drum, red, juvenile 104:35
fishes, in heated water reservoir 103:525
herring, blueback 103:302
hogchoker 91:90

mackerel, horse 102:103
perch, yellow, effect of formalin and freezing on 103:136
pickerel, chain 99:440
quillback and highfin carpsucker 104:412
shiner
sand 98:450
spottail 93:40
snapper, red 92:310
spot 91:90
sunfish, spotted 85:125
trout 86:168
brook 83:77
brown 89:258
lake 86:77
rainbow 85:85; 92:39
various species, OK lakes 85:64
Colenterate, predators on 98:709
Coelomic fluid, effect on unspawned trout ova 95:104
Coleopterans
effect on fluctuations in water flow on 103:322
food, of
bass, spotted 98:649
minnow, bluntnose 102:800
perch, Sacramento 103:401; 104:235
salmon, coho 103:12
sculpin, black 103:272
shiner, mimic 102:797
silverside, brook 99:437
trout 103:442
whitefish, mountain 102:768; 105:216
taken in drift net 103:512
Color
changes in brown and rainbow trout in different habitat 98:517
unusual pattern, brown trout 98:517
Color anomalies
bonito, Pacific 101:371
tuna, skipjack 101:370
Colorado reservoirs, effect of toxaphene and rotenone on bottom fauna 86:294
Coloration, abnormal, flatfishes 98:106
Columbia R., WA, limnological conditions 86:115
Columnaris disease 83:242, 303
effect of temperature on 87:381
Comments 102:663
Commercial fisheries
Canada 86:467; 87:442
changes in, L. Michigan 86:406
freshwater, potential 87:299
future of 86:468
gear research 87:309
marine, biological and economic aspects of management 88:100
panel discussion 84:298
role of exploration 87:309
United States 86:43; 88:169
Commercial fishery statistics, L. Superior 100:693
Commercial fishing, reservoirs 84:45; 87:346
Commercial-sport fishing conflict 83:396
Commercial trout industry
problems 87:365
production problems 87:368
Commission
Great Lakes Fishery, role of 86:424; 87:420
Inter-American Tropical Tuna 84:331; 87:418
International Law, territorial water fishing rights 84:308; 87:421
International North Pacific Fisheries 84:330; 87:417
International, Northwest Atlantic Fisheries 84:330; 87:420
International Pacific Halibut 84:310, 331; 87:417
International Pacific Salmon Fisheries 84:304,331; 87:423
International Whaling 84:332
Committees, reports of
AAAS-AFS 96:102; 97:98; 98:171
ad hoc
Disciplinary Sub-Groups 103:188
Interpretation of Time and Place Questionnaire 100:195
Legislative Policy 98:182
Amendment of Constitution and By-laws 85:305
Auditing 83:406; 84:381; 85:314; 86:481; 87:456; 88:217; 89;95; 90:99; 92:87; 93:118
Awards 91:117; 92:87; 95:129; 96:97; 97:102; 99:276, 286; 100:179; 101:180; 102:237; 103:186; 104:208
Bicentennial Meeting 102:238
Centennial Celebration 95:130; 96:112; 97:103; 98:182; 99:277
Chemicals in Fisheries 100:181; 101:181; 102:238; 103:203
Commercial Fisheries 83:394; 84:357; 85:301; 86:463; 87:442; 89:116; 90:117
Commercial Fisheries Legislation Study 91:119
Conservation of Estuaries 101:183; 102:238
Constitutional Revision 103:188
Constitution and By-laws 91:123
Coordination of National-State Relations 91:120
Criteria for Divisional Grants 101:183
Development of Professional Opportunities 95:132
Editorial Board 83:387; 84:343; 85:299; 86:462; 87:429; 88:227; 89:111; 90:110; 91:114; 92:86; 93:115; 94:114; 95:135; 96:90; 97:99; 98:187
Education 99:280; 101:183
Employment 86:476
Endangered Species 95:137; 96:100; 98:172; 99:281; 100:182; 101:185; 102:239; 103:187; 104:205
Executive 99:287; 100:163,204; 101:204; 102:270; 103:199; 104:187
Executive Secretary 91:114
Executive Secretary Contract 96:102
Exotic Fishes 100:183; 101:186; 102:239
Finance 87:449; 88:228; 89:112; 90:94; 91:112; 92:81; 93:117; 94:112; 95:126; 96:91; 97:100; 98:177; 99:272; 100:173; 101:174; 102:231; 103:177; 104:200
Fish Disease 96:91; 97:104; 98:183; 99:282; 100:185; 101:194; 102:259
Fish Health Section 102:26
Food Fishes Policy 101:187; 102:250
Honorary Membership 96:104
Hydrobiology and Fish Culture 83:387; 84:344; 85:300; 86:463; 87:430;

89:123
Importation of Fish and Fish Eggs 84:376; 85:309
Importation of Salmonid Eggs and Ports of Entry 85:308
Indexing of *Transactions* 101:191
International Fisheries 100:197
International Relations 83:370; 84:330; 85:295; 87:416; 88:231; 89:127; 90:114
Joint, with US Trout Farmers Association 89:109
Liaison with Trout Breeders Association 91:120
Local Chapter 93:113; 94:113; 95:127; 96:97
Long-range financing 100:187
Mail Ballot 95:129; 96:97; 98:172; 99:283; 100:178; 101:177; 102:235; 103:187
Membership 86:475; 88:215; 89:90; 90:94 91:110; 92:80; 93:118; 94:109; 95:139; 96:104; 97:102; 98:176; 99:274; 100:176; 101:174; 102:230; 103:182; 104:202
Membership Ideas 91:116
Membership Structure 103:189
Metric System Study 96:102; 97:105; 100:189
Names of Fishes 83:398; 84:368; 86:471; 88:234; 89:114; 90:111; 91:113; 92:86; 94:114; 95:132; 96:96; 97:102; 98:179; 99:276; 100:177; 101:176; 102:234; 103:182; 104:205
National Conservation BSA 101:181
National Mosquito Control-Fish and Wildlife Management 101:188; 102:255
National-State Relations 83:384; 84:339; 85:298; 86:456; 87:426; 88:232; 89:126; 90:111
Nominating 83:409; 84:383; 85:320; 86;486; 87:459; 88:223; 89:100; 90:102; 91:123; 92:85; 93:124; 94:121; 95:129; 96:104; 98:172; 99:276; 100:178; 101:177; 102:235; 103:184; 104:202
Non-Governmental Employment 95:142; 96:101
North American Fish Policy 84:377
Page charges for *Transactions* 95:136
Pollution 85:302
Pollution Abatement 102:256;
Pollution-Water Quality 100:190; 101:188
Professional Opportunities 96:108
Professional Practice 95:141; 96:112
Professional Standard for Fishery Biologists 89:103; 90:107
Professional Standards 91:117; 93:122; 94:118; 95:128; 96:106
Publication Policy 103:195
Publications 83:399
Publicity 96:96; 97:105
Relations with the Wildlife Society 95:138; 96:100
Resolutions 83:406; 84:381; 85:315; 86:483; 87:455; 88:129; 89:96; 90:99; 91:123; 92:87; 93:123; 94:119; 95:140; 96:112; 97:105; 98:185; 99:287; 100:201; 102:266; 103:198
Society Reorganization 91:115
Special Publication on Reservoir Fisheries and Limnology 101:189
Special Publication on Reservoirs 100:193
Special Publication Pricing 101:190
Special, Review of North American Fishery Policy 93:119
Student Activities 95:142
Student Affairs 99:285; 100:194; 103:187; 104:202
Student Foreign Study Financing 101:191
Student Members 96:101
Study the Date of the Annual Meeting 93:113
Time and Place 83:406; 84:381; 85:314; 86:481; 87:455; 89:95; 90:99; 91:108; 92:86; 96:104; 97:105; 101:206; 102:272; 103:200
Toronto Meeting 96:112
Trout Diseases 95:130
Use of Drugs for Fish Diseases 93:123
Water Pollution 83:403; 84:372; 85:302; 86:472; 87:446; 88:235; 89:115; 90:119; 95:131; 96:99; 97:93
Water Quality Standards 96:104
Communal relationships, South American freshwater crabs 101:597
Communication
between scientists, through primary journals 100:398
scientific, through meetings 100:400
with public 100:389
Community composition, correlated with chloride concentration 85:25
Comparison, effectiveness of Ekman and Ponar dredges 100:560
Competition
for spawning sites 84:243
interspecific, for spawning space, supressing largemouth bass 105:682
Complement, in blood serum, *Salmo gairdneri, S. trutta* 96:351
Complicated statistical procedures, unnecessary use of 83:119
Composition, elemental, largemouth bass 101:545
Computer
analog, simulation and catch forecasting in commercially fished populations 98:560
application to fisheries science 104:589
DAM, water resources teaching game 103:601
general simulation model for fish population studies 98:505
model
biomass dynamics and food competition, use in fishery management 103:215
for effects of reservoir management on fish populations 104:591
program
mark and recovery population estimate 98:332
for stock analysis, Fortran IV and Univac 1108 99:426
programs, for fisheries problems 92:310
simulation
analysis of catchable trout fisheries management 105:48
models, for
fisheries research, management, and teaching 98:551
management analysis, alpine lake 102:687
reservoir cove ecosystem 104:596
teaching exercises in fisheries science 102:656

Conchostracans, food of sunfishes 100:125
Condition
  carp, in altered environment 100:276
  carpsucker, river, in altered environment 100:276
  oyster, American, Hawaii 95:426
Condition factor
  bluegills 89:74
  carp 100:279
  carpsucker 100:279
  drum, red 100:290
  fallfish 100:719
  ladyfish, juvenile 103:472
  menhaden, Atlantic 100:300
  salmon 91:404
  trout
    brook 89:46; 90:435
    cutthroat 84:286; 91:78
    lake 84:61
    rainbow 98:229
    walleye 95:63
Conductivity, PA streams 91:53
Coney, exicitement phase in 101:259
Conference, Law of the Sea, Geneva 89:128
Confidence limits, means and medians of net catches 89:53
Connecticut, 8-year-old sockeye salmon 88:150
Conservation, Atlantic salmon in Sweden 92:286
Constitution
  AFS 99:448
  amendment of, proposal for 84:383; 85:319
  and by-laws 83:417; 85:327; 87:463
    changes in 102:269; 104:207
Construction, highway, detrimental effect on MT stream 88:72
Consultant, Constitutional, report of 96:97
Consumption, fisheries products, US 88:171
Contagion
  binomial corner-association response to criticisms 95:437
  new method of assessing, applied to distribution of redear sunfish 94:135
  testing for, in animal populations 95:436
Control
  Gyrodactylus elegans on golden shiner 92:60
  parasites of fishes 95:32
  squawfish, northern, ID 88:197
  water level in reservoirs 87:343
Control Data 3600, age and growth program 96:364
Control measures
  Great Lakes for sea lamprey 99:768
  green crab 84:25
  sea lamprey, effectiveness 99:770
Convention, for conservation of shrimp 89:127
Conversion efficiency
  flounder, winter 102:615
  plaice 102:615
Conversion factors, English-metric, suggested 97:515
Conversion rate, food
  fishes 92:184
  muskellunge 92:184
Coontail
  in
    backwater lakes, Louisiana 88:8
    Cedar Creek, WI 94:2
    nesting site, largemouth bass 91:32
Copepods
  abundance, in guthion treated and non-treated ponds 94:207
  decimated by rotenone 104:391
  disappearance after rotenone treatment 92:20
  effect, of
    artificial destratification on 102:450
    rotenone 98:542
    sodium arsenite 95:295
    sodium arsenite and silvex 94:376
  fed bluegill larvae 104:355
  food, of
    alewife 100:326; 105:92
    anchovy 105:516
    bass
      largemouth, fry 105:625
      spotted 98:649
      striped, fingerlings 102:15
      white 103:27,33; 105:78
      yellow 99:733; 105:78
    bloater 92:248; 97:157
    buffalo, bigmouth 99:572
    buffalofishes 99:335
    bullhead, black, juvenile 99:597
    carp 105:78
    catfish, channel, fry 101:615
    chub, roundtail 98:204
    cisco 105:609
    crappie
      black 105:78
      white 105:78
        post-larval 97:257; 100:309
    drum
      freshwater 97:443
      red, juvenile 104:37
    filefish 105:516
    fishes
      larval, first food 101:219
      marine, juvenile 102:515
      Mississippi R. 89:32
    flounder, winter, young 103:264
    hakes 101:518
    herring
      Atlantic, juvenile 100:122
      blueback 103:304
    minnow, fathead 103:748
    mojarra 105:516
    perch
      Pacific ocean, juvenile 105:198
      Sacramento 103:401
      silver 105:516
      yellow 88:331; 104:731; 105:78
        young-of-the-year 104:722
    pigfish 105:516
    pike, northern juvenile 92:100
    pinfish 105:516
    pipefish 105:516
    pompano, juvenile 100:486
    pupfish, amargosa 104:536
    salamanders 102:36
    salmon
      chinook, juvenile 105:74
      coho 103:12
      sockeye 102:34
    salmonids 103:812
    shiner, spottail 93:41; 105:78
    silversides 105:516
      Mississippi 105:87
      Waccamaw 98:470
    smelt, rainbow 90:439; 98:634
    spot 105:516
    squawfish, Colorado 98:202
    sunfishes 100:125

tonguefish, blackcheek 105:204
trout
brook 103:132
rainbow 102:35
walleye 98:122; 105:78
young 96:19
zander, young 96:22
in alpine lake 102:677
infected with bass tapeworm procercoids 103:812
killed by anhydrous ammonia 102:75
kills Atlantic menhaden 101:559
numbers drift collected 104:531
parasite in threespine stickleback 103:633
parasitic, on
dolphin 103:101
fishes, freshwater 88:128
menhaden 98:111
minnow, fathead 103:752
trout, rainbow
brood fish 87:374
effect on reproduction 101:345
taken in drift net 103:512
test animal, toxicity of brine water 84:98
Copper
effect, on
osmolaltiy of blood serum
catfish, channel 100:639
shiner, golden 100:639
survival, growth, and reproduction of bluegill 104:353
swimming endurance and resistance to, by bluegills exposed to H_2S 101:620
residues in
bluegill tissue 104:356
in yellow perch, white bass and smallmouth bass 103:577
Copper sulfate
effect on angling success 91:424
use in disease treatment 87:376
Coquinas
food of pompano and permit 98:483
toxicity during red tide 100:112
Co-Ral
effects on mayflies and caddisflies 95:2
physiological effect on fish 90:146
toxicity to fish 90:265; 91:177
Coregonids
evolutionary relationships 99:243
food of lake trout 94:171
Corixids, food, of
bass, spotted 98:649
salamanders 102:36
Cormorants, predation on winter flounder 105:651
Corn distillers dried solubles, in hatchery diet 86:162
Corn gluten meal, in channel catfish diet 101:95
Correlation-regression with scattergram, IBM 1620, Fortran II-D 96:230
Cost, put and take trout fishing 85:75
Costs and revenue, AL fishing lakes 85:215
Costs, management, AL state-owned fishing lakes 94:133
Cottids
food of slamonids 103:812
freshwater, food of juvenile sockeye salmon 94:191
net production 94:51
taken by spearfishing 92:32
Cottonseed meal, in hatchery diet 86:162, 313
Cough response, in brook trout exposed to mercury 103:244
Courting behavior
bonito, Pacific 99:93
skipjack, black 99:93
tuna, skipjack 99:93
Cove, tidal, nighttime catches in 104:30
Cover
artificial overhead, reactions of trout to changes in 97:37
effect, on movement of
chinook salmon 100:423
steelhead 100:423
factor in habitat selection of juvenile brown and white shrimp 102:144
Cowfish, population variability 94:314
Crab
food, of
drum, red 100:291
fishes, juvenile marine 102:519
flounders 105:516
grouper 89:12
pigfish 105:516
pinfish 105:516
snappers 89:15
toadfish 105:516
landings, eatern US 97:81
larvae, food of Pacific ocean perch 105:98
Crab, blue
carapace width-total length relationship 99:795
Chesapeake Bay 98:310
effect, of
DDT on 94:155
tickler chain and duration of tow on trawl catch 101:732
estimate of population 94:287
food, of
bass, largemouth 88:10
drum, red, juvenile 104:37
growth 88:298
in
saltwater impoundment, FL 98:289
South Carolina 105:42
killed by antimycin 98:291
larvae, seasonal occurrence 88:296
life history 94:287
Louisiana 88:294
movement, SC coast 91:275
perch on jellyfish 98:703
realtions of temperature acclimation and salinity to thermal tolerance 98:713
second terminal molt in adult 103:643
taken, in
drop net 104:47
trap in salt marsh impoundment, LA 104:300
toxicity, of
methyl parathion 92:430
sevin 96:28
Crab, dungeness, toxicity of sevin 96:26
Crab, fiddler
DDT residue 99:837
decline in salt marsh, exposed to abate 105:546
effects of DDT on 94:152
Crab, freshwater, food of largemouth bass 96:210
Crab, ghost, feed on portuguese men of war 98:703

Crab, grapsid, food of gray snapper 91:383
Crab, green
  abundance 84:17
  effect of temperature on 84:23
  extension of range 84:17
Crab, hermit, food of copper rockfish 102:415
Crab, horseshoe, longevity 90:79
Crab, king
  carapace length-width realtionship 92:318
  deposition of mature eggs by unmated 100:583
  fishing mortality, males 93:295
  movement of adult males 93:295
  observations on initial egg attachment 101:557
  tagged, recaptures 94:95
  tag loss during ecdysis 93:303
Crab, mud, food of juvenile red drum 104:37
Crab, pinnixid, food of copper rockfish 104:539
Crab, purple, food of copper rockfish 102:415
Crab, red, food of copper rockfish 102:415
Crab, sand
  food of juvenile pompano 100:486
  response to heat 98:715
Crab, shore
  response to heat 98:715
  toxicity of sevin 96:26
Crab, South American freshwater
  distribution and life history, and role in trout streams and lakes 101:595
  food of 101:598
  growth 101:599
  list of species in Argentina and Chile 101:596
  reproduction 101:598
Crab, spider
  food of copper rockfish 102:415
  in association with jellyfish 98:703
Crab, sponge as shelter for 93:204
Crab, stone
  in saltwater impoundment, FL 98:289
  mortality due to high temperature 101:694
Crab, tanner, carapace length-width relationship 94:269
Crappie
  food of rainbow trout 85:84
  in
    Alabama 83:50
    Crab Orchard L. 103:277
    Oklahoma reservoirs 84:42
  infected by blackspot 94:150
  pathogenic bacteria in 103:115
  stocked in AL lakes 94:129
  taken by spearfishing 92:32
  winter angling, MN 85:29
Crappie, black
  age composition 83:178
  angler harvest, AL lakes 89:355
  annulus formation, time of 83:179
  association with largemouth bass 91:42
  calculated growth 85:63
  catch
    electrofishing, L. Monona 103:670
    in Red Lakes, MN 99:28
  changes in population, AuSable R., MI, 1920-72 105:35
  characteristics to separate white crappie larvae 98:326
  coefficient of condition 83:191; 85:65
  digestive rate 93:269
  effect, of
    introduction of Mississippi silverside on growth 105:404
    pesticide 97:400
    sanctuary on population 104:441
  factors influencing seasonal change in angler catch 89:67
  feed on *Daphnia* 96:1
  feeding habits 93:269
  fluctuation in abundance 83:190
  food habits 88:200; 105:77
  food of 87:98; 89:76
  forage for northern pike 101:561
  fry, taken in new net 97:63
  growth of 83:177; 89:27; 93:269
  growth rate, MA ponds 87:111
  hours to empty stomach 98:383
  hybridization 95:280
  in
    Black R., MO 87:243
    Brown's L., WI 85:242
    California reservoir 87:202
    commercial catch, Norris reservoir 92:362
    Fern L., WA 88:4
    Lake Atitlan, Guatemala 96:211
    Lake De Smet, WY 91:63
    Lake Waccamaw, NC 98:468
    Little Bay de Noc, MI 101:56
    Long L., MN 102:795
    Mille Lacs, MN 85:192
    Minnesota lake 86:286; 87:53
    Missouri R. reservoirs 87:360
    prairie lake, MN 88:178
    Saginaw Bay, L. Michigan 88:331
    Sebago L., ME 95:160
    southeastern US reservoirs 87:335
    Tennessee streams 86:147
  introduced into CA reservoirs 87:325
  killed, by
    endrin 90:332
    rotenone 90:292
  length frequency 83:176,185; 85:64
  length-weight equation 85:61
  life history 83:176
  nesting 94:184
  pesticide residue in 99:499
  population in OK lakes 85:58
  predator on largemouth bass 91:39
  rate of escape from trap net 97:61
  removal from MA ponds 87:108
  sampling of young in a lake 89:185
  scale appearance-body length 93:199
  scale development 95:434
    related to growth 100:570
  scarred by lamprey 90:84
  selectivity of gill net 88:198
  select large *Daphnia* 99:571
  sex ratio 83:187
  sexual maturity 83:188
  squamation chronology 99:429
  stocked
    catchable size, results 92:236
    in new impoundment, AZ 92:2
  used in intergeneric hybridization 100:611
Crappie, white
  association with largemouth bass 91:42
  calculated growth 85:61
  catch
    electrofishing, L. Monona 103:670
    in TVA lakes, AL 88:83
    seine vs. electrofishing 88:35

caught in trawls, L. Huron 102:119
characteristics to separate black crappie larvae 98:326
coefficient of condition 85:65
comparison of catch rates, gill nets 93:236
disease of 83:277,304
eat *Argulus* 99:599
effect, of
introduction of Mississippi silverside on growth 105:404
light on spawning 97:258
failure to form annuli 92:389
feed on crustacean zooplankton 99:331
food habits 105:77
food, of
bass, largemouth 90:278
sauger 97:162
growth in reservoir 87:244
growth rate 87:127
in
California reservoir 87:202
commercial catch, Norris reservoir 92:362
Conowingo Pond, PA 105:167
Lake Taneycomo, MO 97:140
Louisiana backwaters 88:10
Missouri R. reservoir 87:360
prairie lake, MN 88:178
Smith Mountain Reservoir, PA 105:176
southeastern US reservoirs 87:335
Tennessee streams 86:147
Turtle Creek Reservoir, KS 99:324
incubation and mortality of eggs 97:252
induced spawning 88:55
introduced into CA reservoirs 87:325
killed, by
rotenone 90:292
zinc 93:181
length frequency 85:67
length-weight equation 85:61
lymphocystis in 85:271
mayflies and caddisflies as food 89:32
movement in streams, MO 85:39
nesting habits 94:182
pesticide residue in 99:499
population, in
Oklahoma lakes 85:61
Oregon farm ponds 92:27
postlarval food selection 97:252
repopulation after fish kill 103:83
reproductive behavior 97:252
scale development 100:570
early 94:182
squamation chronology 99:429
standing crop, KY farm ponds 89:336
stocked, catchable size, results 92:236
succession in IA ponds 86:361
test animal, toxicity, of
brine water 84:98
rotenone 99:806
toxicity of guthion 94:205
young, food habits and feeding chronology 100:307
Crayfish
bait-sized, extended production by sequential flooding 105:637
contain xanthophylls 95:409
DDT residue in 92:423
effect of ABS on 92:157
food, of
bass
largemouth 90:278; 93:316; 98:298; 101:652
smallmouth 101:60
spotted 98:648
bowfin 101:62
bullhead, black 91:315
burbot 89:375
eel, American 99:57
fishes, Mississippi R. 89:33
perch
white 101:608
yellow 85:201
pickerel, chain 102:150
pike, northern 94:96
salmon, coho 103:128
sculpins 101:379
squawfish, northern 88:199
sturgeon 84:225
trout
brook 83:76; 94:189
rainbow 85:83
walleye 86:26; 102:364
in
brine polluted stream 85:26
Elephant Butte Reservoir, NM 105:223
Rich Creek, VA 104:447
trout ponds 83:199
introduced into central AZ reservoirs 99:333
killed by
anhydrous ammonia 102:75
TFM 96:412
population, effect of brook trout predation on 96:202
residual concentration of dieldrin in 105:698
response to heat 98:715
test animal, toxicity of brine waters 84:98
Crayfish, European, decimated by disease 104:374
Crayfish, freshwater, predator on trout, New Zealand 97:9
Crayfish, northwestern
resistance to elevated temperatures 104:374
upper lethal temperature 104:383
Crayfish, red, toxicity of 10 insecticides 92:428
Crayfish, river, marks burned in shell 99:409
Crayfish, swamp, food of largemouth bass 88:14
Creel census
AuSable R., MI 95:86
bass
largemouth 85:243
striped 85:144
Big Piney R., MO 103:760
Cold Stream Pond, ME 85:257
Dale Hollow Reservoir 95:75
errors associated with systematic sampling 91:201
Fish River L., ME 92:193
Izaac Walton L., IL 92:235
Lac la Ronge, SK 86:27
Lake Fort Smith, AR 95:52
Lake Taneycomo, MO 97:139
Little Dixie L., MO 98:295
Long L., ME 98:46
Long Pond, ME 89:213
Madison-Firehole R., Yellowstone National Park 101:352
method 85:30,162,242; 91:43,63
Minnesota lakes 85:28; 87:52; 89:67
new MO reservoir 87:242

objectives 85:29
paddlefish, L. of the Ozarks, MO 92:240
partial, brook trout harvest 101:262
Priest L., ID 90:28
restocked stream after fish kill 104:260
sport fishing, Galveston Bay, TX 102:574
Square L., ME 98:46
steelhead fishery 101:30
trout
cutthroat, Yellowstone L. 89:236
rainbow, Great Lakes 100:336
Sagehen Creek, CA 101:466
Yellowstone L. 85:160
Croaker
accumulation of zinc^{65} 93:364
predator on sheepshead minnow 103:582
Croaker, Atlantic
catch
Galveston Bay 102:574
in York R., VA 89:155
disappearance of young 89:154
effect of pesticide on 97:400
food of juvenile red drum 104:37
gas bubble mortality 92:321
in
coastal fisheries 88:105
North Carolina inlets 100:301
saltwater marsh impoundment 105:42
parasitic isopod on 105:328
predation
by striped bass 97:313
on brown shrimp 97:503
standard length-total length relationship 104:408
streptococcal infection in 103:359; 104:287
taken, in
drop net 104:47
nekton sampler 105:512
trap in salt marsh impoundment, LA 104:300
uptake, of
mixed fission products 95:145
zinc^{65} 90:444
Croaker, gulf, eggs, food of threadfin shad 96:245
Croaker, reef, population variability 94:314
Croaker, white, length-weight relationship 93:302
Crop, standing
juvenile Atlantic salmon, effect of regulated flow on 103:1
trout, Sagehen Creek, CA 101:469
Crosses
critical periods for 100:613
intergeneric, sunfish 99:101
interspecific, sunfish 99:101
Crowfoot, water, in Hebgen L., MT 90:270
Crustacean eggs, food, of
shad, American 86:304
silverside, Waccamaw 98:470
Crustaceans
disappearance after rotenone treatment 92:18
food, of
bass
largemouth, fingerlings 89:231; 91:33
yellow 87:100
bloater 97:157
buffalo 96:71
bigmouth 99:572
burbot 101:673
Dolly Varden 88:256; 91:92
drum
freshwater 96:218
red 100:291
fishes
juvenile marine 102:519
warmwater 93:272
groupers 89:12
haddock 94:247
hake 101:518
silver 89:239
herring, Atlantic, juvenile 100:122
inconnu 94:273
perch, log 88:213
permit 98:483
pickerel 99:439
pompano 98:483
salmon, coho 103:12,127
sauger 97:162
shad, gizzard 102:379
shiner, coastal 100:730
silverside, brook 97:301
smelt, rainbow 90:439
snapper, gray 91:383
snappers 89:15
sturgeon, shovelnose 98:515
trout, lake 94:172
tuna
bluefin 99:728
skipjack 94:238
in
alpine lake 102:677
Rainy R., MN 96:289
landings, Pacific coast, N. America 97:85
larvae, food of juvenile Pacific ocean perch 105:198
not killed by antimycin 98:291
parasitic
cause of poor survival 87:331
fed on by fish 99:599
Cryo-ichthyozoose, S. American fish disease 83:335
Cryolite, toxicity to cladocerans 95:167
Cuba, convention with, shrimp conservation 89:127
Cuchia, susceptibility DDVP and phosphamidon 98:431
Cucumber, sea, abundance on substrates 104:51
Cui-ui
in Pyramid L., NV 87:33
reproductive characteristics and spawning behavior 102:145
Culture
algae, for shrimp larvae 98:752
amphipod, in laboratory 101:253
bass, striped, fingerling, evaluation 102:13
cage, brackish water, rainbow trout 102:826
catfish, channel, effect of frequency of feeding on 104:317
extensive, penaeid shrimp, LA 104:296
fish, use of potassium permanganate 100:813
influence of conditions on oxygen consumption in channel catfish 104:322
mollusks, bivalve, basic requirements 98:744
multispecies in ponds, balance between fish and food 99:708
oyster, off bottom, past and present status, N. America 98:755
shellfish, history 98:743

shrimp
larval penaeid 98:751
limiting factors 98:753
pink, in concrete tanks 105:259
University of Miami 98:739
Cumaceans food, of
flounder, winter 103:830
haddock 94:247
perch, Pacific ocean, juvenile 105:198
tonguefish, blackcheek 105:204
Cuprocyanide, toxicity to fish 95:8
Current, tidal, response of alewife to, in experimental chamber 104:494
Currents, water, response of alewife to, in experimental chamber 104:494
Cusk-eel
bank, population variability 93:314
striped, immature, caught in NC inlets 100:301
Cutlassfish, biology of 96:117
Cyanide, toxicity to fish 87:47
Cyanides, metal, toxicity to fish 95:6
Cycloserine, treatment, kidney disease 88:120
Cypress, bald, in backwater lakes, LA 38:8
Cyprinids, food of burbot 89:375
Cytogenetics, Fish, Symposium 99:98

D

2,4-D
acceptable limits of toxicity 96:187
avoidance by sheepshead minnow 98:426
effect, on
aquatic vegetation 91:8
bluegill 99:1
fishes 96:415
Dabs, sand
in East Sound, Orcas Island, WA 100:250
metabolic rate 102:428
Dace
cadmium residue in tissues 105:558
in
Columbia R., WA 86:116
Lemhi River drainage, ID 100:424
west European streams 88:156
production, two ID streams 100:769
swimming speed 95:207
Dace, blacknose
association with stoneroller 89:265
behavioral reactions to domestic sewage and toxic constituents 105:430
blackspot parasite in 88:151
caught in electric beam trawl 97:292
change in population, AuSable R., MI, 1920-72 105:35
effect, of
pesticide 97:400
stream improvement on standing crop 103:637
food, of
chub, creek 100:285
pike, northern 94:96
in
Barrows Stream, ME 99:298
Big Flatbrook, NJ 99:55
Cherry Run, PA 92:307
Cold Stream Pond, ME 85:258
Holston R., VA 103:271
Love L., ME 96:11
Pigeon R., MI 90:256; 91:408
Platte R., MI 100:62
Schoodic L., ME 103:121
leech-infested 98:115
not infected by blackspot 94:150
obtaining gut content from live fish 105:520
parasitic copepod on 88:128
population, PA streams 91:54
standing crop, ON streams 94:352
strigeid metacercariae in 93:305
survival time and lethal exposure time to free chlorine and chloramines 105:313
trematode in 93:304
use of fall fish nest 100:720
western, reproduction 98:454
Dace, finescale
change in population, AuSable R., MI, 1920-72 105:35
infected by blackspot 94:150
Dace, longnose
association with stoneroller 89:265
blackspot parasite in 88:151
change in population, AuSable R., MI, 1920-72 105:35
effect of stream improvement on standing crop 103:637
in
Big Flatbrook, NJ 99:55
Cherry Run, PA 92:307
Crooked Fork R., ID 102:746
Hebgen L., MT 90:270
Montana 98:209
North Fork Clearwater R., ID 104:69
Pigeon R., MI 90:256
Yellowstone R. system 90:240
infected by hemoflagellate 94:330
killed by electrical barrier 86:279
not infected by blackspot 94:150
population, PA streams 91:54
small leech infestation 98:115
standing crop, ON streams 94:352
Dace, Moapa, in Moapa R., NV 105:505
Dace, pearl
blackspot parasite on 83:151; 94:150
change in population, AuSable R., MI, 1920-72 105:35
in
Alberta pothole 86:262
Cherry Run, PA 92:307
killed by electrical barrier 86:279
population, PA streams 91:54
Dace, redbelly
food of brook trout 84:82
in
Alberta pothole 86:262
beaver dam 84:77
Cold Stream Pond, ME 85:258
Long Pond, ME 89:212
infected by blackspot 94:150
northern
changes in population, AuSable R., MI, 1920-72 105:35
effect of DDT-R on 100:208
food of bass 88:126
in MI trout streams 90:252
southern, fecundity estimate, accuracy of 98:524
Dace, redside, in
Cherry Run, PA 92:307
Ontario streams 94:350
Dace, speckled
change in population following impoundment, Sagehen Creek 102:628

effect of photoperiod on thermal resistance 101:715
habitat 103:531
in
Fish Slough, CA 100:506
Green R., UT 98:196
Moapa R., NV 105:505
North Fork Clearwater R., ID 104:69
upper and middle Colorado R. basins 104:223
Daggertooth, catch in high seas, N. Pacific 93:288
Dahl-Lea formula
back calculating lengths, sturgeon 84:218
method, body-scale relation 99:468
Dalapon
effect on fishes 96:415
toxicity to cladocerans 95:168
DAM, Computer-implemented water resources teaching game 103:601
Dam, hydroelectric, fluctuation in flow below, effect on bottom fauna 103:318
Dam, John Day, effect on nitrogen concentrations, Columbia R. 99:664
Dam, McNary, passage fish through gatewells 98:723
Dams
effect on fish population 86:144
impact on migratory fish 87:436
orifice placement in gatewells of turbine intake for bypassing juvenile fishes 100:319
rock, stream improvement for brook trout 89:61
Damselfly
effect of herbicides on 98:438
fed to pumpkinseed 97:489
food, of
bass, largemouth 101:652
trout, cutthroat 84:245,275
susceptibility to DDT 99:89
test animal, toxicity of brine water 84:98
Danio, zebra, introduced into FL 102:4
Daphnia
food of brook trout 94:189
susceptibility to DDT 99:89
toxicity of Bayer 73 and TFM 105:324
Darter, banded, repopulation after fish kill 103:84
Darter, barred fantail, food competitor with northern mottled sculpin 101:378
Darter, blackbanded, food habits and feeding chronology 102:48
Darter, blackside
changes in population, AuSable R., MI, 1920-72 105:35
in Smiths Branch, IL 88:266
Darter, bluntnose, killed by rotenone 90:292
Darter, channel, changes in populations, AuSable R., MI 1920-72 105:35
Darter, cyprus, food of largemouth bass 101:651
Darter, dusky
killed by rotenone 90:292
life history 98:647
Darter, fantail
in
Cherry Run, PA 92:307
Holston R., VA 103:271
Ontario streams 94:351
Rich Creek, VA 104:447
Smiths Branch, IL 88:266
not infected by blackspot 94:150
repopulation after fish kill 103:84
Darter, greenside, in
Rich Creek, VA 104:447
Smiths Branch, IL 88:266
Darter, Iowa
average number in Linwood L. 89:71
in
Crooked L., IN 97:295
Long L., MN 102:795
North Dakota saline lakes 103:744
prairie lake, MN 88:179
spawning area 89:223
Darter, johnny
associated with coastal shiner, NC 100:728
average number in Linwood L. 89:71
bathymetric distribution, L. Superior 95:251
catch, electrofishing L. Monona 103:670
caught in electric beam trawl 97:292
changes in population AuSable R., MI, 1920-72 105:35
food, of
piscivorous fishes 101:57
walleye 85:199
in
Big Flatbrook, NJ 99:55
Crooked L., IN 97:296
Little Bay de Noc, MI 103:10
Long L., MN 102:795
Quabbin Reservoir, MA 89:28
Smiths Branch, IL 88:266
on walleye spawning area 90:321
percent composition, trawl catches 100:700
population in PA streams 91:54
standing crop, ON streams 94:352
Darter, least
changes in population AuSable R., MI, 1920-72 105:35
in Crooked L., IN 97:296
Darter, orangethroat
in Smiths Branch, IL 88:266
repopulation after fish kill 103:84
Darter, rainbow
changes in population, AuSable R., MI, 1920-72 105:35
in Smiths Branch, IL 88:266
standing crop, ON streams 94:352
Darters
food, of
burbot 89:375
pike, northern 92:108
in
Cedar Creek, WI 94:2
Illinois stream 84:111
Darter, shield, in Big Flatbrook, NJ 99:55
Darter, slough, killed by rotenone 90:292
Darter, stippled, repopulation after fish kill 103:84
Darter, swamp, in L. Waccamaw, NC 98:468
Darter, Tennessee snubnose, in Holston R., VA 103:271
Darter, tessellated
food of walleye 103:15
life history 101:80
Darter, Waccamaw, in L. Waccamaw, NC 98:468; 100:728
Data, biostatistical, acquisition of, menhaden 102:452

DDA, conversion, in fish 90:251
DDD
  acute toxicity level 97:402
  distribution, L. Poinsett, SD 99:496
  effect on farm pond 91:215
  in
    commercial fish food 95:299
    fishes 94:158
    goldfish 99:390
    salmon, Atlantic 101:641
    soil treated with DDT 93:131
    trout, brook, eggs and fry 104:782
  persistance in farm pond 92:423
  residual in pond soil 92:213
DDE
  accumulation in lake trout 93:130
  concentrations in landlocked salmon, Sebago L., ME 95:161
  distribution, L. Poinsett, SD 99:496
  fate of, in lentic ecosystem 105:124
  in
    bottom mud, recovery efficiency 105:126
    commercial fish foods 95:212,298
    fishes 94:158
    salmon, Atlantic 101:641
    trout 90:239
      brook, eggs and fry 104:782
    water, recovery efficiency 105:126
  on quarry walls 105:127
  persistance in farm pond 92:423
  residual in pond soil 92:213
  uptake and distribution in midge 101:323
DDT
  accumulation, in
    dragonfly nymph 100:222
    lake trout 93:127
  acute toxicity level 97:402
  assimilation, tissue distribution and elimination by goldfish 99:689
  avoidance, by
    minnow, sheepshead 98:426
    mosquitofish 103:557
  biological variation in susceptibility of fish and aquatic invertebrates 99:89
  concentration, in
    fishes 94:157
    Lake Michigan 101:323
    landlocked salmon, Sebago L., ME 95:160
  content in water samples 90:244
  degradation in brook trout fry and eggs 104:782
  distribution of, in
    goldfish 99:387
    Lake Poinsett, SD 99:406
  effects
    in a tidal marsh ditch 94:152
    on
      farm pond 91:215
      fish, Yellowstone R.90:239
      hepatic tissue in penaeid shrimp 101:547
      salinity selection in mosquitofish 101:346
      salmon, Atlantic 101:638
      stonefly naiads, 93:27,357
      trout
        brook 99:489
        lake, reproduction 93:127
  forest spraying, effect on aquatic insects 86:208
  guppy fry, sensitive to low level 99:489
  heavy mortalities in brook trout 101:638
  in
    commercial fish food 95:212,298
    Louisiana surface waters 95:315
    salmon, coho, eggs, L. Michigan 101:641
    various fishes 99:392
  increased sensitivity in sheepshead minnow 95:110
  kill of Atlantic salmon 86:208
  kinetics of 94:153
  levels in tissues 99:423
  metabolites, persistance in farm pond 92:421
  persistance, in
    ecosystem 105:124
    farm pond 92:421
  replaced by methoxychlor 101:298
  residual in pond soils 92:211
  residue in fiddler crab 99:837
  residues
    analysis of 94:154
    in yellow perch, white bass, and smallmouth bass 103:577
  resistance of freshwater shrimp to 99:697
  retardation of fin regeneration, mummichog 104:135
  toxicity, to
    bluegills 87:46
    cladocerans 95:166
    crawfish, red 92:428
    fish 88:24; 90:265; 99:22
      under static and dynamic bioassay condition 99:13
    trout, rainbow 87:46
  trout, brook, fry, sensitive to low level 99:489
  uptake and elimination
    mosquitofish 105:301
    salmon 99:689
DDT-^{14}C, elimination from fish 96:301
DDT-R
  dynamics in lentic environment 100:207
  effect on fish, water, algae, hydrosoil, invertebrates 100:208
DDVP
  physiological effect on fish 90:143
  selective toxicant 98:430
  toxicity to cladocerans 95:167
Dead-X, toxicity to cladocerans 95:168
Death
  expectation from natural causes in marked fish 87:60
  time of, artificial intergeneric centrarchid hybrids 100:611
Deaths, List of 83:8; 84:8; 85:8; 86:8; 87:8; 88:240; 89:133; 89:387; 90:236; 91:438; 92:441; 93:406; 94:416; 95:447; 97:219; 98:727; 99:851; 101:397,767; 102:861; 103:846
Debris
  distribution, downstream migrating salmon 98:239
  food, of
    burbot 101:673
    sculpin, black 103:272
Decapods
  food, of
    drum, red, juvenile 104:37
    flounder, winter, young 103:264
    haddock 94:247
    hakes 101:519
      silver 89:239
    ladyfish 103:474
    salmonids 103:812

sculpin, black 103:272
tonguefish, blackcheek 105:204
larvae, food, of
herring, Atlantic, juvenile 100:122
shad, American 86:304
Deflectors, stream improvement for brook trout 89:61
Delaware Osyter Industry: A Reality? 100:100
Delnav
physiological effect on fish 90:146
toxicity to fishes 91:177
Demeton
effect on bluegill 101:318
physiological effect on fish 90:146
Dempsey, Jack, introduced into FL 102:4
Density
alewife, effect on passage through weir fishway 102:398
midges, influence of fish on 102:707
trout, brown, effect on movement 104:688
Depth
criteria for salmonid spawning 102:312
distribution
char, Arctic, ME lakes 94:393
walleye 86:30
preference of spawning pink salmon 86:229
recommended for spawning salmonids 102:315
swimming, use of hydrophone to determine with fish carrying transmitters 103;635
water, effect on surfacing of dead fish after rotenone treatment 99:806
Depth-season, distribution
landlocked alewife in shallow eutrophic lake 105:395
perch, yellow 84:245
salmon, sockeye 84:245
trout, cutthroat 84:245
Derris root, fish poison, concentration 84:246
Description, new microsporidian parasite on golden shiner 93:6
Desert fishes, their habitats 103:531
Destratification, artificial, effect on zooplankton depth distribution 100:355; 102:450
Detergents, in sewage outfall 102:288
Detoxification
antimycin by $KMnO_4$, 104:582
rotenone, use of potassium permanganate 100:814
toxaphene 91:14
Detritus
food, of
anchovy 105:516
bullhead, brown 104:544
catfish, flathead 88:348
filefish 105:516
fishes, juvenile marine 102:520
flounders 105:516
pigfish 105:516
pinfish 105:516
shiner, common 102:801
silversides 105:516
spot 105:516
sucker, longnose 103:427
organic, importance in estuaries 99:838
Development
bass, largemouth 91:32
bluefish 103:477
dominant year classes in yellow perch 100:739
early, paddlefish 90:125
egg
shiner, rough 103:90
trout, rainbow 92:344
eggs and larvae, Atlantic silverside, effect of temperature on 104:762
embryonic, lake whitefish, effect of temperature on 104:555
intergeneric centrarchid hybrid embryos 100:611
menhaden, Atlantic, effect of temperature and salinity 95:423
olfactory appartus in cutthroat trout 101:284
sport fishery, Indian lands, southwest 89:271
Developmental rates, Mississippi silverside 100:603
Device
for
automatic feeding,
aquatic organisms 102:645
counting dry fish eggs 96:361
constant-flow delivery for chronic bioassay 100:135
feeding brine shrimp to fishes 91:230
holding objects in fish stomachs 94:193
metering chemicals in intermittent flows bioassays 101:555
pumping walleye eggs from spawning area 93:204
quantitative sampling, fish populations, shallow freshwater environments 103:348
removing supersaturating gases in aquarium systems 105:116
waterpowered mechanical for subsampling large numbers nekton organisms 105:509
Diatomaceous earth, effect of suspensions on rainbow trout 95:71
Diatoms, food, of
buffalo 96:73; 99:335
catfish, channel, fry 101:614
lamprey, sea, larval 96:224
larval fishes, first food 101:222
sucker, mountain 98:214
tonguefish, blackcheek 105:204
Diazinon
numbers of brook trout decline in water sprayed with 101:343
physiological effect on fish 90:146
toxicity to cladocerans 95:167
Diazinon-^{14}C, water translocation in model cranberry bog and occurrence in fish and mussels 93:345
Dibrom
effect on stonefly, hellgrammite, and golden shiner respiratory activity 102:806
removal from water by activated carbon 105:120
toxicity, to
cladocerans 95:167
red crawfish 92:428
Dichlobenil
acute toxicity level 97:402
effect, on
fishes 96:415
pond invertebrates 98:438
Dichlone, acute toxicity level 97:402
Dichromatism, sexual
tautog 97:208

three-spined stickleback 97:208
Didactron, teaching machine 102:658
Diel activity, largemouth bass fry 105:624
Diel feeding cycle, Mississippi silverside 105:84
Diel fluctuation, catch of larval Gulf menhaden 101:729
Diel pattern, lighting, simulate in laboratory 99:434
Diel periodicity, in feeding of brown and rainbow trout 105:217
Diel vertical movement, sockeye salmon 98:245
Dieldrin
accumulation in freshwater ostracods 100:565
acute toxicity levels 97:402
chronic effect on pumpkinseed 99:490
concentration in tissues, sailfin molly 99:493
deposition in four components in aquatic systems 105:695
distribution, L. Poinsett, SD 99:496
effects, on
sailfin molly 99:489
stonefly naiads 93:27
in
channel catfish muscle 105:301
Louisiana surface waters 95:312
salmon, Atlantic 101:642
tissues 99:423
toxicity, to
cladocerans 95:166
fish 86:245; 87:47; 88:24; 90:265
Dieldrin-^{14}C, elimination from fish 96:301
Diet
basal,
composition, for channel catfish fry 104:314
goldfish 100:677
salmon, Atlantic 104:548
blood flour in 98:773
Brewer's yeast in 98:773
catfish, channel
effect of diethylstilberol in 101:537
fry, pantothenic acid supplement in 104:313
composition
catfish, channel 101:95; 104:329; 105:482
control diet for rainbow trout 86:162
condensed fish solubles in 98:773
effect
on growth of channel catfish 92:432
of three, on growth and mineral retention in channel catfish 105:481
effectiveness of various, rainbow trout 86:315
goldfish, essential nature of vitamin A 100:676
herring meal in 98:773
herring oil in 98:773
iodized salt in 98:773
kelp meal in 98:773
lecithin in 98:773
lignon sulfonate in 98:773
oat flour in 98:773
open formula, evaluation of chelated minerals 98:772
pelletized dry 86:307
production type, value of fiber in channel catfish culture 104:328
proximate analyses 86:313
seasonal changes in walleye 102:363
shrimp, pink, in feeding experiments 105:260
soybean flour meal in 98:773
testing procedure 98:773
trout 88:77
Quebec 86:136
rainbow, comparison of dried yeasts in 86:161
various, hatchery, lake trout 92:35
vitamin concentrate in 98:773
W-3, composition and nutritional characteristics 105:255
wheat middlings in 98:773
whey in 98:773
Diethylstilberol, effect of, in catfish diet 101:537
2-(digeranylamino)-ethanol
effect of temperature, water hardness, and pH on toxicity 103:739
toxicity as selective fish toxicant 103:736
Digestibility, of proteins, channel catfish feed 102:831
Digestion rate
bass, largemouth 89:209
bluegill 97:491
bullhead, black 91:315
Dolly Varden 95:429
gar
Florida 89:206; 91:261; 97:491
longnose 91:261
pikeperch 102:762
pumpkinseed 97:489
roach 102:762
some MN warmwater fishes 93:269
tuna, skipjack 98:379
warmouth 89:206
zooplankton by alewife, effect of selective feedings 105:89
Dihydrostreptomycin, treatment, kidney disease 88:120
Dimethoate, toxicity to red crawfish 92:428
Dimorphism, sexual, in numbers of rostral teeth in sawfish 102:612
Dinoflagellate
disappearance after rotenone treatment 92:18
produce red tide 100:112
Diploid-tetraploid relationship, salmonids 99:127
Diptera, aquatic, in Wenatchee R., WA 88:187
Dipterans
effect of fluctuation in water flow on 103:322
food, of
bluegill 103:258
buffalofishes 99:335
fallfish 100:724
minnow
bluntnose 102:800
fathead 103:748
perch, Sacramento 104:235
salmon, coho 103:12
salmonids 103:812
sculpin
black 103:272
slimy 104:242
shiner, mimic 102:797
silverside
brook 99:437
Mississippi 105:87
Waccamaw 98:470

trout 103:442
rainbow 102:35
whitefish, mountain 102:766; 105:216
in alpine lake 102:677
taken in drift net 103:513
Dipterex
acute toxicity level 97:402
physiological effect on fish 90:143
toxicity, to
cladocerans 95:167
fish 87:41; 88:30; 91:177
Diquat, effect, on
fishes 96:415
pond invertebrates 98:438
Discharge, warmwater, Galveston Bay, TX, annual cycle in sport fishing 102:573
Discussion, papers on application of theory and research in freshwater and marine fisheries management programs 102:188,194
Disease
bacterial 83:300; 89:310
bluesac 83:199
experimental induction 86:61
in trout, 88:290
nature of 86:61
by pseudomonads 83:246,314
columnaris 83:242,303,319
impairs fish 96:428
control of 83:337
fin rot, on New York Bight fishes 102:596
fish, furunculosis 97:221
progress in control 87:438
threat to resources 96:91
gas bubble
device for removing supersaturating gases in aquaria 105:116
in Columbia R. fishes 105:114
salmon and trout 93:306
below John Day Dam 99:667
sockeye 105:425
genetics of 83:229
gill 83:242,265,320,348
hematopoietic virus, in rainbow trout and sockeye salmon 98:796
hyperplastic epidermal 83:264
ichthyophthiriasis 96:91
ichthyosporidiases 96:91
IHN, in rainbow trout, MN 101:121
in
salmon
Atlantic 88:293
coho 89:303
seawater 93:309
trout 88:78
infectious
nature of pancreatic necrosis 88:289
Pacific slamon 83:297
pancreatic necrosis in salmon and trout (IPN) 98:796
kidney 83:249,300,322,334
cause of 87:431
in
fishes 96:91
trout, control of 88:117
postorbital lesions in chinook salmon 104:805
spread of 84:376
lymphocystis
crappie, white 85:271
virus in quillback rockfish and aquaria fishes 105:333
myxobacterioses 96:91
Oregon sockeye disease (OSD) 98:796
parasitic
prevention of 83:221
treatment of 83:221
plistophoriasis 96:91
pompano and permit 98:483
prevention of 83:337
culture of bivalve mollusk 98:748
problems in private hatcheries 87:374
redmouth 83:248; 96:91
private hatcheries 87:377
redsore 83:248
research on 83:217
resistant strains of fish 83:342
Sacramento River chinook salmon, (SRCD) 98:796
treatment, use, of
chloromycetin 87:376
copper sulfate 87:376
isotopes 90:49
phenothiazine 87:378
potassium permanganate 87:376; 100:814
sulfonamide 87:376
ulcer 83:318,346
VHS, in trout 98:796
virus
fish 83:331
salmon stocks 84:376
virus-like, in chinook salmon 89:160
whirling
disinfection of water by ultraviolet irradiation 103:541
in salmonids 97:104
introduced in USA 96:91
preventing spread 98:184
Diseases and nutrition 83:254
Dispersal
gar, shortnosed Great Lakes drainage 92:178
trout, brook, wild, first summer 94:186
Displacing, steelhead, effect of 104:458
Disputes, international fishery, an approach to solving 99:621
Dissolved oxygen, effect on growth of creek chub 84:236
Dissolved solids, total, in glacial lakes 93:262
Distillers dried grains, in channel catfish diet 101:95
Distribution
bass
smallmouth, Middle Snake R. 99:44
striped, Sacramento-San Joaquin estuary 101:442
bathymetric
fish, L. Superior 95:248
shrimp, northern 98:66
smelt, rainbow 98:638
bloater, larval, season and depth, L. Michigan 95:388
bluefish, eggs and young 103:447
^{14}C-dieldrin, in goldfish 100:217
depth
fish in L. Kariba 97:460
range in rainbow smelt 102:721
splake and brook trout fingerlings 90:329
trout, rainbow, effect of hypolimnion aeration 102:715
use of vertical gill net for small fish 97:296
in study 93:137
zooplankton 93:140

effect of aritficial destratification 100:355
diel patterns, bluegill 103:255
drum, black 102:584
ecological
fishes in Moapa R., NV 101:408
pesticides in L. Poinsett, S.D. 99:496
eggs and larvae, menhaden 98:218
filter feeding insects and planktonic food 92:216
fish
effect of hydrographic conditions on 87:286
hatchery, potamological effects 103:226
in
heated water reservoir 103:518
Matamek R. system 102:708
upper and middle Colorado R. basins 104:217
pelagic, Sheepscot-Black R. estuary, ME 102:541
geographic, northern shrimp 98:62
herring
blue 103:297
lake, effect of turbidity on 105:541
length, juvenile tuna, Hawaii 99:66
light, splake and brook trout fingerlings 90:328
menhaden
adult 98:219
Gulf of Mexico 89:338
midges, influence of fish on 102:707
migrating juvenile pink shrimp, Buttonwood Canal, FL 99:401
minnow
fathead 97:52
sheepshead, factors influencing 101:89
permit 98:480
pompano 98:480
salmon
sockeye and trout, Elk L., OR 96:308
winter, in relation to currents and water masses 99:649
seasonal, river shrimp 103:123
shrimp, northern, in relation to temperature and salinity 98:65
South American freshwater crabs 101:595
spatial, white sucker, effect of light and dark periods 100:353
trout, brook and rainbow, Castle L., CA 104:91
vertical and diel
juvenile tunas 99:64
shrimp during immigration thru tidal pass 101:748
walleye, year classes, in different gear 90:308
whitefish, lake, Lac la Ronge 90:303
Disturbances, responses, estuarine classification 99:826
Di-Syston
effect on stonefly naiads 93:27
long-term effects on stonefly naiads 93:357
physiological effect on fish 90:146
toxicity to fishes 91:177
Diurnal activity, winter flounder 98:719
Diurnal variation, catch, fishes 86:31
Diuron, toxicity to cladocerans 95:168
Diversity indices, applied to fish biofacies, small stream 103:457
Divisions, reports of 83:366; 84:328; 85:293; 86:453; 87:414; 89:92; 90:95; 91:111; 92:83; 93:115; 94:114; 95:134; 96:102; 97:92; 98:170; 99:269; 100:168; 101:195; 102:260; 103:163; 104:193
DNA, values in fishes 99:124
Dobsonflies, toxicity of Bayer 73 and TFM 105:324
Docosahexaenoate, effect of temperature on, channel catfish 101:98
Dogfish, catch, in MN lake 89:68
Dogfish, spiny
catch, in high seas, N. Pacific 93:288
monthly occurrence, Big Beef Harbor, WA 101:727
seasonal distribution, ME estuary 102:543
toxicity of drugs to 83:324
Dolly Varden
abnormal 94:408
age and growth 90:30; 96:223
catch in high seas, N. Pacific 93:288
digestion rate 95:429
downstream migration 91:401
effect of zectran 101:330
eggs, effect of physical shock on 103:711
estuarine food of 94:405
food habits 88:199
Alaska 88:253
food of 91:91
in
Crooked Fork, R., ID 102:746
Lemhi R. drainage, ID 100:424
North Fork Clearwater R., ID 104:69
life history 100:302
migration pattern 96:63
no parasites in 94:186
normal, synchronous hermaphrodite 97:201
predation on salmon 91:90
predator on sockeye salmon 89:378; 91:138; 96:424
selectivity of gill net 88:198; 91:265
sport fish, Rock Mountain region 90:219
squamation chronology 99:429
use of dart tag in migration study 95:320
with two adipose fins 88:73
Dolomite, in stream bed, OK 85:19
Dolphin
age and growth 97:271
attracted to midwater artificial structures 102:563
body-scale relationship 97:273
fishery application of survey techniques 98:94
food habits and sex ratio 103:94
food, of
mackerel, snake 94:240
marlin, blue 91:226
interfere with tuna fishing 93:292
length-weight relationship 97:272
parasites of gills and buccal cavity 103:101
Dolphin, pompano
food of blue marlin 91:226
infrequently encountered, US coast 103:94
Domine, food of blue marlin 91:226
Doppler effect, use in fish movement studies 92:178
Dory, coster, catch in high seas, N. Pacific 93:288
Dosing, stream, continuous, simple system for 104:359
2,4-DP, effect on fishes 96:415
Dragonet, spotted, population variability 94:314

Dragonfly
  effect, of
    fertilization on abundance 91:310
    herbicides on 98:438
  food, of
    bass
      largemouth 101:652
      spotted 98:649
    perch, yellow 84:258
    trout, brook 84:82; 94:189
  in brine polluted stream 85:24
  killed by TFM 96:412
  nymph
    accumulation of DDT 100:222
    caloric content 102:365
    food of creek chub 100:285
  reappearance following lake poisoning 85:183
  test animal, toxicity of brine water 84:98
  toxicity, of
    Bayer 73 and TFM 105:324
    2-(digeranylamino)-ethanol 103:738
Dredge
  benthic, quantitative sampling, comparison 99:603
  Ekman, compared with Ponar and Orange-peel 99:605
  hydraulic, cycle, estuaries 99:841
  orange-peel, compared with Ekman and Ponar 99:605
  Ponar, compared with Ekman and orange-peel 99:605
  spoil disposal, effect on floating trap fishery 103:498
Drift
  amphipod, effect of heated water on 99:782
  bottle, modification for air drops 93:203
  invertebrate, relation to salmonid populations 104:529
  mayfly, effect of heated water on 99:782
  organisms
    compared with benthos 103:514
    list of 103:510
    list of invertebrate 103:442
  sculpins, Sagenhen Creek, CA 97:495
  stream, as indication of water quality 103:507
Drills, oyster, predator on oysters 98:313
Drop net, stationary, for estimating nekton abundance, shallow water 104:46
Dropsy, of fish 83:248,317,333
Drugs, toxicity of 83:324
Drum, black
  affected by hurricane 91:377
  age, growth and disribution, VA 102:584
  catch, Galveston Bay, TX 102:574
  in saltwater marsh impoundment, SC 105:42
  parasitic isopod on 105:328
  survival after antimycin treatment 98:291
Drum, freshwater
  age and growth 98:116
  calculated lengths 97:446
  catch
    Denison Reservoir, OK 84:45
    electrofishing, L. Monona 103:670
    Red Lakes, MN 99:28
    seine vs. electrofishing 88:35
    TVA lakes, AL 88:83
  comparative morphology 97:429
  comparison of catch rates, gill nets 93:236
  early life history and spawning 99:560
  fishery for, upper Mississippi R. 94:341
  flavor and aroma, relation to size and area 98:534
  food and growth 97:442
  food of 96:218
  food, of
    sauger 97:163
    walleye 100:474
      fry 94:346; 98:122
  growth rate 87:119
  in
    Alabama 83:50
    Lake Taneycomo, MO 97:140
    Louisiana backwaters 88:10
    Missouri R. reservoirs 87:360
    navigational impoundments, Mississippi R. 94:339
    Red Lakes, MN 83:133
    southeastern US reservoirs 87:336
    Tennessee streams 86:144
  killed by rotenone 90:292
  mayflies and caddis flies as food 89:32
  movement in streams, MO 85:39
  removal from Norris Reservoir 92:357
  scale development 100:570
    early 95:434
  scarred by lamprey 90:84
  sexing 88:149
  squamation chronology 99:429
  taken by spearfishing 92:32
  toxicity of guthion 94:205
Drum, red
  age and growth 105:41
  catch, Galveston Bay, TX 102:574
  food habits, length-weight relationship and condition factor 100:290
    juveniles, LA 104:35
  not affected by hurricane 91:377
  sport fishery survey 102:467
  survived antimycin treatment 98:291
  taken in trap in salt marsh impoundment 104:302
Drum, striped, population variability 94:314
Ducks, parasites in 88:96
Duckweed, food of buffalo 96:73
Durgon, black, food of blue marlin 91:226
Dursban
  acute toxicity level 97:402
  avoidance by sheepshead minnow 98:426
  effect on aquatic invertebrates and fishes in ponds 101:420
Dwarf form, lake whitefish 93:77
Dwarfs, genetics of 83:231
Dye
  retention, marking experiment 96:170
  use to sort benthic samples 100:794
Dyes
  marking fish by injection 96:163
  thirteen best for marking fish 96:167
  used to mark warmwater fish 95:432
Dylox
  caused
    scoliosis in golden shiner 101:317
    vertebral kink in grass pickerel 101:317
  effect, on
    bluegill 101:318
    caddisflies and mayflies 95:2
    stonefly naiads 93:27
  long-term effects on stonefly naiads 93:357
  toxicity to fishes 91:177
Dynamic interaction, men, birds, and anchovy, Peru Current 99:461
Dynamics, of fishes in AL intensive

fishing pond 100:757
Dyrene
effect on bluegill 101:318
rainbow trout exposed to 101:317
Dytiscids
salamanders 102:36
salmon, sockeye 102:34
trout, rainbow 102:35

E

Earthworms
aquatic
food of freshwater drum 96:219
toxicity of Bayer 73 and TFM 105:324
effectiveness as trout bait 89:280
food, of
bass, largemouth, young 96:75
Dolly Varden 88:199,256
trout, cutthroat 88:199
in beaver ponds 84:81
Echinoderms, food, of
flounder, winter, young 103:264
haddock 94:247
Echo location, fish, and thermal plume mapping technique 102:462
Ecological characteristics
distribution, fishes in Moapa R., NV 101:408
Indian R. and Rehoboth Bays, DE 102:559
relationship, yellow perch and cutthroat trout 84:239
subsystems, management of fisheries 102:470
systems analysis, and fisheries science 98:570
Ecology
distributional, in heated effluent 103:663
epinepheline and lutjanid fishes 89:9
perch, Sacramento 99:705
shiner, coastal, NC 100:726
shrimp, pink 89:2
squawfish, northern, ID 88:197
walleye 86:15
whitefish, round 98:7
Economic evaluation, of
alternative management systems, commercial fisheries 98:347
sport fisheries 102:293
Economic importance
shiner, coastal 100:732
silverside, Waccamaw 98:571
Economic objectives, fishery management 102:481
Economics
estuarine 99:849
of pollution 99:848
Economic values, measurement of sport fishery 98:352
Ecosystem
marine model 98:571
reservoir cove, model, computer simulation 104:596
Ectoparasites, control of 83:222
Editorial Board, report of 104:204
Editor, report of 98:181; 99:279; 100:173; 101:173; 102:228; 103:176
Eel
effect of ABS on 94:27
electric fishing, reaction 92:265
gas bubble mortality 92:321
in Conowingo Pond, PA 105:167
predation by 83:199
taken by spearfishing 92:32
tumor in 83:268
Eel, American
commercial fishery, L. Ontario 102:369
effectiveness of alternate polarity shocker on 85:239
in
Alabama 83:50
Barrows Stream, ME 99:298
Cold Stream Pond, ME 85:258
Echo L., ME 98:642; 103:396
Floods Pond, ME 105:616
Lake Waccamaw, NC 98:468
Long Pond, ME 89:212
Louisiana backwaters 88:10
Love L., ME 96:11
Maine lake 91:425; 101:609
Matamek R. system 102:708
plankton sample 97:317
Schoodic L., ME 102:121
Sebago L. ME 95:160
Wickford Cove, Narragansett Bay, RI 97:64
killed by rotenone 90:292
parasitic copepod on 88:128
relative abundance, food habits, age in certain NJ streams 99:54
removal from MA ponds 87:108
tagged in PQ 86:348
tidal cove night catch 104:31
toxicity of endrin to 95:155
Eel, conger, blood lipid values 84:153
Eel, electric, undesirable exotic 100:184
Eel, European
electrophoretic defining of homing population 105:281
in west European streams 88:156
polymorphism in esterases 99:147
use of polymorphic transferrins in population work 102:21
Eelgrass
food, of
filefish 105:516
perch, silver 105:516
pinfish 105:516
spot 105:516
toadfish 105:516
in
Cedar Creek, WI 94:2
Florida spring 85:121
Eel, speckled worm
food of juvenile red drum 104:38
in NC inlets 100:301
killed by hurricane 91:377
Eel, spiny, susceptibility to DDVP and phosphamidon 98:431
Efficiency, gill nets, Lake Huron 90:413
Effluent, heated, reaction of young American shad to 101:740
Effort, fishing relationship to cost, value 88:102
Egg, bound
catfish
channel, LA 91:87
Indian 91:87
Eggs
amphibian, microinjection of 96:57
attachment, observation on king crab 101:557
bass, striped, effect of shear on 105:149
carp, toxicity of mercury and cadmium

103:822
char, Artic 105:618
clearing of yolks in rockfishes 94:194
concentration, effect in incubation channel on survival of chinook salmon fry 104:335
coregonid, caught in tow trawl, west L. Superior 100:697
crappie, white, incubation and mortality 97:252
cui-ui, predation on by tui chub 102:148
deposition
  sauger 97:161
  survival percentage, sockeye salmon 97:371
development, sauger 97:161
diameter
  bass, striped, determine sexual maturity 91:279
  centrarchids 100:31
  shiner, sand 98:447
Dolly Varden, survival form physical shock 103:711
dry, automatic device for counting 96:361
effect of noise on 102:134
fish
  effect of herbicides on 96:414
  food, of
    bloater 92:250
    buffalofishes 99:335
    log perch 97:303
    tonguefish, blackcheek 105:204
    trout, lake 94:175
  for direct assay of chromatographically separated components on silica gel plates 97:204
  method for making artificial 105:349
  technique for injecting materials 96:57
food, of
  burbot 101:673
  Dolly Varden 88:256
gar, longnose, food, of
  bluegill 91:258
  carpsucker, northern river 91:258
hake, offshore 96:227
invertebrate, food of threadfin shad 96:244
mature, deposition by unmated king crab 100:583
menhaden, distribution 98:218
minnow, fathead, hatchability, in zinc toxicity 98:277
mortality, alewife 99:377
mullet, striped, thermal tolerance 104:144
paddlefish 90:127
perch
  white, effect of shear on 105:149
  yellow, effect of high winds on 104:524
pike, northern, effect on H_2S on 99:501
production, chinook salmon 90:162
salmon
  Atlantic, size at maturity 98:723
  chinook, effect of gamma radiation on 99:112
  effect of artificial light on 87:151
  effectiveness as trout bait 89:280
  silver, rate of developmant 87:210
  stonefly nymph, scavenger or predator? 99:677
  survival 92:161
salmonid, specific gravity of 105:351
silverside, brook 97:294
smelt, rainbow
  destroyed by waves 104:524
  production and survival 90:42
  survival 94:160
sucker, white, in fallfish nest 100:720
survival and siltation 95:183
toxicity of longnose gar 91:258
trout
  brook
    degradation of DDT in 104:782
    increase in size at maturity 98:723
  brown, size of 105:531
  food of brook trout 94:189
  lake
    cause of loss 86:239
    distribution on spawning bed 86:239
    predation on 85:263; 86:74
  rainbow
    control of Saprolegnia with ozone 95:430
    development 92:344
    survival from physical shocks 103:711
walleye
  effect of wave action on 90:320
  killed by waves 104:524
  loss from storm 85:192
  pumping device for 93:204
  survival
    in relation to wood fibers 92:220
    on different bottoms 90:312
    on paper fiber sludge deposits 96:278
    to *Sphaerotilus natans* 92:220
  use of tannin to eliminate adhesiveness in artificial propogation 105:731
Eggs and larvae, development, coastal shiner 100:731
EHA media for plates, formula, for phage activation assay 101:121
Ekman dredge, evaluation with Ponar 100:560
Elasmobranchs, electrophoresis of blood serum proteins 96:131
Electivity indices
  alewife 105:93
  bass, largemouth, fry 105:625
  for zooplankton eaten by cisco 105:612
Electrical potential, of fish, detected by amplifier 103:391
Electricity, control of upstream movement of fish 86:269
Electrode
  chamber, recording respiratory and other movements, freeswimming animals 100:22
  for detecting movement in gradient tanks 101:714
  louver array, efficiency in guidance, steelhead trout 96:422
Electrofishing
  abnormal vertebrae in rainbow trout in relation to 94:84
  catch, vs. seine 88:35
  inexpensive variable voltage pulsator 102:468
  in lakes 88:141
  neurophysiology of 92:265
  refinements of equipment and procedure 88:33
  use in small stream surveys 92:307
Electrolyte levels
  alewife
    muscle 100:628
    plasma 100:628
  effect of salinity 100:627
Electrophoresis
  acrylamide

modification for microspectrophotometric analysis of fish plasma proteins 104:150
bluegill serum proteins 105:281
defining populations of fishes 105:281
elasmobranch serum proteins with cellulose acetate 96:131
in blood analysis 95:175
on populations of several species 102:21
starch gel, chinook salmon 105:620
Electrophoretic analysis, serum proteins
bluegill 103:630
comparison, human and catfish plasma protein 97:455
determination, striped bass populations 102:21
measurements, Indian carp blood 90:2
Electroplating wastes, midge resistance to 88:111
Eleotrids, food of grouper 89:13
Elm, water, in backwater areas, LA 88:8
Elodea, introduced into FL 102:2
Elutriator, improved for separating stream insects from stony substrates 104:821
Embryological comparison, bluegill and bluegill X pumpkinseed 98:669
Embryology
fallfish 100:720
salmon
chum 103:371
coho 103:371
Embryonic development, normal, of muskellunge 102:384
Embryo, northern pike, temperature tolerance limits 102:94
Emergence, brook trout, influence of sand in redds on 105:57
Emetics, used to collect stomach contents 98:698
EMP (Timsan), effect on rainbow trout 98:419
Endangered species, list 95:138
Endoparasites, control of 83:225
Endothall, effect on fishes 96:415
Endrin
acute toxicity level 97:402
avoidance, by
minnow, sheepshead 98:426
mosquitofish 103:557
concentration, in blood, of
catfish, channel 97:260
shad, gizzard 97:260
depresses cations in liver of northern puffer 101:547
disappearance of residues 90:333
effects, on
blood and tissue chemistry in northern puffers 95:153
shiner, golden 97:260
stonefly naiads 93:27
fish toxicity under static and dynamic bioassay conditions 99:13
in LA surface waters 95:312
kills channel catfish 95:325
no accumulative effect on guppies and bluntnose minnow 99:489
resistance, of
bluegill 95:325
bullhead
black 95:325
yellow 95:325
madtoms 95:325
mosquitofish 95:325
shiner, golden 95:325
shrimp, freshwater 99:697
sunfish, green 95:325
toxicity, to
cladocerans 95:166
crawfish, red 92:428
fish 88:24; 90:265,332,394
uptake and release, resistant and susceptible mosquitofish 95:335
Energetics, winter flounder fed polychaetes 105:592
Energy budget, daily, bluegill 103:43
Energy, cost, of food utilization in bluegill 103:38
Energy deficit
bluegill, mortality 98:398
trout
brown 98:398
rainbow, mortality 98:398
Energy expenditure, largemouth bass during yolk absorption 98:398
Energy flow, interruption, estuaries 99:839
Energy, seasonal changes in walleye 102:363
Energy transformation, by
bass, white 103:32
herring, blueback 103:297
Energy, yolk, in growth of Atlantic salmon 98:403
Entomostracans, food, of
bass, largemouth, young 96:75
salmon, coho 103:127
Environment
changes in L. Erie 90:153
changing, estuary 99:826
estuarine, insidious alteration 99:836
Environmental factors
effect on growth and survival, smallmouth bass 100:464
influence on early development and year-class strength, northern pike 99:369
influences on extended spawning of rainbow trout 100:312
Environmental variables, effect on alewife activity at a fishway 101:583
Environment, physical and biological, juvenile Pacific ocean perch 105:195
Environment, problems, in private hatcheries 87:374
Eosin B., used to stain oysters 100:588
Ephemeropterans
abundance
benthos, Platte Creek 104:527
Missouri R. 97:383
drift collected 104:530
effect, of
fluctuation in water flow on 103:321
organophosphorus insecticides on 95:1
sodium arsenite on 95:294
food, of
alewife 100:327
bass
largemouth 91:33; 98:298; 101:652
spotted 98:649
white 103:27
bloater 92:254
catfish
blue 91:95
flathead 88:348
char 92:276
chub
creek 100:284
Utah 90:272

cottids 101:379
darter, blackbanded 102:50
drum, freshwater 97:444
eels 99:56
inconnu 94:273
logperch 97:303
minnow, bluntnose 102:800
perch, Sacramento 103:401; 104:235
pike, northern 92:100
redhorse 91:418
black 99:554
salamanders 102:36
salmon
coho 91:407; 103:12
sockeye 102:34
salmonids 103:812
sauger 97:162
sculpin, black 103:272
shiner
common 102:801
mimic 102:797
spottail 93:41
silverside, brook 97:301
smelt 90:441
squawfish, Colorado 98:203
studfish, northern 101:376
sturgeon
lake 84:225
shovelnose 98:515
sucker
longnose 83:40
mountain 98:214
sunfishes 100:125
trout 103:426,442
brook 83:79; 89:80; 103:132; 104:92
brown 92:276
rainbow 102:35; 104:92
whitefish, mountain 102:766; 105:216
in
alpine lake 102:677
Chilean waters 101:597
dome and basket samples, Susquehanna R. 104:403
experimental ponds 95:298
Sunkhaze stream, ME 84:81
killed by DDT 90:246
numbers
Bridges Creek, MT 92:143
Lake Huron 89:195
Linwood L. 89:71
Michigan lakes 85:185
Montreal R. 92:216
Trout Brook 86:212
Yellowstone R. 90:245
survival on paper fiber sludge 96:289
taken in drift net 103:512
Ephippians, food of fathead minnow 103:748
Epidermal papillomas (EP), in flathead sole 100:252
Epipelagic fishes of N. Pacific 93:286
Epiphytes, food of juvenile marine fishes 102:528
Epithelioma, in fishes 83:267
Epizootiology, tumors, flathead sole 100:247
EPN
level, acute toxic 97:402
toxicity to fish 87:41; 88:30; 90:146 91:177
Equipment
aerial planting 87:183
electrofishing, refinements in 88:33
Erythrocyte antigens
salmon, trout, clupeoids 93:89
whitefish, lake 93:88
Erythrocyte count, rainbow trout 95:172
Erythrocyte sizes, marine teleosts 98:328
Erythrocytes, muskellunge, changes from handling 103:338
Erythromycin, treatment, kidney disease 88:120
Escapement, function of pound-head mesh size on, in pound nets 105:370
Esterases
Atlantic herring, polymorphism in 99:147
polymorphic, functional and evolutionary dynamic in catostomid fishes 99:219
Esteron 99, toxicity to cladocerans 95:168
Estimates
acoustic, pelagic ichthyomass in L. Tanganyika, with echo sounder 105:581
fish harvest, biased, postal survey 101:262
population
confidence intervals, graphic representation 93:227
Peterson mark-recapture, sample size 93:215
Estrogen
concentration, channel catfish 103:376
level, Atlantic salmon 103:376
seasonal levels, goldfish 103:375
Estuaries
changing environment 99:826,836
economics of 99:849
Everglades, seriously reduced inflow of freshwater 99:847
pollution trap 99:837
Ethylestrenol, effect on tilapia 102:444
Ethyl guthion, toxicity to cladocerans 95:167
Eugenol, threshold of perception, juvenile sockeye salmon 95:112
Eulachon
catch, in high seas, N. Pacific 93:288
caught in purse seine, Columbia River estuary 102:343
Eulicin, treatment, kidney disease 88:120
Euphausiids
food, of
hake, silver 89:239
perch, Pacific ocean, juveniles 105:198
salmon, coho 103:129
trout, cutthroat 100:305
sampling, in N. Pacific Ocean 101:577
Euplankton, food of brown trout 92:278
Evacuation rate
bass, largemouth, young 102:759
carp 102:762
cod 102:762
perch, yellow 102:759
tuna, skipjack 102:762
Evaluation
basket, artificial substrate sampler for macroinvertebrates 100:553
economic
commercial fisheries, management systems 98:347
value, sport fishery 98:352
effects of legal factors in utilization of fishery resources 98:360
winter steelhead fishery 101:29
Executive Secretary, report of 96:88; 97:75; 98:176; 99:268; 100:165; 101:168; 102:224; 103:159; 104:190
Exercise, fishes, oxygen requirement

93:209
Exophthalmus, present in trout 86:62
Exotic aquatic species, Policy of Society on Introduction of 102:274
Exotic fishes
  managing with, a game of chance 105:1
  survey of states relative to importation 102:241
  tested in AL 89:125
Expenditures, anglers 102:299
Experiments, sample size in Peterson mark-recapture method 93:215
Exploitation
  bass, largemouth, Gladstone L., MN 91:48
  effect of jaw tags and fin excision, rainbow trout 96:394
  trout
    lake, significance of food habits 95:415
    rainbow, stocked 85:80
  whitefish, lake, L. Huron 91:223
Exploitation methods
  trout, lake 85:257
  tuna, Caribbean and Gulf 85:254
Exploitation rate
  effect of seasonal variability of harvest on estimate of 105:45
  walleye 87:62
Exploration
  fisheries, 1956 86:195
  role in commercial fisheries 87:309
Extenders, in channel catfish sperm preservation 105:470
Extinction, near, lake trout, cause of 85:102
Eye disorders, chinook salmon 92:34
Eye lens proteins
  brook trout 102:335
  population study of bluefin tuna 102:578
Eyes
  hemorrhagic, in fishes 92:34
  opaque, in trout 92:35

F

Factors
  affecting year class strength, sauger 101:311
  conversion, suggested metric-English 97:515
  influencing distribution, sheepshead minnow 101:89
  limiting penaeid shrimp culture 98:753
  responsible for failure of year classes, Great Lakes 86:390
  water quality effecting growth of striped bass fingerlings 102:18
Fall Creek, CA, efficiency of salmon spawning 84:137
Fallfish
  biology 100:717
  condition factor 100:719
  effect of pressure on survival 94:89
  embryology 100:720
  fecundity 100:724
  food habits 100:724
  in
    Barrows Stream, ME 99:298
    beaver pond 84:77
    Big Flatbrook, NJ 99:55
    Cold Stream Pond, ME 85:258
    Floods Pond, ME 105:616
    Love L., ME 96:11
    Maine lake 101:609
    Quabbin Reservoir, MA 89:28
    Schoodic L., ME 102:121
  length-weight relationship 100:719
  not infected by blackspot 94:150
  population, in PA streams 91:54
  scale formation 100:721
  sexual dimorphism 100:720
  spawning 100:720
FAO, report on 84:335
Farm pond, fishery potential 87:302
Fat content
  carp 100:281
  carpsucker, river 100:281
  salmon, coho 89:304
  trout, lake
    iodine number 94:66
    Lake Superior 94:62
Fatigue, effect on hooking mortality, cutthroat trout 99:684
Fatty acid composition
  change in Atlantic menhaden fed brine shrimp 103:382
  effect of temperature on, channel catfish 101:97
  in northern pike 84:150
Fauna
  aquatic, N. Florida Bay, effect of hurricane 91:375
  bottom
    comparison, L. Erie, L. Huron 89:196
    effect, of
      fluctuation in flow below dam 103:318
      rotenone and toxaphene on 86:294
    Lake Huron 89:193
  brine polluted stream 85:25
  fish, status in Moapa R., NV 105:503
  freshwater, New Zealand, indigenous 97:7
  introduction, New Zealand 97:7
  native and alien, interactions and problems of introductions, New Zealand 97:1
F bacteria media, formula, for phage activation assay 101:121
Feather meal, in channel catfish diet 101:95
Fecundity
  alewife, L. Michigan 96:387; 103:315
  bass
    kelp, relation of length to 101:67
    largemouth 91:23
    redeye 83:209
    striped, relation to body weight, fork length, and age 95:329
    white 102:446
  bloater 97:157
  bullhead, black 101:485
  burbot 101:672
  carpsucker
    highfin 105:411
    quillback 105:411
    river, method of estimating 98:523
  char, Arctic 105:618
  cobia 96:343
  dace
    southern redbelly, accuracy of estimate 98:524
    western blacknose 98:456
  darter, tessellated 101:87
  drum, freshwater 99:562
  fallfish 100:724

gar, longnose 91:257
goby, sand 100:520
herring, Atlantic 105:384
hilsa, Indus R. 97:350
killifish, plains 98:462
lamprey, sea 101:718
lobster, American 98:537
mackerel, horse 102:101
minnow, silverjaw 100:515
perch
black 95:108
Pacific ocean, in relation to length 101:68
yellow 104:726
pike, northern 92:94
salmon
Atlantic 98:720
chinook 84:143
sockeye 98:722
sculpin, slimy 104:242
seatrout, spotted LA 91:84
shad, threadfin 98:320; 100:74
shiner
cherryfin 104:520
rough 103:91
sand 98:448
shrimp, northern 98:72
smelt, rainbow 93:394
squawfish, northern 88:201
sucker, mountain 98:214
Trachurus 5 species 102:107
trout
brown 105:529
lake 84:64; 86:82; 94:75
rainbow, effect of pulsating current on 100:546
tuna, skipjack 101:626
whitefish
mountain 105:210
pygmy 84:191
round 98:9
Feeder, automatic, for
aquatic organisms 102:645
live brine shrimp 98:532
Feeding
ability, least chub 98:404
activity, spotted bass 98:648
bass
largemouth 98:296
white, by sight or scent? 91:326
behavior
bass, striped fingerlings 102:15
catfish, channel, in culture ponds, factors influencing 105:718
flagfish, effect of ABS on 95:109
flounder, winter 98:717
shrimp, opossum 104:394
bullhead, brown, by scent 91:326
changes in behavior as stomach is filled 98:388
chronology
crappie, white, young 100:307
darter, blackbanded 102:48
determination of in fishes 91:313
diel patterns, bluegill 103:255
ecology, eelgrass fish communities 105:514
effect of frequency on channel catfish 104:317
habits
bass, largemouth, fry 105:624
coelenterates, Mississippi Sound 98:709
Dolly Varden 88:256; 96:65
flounder, young winter, prey availability and diversity 103:261
gar, three species 96:297
muskellunge 88:139
perch, Sacramento 103:399
redhorse, black 99:554
salmon, juvenile, effect of radioactivity on 102:317
shad, gizzard 102:378
some MN warmwater fishes 93:269
tuna, skipjack 94:236
intensity, Mississippi silverside, effect of light on 105:84
limiting factor, shrimp culture 98:754
motivation, skipjack tuna 98:390
periodicity of, black bullhead 94:5
phalanx orientation, little tuna 96:122
quantitative, and weight changes in guppy 97:22
rate
carp, estimate, radioisotopes 95:363
catfish, channel, effect on growth, food conversion and body composition 101:94
effect on growth, of
bullhead, black 98:39
catfish, channel 98:41
seasonal changes, winter flounder 103:828
selective
drum, red 104:41
herring, blueback 103:297
Fenac
effect on fishes 96:415
toxicity to cladocerans 95:168
Fence
counting, of netting, description 86:199
estuarine net counting, for trapping Atlantic salmon 97:282
Fenuron TCA, effect on fishes 96:415
Fern Lake, WA all fish removed 88:4
Ferric hydroxide suspension, effect on blood chemistry of common shiner 105:450
Fertility, trout hybrids 87:172
Fertilization
artificial, yellowfin and gulf menhaden and their hybrid 97:119
bluegill eggs, in LAS water 100:5
California reservoirs 87:329
effect on plankton and benthos abundance 91:303
Israeli ponds 92:293
method to determine requirement in small fishing lake 97:425
progress in water 87:432
response of marl lake to 93:164
sunfish ponds with phosphorus and potassium 105:536
Fertilizer, adding to trout lakes 89:198
Fiber
value in production-type channel catfish diet 104:328
wood
effects, on
minnow, fathead, gills 95:82
walleye fingerlings 94:402
lethal levels 95:73
Fibromas, in fishes 83:269
Fibrosarcoma, in fishes 83:269
Fibrosis, in fishes 83:274
Figures
poor use of 83:116
scientifically unsound use 83:116
Filefish, food habits 105:516

Filefish, fringed, population variability 94:314
Filefish, orangespotted, food of blue marlin 91:226
Filefish, orange, virus disease in 83:333
Filefish, planehead, population variability 94:314
Filefishes, immature, caught in NC inlets 100:301
Filipin, treatment, kidney disease 88:120
Fin
  anomalies in brook trout 104:414
  deformation and absence 92:67
  dorsal, two on Dolly Varden 94:408
  erosion, Dover sole, environmental aspects 103:799
  excision, effect on growth, survival and exploitation, rainbow trout 96:394
  marked, coho salmon, estimating error associated with ocean recovery 94:319
  ray
    geographical variation in number, winter flounder 99:483
    salmon, chinook, effect of temperature on 88:58
  regeneration 85:60,78
    retardation by several insecticides in mummichog 104:135
  removal, effect on survival and growth, wild brown trout 96:353
  rot 83:321
    on fishes of New York Bight 102:596
  split membranes, walleyes 95:68
Finclipped fish
  bluegill, survival 87:221
  steelhead, migrating 92:202
  sunfish, survival 87:220
  trout
    brook, overwinter survival 105:669
    rainbow, growth 98:225
Finclipping
  cause of mortality, largemouth bass 102:757
  effect, on
    bass, smallmouth, growth and survival 100:460
    salmon, chinook, growth 102:757
    walleye fingerlings 92:298
  sucker, white 92:13
  survival, reduced, in largemouth bass 100:465
  trout
    lake 87:262
    rainbow, Wyoming lake 91:64
Fingerling, quality, influence on survival, salmon 98:777
Finquel, fish anesthetic 97:496
Fir, Douglas, watershed cover, N. CA streams 101:2
Fire ant, control with Mirex 97:185
Fish
  activities, use of ultrasonic sensors 100:792
  asymptomatic carrier, method for isolating viruses 101:267
  average concentration DDT-R 100:212
  bathymetric distribution, L. Superior 95:248
  behavior
    elucidation of patterns 87:288
    portable observation study chamber 102:456
  biochemical constituents of tissue, especially brain 92:168
  biomass dynamics, a model 103:786
  brain proteins, separation in acrylamide gel 99:94
  catostomid, aberrant scalation 93:202
  changes, in
    population following impoundment, Sagehen Creek, CA 102:626
    species composition, AuSable R., MI, 1920-72 105:32
  cluster analysis, upper Potomac R. 100:750
  coastal pelagic, attracting and controlling with nightlights 102:816
  collapsible holding cage 98:337
  communities, broad ecological model 102:56
  continuous treatment chamber 96:55
  culture
    applications for potassium permanganate 100:813
    effect, of
      controlled spawning 88:53
      genetic selection 88:53
    improvements in 87:435
    scientific, Quebec 86:136
    use of radioisotopes 90:49
  cyprinid, blackspot parasite in 88:151
  cytogenetics, symposium 99:98
  dead, surfacing following application of rotenone 99:805
  device for holding objects in stomach 94:193
  distribution, in
    Matamek R. system 102:708
    unimpounded drainage 86:153
  diversity in genome sizes 99:120
  effect, of
    DDT-R 100:208
    dursban 101:420
  eggs, food, of
    Dolly Varden 88:199
    juvenile Atlantic herring 100:122
  elimination from Giant Grebe Refuge, L., Atitlan, Guatemala, by antimycin 96:210
  farming, potential 87:303
  fin rot, in New York Bight 102:596
  flavor and aroma 90:175
  flying, in shipboard aquarium 97:287
  food, of
    bass
      largemouth
        fingerlings 89:231; 91:33
        young 96:75
      spotted 98:648
      white 99:440; 103:27
      yellow 87:100; 99:733
    bluegill 103:258
    bullhead, brown 104:544
    burbot 101:672
    burrfish, striped 105:516
    catfish, flathead 88:348
    char, Arctic, Me lakes 94:394
    chub, creek 100:284
    Dolly Varden 88:199,256
    dolphin 103:95
    drum, red, juvenile 104:37
    eel, American 99:56
    flounders 105:516
    gag 105:516
    groupers 89:12

haddock 94:247
hake 101:520
silver 89:239
killifish, plains 98:462
ladyfish 103:474
marine fishes, juvenile 102:514
Mississippi R. fishes 89:33
perch
Pacific ocean, juvenile 105:198
Sacramento 99:703; 104:235; 103:401
silver 105:516
yellow 88:200,331; 103:464; 105:78
young-of-the-year 104:722
pickerel, chain 99:439; 102:150
pinfish 105:516
salmon, coho 103:12,127
sauger 92:313
sculpin, black 103:272
shad, American 86:304
silversides 105:516
brook 99:437
smelt, rainbow 90:439
smelts, marine 98:637
snappers 89:15
gray 91:383
squawfish
Colorado 98:202
northern 88:199
sunfishes 100:126
toadfish 105:516
oyster 92:172
trout, rainbow 88:199
tuna, skipjack 94:238
walleye 98:122
warmwater fishes 93:272
whitefish
lake 90:304
mountain 88:200; 102:768
game, commercial gear catch, Norris Reservoir 92:362
Georgia estuarine, frequency of abnormalities 99:95
guidance, use of louvers 86:39
impaling devices, legal status 88:211
influence on midge distribution and density 102:708
interfacies, diversity indices applied to, small stream 103:457
kill
natural, effect on water quality, plankton, and fish population of a pond 103:235
restocking after, management strategy 104:256
killed by anhydrous ammonia 102:75
lake, in streams 86:147
larvae, food of juvenile Atlantic herring 100:122
life, below sewage outfalls 102:281
lindance, and DDE in 105:127
list of 17 species, sport fishing activity, Galveston Bay, TX 102:573
loss, over drop box spillway 97:492
marked
estimating number in a catch 105:664
release in McNary Dam 90:61
with acrylic colors 103:140
effectiveness 103:140
meal, in hatchery diet 86:162,313
measuring board, double vernier 98:529
method, estimating potential production 94:214
migration, generalized model 98:582
migratory, impact of obstructions 87:436
mobile, species 85:39
North American Policy 94:117
Pacific anemone, proposed introduction 102:7
passage 87:435
passing through hydraulic turbines 93:243
pelagic sport, attracted to midwater artificial structures 102:562
physiological effect of organic phosphorus insecticides on 90:143
poison, toxaphene 85:180
population
analysis of variability, taken by trawl 94:311
changes in deep water, L. Michigan 86:393
destruction by drought 88:261
effect of natural fish kill on 103:235
estimated, OK lakes 85:58
in constant temperature spring, FL 85:120
reestablished following drought 88:261
virtual, smallmouth bass, South Bay, ON 85:138
populations
quantitative sampling, shallow freshwater environments 103:348
use of rotenone to balance 89:351
pox 83:264,332
production
increased, Israeli ponds 92:292
in two ID streams 100:769
prediction of 93:53
relative abundance, Big Flatbrook, NJ 99:55
residual concentration of dieldrin in 105:697
rough, removal, effect of
Norris Reservoir, TN 92:356
on population 88:180
sedentary species 85:39
semi-mobile species 85:39
Siamese fighting, introduced into FL 102:4
small
live, method of securing gut content 105:520
nutrient content 99:809
solubles
condensed, in hatchery diet 98:773
in hatchery diet 86:313
sounds, response of cutthroat trout to, for orientation and homing 98:652
species, monthly occurrences, in small stream 103:460
sperm, chemical and physical characteristics 98:785
standing crop, farm ponds
Kentucky 89:333
Oregon 92:25
status of native fauna, Moapa R., NV 105:503
susceptible species list, furunculosis 97:223
toxicants, evaluation of 83:104
toxicity, of
chlorinated hydrocarbons 88:23
dieldrin 86:245
organic phosphorus insecticides 87:39; 91:175
transient species, Big Beef Harbor, WA 101:726

yields, tropical lakes 105:575
young, sampling program for, in lake 89:185
Fish and Fisheries Literature Resources, an annotated bibliography 100:403
Fish and Shellfish, landings, Pacific coast, N. America 97:83
Fish and Wildlife Service, policies of 83:13
Fisheries
anchovy, northern, history 102:178
Atlantic coastal, management of resource 88:105
broad ecological model, and fisheries communities 102:56
careers in 88:16
commercial
Canada 86:467
economic evaluation, alternative management systems 98:347
effect on walleye spawning stock 101:660
exploration 86:195
for American eel, L. Ontario 102:369
future of 86:468
gear research 87:309
legislation, freshwater 87:305
potentials, freshwater 87:299
problems 84:297
role of exploration 87:309
status in US 88:169
troll, contribution of coho salmon 96:42
whitefish, lake, Red Lakes, MN 99:28
commissions and councils, international, list of 90:115
curriculum, undergraduate 102:649
exploration, aspects, 1956 86:195
federal aid in 87:398
inland, Denmark, effect of iron and sulfur compounds 92:260
management
application of optimal control theory to 104:620
ecological subsystems 102:470
economic and political objectives 102:481
recreational, decision making, model application to 104:630
use of computer model of biomass dynamics and food competition 103:215
marine
commercial, management, biological and economic aspects 88:100
trend
Atlantic coast, Canada 97:89
continental shelf, Eastern US 97:77
Pacific coast, N. American 97:82
menhaden, biostatistical data acquisition 102:452
problems, computer programming 92:310
research, management, teaching computer simulation, models for 98:551
salmon, Atlantic 102:734
sardine, Pacific, history 102:178
sport
angler success as quality determinant 95:357
biased harvest estimate from postal survey 101:262
economic evaluation 102:293
freshwater, trends, N. America 98:136
marine, trends, N. America 98:151
marlin, blue, off Puerto Rico 91:225
surveys, sample size 102:466
status, Atlantic salmon in two Fish River lakes, ME 98:45
survey, upper Mississippi R. 88:210
Fisheries science
computer teaching exercises 102:656
ecological systems analysis 98:570
innovative teaching in 102:647
Fisheries scientist
complete 100:385
definition 100:379
Fishermen, sport, survey of opinions, MI 93:183
Fishery
bass
smallmouth
effect of stocking 103:757
outlook for 85:142
striped, Atlantic coast 90:13
chub
Lake Michigan 85:102
destruction of lake trout in chub nets 85:113
Lake Superior 100:695
Commission, Great Lakes, role of 86:424
drum, freshwater, upper Mississippi R. 84:341
dynamics, yellowfin tuna 99:634
effect of trout-shiner relationship on 88:43
floating trap, effect of dredge spoil disposal on 103:498
freshwater, improved harvesting methods 87:304
Green Bay, L. Michigan 104:245
herring, lake, L. Superior 100:694
international, disputes, an approach to solving 99:621
investigation, use of gill net roller 91:224
Japanese longline, CA and Mexico waters 104:8
Maine lobster, fisheries management and social context 104:653
paddlefish, Missouri 92:239
products, value of, WA 85:302
research, deplorable presentation of results 83:115
salmon and trout, Fish River Lakes, ME 92:193
smelt, L. Superior 100:696
steelhead, evaluation of winter 101:29
survey, of technical personnel 88:18
trout
cutthroat 85:160
rainbow, AB potholes 86:261
walleye
dynamics of 87:69
recent changes, Green Bay 90:475
world harvest 94:123
Fishery biologist
classification 89:106
definition 89:105
Fishery biologists, journal coverage by 103:387
Fishery biology, educational needs 102:652
Fishes
action of pesticides on 97:412
anadromous, downstream migration 91:399
and pesticides, literature review 97:398
balance between and food available in multispecies ponds 99:708
catostomid, dynamics of polymorphic esterases 99:219

changes in population, Ohio R., following abatement of pollution 93:1
commercial, catch results in standard vs. electrical wing trawls 102:119
concentration of DDT in 94:157
desert, habitats 103:531
determining feeding chronology 91:313
device for feeding brine shrimp to 91:230
distribution, and
abundance, middle and upper Colorado R. basins104:217
condition, heated water reservoir 103:518
dynamics of, in AL intensive angling pond 100:757
ecological distribution, Moapa R., NV 101:408
effect, of
chlorine-treated effluent 102:289
methoxychlor 101:298
negative buoyancy on, several 101:511
epipelagic, N. Pacific, Bering Sea and Gulf of Alaska 93:286
exotic, aquatic
Florida 102:1
survey of states relative to importation 102:241
food of bluefin tuna 99:726
forage, role of physical fitness in relation to vulnerability to predation 96:427
freshwater
possible cleaning symbiosis 99:599
serum complement, comparative immunology 96:237
temperature of tissues 105:709
Galveston Bay, TX, mortality due gas bubble 92:320
intertidal, use of quinaldine, for handling 99:802
list of fishes
caught in collection system, Ice Harbor Dam 101:384
included in pesticide literature review 97:400
taken in trap at exit of salt marsh impoundment, LA 104:301
twenty, toxicity of salicylanilide I 101:528
marine pelagic
aquarium system 96:143
streptococcal infections in 103:358
native, effect of impoundment on 87:324
nighttime catches, tidal cove, ME 104:30
oxygen, requirement in relation to exercise 93:209
pelagic
distribution, Sheepscot-Back R. estuary, ME 102:541
Lake Tanganyika 105:581
piscivorous, utilization of alewife 101:55
preserved, spin drying for precision weighing 102:643
radiography technique 95:99
reduced metabolic rates due to induced schooling 102:125
schooling, relative to available light 98:497
shore-zone, Rehoboth-Indian R. Bays, DE, list of 102:555
small, food, of
pompano, juvenile 100:486
studfish, northern 101:375
southeastern US, alarm substances and fright reaction in 98:664
species association, factor analysis, Kiamichi R., OK 105:17
standing crop, three ME lakes 94:9
summer abundance, effect of temperatures, in tidal cove 103:325
teleostean, heterogamety in 99:131
threatened, freshwater, US, list of 305, by family and state 101:239
total blood volume 100:238
tropical aquarium, as laboratory animals 102:249
uptake of mixed fission products by 95:145
variations in catchability with color of gill nets 102:109
various species, marked with fluorescent pigments 101:128
Fish Health Section, created 101:202
Fishing
commercial, statistics, analyzed by gear 102:778
conditions, effect on sturgeon fishery 84:209
effect on Atlantic menhaden stock 101:290
effects of hurricane on 91:377
effort 93:142
control or encouragement of, marine fishes 87:285
distribution of, Yellowstone L. 85:167
for tuna at night 98:80
electro
in small lakes 88:141
power source 88:181
gear
cast net 85:122
electric shocker 85:77
gill nets 85:102,260
live bait 85:15
longline 85:13
seine 85:122,191,242,258
purse 85:15
spear gun 85:122
trammel net 85:144
trolling 85:15
wire traps 85:58
intensity, method of calculating 84:202
lakes, AL
construction of 85:209
state owned 85:208
method of estimating effects of, on population 97:231
midwater gear, improvement of 86:198
number in PA 88:151
pressure
Clearwater L., MO 87:254
Little Dixie L., MO 98:299
mean, per acre 85:28,59
quality, measurement of potential 90:165
sport
for dolphins 98:94
for surplus hatchery coho salmon 98:489
management of, in national parks 89:234
success
Alabama state-owned lakes 94:129
mean, MN lakes 85:34
method of calculating 84:202
trout, rainbow, influence of capture method on 96:220
trip
cost of put and take 85:75
length
Minnesota lakes 85:36

Tennessee tailwaters 85:80
Yellowstone L. 85:169
tuna, skipjack, effectiveness of tilapia as live bait 93:291
year, duration of 85:29
Fishing and boating, portions of AuSable R., MI 96:257
Fish meal, in channel catfish diet 101:95
Fish-tox, concentration required 84:246
Fishways, high, ability of salmonids to ascend 91:1
Fishwheel, use in salmon research and management 90:490
Fitness, physical, forage fish in relation to vulnerability to predation 96:427
Flagfish
effect, of
ABS on olfaction and feeding behavior 95:109
cadmium 105:558
PCB's on survival and reproduction 103:562
fin erosion in 103:807
Flatfishes
length-weight relationship 98:617
partial albinism 96:400
Flatworm, predator, on
oyster 98:313
oyster spat 98:757
Flavobacteria, in trout 98:270
Flavor, fish 90:175
relationship to size and area 98:533
Flea, water
food of cutthroat trout 84:292
test animal, toxicity of brine water 84:98
Flier
in Lake Waccamaw, NC 98:468
origin and distribution of scales 95:433
scale development 100:570
squamation chronology 99:428
Flies
dance, food of brook silverside 99:438
food, of
bass, spotted 98:649
salmon, coho 105:608
snipe, killed by TFM 96:412
Floods, effect, on
brook trout food consumption and production rates 98:253
trout, Sagehen Creek, CA 101:478
Flotation, use of sugar and dye to sort benthic samples 100:794
Flounder
accumulation of zinc-65 93:364
commercial fisheries 84:301,358
food habits 105:516
immature, caught in NC inlets 100:301
killed by antimycin 98:291
landings, eastern US 97:79
marking postlarval, with radioactive materials 96:151
movements traced by parasites 102:405
polymorphism in esterases 99:147
Flounder, arrowtooth
catch in high seas, N. Pacific 93:288
in East Sound, Orcas Island, WA 100:250
Flounder, European, disease in 83:247,332
Flounder, eyed, population variability 94:314
Flounder, fourspot, length-weight relationship 98:617
Flounder, fringed, pugheaded 99:95
Flounder, gulf, population variability 94:314
Flounder, Japanese, abnormal coloration 98:108
Flounder, Mexican
biology 97:504
catch per unit effort 97:505
length frequencies 97:505
Flounder, smooth
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
Flounder, southern
abnormal coloration 98:107
ambicoloration in tank-reared 104:158
in saltwater marsh impoundment, SC 105:42
taken in trap in salt marsh impoundment, LA 104:302
Flounder, starry
acclimation to salinity change 102:427
angler success, sport fishing quality 95:357
caught in purse seine, Columbia R. estuary 102:343
fin involvement in activity 103:807
in
Chignik L. system, AK 88:255
East Sound, Orcas Island, WA 100:248
monthly occurrence, Big Beef Harbor, WA 101:727
Flounder, summer
ambicoloration in tank-reared 104:158
DDT in 99:392
effect of dredge spoil disposal on catch 103:500
fin rot in 102:599
in Atlantic coastal fisheries 88:105
Flounder, windowpane, fin rot in 102:599
Flounder, winter
behavior, in natural habitat 98:717
conversion efficiency and survival, under experimental conditions 102:614
diurnal activity 98:719
effect of ABS on 94:27
energetics of, fed polychaetes 105:592
estuarine year class abundance, mortality and recruitment 105:647
feeding behavior 98:717
feeding habits, young, prey availability and diversity 103:261
fin rot in 102:599
geographical variation in fin ray numbers 99:483
growth, RI 94:259
hurricane barriers, related to movement 91:189
in Wickford Cover, Narragansett Bay, RI 97:64
length-weight relationship 98:617; 102:554
marked, injected dye 96:169
migration, model 98:583
mortality rates 98:611
movements, growth, and mortality, MA 104:13
relation of temperature to activity 98:720
seasonal changes
hematological 105:596
feeding and particle selection 103:828
serum chemistry 101:746
summer abundance, tidal cove 103:327
tagged 94:260
tailless 91:233

tidal cove night catch 104:31
toxicity of endrin 95:155
white spotting of 102:83
young
metabolism under simulated estuarine conditions 102:423
oxygen metabolism 102:425
Flounder, witch, length-weight relationship 98:617
Flounder, yellowtail
length shrinkage 89:373
length-weight relationship 98:617
Flounder X plaice, polyploids 105:12
Flour
in hatchery diet 86:313
red-dog, in hatchery diet 86:162
Flow, water
fluctuations in below dam, effect on bottom fauna 103:318
influence on spawning brook trout in laboratory 99:595
regulated, effect on standing crops Atlantic salmon and other fishes 103:1
Fluctuations
abundance
black crappie 83:190
Red Lakes fisheries 83:148
production, Red Lakes fisheries 83:131
Fluke, intestinal, effect on rainbow trout 98:1
Fluoride
factors affecting toxicity 89:363
in certain waters 84:99
in preserving blood 84:150
lethal dose, rainbow trout and carp 89:361
toxicity to rainbow trout 91:182
Flyingfish, margined, food of blue marlin 91:226
Folic acid, requirement in trout 83:256
Food
availability
effect on behavioral thermoregulator 103:663
influence on catch 89:73
chain, aquatic
effect of pesticides on and in 97:410
simplicity, estuaries 99:839
choice of largemouth bass, function of availability and vulnerability 90:277
comparison, black redhorse and smallmouth bass 99:556
competition and biomass dynamics, computer model, use in fishery management 103:215
competition for, evaluation of Ivlev's model 103:772
consumption
bass, largemouth 89:206
bluegill, affected by H_2S 105:446
effect of floods on brook trout 98:253
efficiency, walleye 95:63
gar, Florida 89:206
salmon, coho, juvenile, at various oxygen concentrations 91:159
trout, brook, different temperatures 86:323
tuna, skipjack 98:379
warmouth 89:206
conversion
bass
largemouth 88:125
smallmouth 88:125
catfish, channel, effect of feeding rate and temperature 101:94
muskellunge, young 92:183
sunfish, green 92:403
conversion rates, fish 92:184
conversion ratio
effect of yeasts on 86:166
juvenile coho salmon 91:159
dietary pellet manufacture 95:409
effect, on
movement
salmon, chinook 100:423
steelhead 100:423
yield, rainbow trout 88:36
estuarine, Dolly Varden 94:405
evacuation, radioisotopic method for estimating time of 103:626
first, of larval fishes 101:219
fish, pesticide free, from commercial pellets 95:212
habits
alewife 98:643; 105:92
bass
largemouth 88:126; 89:230
redeye 83:207
striped, fingerlings 102:15
white 103:25; 105:77
yellow, young 105:77
bluefish 105:523
bluegill 103:256
bullhead, brown 88:200
in acid polluted water 104:541
burbot 89:374; 101:667
carp 105:77
catfish
channel, fry 101:613
flathead 88:346
char, Arctic, ME lakes 94:394
chub
roundtail 98:202
Utah 90:269
cisco 105:607
crab, blue 88:301
crappie
black, young 105:77
white, young 100:307; 105:77
darter, blackbanded 102:48
dolphin 103:94
drum
freshwater 99:566
red 100:290
juvenile 104:35
eel, American 99:56
fallfish 100:724
gag 105:516
gar, L. Texoma 101:110
haddock, seasonal 94:243
hake, two species, Georgia estuaries 101:513
silver 89:239
killifish, plains 98:462
marine fishes, 21 species, juveniles, in seagrass beds, estuarine zone, Crystal R., FL 102:511
minnow, fathead 103:743
peamouth 88:200
perch
Pacific ocean, juvenile 105:197
Sacramento 99:702; 104:232
yellow 84:244,258; 85:191; 88:200; 103:463; 104:722; 105:77
permit 98:482
pike, northern, juvenile 92:99

pompano 98:482
juvenile, Louisiana 100:486
pupfish, amargosa, in thermal stream 104:536
redhorse 91:418
salmon
Atlantic 98:643; 103:396
chinook, juvenile 105:72
coho, inland lake 103:126; 105:607
yearling, L. Michigan 103:10
sockeye 84:245; 98:251
salmonids, in relation to bass tapeworm infection 103:811
sculpin
black, summer 103:270
reticulate 101:377
slimy 104:242
torrent 101:377
shad, gizzard 102:378
shiner
coastal 100:730
emerald 96:253
mimic 102:796
spottail 88:341; 93:41; 105:77
silverside
Mississippi 105:87
Waccamaw 98:469
smelt, rainbow 98:631,644
squawfish
Colorado 98:202
northern 88:199
studies, rapid method 92:434
sturgeon, lake 84:225
sucker, mountain 98:214
sunfish, spotted 85:128
tigerfish 104:503
tonguefish, blackcheek 105:202
trout
brook 84:82; 98:643; 103:130,396,426
cutthroat 84:244,289; 88:199; 103:426
Dolly Varden 88:199
lake, significance in biology, exploitation, management 95:415
rainbow 85:82; 88:199; 103:426; 104:88
walleye 85:191
young 105:77
whitefish
lake 88:200
mountain 84:245; 88:200; 102:764; 105:208
pygmy 84:193
hours for food to pass through stomach 98:383
intake
effect on respiration, white bass 100:537
largemouth bass 103:277
items
number and percent possible items, available red drum, dredge samples 104:42
volume and percentage occurrences, 10-mm size group, juvenile red drum 104:38
limited, effect on growth of salmon and trout 98:393
of
bass
largemouth 91:9; 101:650
fingerling 91:33; 96:74
smallmouth 88:126
spotted 98:647
white 89:32; 99:440
yellow 87:100; 99:732
bivalve mollusk larvae 98:745
bloater 97:157
bluegill 87:98; 89:75; 91:9,221
buffalo, bigmouth 99:571
buffalofishes 99:333
catfish, channel 89:32
char 92:277
crabs, South American freshwater 101:598
crappie
black 87:98; 89:76
white 89:32; 97:252
Dolly Varden 91:91
drum, freshwater 89:32; 96:218
goby, clown 102:511
goldeye 89:32
herring, Atlantic, juveniles, seasonal variation 100:121
lamprey, larval sea 96:224
logperch 88:213
mooneye 89:32
muskellunge, TN streams 88:139
paddlefish 89:32
perch, yellow 87:98; 88:330
pickerel, chain 99:439
pike, northern 89:74
piscivorous fishes 101:55
redhorse, black 99:554
rockfish, copper 102:415
salamanders 102:33
salmon, sockeye 96:308; 102:33
juvenile 94:191
sauger 92:312; 97:163
shad
American, juvenile 86:302
gizzard 87:80
threadfin 96:243
silverside, brook 99:435
snapper, gray 91:379
studfish, northern, MO Ozarks 101:375
sturgeon, shovelnose 89:32; 98:514
sucker, longnose 83:39
sunfish
orangespotted 87:98
redear 91:9
three, and their hybrids 100:124
tautog 95:243
toadfish, oyster 92:171
trout
brook 83:76; 104:88
brown 92:277
cutthroat, searun 100:302
hatchery, cost of 86:320
Kamloops 83:161
lake 86:78; 94:169
rainbow 88:39, 102:33
uniform dispersion of sulfamerazine 89:64
tuna
bluefin 99:726
skipjack 94:236
walleye 86:25; 92:312; 98:121
young 96:17
whitefish, lake, Lac la Ronge 90:303
organisms, abundance in treated and non-guthion treated ponds 94:207
planktonic, filter-feeding insects 92:216
presence of, as factor in growth and mortality of larval muskellunge 104:338
relationship
lake herring and other species 100:703

use of isotopes 90:49
selective preferences, walleye, L. Erie 100:474
selectivity
buffalo, bigmouth 99:571
pike, northern 97:28
trout, brook 89:80
specifications, agar-bound purified diet for feeding test 95:299
spring
catfish, blue, juvenile 91:95
pickerel, chain, ME lakes 102:149
summer
bullhead, black, juvenile 99:597
chub, creek 100:283
ladyfish, juvenile 103:472
supply, effect on growth, creek chub 84:235
utilization
bass, largemouth 93:316
bluegill, energy costs 103:38
Forage fish, in MN lake 89:71
Force fields, patterns of 85:236
Foreign aid program 87:424
Foreign training program 83:381
Formalin
effect, on
length and weight of preserved yellow perch 101:362
length, weight, and condition factor, cisco and yellow perch 103:136
in disease treatment 83:221,322
use to controle Gyrodactylids 92:60
Fortran/Format
length-weight relationship 93:318
population analysis program 95:232
Fortran II, program, instantaneous mortality and maturation schedule 96:366
Fortran II-D, correlation-regression with scattergram 96:230
Fortran IV
age and growth program 95:229
age distribution determination 95:230
estimation of catch composition 96:230
relative fishing power, program 101:133
simulated fish population 98:512
stock analysis program 99:426
trawl catch summarization program 96:363
von Bertalanffy growth curve, fitting 95:231
Fortran 63-Fortran IV, age and growth program 96:364
Freezing, effect on length, weight and condition factor, cisco and yellow perch 103:136
Fright reaction, and alarm substances in some southeastern US fishes 98:664
Frog
feeds on S. American freshwater crabs 101:597
food, of
chain pickerel 102:150
warmwater fishes 93:272
leopard
food of largemouth bass 90:278
variation in temperature resistance 101:717
lipid value of liver 84:153
tadpoles, food of salamanders 102:36
Fructose, in trout seminal plasma 97:203
Fry
char, Arctic 105:618
fish
effect of herbicides on 96:414
freshwater, net for capture 97:62
salmon, sockeye, migrating, survival and behavior 91:133
trout, brook, degradation of DDT in 104:782
walleye, survival on paper fiber sludge deposits 96:278
Fuel oil, toxicity to bluegill 100:6
Fungichromin, treatment, kidney disease 88:120
Fungi, food, of
bullhead, black 91:315
shad, gizzard 87:86
Fungus infection, fishes 87:383
Furacin, use in control of furunculosis 97:227
Furadantin, use in control of furunculosis 97:227
Furantoin, use in control of furunculosis 97:227
Furoxone, use in control of furunculosis 97:227
Fur seal, estimation of pup population 97:264
Furunculosis
effect of temperature on 87:381
in
carp 89:241
fish 83:242,300,314,346; 97:221
goldfish 89:241
perch 89:241
pike, northern 89:240
sculpins 89:241
trout 84:155,294
list of susceptible fish 97:223
treatment of 83:314
use of antibiotics to control 97:226
Future of Society 83:357

G

Gag
food habits 105:516
population variation 94:314
protogynous hermaphrodite, age of, sexual succession 93:301
return of marked, after 6 years 99:428
Gallinule, Florida, at L. Atitlan, Guatemala 96:213
Gambusia
genetics of disease 83:233
resistance to toxicants 83:109
test animal, in toxicity of brine water 84:97
western, test animal 83:104
Gamma radiation, effect on chinook salmon eggs and alevins 99:112
Gammarid, food of copper rockfish 104:540
Gar
commercial fisheries, Denison Reservoir, OK 84:45
early life history, L. Texoma 101:106
hatching, L. Texoma 101:106
prey on rainbow trout, Great Lakes 100:342
taken by spearfishing 92:32
three species, feeding habits 96:297
xanthochroic, MS 101:362
Gar, alligator, in LA backwater 88:10

Gar, Florida
digestion rate 91:261; 97:491
and food consumption 89:206
force feeding 89:207
hours to empty stomach 98:383
Gar, longnose
age and growth 91:252; 103:402
catch, electrofishing
Lake Monona 103:670
TVA lakes, AL 88:83
gas bubble mortality 92:321
in
Alabama 83:50
Black R., MO 87:243
Gull L., MI 98:632
Lake Waccamaw, NC 98:467
Louisiana backwater 88:10
saltwater marsh impoundment, SC 105:42
southeastern US reservoirs 87:336
Tennessee streams 86:155
killed by
rotenone 90:292
zinc 93:180
life history 91:251
removal from Norris Reservoir 92:357
serum complement 96:238
toxicity of guthion 94:205
Garpike, undesirable exotic 100:184
Gar, shortnose
catch in TVA lakes, AL 88:83
dispersal in Great Lakes drainage 92:178
in
Louisiana backwater 88:10
Missouri R. reservoirs 87:360
killed by rotenone 90:292
limited reproduction following drawdown 87:32
Gar, spotted
catch in TVA lakes, AL 88:83
caught in trawls, L. Huron 102:119
Great Lakes drainage, dispersal 92:178
in
Alabama 83:50
Louisiana backwater 88:10
killed by rotenone 90:292
Gas bubble disease
Columbia R. fishes 105:114
Galveston Bay, TX 92:320
in
aquaria 105:116
salmon
chinook 93:306
sockeye 105:425
salmon and trout smolts 105:338
Gas chromatograph, comparison of Weiss saturometer 104:816
Gas, secretion, bluegill 101:509
Gastric evacuation, rainbow trout, effect of temperature on 105:712
Gastropod
food, of
Dolly Varden 88:256
flounders 105:516
grouper 89:12
hakes 101:518
marine fishes, juvenile 102:519
perch
Sacramento 103:401
silver 105:516
permit 98:483
pompano, juvenile 100:486
salmonids 103:812
sculpin, black 103:272
shad, gizzard 102:379
silversides 105:516
striped burrfish 105:516
sucker, longnose 103:427
toadfish 105:516
trout 103:426
cutthroat 100:305
rainbow 85:83
in saltwater impoundment, FL 98:289
toxicity of toxaphene to 85:183
Gate, water, automatic 86:371
Gatewells, turbine intake, collection of salmonid juveniles from 97:124
Gear, fishing
commercial and gamefish catch 92:362
midwater, improvement 86:198
research, commercial fisheries 87:309
rough fishes 92:357
use of underwater television 86:158
Gelatin, in hatchery diet 86:313
Geleggs, artificial fish eggs, method for making 105:349
Genes
color, deleterious effect of 83:230
dulplication, fishes 99:120
frequencies, chinook salmon 105:622
interaction with modifiers 83:232
Genetic control, factors influencing, in lakeward migration of cutthroat trout fry 104:474
Genetic selection, effect on future of fish culture 88:53
Genetics, of
dwarfs 83:231
fishes with crooked spines 83:231
pigment cell growth 83:233
tumors
kidney 83:236
occular 83:235
pigmented 83:234
thyroid 83:236
tunas, immunological and biochemical 99:152
Genetic variation
biochemical, in rainbow trout stocks 101:494
salmon, chinook 105:620
Gerrids, food, of
salamanders 102:36
spotted bass 98:649
Gill ATPase, and saltwater adaption, coho salmon 99:811
Gill damage
carp, by cadmium 104:132
tench, by cadmium 104:132
trout, brook and rainbow, by cadmium 104:132
Gill disease 83:265
bacterial 83:242,348
Gill net
experimental, on principle of Latin square 93:233
monofilament, effect of different filament diameters of selectivity 103:386
standardized, gangs 86:27
Gills, redear sunfish, exposed to Hydrothol 191 98:53
Gillworm, Antimycin A effective against 103:618
Girth-length relationship
salmon
chum 92:305
sockeye 93:305
Gizzard width, shad, used to determine

length of fish 105:409
Glanulomas in fishes 83:280
Globulin serum, increase with age in lake whitefish 94:397
Glochidia, parasite on largemouth bass, bluegill, and warmouth 104:279
Gnat, control of by Mississippi silverside 100:603
Goals, fisheries, and rights of property 98:369
Gobies, immature, caught in NC inlets 100:301
Goby, banner, population variability 94:314
Goby, bridled, population variability 94:314
Goby, clown
  food of 102:511
  killed by hurricane 91:377
  range, taken in trawl 103:780
Goby, code, range, taken in trawl 103:780
Goby, crested
  exist on mangrove leaf detritus 99:838
  range, taken in trawl 103:780
Goby darter
  effect of DDT on 94:153
  food of juvenile red drum 104:38
Goby, established in CA 102:6
Goby, green, in plankton sample 97:317
Goby, orangespotted, population variability 94:314
Goby, sand, gonad development and fecundity 100:520
Goldenrod, ground cover, stripmine, IL 84:120
Goldeye
  catch, in Red Lakes, MN 99:28
  commercial fishery, Red Lakes, MN 83:132
  comparison of catch rates, gill nets 93:236
  fishery 90:190
  in
    Missouri R. reservoirs 87:360
    southeastern US reservoirs 87:336
  mayflies and caddisflies as food 89:32
  range extension 90:170
  taken by spearfishing 92:32
Goldfish
  assimilation, tissue distribution, and elimination of DDT 99:689
  bait species for largemouth bass 102:355
  basic diet composition 100:677
  biochemical constituents 92:168
  ectocommensal parasite on 94:333
  effect, of
    Mirex on 97:185; 103:366
    pesticide 97:400
    potassium telurite on spermatozoan activity 94:399
    sodium arsenite 95:289
    stanazalol on growth 102:444
    temperature on swimming rate 96:373
  elimination of DDT-^{14}C, dieldrin-^{14}C, lindane-^{14}C from 96:301
    and turnover of dieldrin-^{14}C in tissues 101:686
  essential nature of vitamin A in diet 100:676
  excrete iodine 99:516
  failure of method of obtaining gut content from small live fish 105:521
  food maintenance requirement 97:25
  food, of
    largemouth bass 90:278
    walleye 100:474
  furunculosis in 89:241
  gross weight efficiency 97:27
  in Big Flatbrook, NJ 99:55
  increased nitrogen excretion with diethylstilbestrol 101:537
  increased temperature resistance in long photoperiod 101:717
  influence of temperature on swimming 92:111
  introduced into FL 102:4
  killed, by
    endrin 90:334
    fluoride 89:358
    zinc 93:180
  mortality, lack of vitamin A 100:678
  not infected with blackspot 94:150
  preferred temperatures 97:348
  rate of acclimation to higher temperatures 100:670
  resist cold temperature due fatty acid 89:306
  seasonal androgen and estrogen patterns 103:375
  selective breeding 85:93
  separation of brain proteins 99:94
  serum complement 96:238
  sex reversal, use of androgen 104:342
  sodium nitrate increases survival time in exposure to copper sulfate 100:643
  standing crop, KY farm ponds 89:336
  success in IA ponds 86:363
  susceptibility to insecticides 99:21
  swimming speed 95:207
  test animal
    antimycin 100:13
    fish toxicants 83:106
    organophosphorus insecticides 90:143
    rotenone 99:806
    toxicity tests 88:25
  thermal resistance 98:714
  toxicity, of
    antimycin 86:322; 101:101
    2-(digeranylamino)-ethanol 103:738
    H_2S 105:442
    juglone 99:511
    $KMnO_4$ 104:580
    organic phosphorus insecticides 91:176
    salicylanilide I 101:528
    toxaphene 85:180
  toxicity studies 90:256
  tumors in 83:266
  undesirable exotic 100:184
  upper lethal temperature 104:383
  uptake, metabolism and elimination of chlorinated residues of a ^{14}C-DDT diet 99:385
  used for antiserum production 100:576
Gompertz curve, weight-age data, Pacific sardine 98:562
Gonad development
  goby, sand 100:520
  minnow, silverjaw 100:512
  searobin, striped 99:351
  trout, lake 84:56
Gonad maturation
  horse mackerel 102:101
  retarded development, in gamma-irradiated chinook salmon 101:428
Gonads, green sunfish, effect of temperature and photoperiod on, winter 101:270
Gonad weight-body weight relationship,

western blacknose dace 98:455
Gonosomatic index, rough shiner 103:89
Gonosomatic ratios, silverjaw minnow 100:514
Goosefish
haemogregarine parasite in 104:284
specific gravity of eggs 105:351
Gourami, blue
eggs, used in chromatographical separation of components 97:204
immune response, bacterial antigens 104:289
introduced into FL 102:4
Gourami, dwarf, introduced into FL 102:4
Gourami, kissing, introduced into FL 102:4
Gramma, royal, proposed introduction 102:7
Graphic representation, Peterson population estimates, confidence intervals 93:227
Grass, food of Dolly Varden trout 88:256
Grass, marsh, energy input, estuaries 99:838
Grass, turtle, effect of Mirex on 105:546
Gravel mixtures, effects of, on emergence of coho salmon and steelhead trout fry 104:461
Grayling
failure to form annuli 92:389
known-age study 83:91
native MO drainage 90:219
reduction in feeding due emergence of insects 100:288
zone, in west European streams 88:156
Grayling, Arctic
condition factor 100:358
development and histology olfactory apparatus 101:284
in
Hebgen L., MT 90:270
Madison R. 101:352
Yukon R., AK 94:273
length-weight relationship 100:358
Great Lakes
factors responsible for year class failures 86:390
Fisheries Commission 87:420
Fisheries Convention 84:332
fisheries research by Canadians 86:419
limnological surveys 86:409
management, artificial propagation 86:384
role of fishery commission 86:424
symposium 86:383
Grebe, pied-billed, predator on trout 102:757
Greenling, kelp
angler success, sport fishing quality 95:357
in Little Port Walter estuary 91:93
Greenling, rock, in Little Port Walter estuary 91:93
Greenling, whitespotted, food of Dolly Varden trout 94:407
Gross weight efficiency
bream 97:27
goldfish 97:27
plaice 97:27
red hind 97:26
trout 97:27
Groundfish, landing, Pacific coast, N. America 97:85
Groundwater, effect on brown trout redds 104:100
Grouper, red
populaiton variability 94:314
survival and migration of tagged 96:228
Groupers, food of 89:9
Grouper, spawning aggregation 101:257
Growing season, factors influencing, threadfin shad 99:743
Growth
alewife 90:284; 96:387;104:483
allometric and Beverton-Holt equation 93:369
bass 104:274
largemouth 87:233; 88:125,332; 89:27, 379; 98:295
first year 89:222
in
Alabama pond 100:762
Florida 85:132; 93:146
new reservoir 87:246
small pond 92:391
various temperatures, fry 87:247
redeye 83:202; 88:191
rock, in new reservoir 87:247
smallmouth 86:120; 88:125; 89:27
effect of finclipping and other factors on 100:460
in new reservoir 87:245
northern and southern subspecies and their hybrids 105:240
spotted 91:234
striped 101:448; 102:16
juvenile, effect of temperature, salinity, and age on 104:560
white 100:567; 103:35
yellow 104:513
bloater, changes in 97:148
bluefish 105:523
bluegill 83:65; 89:379; 91:362
affected by H_2S 105:446
effect, of
copper 104:353
2,4-D 99:8
in
Alabama pond 100:763
new reservoir 87:250
two TX heated reservoirs 104:506
length of season 83:69
treated with Na arsenite 95:304
buffalo, smallmouth 87:123
bullheads, in new reservoir 87:252
burbot 101:667
calculation and body-scale relationship 99:468
carp 87:122
in
altered environment 100:276
new reservoir 87:253
carpsucker
highfin 105:401
river 87:121
in altered environment 100:276
catfish
channel 87:127
effect on, of
changed diets 92:432
dissolved oxygen 102:835
feeding rate and temperature 101:94
stanazolol 102:444
essential amino acids for 99:90
fry 101:613
in
Alabama pond 100:765
Lake Sharpe, SD 103:53
with hybrid sunfish in low temperatures 104:33
flathead 87:129; 88:351; 98:118

char, Arctic, ME lakes 94:395
chub
  creek 84:228
  roundtail 98:198
  Utah 90:274
cobia 96:343
cod, Atlantic, effects of tagging on 96:37
crab
  blue 88:298
  South American freshwater 101:599
crappie
  black 83:177; 89:27,379
    effect of Mississippi silverside introduction on 105:404
    in MA ponds 87:111
  white 87:127
    effect of Mississippi silverside introduction on 105:404
    in new reservoir 87:244
curve II, von Bertalanffy, IBM 7094, UNIVAC 1107, Fortran IV 94:195
daily gain
  bass, largemouth 91:261
  gar, longnose 91:261
  pickerel, red 91:261
darter, tesselated 101:84
differences between hexamita-infected and noninfected salmon and trout 94:57
Dolly Varden 90:30; 96:223
drum
  black 102:584
  freshwater 87:119; 98:116; 99:567
  red 105:41
    juvenile 104:35
effect on, of
  dye retention 96:172
  elevated temperature, fathead minnow 100:662
  fin removal, wild brown trout 96:353
  jaw tags and fin excision, rainbow trout 96:394
  light, trout 86:139
  tags, lake trout 85:261
  temperature, scaled sardine larvae 101:691
  three diets, channel catfish 105:481
  vitamins 86:165
equation, steelhead and coho salmon 94:57
factors, associated with rate 89:229
fish, Israeli ponds 92:295
fish scales, determined by Stoeltzner's method 94:93
flounder, winter 104:13; 105:594
  Rhode Island 94:259
  under experimental conditions 102:444
gar, longnose 91:254; 103:402
goldfish, effect of stanazolol 102:444
guppy, optimum temperature 90:335
herring
  blueback 103:297
  lake, juvenile, effect of turbidity 105:541
individual variation, cutthroat trout 84:275
influence of dissolved oxygen of juvenile coho salmon 91:155
killifish
  plains 98:461
  striped 93:197
mackerel, horse, off Chile 102:591
marked American lobster 99:409
menhaden, Atlantic, tagged and untagged 103:292
minnow
  fathead 97:53; 103:743
  spottail 93:36
mooneye 90:170
muskellunge, TN streams 88:138
omake, HI 102:617
otoliths, Atlantic herring 104:770
paddlefish 88:50
  Ft. Gibson Reservoir, OK 94:91
pattern, effect on yields of pink salmon 95:39
perch
  barred 102:448
  black 95:108
  Pacific ocean, juvenile 105:191
  Sacramento 99:702
  white 89:27; 100:735; 103:117
    in MA ponds 87:111
  yellow 84:243,250; 88:332; 89:27,379; 104:726
    effect of temperature and light 105:254
    first year, Red Lakes, MN 104:718
    in MA ponds 87:111
    young 85:481
      in relation to zooplankton populations 104:731
permit 98:481
pickerel, chain 88:332; 89:27
pike, northern 100:70
  juvenile 92:102
  temperature effects 102:97
pollock 91:227
pompano 98:481; 99:353
presence of food as factor in muskellunge larvae 104:338
quillback 105:41
rate
  comparative male and female rainbow trout 85:85
  factors influencing 87:130
  increase following population reduction 88:332
  sexual difference, lake sturgeon 84:220
  size-specific instantaneous, rainbow trout 86:90
  trout, in suspended wood fiber waters 94:256
redhorse
  black 99:552
  in
    Des Moines R., IA 91:416
    new reservoir 87:251
  shorthead 87:124
rings, numerous 85:127
rockfish, copper 102:413
salmon
  Atlantic 92:197; 98:48; 103:453
    effect of smelt introduction 102:392
  chinook
    effect of X-ray and temperature 100:267
    young 85:207
  coho 94:44
    effect of limited food 98:393
    influence of dissolved oxygen and water movement on embryos 93:342
  sockeye 90:30
sauger 97:163
sculpin, Sagehen Creek, CA 97:495
  slimy 104:240
seaperch, white 102:448
sea robin, striped 99:343

shad
American 87:139
gizzard 87:125
in new reservoir 87:252
juvenile 86:302
threadfin 99:739
shiner
coastal 100:729
sand 98:448
spottail 84:336
shrimp
pink 89:6
in feeding experiments in concrete tanks 105:259
white 89:6; 103:109
silverside
brook 97:294; 99:435
Waccamaw 98:470
slowed following tagging, lake trout 92:185
smelt
longfin 103:46
rainbow 93:382; 98:631
snapper, gray 91:379
some MN warmwater fishes 93:269
squawfish
Colorado 98:197
northern 88:199
steelhead
effect of limited food 98:393
influence of dissolved oxygen and water movement on embryos 93:342
stickleback, ninespine 101:350
stunted, jawless striped bass 104:410
sturgeon, lake 84:207
sucker
mountain 98:212
white 87:125
sunfish
green 87:128
relationship to thyroid 92:401
in new reservoir 87:250
redear, in AL pond 100:764
spotted 85:126
surfperches, three 99:475
tautog, RI 96:134
tigerfish, L. Bangweulu, Zambia 104:499
tilapia, Kafue floodplain, Zambia 103:281
toadfish, oyster 92:171
trout
brook 91:299; 94:187; 96:383; 98:256; 103:434
at different temperatures 86:323
in hatchery 89:37
on various diets 86:319
wild and hatchery strains 90:424
brown 89:27; 91:59
Chilean 101:605
effect of oxygen concentration 92:300
in PA streams 89:255
cutthroat 84:243,275; 86:355; 90:29
alpine lake 102:678
Oregon 91:77
in Quebec hatcheries 86:139
lake 89:27; 94:75
in L. Superior before sea lamprey maximum 96:268
known age 86:79
tagged 89:308; 92:316
rainbow 83:161; 86:84; 88:41; 96:223; 103:434
Chilean 101:604
effect of fin removal 102:753
fingerlings exposed to aluminum hydroxide 100:650
in AB 86:263
jaw-tagged and finclipped 98:225
juvenile 101:18
monthly rate 85:75
stocked, Great Lakes 100:336
various diets 86:317
tuna, Atlantic yellowfin 101:76
variation, sources of, bullheads and catfish 98:35
walleye 86:21; 90:130,192; 95:61; 98:121; 101:657
effect of
finclipping 92:298
temperature and light 105:254
in MN lake 87:64
young 85:191
white fish
broad, AK 105:256
Lake 89:323; 93:80; 99:33
Lake Michigan 87:190
mountain 104:68; 105:208
pygmy 84:180
round, L. Michigan 93:46
Growths, atypical cell, in fishes 83:262
Grub
black, on spottail shiner 88:342
yellow
in
cutthroat trout 95:35
steelhead 95:35
Grubby, summer abundance, in tidal cove 103:329
Grunnion, annulus formation 98:325
Grunt, bluestriped
source of GFR cell line 102:599
Grunt, white
food of 102:511
population variability 94:314
survival and migration of tagged 96:228
Guapotes, in L. Atitlan, Guatemala 96:211
Guavinas, undesirable exotic 100:184
Gudgeon, homing in 104:454
Gulf of Mexico, distribution of menhaden 89:338
Gull, herring, predator on rainbow trout 98:226
Gulls, predation on winter flounder 105:651
Gunnel, food of copper rockfish 102:415
Gunnel, saddleback, monthly occurrence, Big Beef Harbor, WA 101:727
Guppy
effect on, of
endrin 90:394
pesticide 97:400
temperature 101:97
TEPA, insect chemosterilant 98:280
failure to develop secondary male sex characteristics 101:428
filled by rotenone 90:334
genetics of fish diseases 83:231
homology with bluegill of albumin component 105:284
introduced into FL 102:4
lipids in 84:150
no cumulative effect of endrin 99:489
optimum temperature for growth 90:335
quantitative feeding and weight changes 97:22
sex reversal, use of androgen 104:342
test animal
toxicity tests 88:25
yellow grubs 95:37
test on lunar soil 100:575

toxicity
of organic phosphorus insecticides 91:176
studies 90:264
unisex brood, use of methyl testosterone 97:18
uptake of isotopes 90:53
Gut content, method of securing from small live fish 105:520
Guthion
caused scoliosis in golden shiner 101:317
effect, on
brain AChE, sheepshead minnow 101:534
stonefly naiads 93:27
in Atlantic salmon 101:642
physiological effect on fish 90:146
resistance of freshwater shrimp to 99:697
selective fish eradicator 94:203
toxicity to fish 90:265; 91:178; 99:22
Gynogenesis, potential for monosex culture 105:14
Gypsum, stream flow through 85:19

H

Habitat
alterations, effect on fish population 97:389
desert
fishes 103:531
preservation 103:538
development, response of brook trout to 105:361
fish, improvement of 87:392
improvement, use of scuba 92:33
lamprey, sea, ammocetes 91:385
preference
stream fishes 85:46
trout, cutthroat 103:423
smelt, rainbow, variation, ME 88:248
South American freshwater crabs 101:596
sucker, mountain 98:210
tilapia, selection, prior experience as factor 104:742
Haddock
age 88:212
catch
Canada 83:397
commercial 86:464
food of 94:243
lactic acid critical threshold 98:266
landing, eastern US 97:78
sexual maturity 88:212
use of analog computer, catch forecasting 98:564
Haemogregarine, parasite in goosefish 104:284
Hake
eggs and early larval stages 96:227
occurrence and food habits, 2 species, Georgia estuaries 101:513
Pacific coast 87:311
use of otolith in aging 93:12
Hake, Pacific
catch in high seas, N. Pacific 95:288
electrophoresis 102:22
Hake, red
fin rot in 102:599
larvae, similar to butterfish 103:486
summer abundance, tidal cove 103:329
Hakes, abundant in lower estuary, NC inlets 100:297
Hake, silver
catch, ME estuary 102:543
food of bluefish 105:525
landings, eastern US 97:79
stomach contents 89:239
Hake, southern, occurrence and food habits, GA estuaries 101:513
Hake, spotted, food habits and occurrence, GA estuaries 101:513
Hake, white
fin rot in 102:599
summer abundance, tidal pool 103:327
Halfbeaks
bait for blue marlin 91:227
food of 91:226; 102:511
in shipboard aquarium 97:287
Halibut
catch, Canada 83:397; 87:442
commercial fisheries 84:301
Halibut, Atlantic
movement of tagged 88:357
off New England 90:489
Halibut, Greenland, retention of common name 98:180
Halibut, Pacific
commercial catch 86:464
effect of overfishing 87:286
electrophoresis 102:22
four alleles and ten phenotypes 105:287
in Little Port Walter estuary 91:93
total annual catches 97:239
Hamaratomas, in fish 83:282
Hardness
calcium, in pond water 100:582
effect on antimycin 100:15
water, effect on toxicity of $KMnO_4$ to fishes 104:580
Harvest
angler, use of DeLury method in determining 90:259
angling
Alabama fishing lakes 85:208
bass
largemouth 85:241
striped 85:144
mean per acre 85:28
spearing, MN lakes 85:34
summer, MN lakes 85:34
total pounds, crappie and sunfish, MN lakes 85:38
trout, lake 85:257
warmwater fish, TN tailwaters 85:81
annual and total, walleye, MN lakes 87:67
bass, largemouth 98:299
bullhead, yellow 98:299
catfish, channel 98:299
effect on rainbow trout spawning potential 91:63
fish, and primary productivity in small desert impoundment, AZ 92:1
game fish, Priest Lakes, ID 90:27
increasing of, marine fishes 87:282
potential, of the sea 94:123
seasonal variability, effect on estimation of exploitation rate 105:45
sturgeon, lake 84:209
sunfish
green 98:299
redear 98:299
trout, Sagehen Creek, CA 101:463
Harvestfish
feed on jellyfish 98:703
food of common bonito 95:227

Harvesting, aquatic bait species, effects of 104:446
Hatcheries
  shellfish, present and future 98:743
  trout
    design of, nitrification facilities for water reuse 102:323
    of the future 88:75
Hatchery
  costs in Sweden 92:290
  private, problems of operation 87:374
  procedures, mechanization 88:76
    test of influence of domestication 89:36
  product, use of 85:300
  recreational use of surplus coho salmon 98:487
  salmon, Atlantic, operation in Sweden 92:289
Hatchery fish
  carryover 84:204
  discharge, potamological effects 103:226
  harvest of 84:203,261
  use of, to supplement depleted steelhead run 84:261
Hatchetfishes, heterogamety 99:134
Hatching
  gars, L. Texoma 101:106
  time, centrarchid hybrids 100:617
  trout, lake 86:242
  U-tube oxygenation for economical saturation of water 98:789
Head length-total length relationship, two killifishes 95:223
Heat, effect on toxicity of chlorine to salmon 103:569
Heat resistance, sex difference in Ozark minnow 99:588
Heat stress, channel catfish 101:716
Heat tolerance
  bullhead, brown 103:334
  mosquitofish 103:331
  pupfish, desert 103:334
  trout, cutthroat 103:334
Heavy metals, in L. Hannedaga, NY 94:232
Hellgrammite, effect of Dibrom on respiration 102:806
Hematocrit
  bluegill
    effect of 2,4-D 99:9
    variations in 105:291
  correlation with hemoglobin, Lone snapper 98:330
  minnow, fathead, effect of suspended wood fiber 95:81
  mummichog, sex differences 98:329
  muskellunge, changes from handling 103:338
  rabbitfish, subjected to crude oil and oil dispersants 104:573
  salmon, chinook 98:24
  trout 90:141
    rainbow 98:23,330
  walleye 95:66
Hematological characteristics
  salmon, chinook, precocious males 98:23
  trout, rainbow 98:411
Hematological responses, effect of suspended solids in oyster toadfish 104:775
Hematology, seasonal changes, winter flounder 105:596
Hemipterans
  food, of
    perch, Sacramento 103:401; 104:235
    salmon, coho 103:12
    salmonids 103:812
    silverside, brook 99:437
    trout 103:442
    whitefish, mountain 102:768; 105:216
  in alpine lake 102:677
Hemoflagellate infection, Pacific coast freshwater teleosts 94:327
Hemoglobin
  comparison of hybrid green sunfish X bluegill with parents 104:148
  index of well-being, rainbow trout 86:166
  marine teleosts 98:328
  trout, rainbow 95:172
Hemosiderin, in bluegill spleen 97:48
Hepatoma, rainbow trout, multiple metastasis 92:365
Hepatopancreas, effect of DDT on, penaeid shrimp 101:547
Heptachlor
  acute toxicity level 97:402
  distribution, L. Poinsett, SD 99:496
  effect on bluegills 95:297
  inhibits growth, bluegill 99:489
  resistance of freshwater shrimp to 99:697
  toxicity, to
    cladocerans 95:166
    fish 88:24; 90:265
Heptachlor epoxide, residual in pond soil 92:213
Herbicide
  chronic effect on bluegill 99:1
  effect, on
    fish eggs, and fry 96:414
    pond invertebrates 94:438
  toxicity to cladocerans 95:168
Hermaphrodite
  bloater 99:611
  protogynous, age of sexual succession
    black sea bass 93:301
    gag 93:301
  synchronous, normal, in Dolly Varden 97:201
Hermaphroditism
  salmon 92:313
  sucker, white 104:413
  trout 92:313
Heron, great blue
  nest of yellow grub 95:37
  predator on
    killifish, plains 98:464
    trout
      cutthroat 84:294
      rainbow 98:226
Herring
  body-scale ratio 99:468
  commercial fishing 84:358
  in Santee-Cooper reservoir 85:148
  landings
    Alaska 86:464
    eastern US 97:79
    Maine 86:465
  meal, in hatchery diet 98:773
  mortality, following yolk absorption 98:398
  oil, in hatchery diet 98:773
  taken by spearfishing 92:32
Herring, Atlantic
  allele frequencies of esterase 102:335
  aquarium susceptibility of tagged and untagged to predation 96:359
  commercial catch, US 88:171
  correlation growth and density of cope-

pods 99:746
effect of temperature on larvae 101:691
egg counting device 96:361
electrophoresis 102:22
erythrocyte antigens 93:89
fecundity 105:384
frozen sperm 99:518
growth of otoliths 104:770
juveniles, seasonal variation in food 100:121
length and age at maturity 105:391
mounting and storing of otoliths 94:267
polymorphism in esterases of 99:147
seasonal distribution, ME estuary 102:543
spawning 88:164
specific gravity of eggs 105:351
summer abundance, tidal cove 103:327
swimming speed 90:21
tail rot in 102:596
tidal cove, night catch 104:31
use of otolith in aging 93:11
Herring, Atlantic thread
food of 102:511
led by night lights 102:818
method used to rear from eggs 98:527
retention in pound net 105:370
spawning 98:219
Herring, blueback
age from scales 98:622
distribution, growth, selective feeding, energy transformations 103:297
fin rot in 102:599
food of largemouth bass 101:651
response to temperature differentials 101:740
salinity tolerance 101:123
seasonal distribution, ME estuary 102:543
select
large zooplankton 99:571
warmer channels in migrating 99:381
summer abundance, tidal cove 103:327
tidal cove, night catch 104:31
Herring, dwarf
avoid changes in temperature 99:381
breakup of schools in cold weather 99:542
food of little tuna 96:122
response to temperature changes 101:740
Herring, lake
attacked by sea lamprey 100:705
bathymetric distribution, L. Superior 95:251
body-scale relationship 84:180
disappearance from L. Erie 101:655
effect of turbidity on survival, growth, and distribution of larval 105:541
efficiency of gill nets for 102:778
estimation of year-class strength 104:246
factors affecting abundance, western L. Superior 100:691
food relationship, other species 100:703
in
Lake Michigan 86:393
Lake Superior 83:396; 84:196
near disappearance, L. Ontario 99:757
optimal incubation range 104:555
percent composition, trawl catches 100:700
predation on various stages 100:704
reproductive success 100:702
used as bait 96:269
use of automatic brine shrimp feeder 98:533
Herring, Pacific
angler success, sport fishing quality 95:357
catch, high seas, N. Pacific 93:288
caught in purse seine, Columbia R. estuary 102:343
disease in 83:309
food, of
copper rockfish 102:415
Dolly Varden 91:92
landings 97:83
monthly occurrence, Big Beef Harbor, WA 101:727
predation on pink salmon fry 91:321
response to temperature changes 101:740
spawning 88:164
tax on, CA 102:181
Herring, round
caught in gill net 98:222
food of bluefish 105:525
Herring, skipjack
catch in TVA lakes, AL 88:83
caught in gill net 98:222
in LA backwaters 88:10
killed by zinc 93:180
Hershey broth, for phage activation assay formula 101:120
Heterogamety in teleostean fishes 99:131
Heuristic teaching environment 102:658
Hexamitiasis, in juvenile coho salmon and steelhead 94:53
Hiding reaction, brook trout and splake fingerlings 90:328
Hierarchy, establishment in channel catfish feeding in culture ponds 105:721
Hilsa, Indus River, fecundity, spawning, migration 97:350
Hind, red, gross weight efficiency 97:27
Hirudineans, food of salamanders 102:36
Histological examination
carp and trout 89:360
salmon, coho 89:301
Histopathology, bluegill, effects of 2,4-D on 99:9
Hogchoker
abnormal coloration 98:106
food of 102:511
hematological responses to fullers earth 104:780
killed by hurricane 91:377
length-weight relationship 91:89
parasite in 104:284
population variability 94:314
standard length-total length relationship 91:89
taken in drop net 104:47
Hogfish
disease in 83:333
population variability 94:314
Holding chambers, continuous treatment device 96:55
Home areas, channel catfish in culture ponds 105:725
Home range, stream fishes 85:40
Home territory, creek chub 84:233
Homing
European minnow 104:454
tidepool sculpin 102:621
trout
brook 91:393
cutthroat, response to underwater noise spectra and fish sounds 98:652; 100:41
trout and salmon 100:41
whitefish, mountain 104:75

Homing behavior
bass, smallmouth 91:346
trout, lake 84:55
walleye 91:350
spawning 91:355
Homing instinct
sunfishes 100:352
trout, rainbow 91:66
Homing tendencies, spawning white sucker 92:13
Hooking
effect of, on steelhead 104:458
stress, physiological response of rainbow trout to 105:601
Host relationship, blood parasite 95:196
Hotu, in W. European streams 88:156
Hurricane, effect, on
aquatic fauna 91:375
fishing 91:377
water quality 91:376
Hyacinth, water
control of 90:219
introduced into FL 102:2
Hybrid
characteristics, sunfish 97:466
intergeneric
centrarchid, development of embryos 100:611
egg size as factor 100:29
production of androgenetic and gynogenetic grass carp and carp 105:10
swarm, analysis by chromosome morphology 99:139
Hybridization
experimental, three coregonine fishes 91:196
intergeneric, centrarchids 95:280
interracial, use in management 86:350
killifish 95:286
salmonids 97:109
sunfishes, phylogenetic relationship 99:100
trout, PQ 86:141
Hybrids
bass
largemouth subspecies, northern X southern, growth of 105:240
striped X white, occurrence and growth, VA 100:787
bluegill X green sunfish, toxicity of Kuron 102:631
catfish, salinity tolerance 100:790
fertile, salmonids 99:105
inconnu X humpback whitefish 100:363
menhaden 98:220
molly, introduced into FL 102:4
pike and pickerel 91:229
pike, northern X grass pickerel 89:82
salmon, Atlantic X brown trout, electrophoretic analysis 99:229
sauger X walleye, embryo and larval characteristics 97:167
splake X brown and rainbow trouts 87:172
sucker, Colorado R. basins 104:228
sunfish
green X pumpkinseed, food of 100:124
meristic comparisons 91:333
trout
appearance and fertility 87:172
brown X brook 87:172
growth, effect of temperature 83:82
lake X brook 86:136; 87:172
rainbow X
brook and brown 87:172
cutthroat 84:275
Hydra, effect on chinook salmon eggs and larvae 90:329
Hydracarinas, food of
sculpin, black 103:272
trout 103:426
whitefish, mountain 105:216
Hydrobiology and Fish Culture, Committee, report of 84:344; 87:430
Hydrobiology, use of radioisotopes 90:49
Hydrocarbons, from snowmobile exhaust, effect on brook trout 104:363
Hydrocyanic acid, molecular, test for acute toxicity 95:6
Hydrogen sulfide
effect, on
bluegill 96:32; 101:260
catfish, channel 96:31
pike, northern, eggs 99:501
walleye fry 101:620
hurricane effects on 91:376
resistance of fathead minnow to 101:625
toxicity to
bluegill 105:442
scuds 103:819
Hydrographic conditions, effect on fish distribution and abundance 87:287
Hydrographic data, saltwater impoundment, FL 98:289
Hydrophone, linear array, determining swimming depth of fish with sonic transmitters 103:635
Hydrothol 191
control of aquatic weeds 98:52
pathology of redear sunfish exposed to 98:52
Hydrozoans, food of winter flounder 103:264
Hymenopterans, food, of
minnow, bluntnose 102:800
shiner, mimic 102:797
silverside, Waccamaw 98:470
trout 103:442
Hyperplasia
epidermal 83:265
thyroid, brook trout 97:486
Hyperplastic epithelial diseases 83:264
Hypertrophy, cellular 83:276
Hypervitaminosis, in fish 83:256
Hypoxia, effects, on
bass, rock 101:488
catfish, channel, blood and tissue electrolytes 103:593
trout, rainbow 103:593

I

IBM-1620
correlation-regression with scattergram 96:230
program
instantaneous mortality and maturation schedules 96:366
population analysis 95:232
IBM 709, 7094, von Bertalanffy growth curve, fitting 95:231
IBM 7090, 7094
age distribution determination 95:230
trawl catch summarization program 96:363
Ice, effect,on
bottom organisms 92:141

trout 92:140
Ichthyomass, pelagic, estimate by echo-sounder 105:581
Ichthyophthiriasis, in fishes 96:91
Ichthyosporidiosis, in fishes 96:91
Idaho, Little Salmon R., creel census 84:200
Ide, undesirable exotic 100:184
Ides, hyperplastic epidermal disease in 83:264
Idol, moorish, proposed introduction 102:7
IF media, for plates, for phage activation assay 101:121
Illinois, physicochemical characteristics of ponds, stripmine areas 84:117
Illumination, effect on year class, largemouth bass 91:39
Immune response
  blue gourami, to bacterial antigens 104:289
  zebrafish, effect of zinc on viral and bacterial antigens 105:456
Immunization 83:322
Immunology, comparative, serum complement of freshwater fishes 96:237
Importation of Fish and Fish Eggs, Committee, report of 84:376
Impoundment
  changes in fish population following 83:55
  effect on native fishes, CA 87:324
  preconditions, MO 87:243
  saltwater, FL, hydrographic data 98:289
  small desert, primary productivity and fish harvest, AZ 92:1
Impoundments
  freshwater, effect of mixing depth and turbidity on productivity 91:69
  large, fish management problems, Missouri R., NE 87:356
  mainstream, effect on limnology of Missouri R., NE 97:380
  stream, effect on fish populations 86:144
  types of 87:320,336
Inbreeding, effect on rainbow trout population 105:273
Inconnu
  food habits, AK 94:272
  hybridized, with
    ciscos, Arctic and Bering 100:363
    whitefish, humpback 100:362
Incubation
  trout, effect of light and temperature on 86:139
  whitefish, lake, optimal range 104:555
Incubation period
  alewife 99:379
  trout, lake 86:242
Index of well being, rainbow trout 86:166
Index, sequential comparison, use to evaluate acid mine drainage on microbenthos in pre-impoundment basin 101:701
Industry
  commercial trout, problems 87:365
  Delaware oyster, catastrophic decline 100:100
Infection
  hemoflagellate in freshwater teleosts, Pacific Coast 94:327
  susceptibility to 83:257
Infectious hematopoietic necrosis (IHN)
  carried by rainbow trout 101:268
  in rainbow trout, OR 101:121
Infectious pancreatic necrosis (IPN)
  in salmon and trout 98:796
  possible to eradicate 96:91
  treatment with polyvinylpyrrolidone-Iodine 92:180
Information, Aquatic Sciences, Retrieval system 91:151
Injection wells, handling brine 85:18
In Memorium
  Davis, H. S. 88:74
  Harkness, William J. K. 89:321
  Miller, Richard B. 89:247
  Rawson, Donald S. 90:237
  Viosca, Percy, Jr. 91:132
  Welch, Paul S. 89:preface
Inositol, deficiency 83:258
Insecticide
  accumulation in freshwater ostracods 100:565
  biological effects on farm pond 91:217
  contamination, farm pond 91:218
  residues, in fish from test ponds 95:305
  seasonal residue changes in tissues 99:423
  Sevin, toxicity to marine organisms 96:25
  susceptibility of some common fish family representative 99:20
Insecticides
  avoidance behavior, mosquitofish 103:557
  chlorinated hydrocarbons, toxicity to cladocerans 95:166
  organic
    effect on stonefly naiads 93:27
    long-term effects on stonefly naiads 93:357
    toxicity to fish 90:264
  organic phosphorus
    effects on immature *Hexagenia* and *Hydropsyche* 95:1
    physiological effect, fishes 90:143
    toxicity, to
      cladocerans 95:167
      fish 87:39; 91:175
  toxicity to fish 83:23
Insects, aquatic
  effect on, of
    DDT 86:208
    detergents 92:152
    low oxygen 101:675
    rotenone, CA stream 98:539
    squaxin, drift 103:362
    Zectran 101:337
  filter feeders, distribution in Montreal stream 92:216
  food, of
    alewife 98:643; 105:92
    bass
      largemouth 98:298; 101:652
        fingerlings 89:231; 91:33; 96:75
      spotted 98:648
    bluegill 103:258
    buffalo 96:73
    bullhead
      black 91:315; 99:597
      brown 104:544
    burbot 101:672
    catfish, flathead 88:348
    char 92:276
      Arctic 94:394
    chub
      roundtail 98:204
      Utah 90:271
    Dolly Varden 88:199,256
    eel, American 99:56

inconnu 94:273
logperch 97:301
perch
Sacramento 99:703
yellow 88:330
young of the year 104:722
pickerel, chain 102:150
pike, northern
fry 90:301
juvenile 92:100
pompano, juvenile 100:486
salmon
Atlantic 98:643
coho 103:127; 105:608
chinook, juvenile 105:74
sauger 97:162
shad, American 86:304
shiner
coastal 100:730
spottail 93:41
silverside, brook 97:301
smelt, rainbow 90:439; 98:644
squawfish
Colorado 98:203
northern 88:199
studfish, northern 101:375
sturgeon, shovelnose 98:514
sucker, mountain 98:214
trout
brook 89:80; 94:189
brown 92:278
cutthroat 88:199; 100:305
lake 94:173
rainbow 88:199
warmwater fishes 93:272
in alpine lake 102:677
larvae, food of bass, striped, fingerlings 102:15
stream, an improved elutriator for separating from stony substrate 104:821
Insects, terrestrial, food of
bass, spotted 98:648
chub, creek 100:284
salamanders 102:36
salmon
Atlantic 103:397
sockeye 102:34
trout 103:426
brook 103:397
rainbow 85:83; 102:35
whitefish, mountain 105:216
Interaction of genes and modifiers 83:232
Inter-American Tropical Tuna Commission 83:374; 87:418; 99:642
Intergeneric crosses, sunfish 99:101
Intergravel movement, reticulate sculpin 95:210
Interim Convention on Conservation of North Pacific Fur Seals 87:419
International Commission for Northwest Atlantic Fisheries 83:376; 87:420
International fisheries commissions and councils, list of 90:115
International Fur Seal Research 83:374
International Halibut Commission 83:372
International Law Commission, work of 87:421
International North Pacific Fisheries Commission 87:417
International Pacific Halibut Commission 87:417
International Pacific Salmon Fisheries Commission 83:373; 87:423
International relations
Committee, report of 84:330
Ecuador 83:375
Great Lakes 83:376
Mexico 83:375
International surveys 90:116
International technical cooperation agencies 83:378
International Whaling Commission 83:377
Interrelations, between species, AL pond 100:766
Interspecific crosses, sunfish 99:101
Introduction
Keynote Address 99:262
to Symposium on Fish Cytogenetics 99:98
Introductions
fish, problems of, New Zealand 97:1
Mysis relicta MN lake 95:216
perch, Sacramento, status 99:700
silverside, Mississippi, CA 99:70
Invertebrates
aquatic
effects on, of
ABS 92:152
DDT-R, concentration factors 100:212
discontinuous flow 88:276
drought 88:261
Dursban 101:420
logging, CA 101:11
TFM 96:410
drift, utilization by trout 103:440
food, of
bass, white 99:440
bullhead, brown 104:544
dolphin 103:96
flounder, winter, young 103:264
sauger 92:313
walleye 92:312
macrobenthic, effect of preservatives on weight 101:743
number in test ponds 95:300
pond, effects of Diquat and Casoron on 98:438
production in alpine lake 102:680
reestablishment following drought 88:261
riffle, effect of methoxychlor on 105:628
species, in alpine lake 102:677
terrestrial, food of bullhead, brown 104:544
toxicity of 2-(digeranylamino)-ethanol 103:738
Iodine
excretion, by
European perch 99:515
shark 99:515
number, fat of lake trout 94:66
uptake and excretion, rainbow trout 99:515
Iodine^{131}
accumulation and loss, seasonal variation, channel catfish 100:237
in disease treatment 90:53
Iodophors, toxicity to rainbow trout eggs 103:79
Ions, major, L. Erie 90:156
Iowa, success of fish ponds 86:361
IPC, toxicity to caldocerans 95:168
IPN, new hosts and geographic record 92:63
IPNV, zinc affects immune response in zebrafish 105:456
Iron
in certain waters 84:99
transformation in soil, Denmark 92:260

Iron bacteria, Danish soils 92:260
Iron hydroxide, lime-neutralized, effect on early development of brook trout and coho salmon 105:308
Irradiation
  low-level chronic, effect on salmon eggs, alevins 93:333
  ultraviolet, disinfection of fish pathogen contaminated water 103:541
Isonicotinoyl hydrozide, treatment, kidney disease 88:119
Isopods
  food, of
    Dolly Varden 88:256; 94:407; 96:65
    flounder, winter, young 103:264
    hake 101:518
    juvenile marine fishes 102:514
    perch, Pacific ocean, juvenile 105:198
    pigfish 105:516
    pinfish 105:516
    pompano, juvenile 100:486
    rockfish, copper 102:415
    salmon
      Atlantic 98:643; 103:397
      coho 103:12
    salmonids 103:812
    tonguefish, blackcheek 105:204
    trout, brook 103:397
  killed by TFM 96:412
  parasitic, in
    marine fishes 105:327
    menhaden 96:357; 98:111; 103:296
  taken in drift net 103:510
  toxicity of Bayer 73 and TFM 105:324
Israel, increasing production in ponds 92:292
Ivlev's electivity index 105:89
  for zooplankton eaten by cisco and coho salmon 105:612

J

Jack, bar
  near midwater artificial structure 102:569
  survived antimycin treatment 98:291
Jack, cottonmouth, food of blue marlin 91:226
Jack, crevalle
  effect of hurricane on 91:377
  fin rot in 102:599
  not infected by parasitic isopods 105:327
  survived antimycin treatment
Jack, in Wickford Cove, Narragansett Bay, RI 97:64
Jacksmelt, angler success, sport fishing quality 95:357
Jaw injection, use of dyes to mark warm-water fish 95:432
Jaw-tagged, trout, rainbow, growth 98:225
Jellyfish
  food of fishes 98:703
  trophic significance, MS sound 98:703
Jenny, silver
  food of 102:511
  immature, caught in NC inlets 100:301
  population variability 94:314
  range, taken in trawl 103:780
Jewelfish
  introduced into FL 102:4
  tumor in 83:275
Journal coverage, N. American fishery biologists 103:387
Juglone
  as a fish toxicant 99:510
  removal from water by activated carbon 105:120

K

Kamala, in disease treatment 83:221
Kaolin, effects of suspensions on rainbow trout 95:71
Kawakawa, juveniles, taken in midwater trawl 99:60
Kelp meal, in hatchery diet 98:773
Keynote session, introduction 101:149
Key, to species of *Uvulifer* in kingfishers 94:150
Khalisa, susceptibility to DDVP and Phosphamidon 98:431
Kidney disease 83:249,300,322,334
  salmon, coho 89:303
Killifish
  average number in Linwood L. 89:71
  comparison of postlarvae and juveniles, two species 95:218
  diseases in 83:304,333
  habitat, desert species 103:531
  hybridization 95:286
  in CA reservoir 87:202
  method of obtaining gut contents from live fish 105:520
  toxicity of Salicylanilide I 101:528
  tumor in 83:279
Killifish, banded
  catch, electrofishing, L. Monona 103:670
  food, of
    bass, largemouth fingerlings 91:34
    pike, northern 92:108
    salmon, Atlantic 98:643
    trout, brook 98:642; 103:397
  in
    Cold Stream Pond, ME 85:258
    Crooked L., IN 97:295
    Floods Pond, ME 105:616
    Maine lake 101:609
  toxicity of 2-(digeranylamino)-ethanol 103:738
Killifish, broad, oxygen consumption 102:127
Killifish, California
  effect of metabolites on 89:38
  oxygen uptake 90:391
Killifish, common
  olfactory organs, distinguished edible and nonedible material 95:109
  oxygen consumption 102:127
Killifish, diamond, effect of DDT on 94:153
Killifish, gulf,
  effect of DDT on 94:153
  oxygen consumption 102:127
  pesticide 97:400
  taken in trap in salt marsh impoundment, LA 104:300
Killifish, longnose
  effect of DDT on 94:153
  pesticide 97:400
  toxicity of Sevin 96:29
Killifish, pike, introduced into FL 102:4
Killifish, plains
  in four CO lakes 104:234

life history 98:460
test animal, toxicity tests, brine water 84:97
Killifish, rainwater
effect of DDT on 94:153
survived antimycin treatment 98:291
Killifish, Rio Grande, in upper and middle CO R. basins 104:227
Killifish, striped
age, growth and weight relationship 93:197
effect of chemosterilant on 98:280
hematological responses to fullers earth 104:780
length-weight relationship 102:554
toxicity of endrin 95:155
use of head-scale pattern in identification 94:265
Killifish, Waccamaw, in L. Waccamaw, NC 98:468; 100;728
Kinetics, of
DDT 94:153
locomotion, bluegill 104:752
Kingfish, in Wickford Cove, Narragansett Bay, RI 97:64
Kingfish, northern
fin rot in 102:599
parasitic isopod on 105:328
Kingfisher
host of strigeid trematode 93:305
predator, on
cutthroat trout 84:294
rainbow trout 98:228
trematode parasite 94:143
Kingfisher, belted, predation, on
plains killifish 98:464
trout 102:757
Kiyi
bathymetric distribution, L. Superior 95:251
in Lake Superior 97:146
mistaken for goldeye 90:170
percent composition, trawl catches 100:700
Known-age fish
trout 83:92
lake 89:349
Koi, susceptibility to DDVP and Phosphamidon 98:431
Kokanee
age and growth 90:30
depth distribution, vertical gill net 97:297
dial vertical distribution 91:225
food of 84:245
rainbow trout 86:93
gill net selectivity 88:198
in Thompson Lakes, MT 84:241
not susceptible to IPN 92:63
summer distribution and food, Elk L. OR 96:308
Kuron
control of alligator weed 102:630
toxicity, to
bluegill eggs and fry 102:630
cladocerans 95:168

L

Lactate dehydrogenase (LDH)
subunit loci in trout 99:193
trout
brook 102:335
rainbow 101:494
Lactic acid
concentration, cutthroat trout 98:266
critical threshold, haddock 98:266
danger zone, coho salmon 98:266
in blood, of
bluegill 98:266
catfish, channel 98:266
salmon, Atlantic 98:266
trout, rainbow 98:266
Ladyfish
immature, caught in NC inlets 100:301
in saltwater marsh impoundment, SC 105:42
juvenile, summer foods, length-weight relationship and condition factor 103:472
taken in trap in salt marsh impoundment, LA 104:300
Ladythumb, water, in Hebgen L., MT 90:270
Lake and stream improvement 85:300
Lake Erie, environmental changes 90:153
Lake Huron
bottom fauna of 89:193
relationship, light penetration and Secchi disk readings 87:73
Lake Michigan
age and growth of lake whitefish 87:190
changes in deep water fish populations 86:393
Lake, open, productivity measurements vs. plastic container 99:607
Lakes
backwater, LA, fish populations 88:7
glacial, chemical characteristics 93:260
natural, characteristics, by regions, US 90:218
small, method of estimating maximum temperatures expected 90:494
trout, adding fertilizer to 89:198
Lake Superior, fish in 84:47,161
Lake Taneycomo, a coldwater reservoir, MO 97:138
Lamprey, American brook
anesthetic effect of 4-SP on 93:207
effect of pesticide 97:400
food of 96:224
food, of inconnu 94:273
in Black R., MI 101:18
Lamprey, chestnut
caught in trawls, L. Huron 102:119
incidence of scarring, Mississippi R. 90:83
in L. Superior 84:196
Lamprey, Pacific
catch in high seas, N. Pacific 93:288
downstream migration 91:407
in
N. Fork Clearwater R., ID 104:69
Oregon streams 94:40
monthly occurrence, Big Beef Harbor, WA 101:727
Lampreys
American, yellow variants 101:662
changes in populations, AuSable R., MI, 1920-72 105:35
European, xanthochroism in 101:662
in Cherry run, PA 92:307
Lamprey, sea
attack lake herring 100:705
changes in population 102:779
control 92:34
Canada, Great Lakes 86:419

measures, Great Lakes 99:768
upstream movement by electricity 86:269
with TFM 105:322
destruction of lake trout by, L. Michigan 85:102
diurnal periodicity and effects of chemical stimulation 90:73
duration larval life 91:422
effect, of
anesthetic, 4-SP on 93:207
chemicals on mucus cells 88:305
effect, on
trout, lake 94:75
whitefish, lake, production 91:223
establishment in Great Lakes 99:766
fecundity 101:718
in
Barrows Stream, ME 99:298
deeper water, L. Michigan 93:156
Great Lakes 83:16,396
Lake Michigan 86:393
Lake Superior 94:169
Maine lakes 96:11
incidence of scars on lake trout 87:259
killed by TFM 96:412
larval
caught in electric beam trawl 97:289
diatoms as food 96:224
in lentic environment 91:384
marked with dye 96:163
use of dyes in marking 93:21
nitrophenol as selective toxicant 103:736
parasitism on fishes 96:11
piscicide tests for control of 101:526
production of larvae, L. Superior stream 97:484
reduce lake trout populations 99:756
research and management, Great Lakes 102:156
serum lytic to rabbit erythrocytes 96:237
sex ratio, spawning run 99:773
spawning run, Black R., MI 101:18
swimming performance, in relation to weight and temperature 103:355
three co-dominant alleles 105:287
toxicity, of
Bayer 73 and TFM 105:324
TFM 91:342
upper Great Lakes 105:6
use of TFM for control 96:410
variations in melanophores 101:662
Lamprey, silver
anesthetic effect of 4-SP on 93:206
incidence of scarring, Mississippi R. 90:83
killed by electic barrier 86:279
Lamprey, western brook
in OR streams 94:40
occupy beverage cans 101:566
Lancelet
in saltwater impoundment, FL 98:289
killed by antimycin 98:292
Lancet, Pacific, catch in high seas, N. Pacific 93:288
Land, response of sockeye salmon to 105:68
Landings, fin and shellfish
eastern US 97:78
Pacific coast, N. America 97:83
Lanternfish
food of blue marlin 91:226
heterogamety 99:134
Lanthanum^{140}, uptake by fishes 95:150
Larvae
bass, striped, effect of shear on 105:149
bluefish, similarities and differences from other species 103:486
early stages, offshore hake 96:227
effect of noise on 102:134
menhaden, distribution 98:219
mullet, striped, thermal tolerance 104:144
paddlefish 90:127
perch, white, effect of shear on 105:149
salmon, effect of artificial light on 87:151
Larvicide, lamprey, effect on aquatic invertebrates 96:410
LAS, factors influencing toxicity to bluegill 100:1
Latex, liquid, use in marking fish 97:281
Lead acetate, use in scale marking, various fishes 89:151
Lead, from snowmobile exhaust, effect on brook trout 104:363
Lead versenate, use in scale marking, various fishes 89:149
Leatherjacket
food of 102:511
food, of blue marlin 91:226
survival antimycin treatment 98:291
Lecithin, in
hatchery diet 98:773
northern pike 84:151
LDH, polymorphisms in brook trout 99:179
Leech
caloric content 102:365
effects of rotenone 98:542
food, of
bass, largemouth 101:652
drum, freshwater 96:218
perch, yellow 85:200
salmon, coho 103:128
sturgeon, lake 84:226
sunfishes 100:126
trout, cutthroat 100:305
infestation of blacknose dace 98:115
killed by TFM 96:412
kills salmon fry 104:336
on walleye 86:27
parasites of bass 95:24
predatory, European waters 95:201
toxicity of Bayer 73 and TFM 105:324
Leech, brook, food of cutthroat trout 84:292
Leech, freshwater, vector of hemoflagellates 94:331
Leech, horse, food of cutthroat trout 84:292
Leech, salmonid, vector of blood parasite 95:196
Legal factors, evaluation of effects on utilization of fishery resources 98:360
Legislation, freshwater commercial fisheries 87:305
Length
at maturity, black bullhead 101:483
average
cisco species, L. Michigan 93:156
croaker, Atlantic, comparative by month 89:157
porgy, red, relationship 101:503
trout, lake, calculated, 30 lakes 95:416
calculated
drum, freshwater 97:446
trout, lake 89:274
catfish, flathead 97:65

composition, cisco population, L. Michigan 86:403
distribution
bass, striped 85:153
bluegill 85:62
crappie
black 85:64
white 85:67
menhaden, Atlantic, coastal movements inferred from changes in 100:708
sturgeon, lake 84:211
sunfish
redear 85:69
spotted 85:123
trout
angler catch, AuSable R., MI 96:265
lake 84:55; 96:270
walleye 84:129
warmouth 85:71
whitefish, pygmy 84:186
effect on, of
formalin and freezing 103:136
formalin, preserved yellow perch 101:362
frequency
analysis IBM 7090/7094, FORTRAN II, FORTRAN IV 95:331
burbot 101:669
crappie, black 83:176
flounder, Mexican 97:205
salmon, silver 88:311
searobin, striped, method of ageing 99:348
shad
American 87:147
threadfin 99:744
trout, cutthroat, moving downstream 94:337
juvenile, sockeye salmon migrants 97:367
shrinkage, yellowtail flounder 89:373
total, mean
bass, yellow 99:737
shad, threadfin, relationship to gizzard weight 105:410
trout, brown and rainbow 97:396
Length-branchiostegal length relationship, longnose gar 103:403
Length-fecundity relationship
sculpin, northern mottled 104:64
trout, rainbow 85:95
Length-weight
distribution, lake sturgeon 84:222
relationship
anchovy 102:554
bass
largemouth 85:131; 89:227; 93:150
redeye 83:204
smallmouth 103:763
white 100:569; 103:35
yellow 104:514
bloater 97:146
bluegill 83:59; 103:682; 104:509
burbot 101:671
carpsucker, highfin 105:413
catfish, flathead 88:352
chub, roundtail 98:201
cobia 96:345
computer programs 93:318
crab
king 92:318
tanner 99:269
crappie, black 83:191
croaker, white 93:302
dolphin 97:272
drum
black 102:587
freshwater 97:432; 98:117
red 100:290; 105:44
juvenile 104:35
fallfish 100:719
flatfishes, six New England 98:617
flounder, winter 102:554
gar, longnose 91:256; 103:404
hilsa 97:354
hogchoker 91:89
killifish, striped 93:197; 102:554
ladyfish, juvenile 103:472
marlin, blue 97:135
minnow, fathead 103:746
mooneye 90:173
mummichog 102:554
omaka 102:619
paddlefish 94:93
perch
Sacramento 104:234
yellow 84:256; 104:727
permit 98:482
pickerel, chain 99:439
pike, northern 94:404
pompano 98:482; 99:353
porgy, red 101:503
quillback 105:413
redhorse 91:415
black 99:553
rockfish, copper 102:415
salmon 91:403
coho 94:43
sculpin 97:495
seaperch, white 102:450
searobin, striped 99:351
seventeen Gulf of Mexico fishes 94:279
shiner
emerald 96:252
spottail 93:29
shrimps 100:584
northern 98:69
silverside, Atlantic 102:554
smelt, rainbow 93:388; 98:631
snapper
gray 91:382
red 92:310
silk 102:845
squawfish, Colorado 98:200
sucker, mountain 98:212
sunfish, spotted 85:125
surfperches, three 99:475
tautog 96:138
tigerfish 104:500
trout
brook 90:432; 93:66
seasonal variation 94:43
brown 89:257
cutthroat 84:285; 100:53
lake 86:78; 94:67,78
rainbow 85:95; 101:22
various species, OK 85:61
walleye 90:201
whitefish
lake 89:326
mountain 105:213
round 93:48
Lens, protein polymorphisms in hatchery and natural brook trout 100:527
Lepidopterans, food, of
bass, spotted 98:649
trout 103:442
Lesions, post-orbital, of kidney disease in chinook salmon 104:805
Leslie matrix, use in determining mortali-

ty rates 105:380
Lethal exposure time, blacknose dace to free chlorine and chloramines 105:313
Lettuce, wild, ground cover, strip mines, IL 84:120
Librarian, Report of 83:366; 84:327; 85:292; 86:453; 87:413; 88:227; 89:103; 90:94
Life history
  carpsucker, river 105:411
  catfish, flathead, KS 88:344
  char, Arctic, early 105:615
  chub, roundtail 98:193
  crab
    blue 94:287
    South American freshwater 101:595
  darter, tessellated 101:80
  drum, freshwater, early 99:560
  gars, early, L. Texoma 101:106
  lobster, Norwegian 95:95
  menhadens 98:216
  perch
    black 95:107
    yellow, early 84:249; 85:191
  pike, northern, early 92:91
  redhorse, black 99:546
  sauger, early, and reproduction 97:159
  shiner
    cherryfin, ecological 104:516
    coastal, NC 100:726
    emerald 96:247
    sand 98:444
    spottail 88:336
  shrimp, pink 89:2
  silverside, brook, Crooked L., IN 97:293
  squawfish, CO 98:193
  steelhead 84:27
  sturgeon, lake 84:207
  sucker, mountain 98:209
  trematode, *Apatemon gracilis pellucidus* 88:96
  walleye 86:15; 101:655
    young 85:191
  whitefish, round 98:7
Life-history studies
  methods 84:250
  use of SCUBA 92:33
Life stages, early, freshwater drum 99:563
Light
  apparatus for controlling ambient cycles 100:128
  artificial, effect on salmon eggs and larvae 87:151
  available, schooling of fishes relative to 98:497
  direct sun, effect on lake trout eggs 92:37
  effect on alewife activity 101:583
  effects, on
    feeding intensity, Mississippi silverside 105:84
    growth of yellow perch and walleye on prepared diets 105:256
    spawning
      banded sunfish 97:258
      crappie, white 97:258
    trout, growth, spawning and incubation 86:139
    vulnerability of heat-stressed sockeye salmon to predation by coho salmon 102:139
  factor in cutthroat trout fry migration 89:173
  intensity
    diel movement, sockeye salmon 98:249
    effect on antimycin 100:15
    preferences, large- and smallmouth bass 105:400
  penetration, L. Huron 87:73
  simulate diel pattern, laboratory 99:434
  tolerance to, of
    mysids 99:418
    oppossum shrimp 104:394
Lights, night, fish attraction and control with 102:816
Lignite mining, Denmark 92:261
Lignon sulfonate, in hatchery diet 98:773
Lilly, water
  control by spraying 85:215
  nesting site, largemouth bass 91:32
Lime, effect on acid bog lake, MI 86:329
Limestone
  agricultural, effect on water chemistry, phytoplankton, and fish production in soft water ponds 104:308
  dissolved in revolving drums in flowing water 92:173
Lime sulfur, toxicity to cladocerans 95:167
Limiting factors, movement of stream fishes 85:46
Limnology
  basic, CO reservoirs 86:295
  brine-polluted stream, OK 85:21
  Brown's L., WI 85:242
  Columbia R., WA 86:115
  fertilized sunfish ponds 105:538
  Great Lakes, surveys 86:409
  Honnedaga L., NY 94:223
  Lake Erie 90:153
  Little Dixie L., MO 98:294
  Missouri R., effects of impoundments and channelization, NE 97:380
  Smith's Branch, IL 88:267
  trout lakes 89:199
  unfertilized ponds, pastures and woods 105:635
Lindane
  distribution, L. Poinsett, SD 99:496
  elimination from fish 96:301
  fate of, in lentic ecosystem 105:124
  in
    bottom mud, recovery efficiency 105:126
    water, recovery efficiency 105:126
  on quarry walls 105:127
  resistance of freshwater shrimp to 99:697
  toxicity, to
    cladocerans 95:166
    fish 87:47; 88:25; 90:265; 99:22
Linear alkylate sulfonate (LAS) toxicity to bluegill 100:1
Linear regression, weighted for two variables, IBM 709, FORTRAN II 94:196
Lineolate, effect of temperature, channel catfish 101:97
Lingcod
  commercial fisheries 84:301
  lymphocystis virus in 105:333
Lionfish
  population variability 94:314
  proposed introduction 102:7
Lipid
  animal and vegetable, hydrolyzed, in channel catfish diet 101:95
  content

salmon, coho 89:305
variation in channel catfish 105:267
Lipids, in
northern pike 84:150
other animals 84:150
Lipomas, in fishes 83:272
List, exotic species considered undesirable for introduction into N. America 100:184
Literature resources, Fish and Fisheries 100:403
Liver
fat, index of well-being, rainbow trout 86:166
glycogen
muskellunge, change from handling 103:338
trout, rainbow, effect of MS-222 on 101:125
in
hatchery diet 86:312
sunfish, redear, exposed to Hydrothol 191 98:53
pork, fed to bluegills 101:620
Lizardfish
inshore
food of 102:511
food, of juvenile red drum 104:38
killed by antimycin 98:291
population variability 94:314
range, taken in trawl 103:780
Loach
establishment and early dispersal, MI 89:376
ovarian damage, X-radiation 101:428
Lobster
catch, Canada 83:397
commercial fisheries 84:365
juvenile, food of skipjack tuna 94:238
landings, eastern US 97:81
Lobster, American
brushed, detected by staining cement on swimmerets 102:847
fecundity 98:537
retention of marks, and their effects on growth, behavior and migration 99:409
seasonal abundance, Boothbay, ME 104:669
sex ratio 104:673
sociology of Maine lobstermen related to management 104:653
tagged, movement 100:117
thermal tolerance 98:713
Lobster, Florida, sounds produced by 86:160
Lobster, Norwegian
life history 95:95
new fishery 95:92
Lobster, spiny
depth-protective effect of crude oil 104:577
mature, minimum size at Dry Tortugas, FL 104:675
sheltered in spiny sea urchin aggregations 100:586
young, sponge as shelter 93:204
Lobsterette, Agassiz's, taxonomy 95:93
Lobsterette, Caribbean, taxonomy 95:93
Lobsterette, Florida 95:93
Lobsterette, red, taxonomy 95:93
Lobsterettes, potentially commercial, W. Atlantic 95:92
Location
release, effect on survival of chinook salmon 99:672
topical, effects of, on cold branding techniques 102:637
Locomotor
activity, fish, kinetics 104:752
response, male channel catfish to female pheronome 101:302
Logging, effects, on
north CA streams 101:1
temperature and dissolved oxygen in spawning beds 104:111
Logperch
abundance, Clearwater L., MO 87:256
caught, by
electric beam trawl 97:292
electrofishing, L. Monona 103:670
changes in population, AuSable R., MI 1920-72 105:35
food of 88:213; 97:300
food of walleye 100:474; 103:15
fry, taken in new net 97:63
in
Gull L., MI 98:632
Saginaw Bay, L. Michigan 88:331
infected with blackspot 94:150
killed, by
electrical barrier 86:279
rotenone 90:292
oxygen consumption 102:127
repopulation after fish kill 103:84
Longevity
horseshoe crab 90:79
metacercaria 94:149
trout, brook 96:383
Longline fishery, Japanese, for Pacific billfish 104:8
Lookdown
juvenile, in Wickford Cove, Narragansett Bay, RI 97:64
survived antimycin treatment 98:291
Loon, common, brook trout trained to avoid 103:815
Loss, I^{131}, seasonal variation, in channel catfish 100:237
Lotus, American, killed by anhydrous ammonia 102:80
Lotus, in OK lakes 85:59
Louisiana, fish population, backwater lakes 88:7
Louvers
development of 86:42
efficiency, in deflecting steelhead 90:336
electrode array, efficiency in guidance of steelhead trout 96:422
for guiding fish 86:38
tests of efficiency 86:52
Lugworm, effect of Mirex on burrowing activity 105:700
Lunar soil, expose fish to 100:575
Lures, artificial, mortality of trout caught on 95:326
Lutein, contain xanthophyll, trout coloration 95:410
Lymphocystis
effect on white crappie 85:271
in
aquarium fishes 105:333
fishes 83:277,332; 101:563
infection in walleyes 85:271
location of tumors 85:271
seasonal incidence 85:271
specificity of different strains 85:278
ultrastructure in quillback rockfish 105:333

Lymphosarcomas, in fishes 83:271,338

M

Mackerel
  catch, Pacific coast 83:395; 97:84
  commercial fisheries 84:365
  food, of common bonito 95:227
  formation, during feeding 96:122
  tax on, CA 102:181
  tumor in 83:282
Mackerel, Atka, catch in high seas, N. Pacific 93:288
Mackerel, Atlantic
  effect of thermocline on 96:126
  feed on Atlantic silverside 104:762
  seasonal distribution, ME estuaries 102:543
Mackerel, chub
  eat young Atlantic menhaden 102:421
  near midwater artificial structure 102:569
Mackerel, frigate
  food, of blue marlin 91:226
  juveniles taken midwater trawl 99:60
Mackerel, horse
  age and growth, Chile 102:591
  coefficient of condition 102:103
  gonadal maturation and fecundity 102:101
Mackerel, jack
  catch, in high seas, N. Pacific 93:288
  commercial fisheries 84:358
  hours to empty stomach 98:383
  mortality 98:398
  off Pacific coast 87:311
  spawning and egg development 102:101
Mackerel, Japanese horse, oogenesis and fecundity 102:101
Mackerel, king, attracted to midwater artificial structures 102:563
Mackerel, Pacific
  commercial fisheries 84:358
  hours for food to pass through stomach 98:383
  opercular strap tag retention 102:636
Mackerel, snake, food of blue marlin 91:226
Macrobenthos
  community structure 101:707
  effect of acid mine drainage on 101:701
Macrofoods, of bluegill 103:257
Macroinvertebrates
  evolution of artificial substrate sampler basket 100:553
  spin-drying, for precision weighing 102:643
Macrophytes, quantities in fish ponds 99:710
Madtom, margined
  in Big Flatbrook, NJ 99:55
  population in PA streams 91:54
Madtom, resistance to endrin 95:325
Madtom, slender, repopulation after fish kill 103:82
Madtom, speckled, in Chipola R., FL 88:191
Madtom, tadpole
  albinism in 101:566
  average number in Linwood L. 89:71
  in
    Cedar Creek, WI 94:2
    Lake Waccamaw, NC 98:468
  killed by rotenone 90:292
Magnesium, in
  brine-polluted streams 85:18
  certain waters 84:99
Malachite green, in disease treatment 83:221,322
Malate dehydrogenase, in rainbow trout 101:494
Malathion
  acceptable limit of toxicity 96:187
  acute toxicity level 97:402
  avoidance by sheepshead minnow 98:426
  caused
    flexed fins, crooked back, and hemorrhaging in fathead minnow 101:317
    scoliosis in golden shiner 101:317
  effects, on
    caddisflies and mayflies 95:2
    salinity selection in mosquitofish 101:346
    shrimp, brown, pink, and white 104:783
    stonefly naiads 93:27,357
    swimming endurance and resistance to, by bluegills exposed to H_2S 101:620
  physiological effects on fish 90:143
  retardation of fin regeneration in mummichog 104:135
  toxicity, to
    cladocerans 95:167
    crawfish, red 92:428
    fish 87:41; 88:30; 90:265; 91:178; 99:22
    mosquitos 91:180
  trout did not decline in waters sprayed with 101:343
Male-nest relationship, smallmouth bass 104:85
Malnutrition 83:254
Mammals, toxicity of organic phosphorus insecticides 91:180
Management, fishery
  Alabama state-owned fishing lakes 94:129
  application of research in BC sockeye salmon 102:172
  Atlantic coastal fishery resources 88:105
  biological and economic aspects, marine commercial fisheries 88:100
  catchable trout fisheries, computer simulation 105:48
  computer simulation model 98:551
  disturbance of predator-prey balance 87:34
  ecological subsystems 102:470
  economic
    and political objectives 102:481
    evaluation of alternative commercial systems 98:347
  effect on a fish population 88:178
  fishing lake, AL 85:208
  fish population control 85:208
  freshwater fish, use of scuba 92:30
  Great Lakes, artificial propogation 86:384
  implications, of
    movement, rock and smallmouth basses 90:454
    replacing native by introduced species 92:199
  Iowa farm ponds, by farmers 86:366
  lake, use of toxaphene in 85:189
  large impoundments, Missouri R. 87:356
  multiple use reservoirs, survey of 88:45
  nursery sloughs for northern pike 92:109
  objectives, large impoundments, Missouri

R. 87:357
optimal control theory applied to 104:620
optimization in complex systems 102:492
policy, use of questionnaires in forming 105:232
practices
CA reservoirs 87:329
natural lakes 90:220
problems, in southeastern US reservoirs 87:333
profiles and biology of W. European streams 88:155
public opinion analysis in trout fishery 87:163
recreational fisheries, decision-making model 104:630
reservoirs
multiple use 87:200
problems 87:358
restocking
after fishkill 104:256
of lakes 85:208
size limit in largemouth bass 87:229
social context, ME lobster fishery 104:653
sport fishing in National Parks 89:234
status, natural lakes 90:218
theory and research application, to
Great Lakes 102:156
warmwater populations 102:164
tools 87:361
tributary streams, TN 86:155
trout lakes, implications of fertilization 89:204
use, of
fertilization 85:208
interracial hybridization, cutthroat trout 86:350
rotenone 90:295
vegetation control 85:208
with exotics 105:1
Management, species
alewife 90:285
anchovy, northern 102:178
muskellunge, TN streams 88:139
paddlefish 92:244
pike, shallow winterkill lake for production, MN 98:691
pupfish, Owens, CA 100:502
salmon
Atlantic 89:217
in WA 87:216
use in fishwheel 90:490
sardine, Pacific 102:178
shellfisheries, success and failure 95:260
steelhead
regulations 84:267
use of hatchery fish 84:261
trout
lake, significance of food habits 95:415
rainbow
in tailwaters, TN 85:91
problems in AB 86:266
Rocky Mountain region 90:222
tunas, tropical, eastern Pacific Ocean 99:629
walleyes 86:34
Red Lakes, MN 90:216
Manitoba, invasion of carp 88:203
Manuring, kinds and amounts, fish ponds 99:710
Marine fisheries, increasing harvest of 87:282
Marked fish
mortality 87:56
release, McNary Dam 90:61
returns
gag, after 6 years 99:428
salmon, chinook 87:132
snapper, red, after 6 years 99:428
Marking
alewife, effect on recapture and survival 102:633
crayfish, river, burned in shell 99:409
fish
subcutaneous with acrylic colors 103:140
use of liquid latex 97:281
Wyoming L. 91:64
investigations
steelhead 84:261
trout
brook 84:77
lake 84:55
walleye 84:125
program, steelhead 101:29
regulated temperature thermal marker 98:338
salmon
pink, with sprayed fluorescent pigment 99:397
sockeye fry, biological stains 92:379
shad, American, with Bismarck Brown Y and Neutral Red 99:600
shrimp, white, stain injections 103:108
thermal, salmon
chinook 98:331
coho 98:334
juveniles 94:386
use, of
fluorescent pigment 102:459
immersion stain 102:459
Mark-recapture, study, white shrimp 103:107
Marks, retention
American lobster 99:409
minnow, fathead, fluorescent pigment 101:128
trout, rainbow 98:225
Marlin, black, sport fishing catch 104:1
Marlin, blue
food habits 91:226
monthly catch, Puerto Rico and Honolulu 91:226
sex ratio 91:226
spawning cycle, sex ratio, and weights 97:131
sport fishery
catch 104:1
off Puerto Rico 91:225
weight distribution in catch 91:226
Marlin, striped
longline fishery catch 104:8
sport fishing catches 104:1
urinary calculi in 96:355
Marlin, white, off Puerto Rico 91:225
Maturation
schedules, program, IBM 1620, FORTRAN II 96:366
shrimp, pink 90:462
Maturity
bass
redeye, age of 83:209
striped
age of 85:154
length of 85:144
white, age at 100:569
yellow, age at 104:514

bloater, age and size 97:155
bullhead, black, length at 101:483
burbot, size and age at 101:671
carp, sexual 95:373
catfish, channel, L. Sharpe, SD 103:53
char, Arctic 105:619
classification of ovary stages 91:24
cobita 96:347
crappie, black, age of 83:176
darter, tessellated 101:86
fallfish 100:720
haddock, sexual 88:212
herring, Atlantic, length and age at 105:391
menhaden 98:219
muskellunge, age at 88:138
perch
black 95:108
yellow 104:729
shad, threadfin 100:74
smelt, rainbow, size and age 93:393
sucker, longnose, age of 83:43
sunfish, spotted, length of 85:123
trout
brown, sexual 105:529
cutthroat, effect of hooking mortality on reproductive 99:684
lake 94:75
age and length of 85:257
rainbow
age of 85:95
weight at 85:257
tuna, skipjack, sexual 101:626
walleye
age and size 90:203
sexual 101:658
whitefish
lake 89:331
mountain 105:210
round, age at 93:51
Maximum likelihood, population estimate method 85:60
Maximum size, lake sturgeon 84:222
Mayfly
dominant organism in Lake Erie bottom fauna 89:193
effect on, of
DDT on 86:215
heated water, drift 99:782
herbicides 98:438
low oxygen 101:675
elutriated from stony substrate 104:823
English, suggested introduction, New Zealand 97:2
food, of
bass
largemouth 101:652
white 103:33
burbot 89:375
chub, creek 100:285
crappie, white 100:310
drum, freshwater 97:443
killifish, plains 98:462
logperch 88:213
Mississippi R. fishes 89:32
perch, yellow 84:258; 88:330
piscivorous fishes 101:60
salmon, coho 91:407
sculpin, slimy 104:242
trout
brook 84:82; 94:189
cutthroat 84:245
walleye 86:26; 100:476
whitefish, lake 90:304
in
trout stream 98:254
Wenatchee R., WA 88:187
killed by TFM 96:412
larvae, caloric content 102:365
mass emergence 97:278
mass rearing of, method for 96:407
metacercariae in 98:1
method of estimating production 91:243
nymphs, fed bluegills 103:38
recolonization of denuded bottom by drift 93:311
test animal, toxicity tests 84:99
toxicity of Bayer 73 and TFM 105:324
Mealworm larvae, fed to pumpkinseed 97:489
Mean cell volume, muskellunge, changes from handling 103:338
Measurement, of
field, of minnow schools 102:840
potential fishing quality 90:165
turbidity 100:682
Medaka
eggs injected with estrogen 96:57
sex reversal, by use of
androgen 104:342
estrone 97:18
Medaka, Japanese, genetic experiment 83:232
Median toxicity threshhold, fish
to brines 84:100
variation in 84:100
Megalopterans, food, of
sculpin, black 103:272
trout, rainbow 102:35
Melamine-sulfonamide-formaldehyde resin, use in marking fish 96:157
Melanophores, variation in, sea lamprey 101:662
Member, Honorary, election of 83:405; 85:313; 97:102; 100:200; 101:200; 102:266
Members
in attendance at meeting 83:354; 84:317; 85:283; 86:434; 87:404; 88:237; 89:129; 90:121; 91:127
list of 83:435; 84:395; 86:297; 87:481; 90:344; 93:129
Menhaden
commercial catch, US 83:394; 84:358; 86:464; 87:444; 88:171;
distribution, Gulf of Mexico 89:338
fisheries, biostatistical data acquisition 102:452
landings, eastern US 97:80
mortality, gas bubble 92:321
parasites in 98:111
seasonal occurrence, northern Gulf of Mexico 92:301
taken in trap in salt marsh impoundment, LA 104:302
Menhaden, Atlantic
age composition of landings 101:291
annual catch 101:291
change in fatty acid composition fed brine shrimp 103:382
coastal movements 100:708
condition factor 100:300
effect, of
dredge spoil disposal on catch 103:500
fishing on stock 101:290
minimum temperature on survival of larvae 94:409
pesticide 97:400

temperature on growth 101:691
and salinity on survival 97:344
egg and larvae description 97:119
food, of
bluefish 105:525
striped bass 97:317
growth and annulus formation of tagged and untagged 103:292
humpbacked 97:277
in
saltwater marsh impoundment, SC 105:42
Wickford Cove, Narragansett Bay, RI 97:64
isopod parasite in 96:357; 105:328
juvenile, migration of tagged 102:417
killed by copepod 101:559
larval
effect of salinity and temperature on survival and development 95:423
occurrence and abundance, NC inlets 100:296
parasitic branchiuran on dying 101:559
retention in pound nets 105:370
seasonal distribution, ME estuary 102:543
stock-effort relationship 101:292
tidal cove night catch 104:31
unusually large 94:412
Menhaden, finescale
egg description lacking 97:119
life history 98:216
Menhaden, gulf
artificial fertilization 97:119
food of juvenile red drum 104:38
isopod parasite in 96:357; 105:328
larval, diel fluctuation in catch 101:729
life history 98:216
scale development 96:60; 100:570
standard length-total length relationship 104:408
streptococcal infection in 103:359; 104:286
taken in nekton subsampler 105:512
Menhaden, yellowfin
artificial fertilization 97:119
juvenile, first report beyond continental shelf, Bahama Islands 102:848
life history 98:216
parasitic isopod on 96:357; 105:328
Mercuric sulfide, marking sea lamprey larvae 93:21
Mercury
residues in yellow perch, white bass, and smallmouth bass 103:577
retention in muscle of yellow perch and rock bass 105:296
sublethal, behavioral alterations in mosquitofish and largemouth bass 103:134
toxicity to carp eggs 103:822
uptake, in brook trout in different pH concentrations 103:244
Merganser, American, winter diet 99:312
Mergansers
parasite in 88:96
predator, on
salmon, Atlantic 102:757
trout 102:757
Meristic
counts
bluefish 103:484
four centrarchids and 5 hybrids 95:284
post-larval and juvenile killifishes 95:218
silverside, brook 97:295
striped bass 94:278
sunfishes and hybrids 91:333
structures, effect of temperature on, developing smallmouth bass 102:142
Merluza chilena, used for human consumption, Chile 102:591
Mesh size, poundhead, function in retention and escapement from pound net 105:370
Metabolic efficiency, longnose gar 91:260
Metabolic rate
bluegill 103:38
dab, sand 102:428
effect on, of
low dissolved oxygen 90:392
nutritional state 90:390
size of fish 90:390
temperature 90:390
reduced, fishes, due induced schooling 102:125
Metabolism
^{14}C-DDT, in goldfish 99:385
community, acid and alkaline strip-mine lakes 99:577
dietary phosphorus, effect of temperature, brook trout 90:398
effect of temperature on cutthroat trout 104:552
flounder, young winter, under simulated estuarine conditions 102:423
standard, improved activity meter for determining 99:602
stream, effect of hatchery discharge on 103:228
trace mineral, research program 88:1
walleye 95:64
Metabolites, effect, on
alewife 89:38
killifish, CA 89:38
trout, brook 89:38
Metacercaria
effect of temperature on development 94:144
longevity 94:149
Metals, heavy, method of wet digestion of fish tissue for analysis 104:803
Metastasis, rainbow trout hepatoma 92:367
Meter, improved activity, for standard metabolism in fish 99:602
Method
administering dye 96:173
application of raw limestone, revolving drum 92:173
bioassay, toxicity of organic phosphorus insecticides 87:42
capture, influence on blood and mortality, rainbow trout 95:170
census, boating and fishing, Au Sable R., MI 96:258
continuous treatment of fish in holding chamber 96:55
creel census 92:2
AuSable R., MI 95:86
critique of research involving plastic bags in aquatic environment, rebuttal 99:612
Dahl-Lea, body scale relation 99:468
DeLury, determining angler harvest, rainbow trout 90:259
densitometric, for body fat in fishes 95:318
determining

feeding chronology in fish 91:313
fertilization requirements of small fishing lake 97:425
mortality rates using the Leslie matrix 105:380
electrophoretic 94:366
establishing acceptable limit of toxicity, malathion, 2,4-D 96:185
estimating
abundance of juvenile spot shrimp in nursery area 100:781
effects of fishing on population 97:231
fecundity, river carpsucker 98:523
maximum temperatures to be expected in ponds and small lakes 90:494
mortality coefficients 91:283
natural and fishing mortalities from tag recaptures 101:542
potential fish production, north temperate lakes 94:214
production of mayflies 91:243
production rate, stream bottom invertebrates 91:243
stomach capacity 100:572
year-class strength from abundance data from fishery, Green Bay, L. Michigan 104:245
fecundity, accuracy of, southern redbelly dace 98:524
fish population
dynamic pool models 97:232
logistic-type models 97:234
fish scale impressions 93:200
improved, freshwater commercial fisheries 87:304
intravascular injection and bleeding of fishes 95:317
isolating viruses, asymptomatic carrier 101:267
jaw-injection for marking warmwater fishes 95:432
latex injection, to mark fish 97:281
length frequency, aging striped searobin 99:348
making artificial fish eggs 105:349
mark and recovery 91:43
for estimating anglers' catch 100:495
mass rearing of mayflies 96:407
measuring swimming spped of aholehole in oxygen consumption studies 94:378
microinjecting materials into fish eggs 96:57
mortality rates and catch curves 90:182
new, assessing contagion in distribution of redear sunfish 94:135
otolith, aging striped searobin 99:343
photosynthesis 92:3
plankton pigments 90:32
population
AuSable R., MI 95:86
estimates 91:43
maximum likelihood 85:60
trout lakes 89:287
precalibrating re-oxygenation rates in experimental containers 105:343
preparation pesticide-free fish food 95:212
pyloric caeca count, separating largemouth and spotted bass fry 95:226
radioisotope
carp feeding rate 95:363
measuring food evacuation time in fish 103:626
rapid, of
decalcifying pectoral fin of channel catfish for sectioning 97:210
food habit studies 92:434
rearing
herring, thread, from eggs 98:527
salmon, chinook 87:132
research, critique of plastic bag in aquatic environment 98:335
scale reading, increased contrast 88:356
securing gut content from small live fish 105:520
sex determination, striped bass 87:104
simulate diel lighting pattern in laboratory 99:434
spin-drying of preserved fishes and macroinvertebrates 102:643
Stoeltzners, determining fish scale growth 94:93
successful tagging, Hawaiian anchovy 104:53
testing toxicity of zinc to fathead minnow 98:273
use of Doppler effect in fish movement study 92:178
wet digestion of fish tissue for heavy metal analysis 104:803
Methoxychlor
acute toxicity level 97:402
effect on riffle invertebrates 105:628
toxicity, to
cladocerans 95:166
fish 87:47; 90:265; 101:298
1,1-methylenedi-2-naphthol, selective poison for squawfish 98:676
Methyl orange, used to stain oysters 100:588
Methyl parathion
resistance of freshwater shrimp to 99:697
toxicity, to
crab, blue 92:430
crawfish, red 92:428
fish 88:30; 91:178; 99:22
shrimp, brown 92:430
xylene solution, toxicity to fish 87:41
Methyl testerone, used to produce unisex broods of tilapia 97:18
Metric system
appointment of Special Committee on 95:144
suggested conversion factors to English 97:515
Michigan, pelletized dry rations for trout 86:307
Microcrustaceans, taken in drift net 103:512
Microelectrophoresis, fish plasma proteins 104:150
Microhabitats, physical parameters, brown trout 98:230
Microhematocrit
marine teleosts 98:328
technique for estimating salmonid sperm concentration 105:534
Microsporidian parasite
attempt to transmit in pink shrimp 100:369
in
shrimp, pink 99:789
sole, English 102:405
Midge
effect, of
Aroclor on survival and reproduction 103:722
Bayer 73 and TFM on oxygen consumption

103:551
larvae
food, of
killifish, plain 98:462
salmon, coho 91:407
walleye 100:476
Lake Erie 90:153
taken by Ekman dredge 100:562
resistant to electroplating wastes 88:111
uptake and distribution of DDE in 101:323
Midges
distribution and density, influence of fish on 102:707
effect, of
fertilization on abundance 91:310
low oxygen on 101:675
food, of
bass, largemouth 101:652
bloater 92:250
drum, freshwater 96:218
trout
brook 94:189
cutthroat 84:275
Midshipman, plainfin
monthly occurrence, Big Beef Harbor, WA 101:727
twinning in 102:846
Migration
albacore, Atlantic Ocean 98:589
alewife 103:314; 104:483
bass
redeye 83:210
striped 85:144
Atlantic coast 90:13
Sacramento-San Joaquin R. population 96:327
spawning, blocked by total dissolved solids 96:405
bluefish 99:719
daphnia, vertical, relation to predation 104:739
Dolly Varden, use of dart tags 95:320
downstream
anadromous fishes 91:399
mortality at McNary Dam 90:58
salmon
coho 87:15
distribution of debris 98:239
trout
cutthroat fry 89:169
rainbow, juvenile 101:18
fish, generalized model 98:582
freshwater, weight loss in American shad during 101:549
grouper, red, tagged 96:228
grunt, white, tagged 96:228
hilsa, Indus R. 97:350
impact of obstructions during 87:436
lobster, American, marked 99:409
menhaden, Atlantic, tagged juveniles 102:417
pike, northern 92:93
salmon
chinook
effect of John Day Reservoir 98:513
seasonal changes in downstream 98:315
seaward 84:143
yearling, delayed due to dams 105:422
coho
gill ATPase and salt water adaptation 99:811
ocean 87:16
spawning, time and conditions 87:19
yearling, L. Michigan 103:10
Pacific 98:582
sockeye 99:649
diel pattern 97:367
fry, behavior and survival 91:133
Redfish L., ID 97:360
travel time and factors influencing 102:723
upstream, spill pattern manipulation 95:397
sculpin, torrent, spawning 102:620
shrimp
northern 98:68
pink 89:7
juvenile, distribution in Buttonwood canal, FL 99:401
river, spawning 103:120
steelhead
seaward and return 92:202
size and age at 92:205
tautog 95:239
trout
cutthroat
fry, factors influencing genetic control 104:474
lakeward, genetic control 100:33
Oregon 91:77
searun 100:302
spawning 89:171
rainbow
effect on spawning potential 91:63
postspawning 100:314
prespawning 100:314
stocked, Great Lakes 100:344
turtle, green 98:582
Milfoil, American, in Hebgen L., MT 90:270
Milfoil, water, in Cedar Creek, WI 94:2
Milkfish, in Philippine ponds 89:143
Milk, skim, dry, in hatchery diet 86:162,313
Millipedes, food of rainbow trout 85:76
Mineral retention, effect of 3 diets on channel catfish 105:482
Minerals
chelated, evaluated in open formula diets 98:772
in channel catfish diet supplement 101:95
role in trout nutrition and physiology 88:133
Minnesota
creel census 87:52
walleye sportfishing statistics 87:52
Minnow
ecological segregation 102:794
food, of chain pickerel 102:150
in
Cedar Creek, WI 94:2
west European streams 88:156
nitrite toxicity fatality 103:389
schools, field measurement technique 102:840
use of Stoeltzner's method, scale growth 94:94
Minnow, bluntnose
abundance, Clearwater L., MO 87:256
average number in Linwood L. 89:71
catch, electrofishing L. Monona 103:670
caught in electric beam trawl 97:292
change in population, AuSable R., MI, 1920-72 105:35
ecological segregation 102:794
effect of pesticide 97:400
fed muskellunge 92:183
feeding habits 102:799
importance of olfaction in homing 100:41

in
Big Piney R., MO 103:761
Crooked L., IN 97:295
Gull L., MI 98:632
Michigan trout streams 90:252
Rich Creek, VA 104:447
Smiths Branch, IL 88:266
infected with blackspot 94:150
introduced after lake poisoning 92:53
leech infestation 98:115
no cumulative effect of endrin 99:489
productivity in small IL stream 84:113
repopulation after fish kill 103:82
standing crop, ON stream 94:352
test fish, toxaphene toxicity 85:180
Minnow, brassy
changes in population AuSable R., MI, 1920-72 105:35
infected with blackspot 94:150
Minnow, bullhead
killed, by
anhydrous ammonia 102:77
rotenone 90:292
oxygen consumption 102:127
Minnow, cutlips
in Big Flatbrook, NJ 99:55
leech infestation 98:115
population in PA streams 91:54
Minnow, European
homing in shoals 104:454
schooling of 102:841
Minnow, fathead
abundance and distribution, alkaline water, NB 97:52
age, growth, food habits 103:743
anesthetic effect of 4-SP 93:207
association with northern pike 91:327
average number in Linwood L. 89:71
bait species for largemouth bass 102:355
bioassay of, effect of instant temperature increase 101:403
changes in population, AuSable R., MI, 1920-72 105:35
chlorine induced mortality 104:801
chronic effects, of
elevated temperature on growth and survival 100:659
zinc 98:272
clean monogenetic nematode from largemouth bass 99:600
determination of sexes 98:526
ecological observations 97:52
effect on, of
ABS 94:29
conifer wood fibers 94:402
dissolved oxygen, metabolism 95:77
PCB's, survival and reproduction 103:562
pesticide 97:400
pulpwood fiber, oxygen consumption and swimming endurance 95:71
temperature, metabolism 95:77
sanctuary, population 104:441
suspended wood fiber, blood hematocrit 95:81
wood fiber, gills 95:82
exposed, to
cadmium 105:550
copper 104:353
wood fibers 95:60
external sex determination 103:343
food, of
bass 88:126
bass, largemouth 93:316; 105:241,245
in laboratory 101:539
pike, northern 97:28
sauger 97:163
freshwater cell line, FHM 102:599
functional morphology of dorsal pad 103:65
growth 97:53
in
Alabama intensive fishing pond 100:758
Alberta pothole 86:262
brine polluted stream 85:26
four CO lakes 104:234
Green R., UT 98:196
Long L., MN 102:803
Michigan trout streams 90:252
prairie lake, MN 88:179
Rich Creek, VA 104:447
upper and middle CO R. basins 104:224
winter kill lake 98:695
interstate transport, carrying furunculosis 85;310
introduced, in
CA reservoirs 87:324
Sporley L., MI 96:2
killed, by
ABS 92:372
rotenone 90:292
toxaphene 91:15
lethal threshhold concentration of hexavalent chromium, phenol and sodium pentachlorophenate 104:567
mortality, from suspended fiber 94:252
ovipositor 98:526
pesticide residue in 99:499
population, exponential decrease 99:807
reproduction 97:53
resistance to hydrogen sulfide 101:625
squamation chronology 99:429
standing crop, ON streams 94:352
stocked in bass ponds 100:460
success in IA ponds 86:363
susceptibility, to
DDT 99:89
insecticides 99:21
test animal
organic phosphorus insecticides 90:143
toxicity tests 84:97; 87:42; 88:25
test on lunar soil 100:575
toxicity, of
2,4-D 99:2
DDT and endrin, under static and dynamic bioassay conditions 99:13
dieldrin 86:245
2-(digeranylamino)-ethanol 103:185
guthion 94:205
malathion 101:317
methoxychlor 101:298
organic phosphorus insecticides 91:176
salicylanilide I 101:528
studies 90:264
TFM 91:342
use in toxicity tests 96:185
Minnow, loach, endangered species 95:138
Minnow, mud, in alkaline lake, NE 97:53
Minnow, Ozark
in Big Piney R., MO 103:761
repopulation after fish kill 103:82
sexual difference in heat resistance 99:588
Minnow, plains, in brine polluted stream 85:26
Minnow, pugnose, killed by rotenone 90:292
Minnow, sheepshead

avoidance of pesticides 98:426
effect on, of
Aroclor
eggs, fry, juveniles and adults 104:584
embryos and fry 103:582
DDT 94:153
pesticide 97:400
factors influencing distribution 101:89
increased sensitivity to pesticides 95:110
mortality due inhibition brain AChE from pesticides 101:534
survival antimycin treatment 98:291
taken in trap in salt marsh impoundment, LA 104:300
thyroid tumor in 104:138
Minnow, silverjaw
in Smiths Branch, IL 88:266
reproduction 102:786
reproductive biology 100:510
Minnow, silvery, oxygen consumption 102:127
Minnow, suckermouth, in Smiths Branch, IL 88:266
Mirex
effect, on
bluegill and goldfish 97:185; 103:366
burrowing activity of lugworm 105:700
channel catfish production 103:366
predator-prey interaction in estuarine ecosystem 105:546
toxicity to red crawfish 92:428
Missouri, growth of fishes, Salt R. 87:116
Missouri R., fish management problems of large impoundments 87:356
Mites
aquatic, effect of rotenone 98:542
water
food, of
buffalofishes 99:335
salmon, coho 103:127
silverside, brook 97:301
sucker, longnose 83:40
trout, cutthroat 84:291
in beaver pond 84:81
taken in drift net 103:513
Mixing depth, effect on productivity, freshwater impoundments 91:69
MK-51, treatment of kidney disease 88:119
Models
Beverton and Holt, population dynamics 104:620
competing populations, computer simulation 98:568
comprehensive time series, for studying effects of reservoir management on fish population 104:591
computer simulation for fisheries research, management and teaching 98:551
decision making in recreation fisheries management 104:630
ecological, Fish Communities and Fisheries 102:56
exponential surplus-yield, for optimizing exploited fish populations 99:80
fish biomass dynamics 103:786
flounder, winter, migration 98:583
generalized, fish migration 98:584
Ivlev's, evaluation of, competition for food 103:772
marine ecosystem 98:571
mathematical, estimation of year class strength from abundance data 104:246
predicting withdrawal of striped bass by Hudson R. power plants, comparison with field data 104:710
reservoir cove ecosystem, computer simulation, description of 104:596
Schaeffer logistic 104:620
Mojarra
food habits 105:516
in L. Atitlan, Guatemala 26:211
Mojarra, spotfin, population variability 94:314
Mojarra, yellowfin, killed by hurricane 91:377
Molinate, acute toxicity level 97:402
Mollies, hybrids, introduced into FL 102:4
Molluscs
bivalve
basic requirements for culture 98:744
culture, disease prevention 98:748
food for larvae 98:745
temperature requirements 98:746
toxic, during red tide 100:112
food, of
bluegill 103:258
buffalofishes 99:335
chub, creek 100:285
flounder, young winter 103:264
grouper 89:12
haddock 94:247
hake 101:518
silver 89:239
marine fishes, juvenile 102:514
rockfish, copper 102:415
shiner, spottail 93:41
squawfish, northern 88:199
tonguefish, blackcheek 105:204
tuna
bluefin 99:728
skipjack 94:238
in alpine lake 102:677
not killed by antimycin 98:291
parasite on centrarchids 104:279
Molly, black, introduced into FL 102:4
Molly, broadspotted, introduced into FL 102:4
Molly, genetics of 83:233
Molly, liberty, introduced into FL 102:4
Molly, sailfin
effect on, of
DDT 94:153
dieldrin 99:489
pesticide 97:400
food, of FL gar 89:307
Molly, shortfin, in Moapa R., NV 105:505
Molly, swordtail, introduced into FL 102:4
Monocanthid, food of grouper 89:13
Monosex culture, potential of androgenesis and gynogenesis in 105:14
Montana
effect of highway construction on streams 88:72
kraft paper waste on stream 88:153
Monuron TCA, effect on fishes 96:415
Mooneye
in
Alabama 83:50
Black R., MO 87:243
Norris Reservoir 92:362
southeastern US reservoirs 87:336
mayflies and caddisflies as food 89:32
records, age, growth, Great Lakes 90:170
Moray, spotted blood cell size 98:330

Morphological relationship, Atlantic and Pacific tunas 85:14
Morphological variations, sculpins 97:46
Morphology
  chromosome, analysis of hybrid swarm 99:139
  functional, dorsal pad, fathead minnow 103:65
  hybrid, salmon crosses 97:113
  sperm, and ultrastructure of channel catfish 105:475
Morphometric data, plains killifish 98:463
Morphometric measurements, inconnu X whitefish 100:364
Morphometry, freshwater drum, comparative 97:429
Mortality
  alewife 90:285
    eggs 99:377
    freshwater 103:314
  alga, due high temperature 101:694
  angling, influence on trout and sculpin abundance 95:381
  aquatic invertebrates to TFM 96:410
  bass, striped, juvenile, effects of temperature, salinity, and age 104:562
  bluegill
    effect of 2,4-D on 99:8
    energy deficity 98:398
    exposed to temperature and zinc stress 101:435
  crab, stone, due high temperature 101:694
  crappie, black, passing through turbine 85:84
  differential
    between AC and DC current 84:96
    sex, from handling 90:80
  downstream migrants, McNary Dam 90:58
  drum, freshwater 99:569
  effect of pressure on fishes 94:90
  estimate of hatchery brook trout in lake 92:53
  estimates
    coefficients of exploited fish populations 91:283
    Minnesota lake 87:56
  factors operating in direct current unit 86:281
  fish
    application rate, insecticides 88:30
    chlorine-induced 104:800
    due to toxaphene 91:17
    effect of hurricane 91:377
    exposed to DDT 94:154
    from DDT spraying 90:239
    Muddy Run pumped storage project 105:169
    passing through hydraulic turbine 93:251
    zinc-caused, autopsy technique 93:174
  fishing, king crab males 93:295
  flounder, winter 104:13; 105:647
  food, presence of as factor in muskellunge larvae 104:338
  from
    oxygen depletion, cutthroat trout 84:276
    tags, in enclosures 85:126
  gas bubble, fishes in Galveston Bay, TX 92:320
  goldfish, lack of vitamin A 100:678
  herring, following yolk absorption 98:398
    lake, larval, effect of turbidity 105:543
  hooking
    salmon, Atlantic 105:365
    trout, cutthroat, in relation to temperture, fatigue and reproductive maturity 99:684
    trouts 105:368
  increased, effect on young in population of brook trout 100:456
  index of well-being, rainbow trout 86:166
  instantaneous, program IBM 1620, FORTRAN II 96:366
  mackerel, jack 98:398
  mass, due *Ichthyosporidium hoferi* 97:92
  method for determining rates, using Leslie matrix 105:380
  minnow
    fathead, from suspended fiber 94:252
    sheepshead, due inhibition brain AChE by pesticides 101:534
  mosquitofish, to endrin 95:337
  natural
    American shad 90:228
    suggestions for reduction in fish populations 87:380
  paddlefish 92:243
  perch, yellow, eggs, from high winds 104:524
  periodicity of, first summer in brook trout 91:408
  salmon
    Atlantic 92:198
    by gear types 105:367
    chinook
      caused, by
        embryological damage 85:206
        temperature 85:205
      effect of X-ray and temperature on 100:267
      following irradiation 93:336
      larvae and eggs by hydra 90:329
    coho, juvenile
      at various oxygen concentrations 91:158
      in low oxygen 90:470
    pink, sprayed with fluorescent pigment 99:399
    silver
      eggs 87:210
      under artificial light 87:160
  salmon and trout
    hexamitiasis 94:59
    passing through orifices in gatewells of turbine intakes 101:381
    smolts, gas supersaturation in water 105:340
  sardine, Pacific 98:398
  sculpin, juvenile, Sagehen Creek, CA 97:496
  seatrout, spotted 91:395
  shad, threadfin, passing through turbines 85:83
  shark, caused by lactate acidosis 100:139
  shiner, emerald, trends 96:255
  shrimp
    caridean, due to high temperature 101:694
    pink, due to high temperature 101:694
    white 103:110
  size-related, in natural pond fish kill 103:240
  smelt, rainbow, eggs, causes of 94:166
  sucker, white, and Atlantic salmon, bacterial infection 98:685

total, rate, Red Lakes, MN 90:215
toxahpene to spot 93:397
trout
brook 92:199
in hatchery 89:37
brown, energy deficit 98:398
caught on artificial lures 95:326
due to DDT 101:638
eggs and alevins, from suspended fiber 94:252
lake, caused by tagging 85:260
rainbow
energy deficit 98:398
influence of capture methods on 95:170; 96:220
toxin of *Clostridium botulinum* 96:68
winter 92:42
walleye
eggs 90:322
from suspended fiber 94:252
Mortality rates
and catch curves 90:181
annual
bass 104:273
largemouth, Brown's L., WI 85:254
flounder, winter 94:262
trout, lake, Cold Stream Pond, ME 85:267
bass, largemouth 87:230; 91:46
drum, freshwater 94:343
flounder, winter 98:611
natural and fishing, use of tag recaptures to estimate 101:542
relative, yellow perch 100:743
walleye fry 101:720
Mosquito control, with DDT
effect on zooplankton 92:211
Sebago L., ME 95:161
with parathion 90:143
Mosquitofish
avoidance behavior to insecticides 103:557
behavior alteration due mercury 103:134
behavior using largemouth bass as predator 101:367
effect on, of
DDT 94:153
DDT and malathion, salinity selectivity 101:346
endrin 90:394
introduction 97:4
pesticide 97:400
food, of
bass, largemouth 101:651
gar, FL 89:207
genetics of 83:233
heat tolerance 103:331
high heat resistance 100:671
in
brine polluted stream 85:26
California reservoir 87:202
Fish Slough, CA 100:506
Lake Waccamaw, NC 98:468; 100:728
Moapa R., NV 105:505
small OK lakes 85:60
thermal stream 104:536
killed, by
anhydrous ammonia 102:76
rotenone 90:292
oxygen consumption 102:127
relation of population density to spawning 105:684
repopulation after fish kill 103:85
resistance to endrin 95:325
responses to ash effluent and thermal stress 105:686
test animal, fluoride toxicity 89:363
uptake of DDT 105:301
uptake and release of endrin by susceptible and resistant strains 95:335
Mosquito larvae, labelled with isotope 90:52
Motility, sperm, effect of tannin on walleye 104:808
Movement
alewife 103:392
bass
largemouth, in impoundments detected by underwater telemetry 104:696
smallmouth
in streams 91:348
middle Snake R. 99:44
striped
in Chesapeake Bay 104:703
seasonal, Long Island Sound and New York Bight 97:320
bluefish 99:719
bluegill, fry, intralacustrine 96:416
catfish
channel, marked, in Little Sioux R., IA 96:351
flathead, KS 88:345
crab
blue 94:291
on S. Carolina coast 91:275
king, males 93:295
diel
river shrimp 103:124
smelt, longfin 103:49
differential, digestible and indigestible food fractions in rainbow trout 101:112
drum, freshwater, young 99:568
electrode for detecting, in gradient tanks 101:714
fish
detected by amplifier 103:391
in TN streams 86:151
relation to dissolved oxygen 90:306
use of Doppler effect to study 92:178
flounder, winter
off Massachusetts 104:13
related to hurricane barriers 91:189
halibut, Atlantic, tagged, off New England 90:489
lobster, American, tagged 100:117
menhaden, Atlantic, coastal, inferred from length and age changes 100:708
pollutants, traced with isotope 90:49
redhorse
black, seasonal 99:555
in Des Moines R., IA 91:414
salmon
Atlantic, hatchery-reared 89:212; 91:101
effect of food, temperature, stream flow, cover and population density 100:423
effect of radioactivity on juvenile 102:317
sockeye, coastal, ultrasonic tracking 105:64
sauger, young 97:162
sculpin, torrant, intragravel 102:620
shiner, coastal 100:732
stream fishes
definition of types 85:42

factors influencing 85:46
influence, of
season 85:52
size 85:53
influenced by locality of release 85:46
trout
brown, in relation to density 104:688
cutthroat 100:41
Oregon coastal streams 94:334
effect of food, temperature, stream flow, cover, and population density on 100:423
headwater refuge 93:195
lake, L. Superior 97:481
observations on wild trout 97:472
planted and wild trout, ID river system 93:70
rainbow
fry, downstream, under permanent and intermittent flow 104:467
in tailwater 85:88
Lake Washington system 103:250
stocked, Great Lakes 100:336
upstream, of fish, control by pulsated direct current 86:269
use of scuba 92:33
walleye 86:28
and sauger, upper Mississippi R. 94:270
tagged, L. Erie 92:414
water, influence on growth of salmon and trout embryos 93:342
whitefish, mountain, N. Fork of Clearwater R., ID 104:68
MS-222
anesthetic effect
on sea lamprey and fishes 93:208
properties 97:496
effect, on
blood sugar and liver glycogen in rainbow trout 101:125
H_2S, response of bluegills to 105:447
oxygen consumption by sockeye salmon 90:226
various fishes 89:165
removed from water by activated carbon 105:120
used to anesthetize fish 100:43
Mucus producing cells, walleye 95:67
Mud Creek, AR, repopulation following pesticide pollution 103:79
Mud, food of longnose sucker 103:427
Mudminnow, central
changes in population, AuSable R., MI, 1920-72 105:35
in Pigeon R., MI 90:256
killed by anhydrous ammonia 102:76
Mudminnow, eastern
in L. Waccamaw, NC 98:468
parasitic copepod on 88:128
Mudminnows
not infected by blackspot 94:150
survival of lake poisoning 92:53
Mudpuppies, predators on trout eggs 86:74
Mudsucker, in CA Reservoir 87:202
Mudsucker, longjaw, bait species for largemouth bass 102:355
Mugil, white, bait for blue marlin 91:227
Mullet
affected by hurricane 91:378
effect of ABS on 94:27
food of red drum juveniles 104:38
taken by spearfishing 92:32
Mullet, golden, iodine secretion 99:515
Mullet, striped
assimilates detritus 103:831
detritus-algal feeder 99:838
effect on, of
DDT on 94:153
pesticide 97:400
temperature on fatty acids 101:97
established fresh waters, New Zealand 97:10
fed to penaeid shrimp 101:547
in
Chipola R., FL 88:191
Louisiana backwaters 88:10
North Carolina inlets 100:301
saltwater marsh impoundment, SC 105:42
Wickford Cove, Narragansett Bay, RI 97:64
killed by Antimycin 98:291
oxygen consumption 102:127
streptococcal infection in 103:359; 104:286
taken in trap in salt marsh impoundment, LA 104:300
thermal tolerance of eggs and larvae 104:144
toxicity of endrin 95:155
two unusually large and small 100:579
urinary calculi in 96:356
used as bait, sport fishing 102:574
Mullet, white
effect of pesticide 97:400
fin rot in 102:599
toxicity of sevin 96:29
Mummichog
abnormal vertebrae 94:87
DDT in 99:392
effect on, of
ABS 94:27
dissolved oxygen, acute toxicity of cadmium 104:129
fin rot in 102:599
immature, caught in NC inlets 100:301
length-weight relationship 102:554
not infected by parasitic isopods 105:327
occurrence of diazinon-C^{14} and parathion-S^{35} in 95:345
retardation of fin generation by several insecticides 104:135
sexual difference in hematocrit 98:329
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
toxicity, of
crude oil 104:576
endrin 95:155
twinning in 102:846
use of head scale pattern in identification 94:265
Mummichog, common, in Wickford Cove, Narragansett Bay, RI 97:64
Mummichog, striped, in Wickford Cove, Narragansett Bay, RI 97:64
Munsel Lake, Oregon, fishes in 100:55
Murrel, susceptibility to DDVP and Phosphamidon 98:431
Muskellunge
decline in perch population following stocking of 100:739
food and feeding habits 88:139
growth rates 88:138
in
Lake Winnebigoshish 90:312
Minnesota lakes 85:193
southeastern US reservoirs 87:335
Tennessee streams 88:136
management, TN streams 88:139

maturity and spawning habits 88:139
normal embryonic development 102:384
pathogenic bacteria in 103:115
physiological responses to handling 103:336
presence of food as factor in growth and mortality of larvae 104:338
scale regeneration 83:206
size limit 90:221
stocked in reservoir 102:169
temperature effects on 102:89
tumors in 83:271
Muskgrass, in NE alkaline lakes 91:328
Muskrat, food of northern pike 94:96
Mussel, bay, toxicity of sevin 96:26
Mussel, fed young winter flounder 102:424
Mussel, pigtoe, decline in TN River 101:709
Mussel, scorched, food of pompano 98:483
Mussels, freshwater
food of largemouth bass 101:652
occurrence of diazinon-C^{14} and parathion-S^{35} in 95:345
Mutant, color, chain pickerel 101:370
Myristate, effect of temperature on, channel catfish 101:97
Mysids
abundance, Puget Sound 88:318
estimate of abundance 103:46
food, of
drum, red, juvenile 104:37
fishes, juvenile marine 102:515
perch, Pacific ocean, juvenile 105:198
pompano, juvenile 100:486
salmonids 103:812
tonguefish, blackcheek 105:204
Myxobacterioses, in fishes 96:91
Myxoma, in freshwater fishes 83:271
Myxomatas, in freshwater fishes 83:274

N

Na^{24}, use in fish culture and hydrobiology 90:49
NaCl, sperm activity maintained by 94:401
Naiad, introduced into FL 102:2
Na-K-ATPase elevation, steelhead, effect of water temperatures 104:766
Nandus, susceptibility to DDVO and Phosphamidon 98:431
Nannoplankton, bloom, following liming 86:338
Narcosis, electric fishing 92:269
Natural reproduction, lake trout 85:102
Nauplii
abundance in guthion-treated and nontreated ponds 94:207
food of largemouth bass fingerlings 89:231
Nb^{95}, uptake by fishes 95:150
Necroses, spontaneous, in muscles of brown shrimp 99:583
Needlefish, Atlantic
fin rot in 102:599
food of 102:511
Needlefish, flat, food of blue marlin 91:226
Needlefish, food of blue marlin 91:226
Neguvon, effect on bluegill 101:318
Nehu, native bait fish for skipjack tuna 93:291
Nekton
device for subsampling large numbers 105:509
quantities in fish ponds 99:710
stationary drop-net for estimating abundance in shallow water 104:46
Nematodes
cause of visceral adhesions in salmon 94:180
effects of rotenone 98:542
food, of
bullhead, black, juvenile 99:597
chub, roundtail 98:204
marine fishes, juvenile 102:519
perch, Pacific ocean 105:198
silverside, Waccamaw 98:470
squawfish, Colorado 98:203
whitefish, mountain 105:216
in
beaver ponds 84:81
toadfish 92:172
trout, rainbow 94:184
parasites
of bass 95:24
on
bass, largemouth, bluegill, and warmouth 104:279
shrimp, pink 99:790
sole, English 102:405
trout, cutthroat 84:294
taken in drift net 103:511
Neomycin sulfate, treat parasites in fathead minnow 104:567
Neomycin, treatment kidney disease 88:120
Nephropsids, potentially commercial, W. Atlantic 95:92
Nest building, rainbow trout 100:314
Nest desertion
bass, largemouth and smallmouth 97:258
walleye 97:258
Nesting habits, white crappie 94:182
Nests, largemouth bass, destroyed by waves 104:524
Net, for catching limnetic fry 97:61
Net-board, for setting beach seine from small boat 101:133
Net catches, confidence limits of means and medians 89:53
Nets
commercial, selectivity and effectiveness 88:81
fyke
catch composition, MA pond 87:110
removal of trash and panfish 87:108
gill
efficiency of nylon 89:181; 102:778
selectivity and efficiency, L. Huron 90:413
selectivity of 91:263
for
bass, largemouth 88:198
bullhead, brown 88:198
crappie, black 88:198
kokanee 88:198
peamouth 88:198
perch, yellow 88:198
pumpkinseed 88:198
shiner, redside 88:198
squawfish, northern 88:201
sucker
largescale 88:198
longnose 88:198
tench 88:198
trout, rainbow 88:198

whitefish
lake 88:198; 89:176; 90:337
mountain 88:198
walleye 90:210
use in TVA lakes, AL 88:81
use of roller in fishery investigations 91:224
variations in catchability of fishes due to color of 102:109
vertical, study depth distribution of small fish 97:296
nylon, efficiencies of, lake whitefish 89:184
pound, retention and escapement, as function of mesh size 105:370
riprap, use in TVA lakes, AL 88:81
trammel, use in TVA lakes, AL 88:81
trap, rate of escape of fish from 97:59
various, catch in TVA lakes, AL 88:83
Nettle, sea, feed on ctenophores 98:707
Neurophysiology, of electric fishing 92:265
Neuropterans, food, of
salamanders 102:36
trout, rainbow 102:35
Neutral red
marking
salmon, sockeye, fry 92:379
shad, American 99:600
troutperch 99:600
used to stain oysters 100:588
Nevada, cui-ui in Pyramid L. 87:33
New Zealand, interactions of native and alien faunas, problem of introductions 97:1
Newts, rough skinned, in OR farm ponds 92:82
NF-23, use in control of furunculosis 97:227
NF-67, use in control of furunculosis 97:27
NF-86, use in control of furunculosis 99:227
Niacin, requirement of trout 83:256
Nickelcyanide, toxicity to fish 95:7
Nicotinic acid, deficiency in trout 83:258
Nile Blue, used to stain oysters 100:588
Nitrate, in certain waters 84:99
Nitrification facilities, design for trout hatcheries, for water reuse 102:323
Nitrite toxicity
experimental, rainbow trout and chinook salmon 103:389
to minnow 103:389
Nitrofurantoin, treatment of kidney disease 88:119
Nitrofurazone, treatment in kidney disease 88:119
Nitrogen
balance, in grass carp fed elodea 103:587
dissolved, supersaturation, lake water, precaution in hatchery use 96:195
effects, on
salmon 99:664
of John Day Dam on concentrations and salmon in Columbia R. 99:664
excretion
effect of handling stress on, bluegill 102:629
starving fishes 100:18
Lake Erie 90:158
level in water, in channel catfish feeding operation 104:811
liquid, use in cold branding 102:637
loading, effect of hatchery discharge on 103:228
supersaturation in Columbia R. 99:664
Noise
effect, on
bluegill larvae 102:134
eggs and larvae of two estuarine fishes 102:134
underwater spectra, response of cutthroat trout to, for orientation and homing 98:652
Nomeids, in shipboard aquarium 97:287
Nomograph, calculation of growth 99:471
North American Atlantic Salmon Council 102:256
North American Fish Policy 94:117
Novobiocin, treatment of kidney disease 88:120
Noxfish
effect on municipal water supplies 90:287
removal from water by activated carbon 105:120
Numbers per acre, fishes, ON streams 94:352
Numerical abundance, spawning walleyes 84:127
Nursery grounds, English sole, parasites as indicators 102:405
Nutrients
limiting, primary production in subalpine lake 102:698
list and concentration, subalpine lake 102:699
problems in private hatcheries 87:374
Nutrition
trout, role of minerals 88:133
use of isotopes 90:49
Nutrition and disease 83:254
Nutrition enrichment
effect on carp and bass populations 102:346
subalpine lakes 102:705
Nutritional state, effect on metabolic rate 90:390
Nymphulinae 98:542
Nystatin, used to isolate virus 101:267

O

Oat flour, in hatchery diet 98:773
Objectives, management, large impoundments 87:357
Observation, underwater, behavior of pumpkinseed 100:350
Occurrence
hybrid, striped bass X white bass, in VA 100:787
larval Atlantic menhaden, NC inlets 100:296
monthly, fish species in small stream 103:460
new, red shiner, NC 105:220
seasonal
menhaden, in N. Gulf of Mexico 92:301
pompano, LA 99:353
two species, hake GA estuaries 101:513
Oceoanographic features, N. Pacific Ocean 99:652

Octocoral, depth protective effect against crude oil 104:577
Octopods, food of blue marlin 91:226
Odonatans, food, of
  perch, Sacramento 104:235
  salamanders 102:36
  salmonids 103:812
  trout 103:426
Odonate, nymphs, food, of
  bass
    spotted 98:649
    white 103:29
Odonates, elutriated from stony substrate 104:823
Offal
  nutrient content 99:809
  utilization as protein supplement, in animal feed 99:809
Officers, list of 83:3; 84:3; 85:3; 86:3; 87:3; from 88 on, inside front cover
Oil
  crude, toxicity to rabbitfish 104:571
  herring, in hatchery diet 98:773
Oil content, fish livers 84:152
Oklahoma resevoir 84:39
Oleate, effect of temperature on, channel catfish 101:97
Olfaction, importance in homing chinook salmon 100:41
Olfactory apparatus
  development and histology, Artic grayling 101:284
  development in cutthroat trout 101:284
  organs, common killifish, distinguish edible and nonedible material 95:109
  rosette, Atlantic salmon 101:284
Oligochaetes
  abundance, benthos, Platte Creek 104:527
  aquatic, toxicity of 2-(digeranylamino)-ethanol 103:738
  food, of
    chub, roundtail 98:204
    salamanders 102:36
    salmon,coho 103:12
  in
    alpine lake 102:677
    Lake Erie 90:153
    Rainy R., MN 96:289
  taken in Ekman grab 100:562
Omaka, growth of, HI 102:617
OMPA, toxicity to fish 87:41; 88:30; 91:178
Opah, catch in high seas, N. Pacific 93:288
Opaleye
  blood cell volume 98:330
  rate of acclimation to higher temperature 100:670
Opercle, use in age and growth, tautog 96:134
Opinions, survey of MI sport fishermen 93:183
Optimal control theory, application to fisheries management 104:620
Oregon
  aerial planting of trout 87:182
  sockeye disease (OSD) 98:796
Orfe, undesirable exotic 100:184
Organic
  insecticides, effect on stonefly naiads 93:27
  matter, effect on COD 102:60
Organisms
  aquatic, effect of Zectran on 101:330
  exotic, in FL 102:1
Organophosphates, toxicity to cladocerans 95:167
Organophosphorus insecticides
  effects on mayflies and caddisflies 95:1
  toxicity to fish 88:30
Orientation cues
  phalanx, little tuna when feeding 96:122
  salmon, sockeye 105:69
  trout, cutthroat, in relation to underwater noise spectra, fish sounds 98:652
Orifice placement, in gatewells of turbine intakes for bypassing juvenile fishes 100:319
Oscar, introduced into FL 102:4
Osmolality
  catfish, channel, effect of zinc and copper on blood serum 100:639
  shiner, golden, effect of zinc and copper on blood serum 100:639
Osprey, predator on cutthroat trout 84:294
Osteomas, in fishes 83:273
Ostracods
  effects on, of
    rotenone 98:542
    sodium arsenite and silvex 94:376
  food, of
    alewife 105:92
    bloater 92:250
    buffalofishes 99:335
    bullhead, black, juvenile 99:597
    Dolly Varden 88:256
    killifish, plains 98:462
    kokanee 102:34
    minnow, fathead 103:748
    perch
      Pacific ocean, juvenile 105:198
      Sacramento 103:401
    pike, northern, juvenile 92:100
    pupfish, Armagosa 104:536
    salamanders 102:36
    shiner, spottail 93:41
    silverside
      Mississippi 105:87
      Waccamaw 98:470
    smelt, rainbow 98:635
    studfish, northern 101:376
    sunfishes 100:125
    tonguefish, blackcheek 105:204
    trout, rainbow 102:35
    walleye, fry 96:19
  freshwater, accumulation of aldrin and dieldrin 100:565
  labelled with isotope 90:52
  toxicity of Antimycin A, Bayer 73, and TFM 102:829
Otolith length-body length relationship, Atlantic herring 93:13; 104:771
Otoliths
  age determination
    burbot 101:669
    drum red 105:42
    hake 93:12
    herring, Atlantic 93:11
    plaice 93:12
    redfish 93:12
    searobin 99:343
    seatrout, spotted 91:84
    sole, flathead 100:250

sturgeon, lake 84:221
chemical analysis of, cod 93:18
growth, in young Atlantic herring 104:770
mounting and storing, Atlantic herring 94:267
photography of 90:501
validation of age from Atlantic cod 99:359
Ova
development, dace, western blacknose 98:456
relationship diameter ova, number of ova, and total length 100:515
unspawned, trout, effect of coelomic fluid on 95:104
Ovarian damage, loach, X-radiation 101:428
Ovaries, blue marlin, stages in development 97:133
Overfishing, reservoirs, OK 84:43
Overpopulation, reservoirs, OK 84:43
Oxalate, as blood preservative 84:150
Oxygen
amount of, effect on COD 102:608
changes due to fertilization 89:201
concentration
effect, on
growth
steelhead and coho salmon embryos 93:342
trout, brown 92:300
swimming of tilapia 104:758
fish reaction to 97:453
consumption
effect on, of
culture conditions, channel catfish 104:322
MS-222, sockeye salmon 90:226
pulpwood fiber, fathead minnow 95:71
starvation 93:103
TFM and Bayer 73, midge 103:551
turbidity, green sunfish 105:107
rate
bass, white
fed live zooplankton 100:537
swimming 100:537
bluegill 103:40
flounder, young winter 102:425
herring, blueback 103:305
toadfish, oyster 104:778
walleye 95:65
studies, aholehole 94:378
variation by individuals and groups of fishes 102:126
dissolved
concentration in pond during fish kill 103:237
decrease during logging, N. CA streams 101:11
diel fluctuations, affect growth of largemouth bass 99:367
differences in vegetation mats and open water 91:11
diurnal variation 91:10
effects on
acute toxicity of cadmium to mummichog 104:129
feeding of channel catfish in culture ponds 105:721
lethal threshhold LAS 100:6
metabolism, fathead minnow 95:77
tolerance, of
coho salmon to sodium pentachlorophenate 104:133
zinc, lead, copper, and ethyl mercury phosphate by fishes 104:132
effects on, of
channelization, Missouri R. 97:383
logging, in spawning beds 104:111
lowered concentration, channel catfish embryos and larvae 103:623
reduced concentration on fish behavior 90:324
groundwater, effect on brown trout redds 104:103
in
Lake Erie 90:157
Rainy R., MN 96:282
winterkill lake 98:694
influence, on
growth, of
catfish, channel 102:835
salmon, coho, juveniles 91:155
survival rainbow trout embryos 90:469
lethal concentration
bass
smallmouth 90:326
white 90:326
shiner, emerald 90:326
walleye 90:326
low
cause of false annuli 99:367
effect on metabolic rate 90:392
lowered content, estuaries 99:841
relation to fish movement 90:306
requirement, of
bass, largemouth 90:377
bluegill 90:377
catfish, channel 90:377
salmon, chinook and steelhead embryos 92:327
supersaturated lake water, precaution in hatchery use 96:195
survival of largemouth bass in low 104:122
system for control in water 90:323; 93:100
diurnal pulse, influence on serum proteins 94:363
effect on
distribution, pompano and permit 98:485
survival young Atlantic menhaden 97:349
effect on, of
hurricane 91:376
injected biological stains, uptake in shrimp 94:277
low
avoidance reaction of salmonids and centrarchids 89:17
effect on emergence and survival of aquatic insects 101:675
preference, spring cavefish 97:448
reduced, effect on swimming of fishes 88:88
requirements
fishes in relation to exercise 93:209
trout 102:325
tissue, in trout in high altitude lakes 102:132
winter level, effect on fish population 88:178
Oxygenation, U-tube for economical saturation in hatchery 98:789
Oxygen-nitrogen ratio, affecting sockeye salmon survival in air-supersaturated waters 105:425

Oxytetracycline
  treatment, kidney disease 88:120
  use in control of furunculosis 97:226
Oyster, American
  condition of, HI 95:426
  history of culture 98:743
  reproductive cycle 95:216
  setting, Chesapeake tributaries 98:311
Oyster drills, spread of 98:184
Oyster, Eastern
  in CA waters 98:759
  killed by hurricane 91:377
  toxicity of Aroclor 104:584
Oyster, Pacific
  inability to spawn, west coast US 98:309
  toxicity of sevin 96:26
Oyster, pearl, depth-protective effect against crude oil 104:577
Oysters
  commercial catch, US 88:171; 97:81
  culture, off bottom, past and present status, N. America 98:755
  Delaware industry, catastrophic decline 100:100
  in saltwater impoundment, FL 98:289
  occurrence of toxin during red tide 99:112
  production, DE waters 100:105
  setting, two tributaries, Chesapeake Bay 98:309
  staining large populations with dyes 100:588
  toxicity of sevin 96:29
Ozone, control of *Saprolegnia* on rainbow trout eggs 95:430

P

Pad, dorsal, functional morphology, fathead minnow 103:65
Paddlefish
  age 92:243
  cestode parasite on 92:243
  fishery, MO 92:239
  growth
    and reproduction 88:50
    Ft. Gibson Reservoir, OK 94:91
  in
    Alabama 83:50
    Louisiana backwater 88:10
    southeastern US reservoirs 87:336
    Tennessee streams 86:155
  management, L. of the Ozarks, MO 92:244
  mayflies and caddisflies as food 89:32
  removal from Norris Reservoir 92:357
  reproduction and early development 90:125
  scarred by lamprey 90:85
  serum complement 96:238
  tag returns 92:242
  taken by spearfishing 92:32
Palmeta, in FL 98:478
Palmitate, effect of temperature on, channel catfish 101:97
Palmitoleate, effect of temperature on, channel catfish 101:97
p-aminobenzoic acid, deficiency in trout 83:259
p-aminosalicylic acid, treatment of kidney disease 88:119
Pancreatic necrosis, infectious nature of 88:289
Panel discussion: Problems of Commercial Fishing 84:298
Pantothenic acid
  diet supplement, channel catfish fry 104:313
  requirement in trout 83:256
Paperfiber, conifer, groundwood, effects on walleyes 95:60
Papillomas, in fishes 83:264
Paprika pepper, contain xanothophylls, trout coloration 95:410
Paradise fish, introduced into FL 102:4
Para-oxon, toxicity to fish 87:41; 88:30
Paraquat, toxicity to cladocerans 95:168
Parasite
  blackspot, in cyprinid fishes 88:151
  blood, in fishes 95:196
  cestode, on
    paddlefish 92:243
    shrimp, brown 101:226
  community structure
    bass, largemouth 104:277
    bluegill 104:277
    warmouth 104:277
  copepod
    effect on rainbow trout reproduction 101:345
    in menhaden 98:111
  helminth, recruitment by bluegill 105:486
  intestinal, in toadfish 92:173
  isopod
    cymothoid, in yellowfin menhaden 96:357
    in menhaden 98:111; 103:296
  microsporidian
    attempt to transmit in pink shrimp 100:369
    in hermaphroditic white shrimp 104:292
    new, on
      shiner, golden 93:6
      shrimp, pink 88:130
  oyster 100:100
  surveys of 85:271
Parasites
  anchor, in bullfrogs 99:443
  as indicators of English Sole nursery grounds 102:405
  attack fish treated with sodium arsenite 95:303
  cestode, comparison of 5 species 103:612
  effect of ultraviolet irradiation on 103:542
  effect, on
    bullhead, black, growth 98:43
    channel catfish 98:43
    menhaden, Atlantic young 97:349
  helminth, and copepod, on *Micropterus* spp., Beaver Reservoir, AR 95:23
  isopods on marine fishes 105:327
  of
    bass 95:24
    catfish, flathead 88:353
    crab
      blue 88:302
      South American freshwater 101:598
    dolphins, gills and buccal cavity 103:101
    fish, from Soldier Creek, AL 103:360
    killifish, plains 98:464
    minnow, fathead 103:741; 104:567
    perch, Sacramento 99:703
    pompano 98:740

and permit 98:483
salmon, coho 89:302
shiner, spottail 88:342
shrimp
northern 98:72
pink, comparison of wild and pond-reared 99:789
stickleback, threespine 103:632
sunfish, spotted 85:131
walleye 86:26
protozoan 83:84,298
trematode 83:298
Parasiticide, evolution of Antimycin A as 103:618
Parathion
avoidance by mosquitofish 103:557
caused
hemorrhaging convulsions and dis-jointed vertebrae in brown bull-head 101:317
scoliosis in golden shiner 101:317
control of mosquito fish 90:143
effect, on
brain AChE, in sheepshead minnow 101:534
farm pond 91:213
stonefly naiads 93:27,357
methyl, effect on bluegill 101:318
resistance of freshwater shrimp to 99:697
retardation of fin regeneration in mummichog 104:135
S^{35}, water translocation in model cran-berry bog and occurrence in fish and mussels 95:345
toxicity, to
bass, largemouth 91:221
bluegill 91:221
cladocerans 95:167
fish 87:41; 88:30; 91:178
Parent-progency relation, American shad 92:436
Parkfish, population variability 94:314
Parks, National, management of sport fishery in 89:234
Parrotfish, daily aggregation 101:260
Parrotfish, redfin, population variability 94:314
Pathogenicity, streptococcus, in fishes 104:286
Pathology
effects of sodium arsenite, bluegill 95:302
sunfish, redear, exposed to Hydrothol 191 98:52
Pavon, undesirable exotic 100:184
PCB
bioconcentration in trout, rainbow 104:785
effect, on
reproduction, of
crustaceans 103:562
midges 103:562
survival and reproduction, of
fathead minnows and flagfish 103:562
waterflea, midge and scud 103:722
residues in yellow perch, white bass, and smallmouth bass 103:577
Peamouth
captured in monofilament gill nets 103:386
caught in purse seine, Columbia R. estuary 102:343
in
Columbia R., WA 86:123
Priest Lakes, ID 90:27
selectivity of gill net 88:198
Pelecypods
food, of
permit 98:483
pinfish 105:516
pupfish 105:516
spot 105:516
in saltwater impoundments, FL 98:289
larvae, food of juvenile Atlantic her-ring 100:122
Pelletization, effect on vitamin content of diets 86:163
Pellets, fish, composition 95:213
Penicillin
treatment of kidney disease 88:120
used to isolate virus 101:267
Pennsylvania, fishing in 88:151
Perch
disease in 83:264
furunculosis in 89:241
in west European streams 88:156
plankton as food of 87:81
Perch, barred
pugheadedness in 94:98
similar growth to white seaperch 102:448
Perch, black
age and growth 95:108
fecundity 95:108
life history 95:107
maturity 95:108
pugheadedness 94:98
Perch, climbing, introduced into FL 102:4
Perch, dwarf sand, population variability 94:314
Perch, European
age, use of opercles 96:135
cannibalism in 102:739
change in diet 84:245
excretion of iodine 99:515
failure to form annuli 92:389
fluctuations in year classes 100:739
length at hatching 84:252
seasonal migrations 104:728
Perch, kelp, age and growth 99:475
Perch, Nile
annulus formation, L. Chad 104:503
planned evaluation 100:185
proposed introduction 102:6
Perch, ocean
catch, US 83:395; 86:464
exploration for 86:198
new fishing grounds, Canada 87:443
Perch, Pacific ocean
catchable biomass 101:68
juvenile, environment, growth, food habits, and schooling behavior 105:191
reduction stocks 101:64
relation of length to fecundity 101:68
Perch, pile
angler success, sport fishery, quality 95:357
biology of 99:475
Perch, pirate, killed by rotenone 90:292
Perch, reef, age and growth 99:475
Perch, Rio Grande
introduced into FL 102:4
taken by spearfishing 92:32
Perch, Sacramento
feeding habits 103:399
in CA reservoirs 87:324
life history 98:701
status of introductions 99:700

survival, reproduction, age, growth and food habits, CO 104:232
tolerance limits, salinity 99:706
water quality of lakes where introduced 99:704
Perch, sand, population variability 94:314
Perch, shiner
AChE affected by cations 100:674
age and growth 99:475
caught in purse seine, Columbia R. estuary 102:343
food, of copper rockfish 102:415
toxicity, of
crude oil 104:577
sevin 96:26
Perch, silver
fin rot in 102:599
food of 102:511; 105:516
parasitic isopod on 105:328
population variability 94:314
pughededness 94:97
range, taken in trawl 103:780
taken in trap in salt marsh impoundment, LA 104:302
Perch, tule, in CA reservoirs 87:324
Perch, twospot climbing, introduced into FL 102:4
Perch, yellow
abundance, walleye predation effect 103:15
age, growth, fecundity, L. Michigan 104:726
age, use of opercle 96:135
anesthetic effect of 4-SP on 93:207
antimycin as selective toxicant 103:736
avoidance estimate, tow net 101:721
bacterial disease 89:310
bathymetric distribution, L. Superior 95:251
body-scale relation 99:470
cannibalism in 103:462
catch
diurnal variation 86:31
electrofishing, L. Monona 103:670
in
Minnesota lake 89:69
Red Lakes, MN 99:28
caught, in
electric beam trawl 97:292
monofilament gill nets 103:386
trawls 102:119
changes in population, AuSable R., MI, 1920–72 105:35
commercial fishery, Red Lakes, MN 83:131
competitor with freshwater drum 96:219
control 90:221
DDT in 99:392
depth distribution 93:137
vertical gill net 97:297
development of dominant year classes 100:739
digestive rate 93:269
early life history 84:249; 90:190
ecological relationship to cutthroat trout 84:239
effect on, of
dart tag 101:365
formalin and freezing, length, weight and condition factor 103:136
formalin, length and weight of preserved specimens 101:362
high winds, eggs 104:524
pressure, survival 94:89
temperature and light, growth using prepared diet 105:254
efficiency of gill nets for 102:779
estimation of year-class strength 104:246
evacuation rate 102:759
failure of method to obtain gut content from small live fish 105:521
feeding habits 93:269
finclipped, predation by largemouth bass 101:565
food habits 88:200; 105:77
food of 87:98
Saginaw Bay, L. Huron 88:330
food, of
bass, largemouth 101:651
fingerlings 91:34
burbot 89:375; 101:673
pickerel, chain 102:150
pike, northern 92:108; 97:28
piscivorous fishes 101:55
sauger 97:163
tautog 95:246
trout, lake 86:80; 95:415
walleye 86:26; 100:474; 101:661; 102:363,739
fry 96:19
fry, taken in new net 97:63
growth 88:332; 89:27; 93:269
first year, Red Lakes, MN 104:718
rate, MA ponds 87:111
young, in relation to zooplankton populations 104:731
in
Adirondack lakes 100:326
Alberta pothole 86:262
Barrows Stream, ME 99:298
Cold Stream Pond, ME 85:258
Congomond L., MA 105:395
Crooked L., IN 97:296
deeper waters, L. Michigan 93:156
Fern L., WA 88:4
four CO lakes 104:234
Gladstone L., MN 91:42
Gull L., MI 98:632
Lake DeSmet, WY 91:63
Lake Michigan 86:393
Lake Superior 84:196
Lake Waccamaw, NC 98:468
Little Bay de Noc, MI 103:10
Long L., MN 102:795
Love L., ME 96:11
Maine lakes 91:425; 101:609
Minnesota lakes 87:53; 92:13
Missouri R., reservoirs 87:360
Munsel L., OR 100:55
Ontario streams 94:351
Owasco L., NY 105:233
Pullette L., WI 105:607
prairie lake, MN 88:178
Sebago L., ME 95:160
Winnibigoshish L., MN 90:312
winterkill lake 98:694
infected with blackspot 94:150
influence of oxygen concentration on swimming 92:111
jaw-injection to mark 95:433
killed, by
electrical barrier 86:279
endrin 90:332
larval, first foods 101:219
life history 85:191
management 86:285
marked, injected dye 96:168

on walleye spawning area 90:321
parasitic copepod infestation 105:491
pathogenic bacteria in 103:115
percent composition, trawl catches 100:700
pesticide residue in 99:499
predation, effect on zooplankton population 104:737
predator, on largemouth bass 91:39
pugheadedness 94:97
rate of escape from trap net 97:61
relation to alewife, L. Michigan 99:758
removal
effect on walleyes 87:35
from MA ponds 87:108
residues of DDT, PCB, mercury, copper and cadmium in 103:577
resistance to piscicide for squawfish 98:683
retention of mercury in muscle 105:296
sampling of young in a lake 89:185
seasonal changes in swimming rates 96:373
seasonal food habits 103:463
selectivity, of gill net 88:198; 90:413
select large daphnia 99:571
sexing of 88:149
size-selective predation on daphnia 96:1
squamation chronology 99:429
stocked after toxaphene treatment 94:212
strigeid trematodes in 93:305
structure and growth of scales 86:169
susceptibility to insecticides 99:21
taken by spearfishing 92:32
test fish, electrofishing 88:143
toxicity, of
$KMnO_4$ 104:580
methoxychlor 101:298
salicylanilide I 101:528
TFM 91:342
undesirable introduction 85:311
upper lethal temperature 104:383
Perch, white
age and growth 103:117
annulus formation 98:322
bacteria in 98:268
catch, ME estuary 102:543
effects of shear on eggs and larvae 105:149
entered L. Ontario from Hudson R. 102:377
food, of
pickerel, chain 102:150
walleye 103:15
growth 89:27; 100:735
rate, Massachusetts ponds 87:111
homology with bluegill of albumen component 105:284
in
Barrows Stream, ME 99:298
Coldstream Pond, ME 85:258
Lake Waccamaw, NC 98:468
Love L., ME 96:11
Sebago L., ME 95:160
South Branch L., ME 104:390
introduced into NE 100:734
killed by bacterial infection 103:359
parasitic isopod on 105:328
population
dispersal 100:736
stunting 100:736
pugheadedness 94:97
relative abundance 103:20
removal from MA ponds 87:108
reproduction 100:735
stomach analysis 91:318
tested with MS-222 and Benzocaine 97:497
utilize crayfish as food 101:608
Periodicity, diurnal
bullhead, black 94:1
lamprey, sea 93:73
Periphyton
effect of hatchery discharge on 103:228
increase following fertilization 93:171
Permit
ecology of 98:478
food of 102:511
Personnel, survey of technical fishery 88:18
Peru Current, men, birds, and anchovies, dynamic interactions 99:461
Pesticides
action on fishes 97:412
acutely toxic level, vertebral damage to bluegills 101:317
analysis 97:415
and fishes, literature review 97:398
avoided by sheepshead minnow 98:426
contamination, surface waters, LA, by sugar cane farming 95:310
ecological distribution, L. Poinsett, SD 99:496
effects on and in aquatic food chain 97:410
factors affecting toxicity 97:403
increased sensitivity in sheepshead minnow 95:110
list of, reviewed 97:399
organophosphate, level of brain AChE inhibition, death of sheepshead minnow 101:534
removal from commercial fish pellets 95:212
residue 97:405
toxicity to cladocerans 95:165
Petersen mark-recapture experiment, sample size 93:215
Petersen population estimates, confidence interval graphic representation 93:227
Petersen tag, on striped bass 88:319
Petrel, Leach's, food of blue marlin 91:226
pH
control of, in aquatic bioassays 101:752
different concentrations, effect on cough response and mercury uptake in brook trout 103:244
effect of, on
absorption by activated carbon 105:121
antimycin 100:14
halflife 101:102
distribution, Pompano and Permit 98:485
toxicity, of
2-(digeranylamino)-ethanol 103:739
$KMnO_4$ to fishes 104:580
nickelocyanide 95:19
salicylanilide I 101:530
lethal to white sucker 101:355
Missouri R., NE, effect of channelization on 97:383
Rainy R., MN 96:284
range of, brine polluted stream 85:22
small OK lakes 85:59
variation, under vegetation mat and open water 91:11
Phemerol, against fin rot 83:322

Phenol, toxicity to fathead minnow 104:567
Phenothiazine, control of intestinal flagellate 87:378
Pheromone, released by ripe female channel catfish, effect on males 101:302
Phorate, effect on brain AChE in sheepshead minnow 101:534
Phosalone, effect on bluegill 101:318
Phosdrin, toxicity to caldocerans 95:167
Phosphamidon
  selective toxicant 98:430
  toxicity, to
    cladocerans 95:167
    crawfish, red 92:428
Phosphoglucomutase, in rainbow trout 101:494
Phospholipids, in northern pike 84:150
Phosphorus
  balance, in grass carp fed elodea 103:587
  dietary
    effect of temperature on metabolism, brook trout 90:398
    required, by
      catfish, channel 104:548
      salmon, Atlantic 104:548
      trout, brown 104:550
  fertilization of sunfish ponds 105:536
  inorganic, absorbed by brook trout 104:550
  Lake Erie 90:158
  level in water in channel catfish feeding operation 104:811
  loading, effect of hatchery discharge 103:228
  release from lake soil 86:334
Phosphorus^{32}
  effect on salmon 102:317
  use in fish culture and hydrobiology 90:49
Photography, technique for translucent objects 90:500
Photoperiod
  effect on metabolism of pumpkinseed 102:427
  gonads, green sunfish 101:270
  manipulated to induce spawning, largemouth bass 102:442
  thermal resistance, speckled dace 101:715
Photosynthesis
  annual gross, small desert impoundment, AZ 92:1
  community, acid-alkaline stripmine lakes 99:579
  gross, in fertilization tubes 97:427
  open lake vs. plastic container 99:608
Phototaxis, sockeye salmon fry 91:137
Phylogenetic
  problems, Salmonidae, use of cytogenic and biochemical systematics 99:237
  relationship, sunfishes, through hybridization 99:100
Physical analysis
  Moapa R., NV 105:504
  Rainy R. system 92:220
Physical characteristics
  Green R., UT 98:195
  Honnedage L., NY 94:228
  Missouri R., NE 97:382
  Oregon experimental ponds 91:305
  Pennsylvania streams 91:53
  sperm, fish 98:785
  three ME lakes 94:10
Physical conditions, before and after fertilization, marl lake 93:168
Physical data, L. Erie 90:155
Physical factors, influencing fish population in pools of trout stream 98:14
Physical features, Mississippi R. 94:339
Physical properties, walleye sperm 99:520
Physicochemical analysis
  iron suspension, test water 105:309
  pond water 102:77
Physicochemical characteristics
  alkaline lakes, NE 97:54
  alpine lake 102:676
  oyster-producing tributaries 100:102
  Rainy R., MN 96:281
  strip mine ponds, IL 84:117
Physicochemical properties, ponds treated with guthion 94:206
Physiological responses, muskellunge to handling 103:336
Physiology, trout, role of minerals 88:133
Phytoplankton
  abundance in pond during fish kill 103:238
  acid strip mine lake 99:578
  alkaline strip mine lake 99:578
  effect of anhydrous ammonia on 102:78
  not susceptible to DDVP and Phosphamidon 98:436
  Oregon experimental ponds 91:307
Pickerel, chain
  cannibalism in 102:150
  color mutant 101:370
  DDT in 99:392
  effect of pressure on survival 94:89
  food of 99:439
    spring, ME lakes 102:149
  food, of largemouth bass 101:651
  growth 88:332; 89:27
  in
    Alabama 83:50
    Barrows stream, ME 99:298
    Big Flatbrook, NJ 99:55
    Cold Stream Pond, ME 85:258
    Congamond L., MA 105:395
    Cranberry Pond, MA 100:350
    Lake Waccamaw, NC 98:468
    Long Pond, ME 89:212
    Louisiana backwaters 88:10
    Love L., ME 96:11
    Maine lake 91:425; 101:609
    Massachusetts ponds 87:108
    Schoodic L., ME 102:121
    Sebago L., ME 95:160
  infected with blackspot 94:150
  length-weight relationship 99:439
  minimum size limit 87:229
  parasitic copepod on 88:128
  production 97:246
  ripe in fall 91:323
  size limit 90:221
  tumor in 83:271
Pickerel, grass
  crossed with northern pike 89:82; 91:229
  in
    Black R., MO 87:243
    Cedar Creek, WI 94:2
  vertebral kink due to Dylox 101:317
Pickerel, redfin
  daily gain in growth 91:261
  in
    Big Flatbrook, NJ 99:55
    Chipola R., FL 88:191
    Lake Waccamaw, NC 98:468
Pigeon, rock introduction 97:5

Pigfish
  food of 102:511; 105:516
  immature, caught in NC inlets 100:301
  killed by antimycin 98:290
  range, taken in trawl 103:780
Pigment
  fluorescent, mass-marking young salmonids 96:157
  melamine-sulfonamide-formaldehyde resin, used in marking fish 96:157
  survival and mark retention, fathead minnow 101:128
Pigmentation, incomplete, Dolly Varden 94:408
Pigment-cell growth, genetics of 83:233
Pigments, in plankton 90:32
Pike
  catch, diurnal variation 86:31
  hybrids, artificial cross 91:229
Pike, Amur, undesirable exotic 100:184
Pike, blue
  disappearance, L. Erie 101:655
  reduced production, L. Erie 99:756
  scarcity, L. Erie 90:153
Pike, northern
  absence of exterior feeding cause of death in larval 104:338
  annual harvest 87:52
  association with largemouth bass 91:42
  benefited from impoundment 100:276
  catch 85:34
    electrofishing, L. Monona 103:670
    in Red Lakes, MN 99:28
    stocked 87:36
  caught, in
    electric beam trawl 97:292
    trawls, Lake Huron 102:119
  changes in population, AuSable R., ME, 1920-72 105:35
  crossed with grass pickerel 91:229
  DDT in 99:392
  digestive rate 93:269
  disease in 83:246,266
  early life history 92:91
  effect of H_2S on eggs 99:501; 105:442
  environmental influences on early development and year-class strength 99:369
  external sex determination 103:343
  factors influencing numerical strength of year classes 92:91
  fecundity 92:94
  feeding habits 93:269
  food conversion rate 92:184
  food habits 92:99; 101:57
  food of 89:74
    in Wisconsin trout stream 94:95
  food, of
    inconnu 94:273
    trout lake 94:175
  food selectivity 97:28
  fry, food of walleye 98:122
  furunculosis in 89:240
  growth 93:269
  hours to empty stomach 98:383
  hybridized, with
    pickerel, chain 101:370
    pickerel, grass 89:82
  in
    AB pothole 86:262
    alkaline lakes, NE 91:326
    Cedar Creek, WI 94:2
    Elephant Butte L., NM 105:223
    European streams 88:156
    Lake Winnibigoshish 90:312
    Little Bay de Noc, MI 103:10
    Minnesota lakes 85:191; 87:53; 89:223
    North Dakota saline lakes 103:744
    Owasco L., NY 105:233
    prairie lake, MN 88:178
  increase in L. Ontario, 1880 99:758
  infected, with
    blackspot 94:150
    hemoflagellate 94:333
  insecticide residues in tissues 99:423
  introduced in Muddy Run recreation lake 105:169
  killed by electrical barrier 86:279
  length-weight relationship 94:404
  lipids in 84:150
  management of winterkill lake for, MN 98:691
  methylmercury in 105:300
  microsporidian parasite in 93:8
  pathogenic bacteria in 103:115
  pesticide residue in 99:499
  population 100:69
    winter, in winterkill lake 98:694
  predator, on
    bass, largemouth 91:39
    salmon, coho 103:13
    trout, rainbow, Great lakes 100:342
  production of 83:137
  propagation of 90:298
  range extension 90:227
  ranking of water conditions during reproductive period 86:288
  reduction in population 100:739
  scale appearance-body length 93:199
  scale development 95:434; 100:570
  scale pattern, development 89:83
  scarred by lamprey 90:84
  sex differences in serum 94:368
  sex ratio 92:93; 104:60
  size limits 90:221
  spawning 92:94
    ecological significance of vegetation 101:560
  spearing, MN 85:29
  sperm, chemical and physical characteristics 98:785
  squamation chronology 99:429
  stocked
    after toxaphene application 94:212
    in reservoirs 102:169
  taste panel tests 90:175
  temperature requirements for embryos and larvae 102:89
  toxicity to, of
    juglone 99:511
    salicylanilide I 101:528
  use, of
    automatic brine shrimp feeder 98:533
    Stoeltzners method, scale growth 94:94
  year-class strength, and spring water levels 86:285
Pikeperch
  digestive rate 102:762
  gynogenesis in intergeneric crosses 105:13
  hours to empty stomach 98:383
Pike-perch, European, spawning 91:355
Pilchard, California
  commercial catch 84:358
  Pacific coast, catch, US 83:394
Pilchard, effect of temperature on larvae 101:691
Pinfish

abundant lower estuary, NC inlets 100:297
effect on, of
Mirex 105:546
negative buoyancy 101:511
food of 102:511; 105:514
killed by antimycin 98:290
parasitic isopod on 105:328
population variability 94:314
range, taken in trawl 103:780
streptococcal infection in 103:359
taken in trap in salt marsh impoundment, LA 104:302
temperature stress, change in hemotology 105:596
toxicity of Aroclor 103:582; 104:584
uptake of zinc^{65} 90:444; 93:364
use of radioisotope to determine food evacuation time 103:626
Pinfish, spottail, food of 102:511
Pipe, inclined, passage of salmon and trout through 100:448
Pipefish
food habits 105:516
in plankton sample 97:317
monthly occurrence, Big Beef Harbor, WA 101:727
Pipefish, bay, toxicity of crude oil 104:577
Pipefish, dusky, population variability 94:314
Pipefish, gulf
population variability 94:314
range taken in trawl 103:780
Pipefish, northern
immature, caught in NC inlets 100:301
summer abundance, tidal pool 103:327
toxicity of endrin 95:155
Pipefish, whitenose, population variability 94:314
Piranhas, undesirable exotics 100:184
Pirateperch
associated with coastal shiner, NC 100:728
in L. Waccamaw, NC 98:468
killed by anhydrous ammonia 102:77
Piscicide, non-persistent, Salicylanilide I 101:526
Pituitary gland
activity in perch 100:360
bluegill, seasonal variation in protein in 100:360
Plaice
chronic irradiation of eggs 101:428
disease in 83:247
electrophoresis, of
population 102:21
subpopulations 105:281
environment changes affect pigmentation 102:87
gross growth efficiency 105:594
gross weight efficiency 97:27
lipids in 84:150
nitrogen excretion 100:18
optimum incubation temperature 104:146
polymorphism in esterases 99:147
tagged, recoveries 91:95
use of otolith in aging 93:12
Plaice, American
length-weight relationship 98:617
prey size 103:831
use of otolith for aging 100:251
Planarians, food of salamanders 102:36
Plankton
Alberta potholes 86:262
Columbia R., WA 86:116
crustacean, food of young walleye 85:198
distribution, in Montreal R. 92:216
effect on, of
fertilization, abundance 91:303
natural fish kill 103:235
sodium arsenite and silvex 94:371
fed northern pike fry 90:301
food, of
alewife 98:643
bass, spotted 98:648
buffalo, bigmouth 99:572
char, Arctic, ME lakes 94:394
fallfish 100:724
logperch 97:303
silverside, brook 97:301
in unfertilized ponds in pastures and woods 105:634
Lake Erie 90:155
photosynthesis 92:6
pigments 90:32
production, effect of liming 86:337
quantitative determination, fish ponds 99:709
samples, mean number, daphnia 99:736
utilization by gizzard shad 87:80
Plantain, water, in IA fish ponds 86:368
Planting, trout, aerial program, OR 87:182
Plants
effects on, of
2,4-D 99:3
sodium arsenite 95:289
food, of
bass, largemouth 98:298
bullhead, brown 104:544
catfish, flathead 88:348
chub
roundtail 98:204
Utah 90:272
perch, Sacramento 103:401
sculpin, black 103:272
shiner
coastal 100:730
spottail 88:341
squawfish, northern 88:199
sturgeon, shovelnose 98:515
sucker, mountain 98:214
trout, rainbow 88:199
warmwater fishes 93:272
in backwater lakes, LA 88:8
introduced into FL 102:2
killed by anhydrous ammonia 102:80
removal, AL lakes 85:214
use in crappie nests 94:183
Plasma
chloride, muskellunge, changes from handling 103:338
glucose, muskellunge, changes from handling 103:338
lactate, muskellunge, changes from handling 103:338
protein concentration, rainbow trout 95:172
total solids, muskellunge, changes from handling 103:338
Plastic enclosure, productivity measurements, in open lake 99:607
Platyfish, genetics 83:231
Platyfish, southern introduced into FL 102:4
Platyfish, variable, introduced into FL 102:4

Plecopterans
drift collected 104:530
effect of fluctuation in water flow on 103:322
food, of
salamanders 102:36
salmon, coho 103:12
salmonids 103:812
sculpin, black 103:272
trout 103:442
rainbow 102:35
whitefish, mountain 102:767; 105:216
in alpine lake 102:677
Plistophoriasis 96:91
Poacher, sea, catch in high seas, N. Pacific 93:288
Poisoning
partial
management procedure 84:247
perch eradication 84:245
sack method 84:245
selective, reservoirs 87:346
studies, use of scuba 82:33
Policy
American Fisheries Society on Introduction on Exotic Aquatic Species 102:274
Fish Management, use of questionnaire surveys in forming 105:232
North American Fish 94:117
Political objectives, fishery management 102:481
Pollock
catch, ME estuary 102:543
growth rate 91:227
predator on Atlantic herring 96:359
Pollock, walleye
catch in high seas, N. Pacific 93:288
feed on young salmon 97:202
in
coastal fiords, S.E. AK 105:196
Little Port Walter estuary 91:93
Pollutants
sublethal effects, estuaries 99:840
traced with isotopes 90:49
Pollution
brine 85:18
domestic, in relation to creek chub growth 84:228
economics of 99:848
effect
of Kraft paper wastes, MT stream 88:153
on river populations 83:56
electroplating wastes, midge resistance 88:11
pesticide, repopulation after fish kill, Mud Creek, AR 103:79
possible sources, Indian R. and Rehobeth bays, DE 102:560
river, relationship to bacterial infection in salmon and suckers 98:685
temporary abatement, effect on fish population, Ohio R. 93:1
water, Committee, report of 87:446
wood fibers 92:220
Pollution Abatement Committee, created 101:202
Polychaetes
food, of
filefish 105:516
flounder, winter, young 103:264,830; 105:592
hakes 101:518
juvenile marine fishes 102:514
perch, Pacific ocean 105:198
perch, silver 105:516
pigfish 105:516
pinfish 105:516
pompano, juveniles 100:486
spot 105:516
tonguefish, blackcheek 105:204
marine, produce "sand coral" 100:102
Polymorphism
esterases, in
catostomid fishes 99:219
herring, Atlantic 99:147
for LDH and transferrin loci, in brook trout 99:179
tunas, soluble proteins and enzymes 99:152
Polymyxin B, treatment of kidney disease 88:120
Polyvinylpyrrolidone-iodine, treatment for IPN 92:180
Pomfret
catch, in high seas, N. Pacific 93:288
food of blue marlin 91:226
off Pacific coast 87:311
Pomfret, bigscale
catch in high seas, N. Pacific 93:288
food of blue marlin 91:226
Pompano
cage culture 102:826
ecology of 98:478
food habits, juvenile, LA 100:486
parasite 98:740
research on, University of Miami 98:740
seasonal occurrence, growth, length-weight relationship, in LA 99:353
stocked in saltwater impoundment 98:288
Ponar grab, evaluation with Ekman 100:560
Ponds
COD of 102:606
farm
effect of sodium arsenite on plankton 94:371
insecticide contamination 91:213
persistence of DDT and metabolites 92:421
standing crops of fish 92:25
in KY 89:333
Iowa fish, success of 86:361
Israel, increasing production in 92:292
methods, of estimating maximum temperature expected 90:494
multispecies culture, evaluation balance between fishes and food 99:708
Oregon, fertilization 91:303
removal of trash- and panfish from, by fyke nets 87:108
replicate
bluegill production 99:74
tilapia production 99:77
variation in carp production 99:74
sequential flooding, management technique extending production bait-sized crawfish 105:637
soft water, effect of agricultural limestone on water chemistry, phytoplankton, and fish production 104:308
treatment, disease control 83:222
unfertilized, in woods and pastures, water chemistry and plankton in 105:634
Pondweed
in

backwater lakes, LA 88:8
Cedar Creek, WI 94:2
Hebegen L., MT 90:270
Iowa fish ponds 86:368
Lake Atitlan 96:210
increase after rough fish reduction 86:298
submerged, residual concentration of dieldrin in 105:698
Pondweed, narrow-leafed, in strip mine ponds, IL 84:123
Pondweed, sago, in
Brown's L., WI 85:242
Nebraska alkaline lakes 91:328
Pontamine Fast Pink BL, dye to mark fish 96:163
Population
analysis
jellyfish and associate fishes 98:705
program, IBM 1620, FORTRAN/FORMAT 95:232
balance, factors affecting 85:214
bass
effect of simulated angler harvest on production and biomass 104:270
striped, migration in Sacramento-San Joaquin R. 96:330
bottom organisms following toxaphene treatment 94:211
changes in
alewife 102:779
daphnia 96:7
lamprey, sea 102:779
smelt, rainbow 102:779
sucker, white 102:779
competing, computer simulation 98:568
crayfish, effect on brook trout predation on 96:202
croaker, Atlantic, effect of predation on 97:313
density
effect on
salmon, chinook, movement 100:423
steelhead movement 100:423
pumpkinseed 100:350
salmonids, N. CA streams 101:4
walleye 86:27
dispersal, white perch 100:736
dynamics
larger fish, Clearwater L., MO 87:254
salmon
Atlantic, Love L., ME 103:448
sockeye 88:203
shad, threadfin 99:739
shiner, emerald 96:255
small fishes, Clearwater L., MO 87:255
tunas, eastern Pacific ocean 99:631
estimate
anchovy, Pacific 97:238
bass, largemouth 85:241; 91:43; 92:394; 95:52
carpsucker, river 98:520
comparison trapping and poisoning 85:71
computer program, mark and recovery 98:332
crab, blue 94:287
development of procedure, small trout lakes 89:287
flounder, winter 105:650
fur seal pup 97:264
mark and recovery 85:58,241
method 85:60
Petersen
confidence intervals graphic representation 93:227
mark-recapture sample size 93:215
reliability, OR farm ponds 92:28
salmon, Atlantic 102:730
sardine, California 97:238
stream species, TN 101:373
tautog 95:239
three ME lakes 94:16
trout
Mecan R., A 94:96
North Branch AuSable R., MI 95:315
trout
brook 91:141,409; 92:54; 94:187; 98:254
efficiency of rotenone and electrofishing sampling 92:307
lake, Cold Stream Pond, ME 85:267
rainbow 99:593
Wyoming lake 91:65
walleye, MN lake 87:63
use of midwater trawl for threadfin shad 96:176
exchange, bass striped 85:144
fish
analysis of variability, taken by trawl fishing 94:311
changes in
following impoundment Sagehen Creek, CA 102:626
Ohio R., following pollution abatement 93:1
result of management and natural conditions 88:181
development in new reservoir, MO 87:240
effect on, of
management 88:178
natural fish kill 103:235
overflow 88:14
removal of trash- and panfish 87:108
stream impoundment 86:144
winter O_2 levels 88:178
estimating mortality coefficients 91:283
exploited, effect of sanctuary on 104:441
exponential surplus-yield model 99:80
in
Alabama 83:47
Louisiana backwaters 88:6
Pennsylvania streams 91:54
trout stream, and channel alterations 97:389
manipulated
by reservoir drawdown 98:293
with respect to food production 100:365
method of estimating effects of fishing on 97:231
physical factors influencing, in pools of trout stream 98:14
quantitative sampling, shallow freshwater environments 103:348
sampling methods 87:242
species composition, fish pond 99:712
studies, generalized computer simulation model 98:505
fish and invertebrates
destruction by drought 88:261
reestablishment following drought 88:261
invertebrate, alpine lake 102:675
manipulation 85:300
by introduction of fish 87:331
minnow, fathead, exponential decrease 99:807

perch, yellow, development of dominant year classes 100:739
pike, northern, and bluegill 100:69
pressure, cause of fish movement 85:56
river spawning, lake trout, L. Superior 87:259
self-sustaining, rainbow trout, McConaughy Reservoir, NE 103:59
size of, lake trout, L. Superior 87:271
spawning, lake trout, size composition 86:238
stream fish
effect of annual rechanneling 101:372
underwater census 92:146
study
salmon, sockeye 97:242
tuna, bluefin, from eye lens protein 102:578
stunting, white perch 100:736
trout
brook
effect of flooding on 104:96
increased mortality of young 100:456
predicting yield from 103:353
stunted, removed from alpine lake 102:675
cutthroat, stocked after fish removal, alpine lake 102:675
effect of flies-only restriction on 91:295
rainbow, effect of inbreeding on 105:273
under different regulation, AuSable R., MI 95:89
zooplankton, following treatment with DDT 92:211
Populations
animal, testing for contagion 95:436
bass, striped, electrophoretic determination 102:21
benthic, changes in alpine lake 102:683
carp and bass, effect of nutritional enrichment on 102:346
commercially fished, analog computer simulation and catch forecasting 98:560
fish
Alabama lakes, restoration of balance by rotenone 89:351
deep waters, changes in L. Michigan 86:393
estimates of, warmwater streams 94:350
in
Big Piney R., MO 103:760
California reservoirs 87:324
reduction of natural mortality 87:380
salmonid, relationship to invertebrate drift 104:529
sunfish, longear, before and after decimation in stream sections 99:779
trout, brown, Pennsylvania streams 91:55
warmwater, application of theory and research in management 102:164
Porgy, grass, population variability 94:314
Porgy, red, relationship of lengths, lengths to weight 101:503
Positions of AFS on middle snake R. 101:210
Postcards, creel census, voluntary return of 84:200
Potamological effects, fish hatchery discharge 103:226
Potassium
chloride, sperm activity maintained by 94:401
concentration, alewife, held in fresh and salt water 100:632
content, in tuna nuscle, index of radioactivity 89:312
fertilization of sunfish ponds 105:536
in
brine-polluted stream 85:18
certain waters 84:99
permanganate
application in fish culture 100:813
detoxification, of
rotenone 94:130; 100:814
antimycin, effectiveness 104:579
toxicity of, to fish 104:579
use
in disease treatment 87:376
to control Gyrodactylids 92:60
tellurite, effect on goldfish spermatozoan activity 94:399
Poultry byproduct meal, in channel catfish diet 101:95
Power plants, elevated water temperatures 99:848
Praseodymium^{143}, uptake by fishes 95:150
Predation
aquarium susceptibility, tagged and untagged Atlantic herring 96:359
attempt to train brook trout eggs 86:240
bullhead, brown, on lake trout eggs 86:240
cottids, on salmon fry 91:427
cui-ui eggs, by tui chub 102:148
Dolly Varden, on salmon 91:90
effect, on
softshell crab 84:13
year classes, yellow perch 100:745
zooplankton, ten Adirondack lakes 100:325
on
bass, largemouth 91:39
salmon
coho, yearling, L. Michigan 103:10
sockeye, by Dolly Varden and northern squawfish 96:424
trout
cutthroat 84:293
lake, eggs 86:74
various stages, lake herring 100:704
perch, yellow, effect on food supply 104:737
pond snail, on largemouth bass embryos 101:734
salmon, coho, on heat stressed sockeye salmon 102:139
selective, on zooplankton by gizzard shad 99:320
size-selective, on daphnia by rainbow trout and yellow perch 96:1
trout
brook, effect on crayfish population 96:202
lake 86:241
sucker, white, on lake trout eggs 86:240
walleye, effect on yellow perch population 103:15
Predator
flatworm, on oyster spat 98:757
gull, herring, on rainbow trout 100:343
oyster drill on oysters 98:313
starfish on oysters 98:313
whelk on oyster 98:313

Predator, potential
reticulate sculpin on salmonid embryos 95:210
stonefly on salmonid embryos 97:50
Predator-prey
balance, disturbed in management technique 87:34
interaction, method for detecting effects of toxicants on 101:367
relationship, LA backwaters 88:12
Predator reduction, effect on brown trout and brook trout 99:312
Predators
die from endrin-exposed *Gambusia* 99:839
near artificial structures 100:89
on salmon 89:378
response of fishes to chemical traces of 98:667
Preservation, channel catfish sperm 105:469
Preservatives, effect on weight of macrobenthic invertebrates 101:743
Presidents, past, list of 83:6; 84:6; 85:6; 87:6
Pressure, effect on survival of fishes 94:88
Prey
responses of 98:666
selection
cisco 105:607
salmon, coho 105:607
Problems
commercial trout production 87:368
phylogenetic, Salmonidae, use of cytogenic and biochemical systematics 95:237
private trout hatchery operators 87:374
regional commercial fisheries 88:171
reservoir fisheries 87:338
reservoir management 87:358
tailwaters fisheries 87:341
Procedure
electrofishing, refinements in 88:33
mechanization of hatchery 88:76
population estimate, trout lakes 89:287
Production
alewife, juvenile 102:434
annual
sculpin, slimy, in small trout stream 104:237
trout and salmon, streams 103:437
bass
effect of simulated angler harvest on population and biomass 104:270
largemouth
in small pond 92:391
surplus 97:246
smallmouth, fry, factors affecting 104:83
bluegill
in replicate ponds 99:74
response to added attachment surface for fish food organisms 102:622
theoretical equilibrium yields 97:242
carp, variation in replicate ponds 99:74
catfish, channel
effect of mirex on 103:366
fry 101:618
clam, softshell 84:13
commercial fisheries 84:299
Canada 83:396
Lake Huron 99:760
Red Lakes, MN 83:131
rough fishes, Elephant Butte L., NM 105:222
United States 83:394; 88:169
drum, freshwater, Upper Mississippi R. 94:341
extended, bait-sized crawfish by sequential pond flooding 105:637
fish
effect of agricultural limestone on 104:308
increasing in ponds, Israel 92:292
in two ID streams 100:769
method of estimating potential 94:214
food, in respect to fish population manipulation 100:365
lamprey, sea, larvae, L. Superior streams 97:484
major species, L. Michigan, 1945-68 99:757
marine fisheries, factors influencing 87:283
method of estimating stream bottom invertebrates 91:243
minnows in IL streams 84:110
net
cottids 94:51
salmon
chinook 94:51
coho, juvenile, three OR streams 94:40
sockeye, Cultus L., BC 94:51
steelhead 94:51
trout
brown 94:51
cutthroat 94:51
oyster, DE rivers 100:105
pickerel, chain 97:246
potential of sea 94:125
primary and limiting nutrients, subalpine lake 102:698
salmon
Atlantic
Barrows Stream, ME 103:1
Cove Brook, ME 91:208
costs, Sweden 92:290
shrimp, bait, Galveston Bay 89:137
tilapia, in replicate ponds 99:77
trout
brook
increased by stream improvements 91:185
wild and domestic strains 93:58
cutthroat, Echo L., WA 86:356
lake, L. Michigan 85:102
rainbow, brackishwater cage culture 102:828
walleye
Green Bay 90:479
Lake Erie 101:655
whitefish, lake 91:223
Lake Michigan 87:190
Production rate, trout
brook 103:431
effect of floods on 98:253
Productive capacity, N. American lakes 93:53
Productivity
artificial nutrient enrichment 102:705
fish, prediction of 93:56
freshwater impoundments, effects of turbidity and mixing depth 91:69
Index, N. American lakes 93:53
measurements
^{14}C 90:50
plastic enclosures vs. open lake 99:607

natural lakes, southeastern region US 90:219
phytoplankton, effect of agricultural limestone on 104:308
potential, indicated by removal and restocking fish in alpine lake 102:675
primary
and fish harvest from small desert impoundment, AZ 92:1
in tropical lakes 105:575
net, ^{14}C estimates 94:9
Program
age and growth, Control Data 3600, FORTRAN 63-FORTRAN IV 96:364
computer
mark and recovery, population estimate 98:332
stock analysis, FORTRAN IV and Univac 1108 99:426
instantaneous mortality, and maturation schedules, IBM 1620, FORTRAN II, 96:366
trawl catch summarization, IBM 7090/7094, FORTRAN IV 96:363
Programming, analog computer 98:561
Proline-ornithine, in goldfish 92:169
Promethium ^{147}, uptake by fishes 95:150
Property rights, and fishery goals 98:369
Propogation
artificial, use in management, Great Lakes 86:384
northern pike 90:298
Protein
brain, separation on acrylamide jel 99:94
content, coho salmon 89:304
digestibility, of feeds, determination in channel catfish 102:831
fish plasma, microelectrophoresis 104:150
fractions, electrophoretic, effect of hypoxia on, rock bass 101:488
in bluegill pituitary gland, seasonal variation 100:360
lens
polymorphism in hatchery and natural populations, brook trout 100:527
study of bluefin tuna 102:578
plasma, electrophoretic comparison, human and catfish 97:455
serum
influence of diurnal oxygen pulse on 94:363
variability in bluegills 103:630
serum and eye, rainbow trout 101:494
soluble loci, allele frequency analysis in brook trout 102:335
utilization, effect of starvation on bluegill 100:18
Protozoan parasites, pink shrimp 99:790
Protozoans, food of buffalofishes 99:335
Pseudomonad bacterial infection, in suckers and salmon 98:685
Pseudomonads
infection caused by 83:246,314
in trout 98:270
Pteropods, food of juvenile Pacific ocean perch 105:198
Public opinion, analysis on trout fishery management 87:163
Puffer
food of blue marlin 91:226
taken in traps in salt marsh impoundment, LA 104:302
Puffer, bandtail, population variability 94:314
Puffer, northern
effect, on, of
endrin, blood and tissue chemistry 95:153
pesticide on 97:400
endrin depresses cations in liver 101:547
fin rot in 102:599
in Wickford Cove, Narragansett Bay, RI 97:64
Puffer, southern, food of 102:511
Pugheadedness
bass
largemouth 94:97
striped 94:97
cod 94:97
flounder, fringed 99:95
perch
black 94:98
silver 94:97
white 94:97
yellow 94:97
shad, American 94:97; 97:50
snapper, vermillion 100:366
sole, rock 99:95
trout, brown 94:97
walleye 94:97
weakfish 99:95
Pulsator, variable voltage, inexpensive for electrofishing 102:468
Pump, for collecting walleye eggs 93:204
Pumped storage
Muddy Run project, case history 105:165
significance as energy source and biological ramifications 105:158
Smith Mountain-Leesville project, case history 105:173
Pumpkinseed
anesthetic effect of 4-SP on 93:207
catch
electrofishing, L. Monona 103:670
in MN lake 89:69
caught in trawls, L. Huron 102:119
change in population, AuSable R., MI, 1920-72 105:35
chronic effects of dieldrin 99:490
DDT in 99:392
depth distribution, vertical gill net 97:297
digestive rate 93:269
effect on, of
DDT-R 100:208
photoperiod metabolism 102:427
feeding habits 93:269
food, of 100:124
bass, largemouth, fingerlings 91:34
pike, northern 97:28
piscivorous fishes 101:56
walleye 103:15
growth 93:269
hours to empty stomach 98:383
hybrid, with bluegill, embryological comparison with bluegill 98:699
in
Adirondack lakes 100:326
Barrows stream, ME 99:298
Big Flatbrook, NJ 99:55
Cold Stream Pond, ME 85:258
Conowingo Pond, PA 105:167
Floods Pond, ME 105:616
Gladstone L., MN 91:42
Lake Waccamaw, NC 98:468; 100:728
Long L., MN 102:795

Love L., ME 96:11
Maine lake 91:425; 100:609
Michigan lakes 97:243
Minnesota lake 87:53; 97:466
Ontario streams 94:351
Quabbin Reservoir, MA 89:27
Schoodic L., ME 102:121
Sebago L., ME 95:160
Stager L., MI 96:2
Thompson Lakes, MT 84:241
infected by blackspot 94:150
introduced into CA reservoir 87:325
jaw-injection to mark 95:433
killed, by
electrical barrier 87:279
endrin 90:332
marked, injected dye 96:168
parasitic copepod on 88:128
population density, and behavior, Cranberry Pond, MA 100:350
population, in PA streams 91:54
rate, of
escape from trap net 97:60
gastric digestion 97:489
sampling of young in a lake 89:185
selectivity of gill net 88:198
taken by spearfishing 92:32
uptake of radioiodine 92:406
Punti, susceptibility to DDVP and Phosphamidon 98:431
Pupfish
effect of intestinal gas accumulation 96:216
Monkey Spring, habitat 103:531
Pupfish, amargosa, food habits in thermal stream 104:536
Pupfish, Arizona, Gila River form extinct 103:531
Pupfish, desert
endangered species 95:138
heat tolerance 103:334
Salton Sea basin 100:502
Pupfish, Owens, management, Mono County, CA 100:502
Pupfish, Shoshone, habitat 103:531
Put and take fishing, cost per trip 88:75
Pyloric caecae counts, separate largemouth from spotted bass fry 95:226
Pyrethrins, toxicity to cladocerans 95:167
Pyridylmercuric acetate, in treatment of disease 83:313
Pyrodoxine, requirement of trout 83:256

Q

Quebec
fish tags and tagging in 86:345
scientific fish culture in 86:136
Questionnaire surveys, use in forming fishery management policy 105:232
Quillback
age, growth, fecundity 105:411
catch, Red Lakes, MN 99:28
in Muddy Run pumped storage pond 105:168
presence of nuptial tubercles on female 100:132
test fish, rotenone 99:806
Quinaldine, anesthetic
fish
effect of pH on 100:544
for handling intertidal fishes 99:802
use in transporting carp 99:802

R

Rabbitfish, juvenile, toxicity of crude oil and oil dispersants 104:571
Races, of lake trout 84:48
Raceway, experimental spiral, for trout 86:135
Radiation, from weapons tests, effect on fishes 84:338
Radioactivity
effluents, effect on smallmouth bass 86:123
elements, for marking flounders 96:151
in juvenile salmon, effect on movement and feeding habits 102:317
marking of fish, danger to man 96:155
naturally occurring, in tuna muscle 89:312
Uptake by fishes 95:148
Radiography, of fishes, technique 95:99
Radioiodine, loss from green sunfish head 92:404
Radioisotopes, use, in
basic productivity studies 89:124
hydrobiology and fish culture 90:49
measuring food evacuation time in fish 103:626
Radiothyroidectomy, salmon and trout 98:104
Ragfish, catch in high seas, N. Pacific 93:288
Rate of catch, mean 85:28
Rations, pelleted dry, for trout, MI 86:307
Ray-body length, lake trout 89:346
Rays, branchiostegal, annuli, longnose gar 91:252
Ray, smooth butterfly, killed by antimycin 98:291
Rearing,mass, of mayflies, method 96:407
Rebuttal, to critique of research methods involving plastic bags in aqautic environment 99:612
Recapture
alewife, effects of marking on 102:633
bass, striped, tagged, seasonal pattern 97:324
trout, lake, marked 87:268
Rechanneling, annual, stream, effect on fish population 101:372
Reclamation of lakes 85:300
Recolonization, zooplankton, lake cove, treated with rotenone 104:390
Recorder, ultrasonic, for locomotor activity studies 97:12
Record, new
geographic, for infectius pancreatic necrosis (IPN) 92:63
hosts, for infectious pancreatic necrosis (IPN) 92:63
Records, mooneye, Great Lakes 90:170
Recoveries
relative, hatchery reared Atlantic salmon of different ages 102:121
tagged king crab 93:296
Recovery
differential, brook trout, planted by air drop and hand 97:32
fin-marked coho salmon 94:319
hatchery-reared lake Atlantic salmon 89:212
of
shocked common shiner related to electric energy 101:552
tagged

trout, lake, after 21 years 92:432
whitefish, lake 86:128
Recreational use, surplus hatchery coho salmon 98:487
Recruitment
differential, trout, Sagehen Creek, CA 101:480
predicting of cutthroat trout fry 94:389
winter flounder 105:647
Redds
artificial, spawning behavior, pink salmon 101:276
influence of sand in, on survival and emergence of
salmon 97:42
Atlantic, particle size 92:162
steelhead, characteristics 97:42
trout, brook 105:57
temperature, effect on brown trout eggs 104:105
trout, brown, effect of ground water on 104:100
Redfish
landings, eastern U.S. 97:78
use of otolith in aging 93:12
Redhorse
catch in TVA lakes, AL 88:83
growth in new reservoir 87:251
in
Alabama 83:50
Little Bay de Noc, MI 101:56
southeastern US reservoirs 87:336
insecticide residues in tissues 99:423
life history, three species, Des Moines R., IA 91:412
removal from Norris Reservoir 92:357
tumor in 83:265
use of Stoeltzner's method, scale growth 94:94
Redhorse, black
comparison of food with smallmouth bass 99:556
in
Big Piney R., MO 103:761
Black R., MO 87:243
Tennessee streams 88:137
life history 99:546
Missouri 91:412
movement in streams 85:39
repopulation after fish kill 103:82
Redhorse, blacktail
in Mississippi 99:439
new cestode parasite in 103:610
Redhorse, golden
changes in population, AuSable R., MI, 1920-72 105:35
in
Big Piney R., MO 103:761
Black R., MO 87:243
Lake Taneycomo, MO 97:140
Smiths Branch, IL 88:266
Tennessee streams 86:147; 88:137
killed by zinc 93:180
movement in streams 85:39
repopulation after fish kill 103:82
scale regeneration 83:206
Redhorse, northern
catch in Red Lakes, MN 99:29
in Gladstone L., MN 91:42
Redhorse, shorthead
changes in population, AuSable R., MI, 1920-72 105:35
growth rate 87:124
in MN lake 86:286; 87:53
movement in streams 85:40
scarred by lamprey 90:84
Redhorse, silver
killed by electrical barrier 86:279
new cestode parasite record 103:610
Red Lakes, MN
commercial catch, species composition 99:28
fisheries of 83:131
Redmouth disease 83:248
Red sore disease 83:248
Redwood, watershed cover, N. CA streams 101:2
Reedgrass, in Cedar Creek, WI 94:2
Regulations
changes in, effect on fishery 85:160,241, 301
commercial trout industry 87:365
effect on angling and population, AuSable, R., MI 95:85
on multiple use reservoirs 88:45
results of angling under special and normal, trout stream, MI 94:219
Regurgitation, use of ice water to prevent 92:68
Relative fishing power, CDC-6600, FORTRAN IV 101:133
Release, effect of, on hooked and displaced migrating steelhead trout 104:458
Re-oxygenation rate, method for precalibrating in experimental containers 105:343
Repopulation
eradicated stream, by brook trout 104:685
headwaters of streams, after decimation 98:305
sunfish, longear, in decimated stream sections 99:776
Report
AFS member on National Research Council 98:174; 99:459
conference on use of exotic fishes and related problems 99:291
plans for First National Biological Congress 100:196
Professional Certification Committee 97:103; 98:183; 99:277; 100:180; 101:172; 102:228; 103:184
representatives, to
American Society of Oceanography 101:180
American Water Resources Association 100:179; 101:180; 102:237
Council of AAAS 95:137; 97:102; 98:172; 99:284; 100:178; 101:177; 102:235
National Academy of Sciences-National Research Council 101:187
National Resources Council of America 101:188; 102:255
National Watershed Congress 101:187; 102:255
Renewable Natural Resources Foundation 102:258
student assistant 101:192
sustaining membership account 96:104
Reproduction
amphipods
effect of temperature 102:432
in laboratory 101:253
bluegill, effect on, of
copper 104:353
sodium arsenite 95:305
burbot 101:667
carp 95:372
control by drawdown 87:23

catfish, flathead 88:353
char, Arctic 105:615
crab, South American freshwater 101:598
herring, lake, success 100:702
killifish, plains 98:462
lake fish, in streams 86:148
midge, effect of Aroclor on 103:722
minnow
fathead 97:53; 103:753
effect of elevated temperature 100:663
silverjaw 102:786
paddlefish 88:50; 90:125
perch
Sacramento, in CO 104:232
white 100:735
pike, northern 92:93
salmon, coho, L. Superior tributary 99:591
sauger 97:160; 101:311
scud, effect of Aroclor on 103:722
shiner
cherryfin 104:519
emerald 96:252
sand 98:446
spottail 88:341
siscowet 84:69
squawfish, CO 98:203
sucker, mountain 98:212
sunfish, hybrid, success 97:466
trout, lake 84:47
Ontario 86:231
waterflea, effect of Aroclor 103:722
whitefish, mountain 105:208
Reproductive
behavior, white crappie 97:252
characteristics, cui-ui 102:145
cycles
bass, largemouth, in cooling reservoir 104:77
darter, tessellated 101:83
oyster, American, Hawaii 95:216
shrimp, northern 98:70
potential, black bullhead 101:483
system, pink shrimp, description 90:463
Research
anchovy, northern 102:178
application to management
Great Lakes 102:156
sockeye salmon, in BC 102:172
warmwater fish populations 102:164
fisheries
Great Lakes, Canada 86:419
mid-century 83:212
fishing gear, application of underwater television 86:158
marine aquaculture, Univ. of Miami 98:738
needs, natural lakes 90:223
reservoir 87:351
salmon, use of fish wheel 90:490
sardine, Pacific 102:178
trace mineral, metabolism program 88:1
Reservoir
drawdown, to
control carp 87:23
manipulate fish population 98:293
ecology of, OK 84:42
fisheries, major problems 87:338
fishery, potentials 87:301
heated water, distribution and condition of fishes 103:518
John Day, effect on chinook salmon migration 98:513
management
effect on fish population, comprehensive time series computer model 104:591
Oklahoma 84:39
multiple use, survey of management practices 88:45
new, fish population development 87:240
problems of management 87:358
use by anglers, OK 84:39
water level control 87:343
water supply, multiple use of, San Diego 87:200
Reservoirs
brush shelters 87:346
California
fisheries problems 87:319
fish populations in 87:324
Colorado, effects of toxaphene and rotenone on bottom organisms 86:294
commercial fishing on 87:346
fishery management problems 87:333
introduction of new species 87:347
Missouri R., large
catch from 87:360
nature of 87:359
research 87:351
selective fish poisoning 87:346
timber clearing 87:345
types 87:336
Residues
chlorinated, distribution in goldfish 99:385
copper, in bluegill tissue 104:356
DDT, PCB, mercury, copper and cadmium in yellow perch, white bass and smallmouth bass 103:577
dursban, in fish 101:422
endrin
disappearance of 90:332
in mosquitofish 95:342
guthion, in fishes 94:208
levels, pesticides, fishes of Lake Poinsett, SD 99:499
Resistance, heat, sex difference in Ozark minnow 99:588
Resistivities, electrical, range, trout waters 85:234
Resolution
access to recreational areas from highways 89:97
adopt more realistic values for recreational man-day uses 101:201
affiliation with AIBS 88:220
affirmation of state ownership of fish and wildlife 97:106
amending
AFS constitution to change titles of Division officers 91:123
Federal Power Act 85:316
analysis of Fish and Wildlife role in water resource development 100:201
application of principles of coordination and act to modern highway construction 91:124
appreciation, to
Missouri Department of Conservation 96:114
Mr. Elwood Seaman 95:410
appropriations for restoration of clean water 99:287
assessment and compensation for fish losses resulting from supersaturation of nitrogen in Columbia R. 100:202

atlas of rare and endangered fishes 94:119
attendance at annual meetings 88:223
authorizing reincorporation of American Fisheries Society 97:105
clearance of chemicals needed in fishery management 98:186
commendation, of
  Department of the Interior and Officials of the US Fish and Wildlife Service 101:201
  Nevada, for action to protect endangered species 97:106
  program committee, committee on local arrangements, and others 95:141
  United States Forest Service 92:85
communicable fish diseases 100:202
control, of
  introduction of undesirable species 94:119
  radioactive wastes 90:100
cooperation with Trout Farmers Association 88:220
Dingell-Johnson funds 88:221
electronic retrieval systems for scientific literature 93:124
elimination, of
  duties of Librarian 90:102
  office of Librarian 90:102
  standing committees 90:101
encouragement, of
  basic research 86:483
  biological aspects of oceanographic research 89:97
  research 88:222
endorsement, of
  formation of a Fisheries Chiefs Section within AFS 102:266
  North American Salmon Council objectives and membership fee 103:198
  water quality criteria for fish and other aquatic life recommended by the subcommittee of the National Technical Advisory Committee on Water Quality Criteria 98:186
establishment, of
  ad hoc committee on procedures for submitting and handling resolutions 95:141
  jurisdictional rights for marine fisheries 102:267
  National Aquarium 90:101
  national reporting service on fish disease 95:410
  regional chairmen as Vice-Presidents of the Society 90:99
evaluation of hunting and fishing values 94:120
exotic fish conference
  delayed release of grass carp 99:293
  effect in country of origin 99:293
  open water release of exotic fishes 99:291
favor moratorium on further construction within framework of Garrison or Oahe diversion projects pending evaluation 104:206
Federal
  assistance for waste treatment facilities 90:100
  Water Project Recreation Act 96:114
financial
  assistance 88:220
  committee 88:219
fishing use of water storage reservoirs 86:284
funds, for
  recreational use of national forests 85:315
  research programs on high dams 90:101
Great Lakes Fisheries Treaty 84:381
highway construction and adequate resources 99:287
importation
  and introduction of fishes 97:108
  of fish and fish eggs and ports of entry 85:317
increasing membership dues 86:483
inland fisheries 85:315
inspecting shipment of fish eggs 94:119
instructions for resolutions 94:120
integration of wildlife conservation programs 85:316
interbasin diversion of water for domes-
intercontinental movement of undesirable fishes 100:202
introduction of foreign fishes 101:202
mail ballots 88:219
marine and estuarine mining 99:288
membership and dues 88:220
memorial to Dr. H. S. Davis 88:221
methods of economic analysis for recreation, fish and wildlife 98:186
multiple use of waters 84:382
National Fish Week 85:315
North American
  conservation hall of fame and museum 93:124
  Fish Policy 83:406
oppose HR 1296 establishing diversion of D-J funds 97:107
opposition to construction of Nez Perce Dam in the Columbia R. 89:97
pesticides research 89:98
plans for centennial meeting of Society 93:124
pollution 85:318
power generation at Hanover reactor 92:87
prevention
  and control of thermal pollution 98:185
  of the importation of viral hemorrhagic septicemia 95:140
professional standards committee 88:221
proposed Corps of Engineers permit American Cyanide Company, Savannah Harbor dockage for waste disposal barge 102:267
proposing that the Missouri R. between Fort Peck reservoir and Fort Benton, MT, remain free of additional impoundments 98:185
protection
  and development of estuaries 98:186
  of
    anadromous fishes 88:222
    salmonid fishes with unique genetic characteristics 102:266
providing for authors to have more than 2 papers published in any one volume of the Transactions 91:124
provisional clearance for drugs and pesticides 97:107
provision for changing title of Transactions of American Fisheries Society to Journal of the American Fisheries Society 91:125

publication of the Transactions 88:219
Public Law 85:624
recognition of Lloyd L. Smith's services to the Society 91:125
recognizing the importance of coastal wetlands and waters to fishery resources 92:84
recreational use of waters 88:222
reference to members in good standing and payment of dues 91:124
regarding watershed programs which involve channelization and impoundments 99:287
registration fee at annual meeting 89:96
regulate man-made discharges of mercury and other heavy metals into the environment 101:200
regulating offshore oil development to avoid pollution 99:288
regulation of pesticides 90:100
reimbursement for fishway inspection 100:201
reinstatement of members 89:96
repeal of Dingell-Johnson law 96:113
representation at scientific meetings 94:120
representation of sport fishing interests at the Law of the Sea Conference 102:267
request
  release of Anadromous Fish Act funds 97:106
  sufficient funding for fish and wildlife resources studies by water project planning agencies 97:106
  United States Fish and Wildlife Service to accelerate research for biological and biochemical control of non-game fish 97:107
research in fish genetics 92:87
revision of by-laws pertaining to
  Committee on Names of Fishes 89:97
  dues of official membership 91:124
  Water Pollution Committee 89:96
safeguarding
  fish and wildlife habitats 94:119
  recreational use of waters 86:484
salmon sactuary 92:85
selective fish toxicants 88:223
Senate Bill 3107
stream alteration activities 103:198
suggested study of supply and demand for fisheries biologists 102:266
survey of fishery activities 83:407
thanks
  for official assistance 83:408
  host agency 97:108
    Librarian 83:408
    program committee 83:409; 84:382
  to
    Dr. William C. Beckman 85:318
    Editor 86:485
transfer of State of Maryland to Southern Division 89:98
universal adoption of metric system 97:108
use, of
  DDT and other persistent hydrocarbons 100:203
  drugs in treatment of fish diseases 92:84
utilization of domestic fish resources 83:407
water pollution 83:408; 85:318
water quality act of 1965 96:115
Resorption, scale 84:29
Resources
  Atlantic coastal fishery, management 88:105
  sport fishery, development, Indian Lands, Southwest 89:271
Respiration
  bass, white 103:35
    effect of swimming and food intake 100:537
  bluegill 103:42
  effect of Dibrom on, in insects and fish 102:806
  herring, blueback 103:305
Respiratory
  movements, freeswimming animals, recorded in electrode chamber 100:22
  response
    effect of suspended solids on oyster toadfish 104:775
    sockeye salmon, in pulpmill effluent 105:112
Respirometer
  continuous flow 103:39
  with controllable oxygen levels 103:825
Response
  conditional, rate of extinction, sockeye salmon 93:399
  fishes to chemical traces of prey and predators 98:666
  locomotor, male channel catfish to female pheromone 101:302
  physiological, rainbow trout to hooking stress 105:601
Restocking, after fish kills, management strategy 104:256
Retention, function of pound-head mesh on, in pound nets 105:370
Retrieval system, Aquatic Sciences Information 91:151
Returns, finclipped chinook salmon 87:132
Revenues, from AL state-owned fishing lakes 94:134
Rhabdomyomas, in fishes 83:271
Rheotaxis, sockeye salmon fry 91:137
Rhizocephalan parasite on blue crab 88:302
Rhodamine B
  stain oysters 100:588
  use in fish marking 102:459
Riboflavin, requirement of trout 83:256
Rice bran, in channel catfish diet 101:95
Rice field fishery, potentials 87:302
Rio Grande tetra, undesirable transplant 85:311
Rita, susceptibility to DDVP and Phosphamidon 98:431
River flow
  effect on abundance and distribution of striped bass, Sacramento-San Joaquin estuary 101:442
Rivulus
  green, eggs, used in chromatographically separating components 97:204
  Hart's, eggs used in chromatographically separating components 97:204
Roach
  digestion rate 102:762
  homing in 104:454
  in west European waters 88:156
  use of Stoeltzner's method determining scale growth 94:93
  vision in schooling 99:544
Roach, freshwater, polymorphism esterasses 99:147

Road construction, effect on N. CA streams 101:1
Rocall solution
  disinfectant in hatcheries 88:293
  in disease treatment 83:313
Rock crab, food of tautog 95:243
Rockfish
  catch
    commercial 84:358
    in high seas, N. Pacific 93:288
  clearing of yolks in eggs 94:194
  food, of
    rockfish, copper 102:415
    trout, cutthroat 100:305
  seasons of birth, OR 91:231
Rockfish, black
  angler success, sport fishery quality 95:357
  in Little Port Walter estuary 91:93
Rockfish, china, lymphocystis virus in 105:333
Rockfish, copper
  growth 102:413
  pinnixid crabs, food of 104:539
  seasonal availability 102:413
Rockfish, quillback, ultrastructure of lymphocystis virus in 105:333
Rockfish, starry, lymphocystis virus in 105:333
Rock fragments
  food of juvenile Pacific ocean perch 105:198
  leaching, experiments, analysis 104:683
Rocks, food of Dolly Varden 88:256
Rose Bengal, sued to stain oysters 100:588
Rostral teeth, sexual dimorphism in number, in sawfish 102:612
Rotatorians, food of Mississippi silverside 105:87
Rotenone
  detoxification, use of potassium permanganate 100:814
  effect, on
    bottom fauna in CO reservoirs 86:294
    insect fauna, CA stream 98:539
    municipal water supplies 90:287
    zooplankton 104:390
      populations in freshwater lakes 92:17
  evaluation as fish toxicant 83:104
  sampling 83:47
  surfacing of dead fish following application 99:805
  toxicity, to
    cladocerans 95:167
    fish 87:47
  treatment, of
    Alabama lakes 85:210
    lake cove 104:390
    Oklahoma lakes 85:58
  use, in
    partial poisoning, AL lakes 94:130
    partial reductions of fishes 90:221
    removal of fish, Fern L., WA 88:4
    restoring balanced population, AL lakes 89:351
    small stream survey 92:307
    three ME lakes 94:14
    winter, in ice and snow covered stream 96:222
Rotifers
  abundance, in guthion treated and non-treated ponds 94:207
  effect on, of
    artificial destratification 102:450
    sodium arsenite 95:295
      and silvex on 95:376
  food, of
    bass
      largemouth
        fingerlings 89:231
        fry 105:625
      white 105:78
      yellow 87:100
    buffalo 96:71; 99:335
      bigmouth 99:572
    catfish, channel, fry 101:616
    crappie
      black 105:78
      white 105:78
        postlarval 97:257
    larval fishes 101:219
    marine fishes, juvenile 102:515
    minnow, fathead 103:748
    perch, yellow 105:78
    shad
      gizzard 87:80
      threadfin 96:244
    shiner
      emerald 96:254
      spottail 93:41; 105:78
    smelt, rainbow 90:440
    sucker, mountain 98:214
    walleye 98:122
      fry 96:19
  in alpine lake 102:677
  scarcely affected by rotenone 104:391
Ru^{103}--Rh^{103}, uptake by fishes 95:150
Ru^{106}--Rh^{106}, uptake by fishes 95:150
Rudd
  gynogenesis in intergeneric crosses 105:13
  in west European streams 88:56
  use of olfactory and visual senses in aggregation 99:544
Runner, blue
  attracted to artificial structures 100:87
  food of blue marlin 91:226
  led by nightlights 102:818
  near midwater artificial structures 102:569
Runner, rainbow, attracted to artificial structures 100:87
Runs, smelt, time and duration, ME 88:242

S

Sablefish, catch, in high seas, N. Pacific 93:288
Sacramento River Chinook Salmon Disease, (SRCD) 98:796
Sailfish
  Atlantic, off Puerto Rico 91:225
  feeding near midwater artificial structure 102:569
  Pacific, sport fishing catch 104:1
Sailors choice, population variability 94:314
Salamander
  bait species for largemouth bass 102:355
  food, of chain pickerel 102:150
  larval, food of largemouth bass 93:316
Salamander, shovelnose, in Beach Flats

Creek, TN 104:678
Salamander, tiger, in ND saline lakes 103:744
Salantine, turquoise G., dye to mark fish 96:163
Salicylanilide I, piscicide, non-persistent 101:526
Salinity
acclimation, blue crab 98:713
change, acclimation of starry flounder 102:427
controller for flow-through bioassays 104:388
effect of, on
distribution
northern shrimp 98:65
pompano and permit 98:485
electrolyte levels 100:627
fertility, hatching, survival of sheepshead minnow 103:584
hurricane 91:276
juvenile striped bass survival and growth 104:560
survival and larval development, Atlantic menhaden 95:423; 97:344
toxicity, of
ABS 94:28
crude oil and oil dispersants 104:573
limiting factor, shrimp culture 98:753
reduced, effect on breeding of sheepshead minnow 101:91
related to bluefish egg distribution 103:492
selection, effect of DDT and Malathion in mosquitofish 101:346
spawning season, river shrimp 103:123
tolerance
catfish hybrid 100:790
herring, blueback, young 101:123
perch, Sacramento 99:706
Salmon
activation of sodium pump in gill 104:766
commercial catch 84:360
Canada 87:442
Pacific Ocean 86:464
US 87:445; 88:171
condition factors 91:404
cost expenditures by anglers for 102:299
differences in blood serum level of, alkaline phosphate 93:95
downstream migration 91:399
effect on, of
gravel cover, development 83:194
logging and associated road construction 101:1
nitrogen concentrations 99:664
overfishing 87:286
solar radiation 83:194
eggs and alevins, stonefly nymphs predators or scavengers? 99:677
fry, predation by sculpins 91:427
gas bubble disease 103:717
John Day Dam, Columbia R. 99:667
growth 83:194
high seas, visceral adhesions 94:177
infectious pancreatic necrosis (IPN), in 98:796
influence of fingerling quality on survival 98:777
juvenile
collection from turbine intake gatewells, major dams, Columbia R. 97:124
directed by pulsating direct current away from turbine intake 100:546
purse seining for, Columbia R. estuary 102:341
screens for diverting from turbine intakes 100:439
thermal marking techniques 94:386
larvae, destruction by hydra 90:329
length-weight relationship 91:403
migration, distribution of debris 98:239
passage, through
gatewells, McNary Dam 98:723
inclined pipe 100:448
population in Wenatchee R., WA 88:186
predation on 83:194
by Dolly Varden 91:90
radioactivity in, model to distinguish differences in movement and feeding habits 102:317
spawning
fishes associated with 96:62
redds 97:42
sport fishery, Puget Sound, statistics 105:667
tagged, recaptures 90:492
upstream migration, spill pattern manipulation 95:397
use of fish wheel in research and management 90:490
vertebral counts 83:196
viability and inheritance in crosses of chum and pink 97:109
winter distribution in relation to currents and water masses 99:649
young
fed on by walleye pollock 97:202
food of cutthroat trout 100:305
Salmon, Atlantic
alewifes stocked for food 100:325
annual production, streams 103:437
body-scale relationship 90:457; 99:468
catch in Baltic Sea 92:286
chemical analysis of semen 99:518
chloramphenicol, to control furunculosis 97:227
choice of spawing area 103:454
chromosomes and speciation 99:105
color banding 98:519
competition with brown trout 98:393
conservation in Sweden 92:286
counting fence for 86:199
disease in 88:293
effect on, of
DDT 101:638
pesticide 97:400
pressure, survival 94:89
rainbow smelt introductions, growth 102:392
temperature, migration 100:436
eggs
exported, Canada 85:310
size at maturity 98:723
electrophoretic
analysis of hybrid with brown trout 99:229
defining of homing populations 105:281
embryological processes 92:344
estrogen concentration in 103:375
estuarine net counting fence for trapping 97:282
fecundity 98:720
fishery for, Fish R. Lakes, ME 92:193
food habits 103:396

food interrelationships between rainbow smelt, alewife, and brook trout 98:641
growth rate 92:197; 103:453
higher liver and muscle glycogen 98:26
hooking mortality 105:365
in
Floods Pond, ME 105:616
Matamek R., PQ 104:529
insecticide residue in tissues 99:425
isotope destruction of tissue 90:53
juvenile
effects of regulated flow on standing crop 103:1
factors influencing standing crops and survival 99:297
killed by DDT 86:208
lactic acid in blood 98:266
landlocked
concentration of DDT in 95:160
contribution of hatchery-reared to fishery, Fish R. Lakes, ME 91:99
in Cold Stream Pond, ME 85:258
parasitism by sea lamprey 96:11
proportion hatchery-reared, Fish R. Lakes, ME 91:100
lower survival, inbred 105:273
major predator, L. Ontario until 1860 99:755
marked, fluorescent pigment 96:157
mortality 92:198
natural spawning success 92:161
nematode infection 94:180,185
no adipose fin 92:67
olfactory rosette 101:284
population dynamics 102:728
Love L, ME 103:448
prey of merganser 102:757
production, Cove Brook, ME 91:208
recovery, growth and movement of hatchery-reared 89:212
relationship of river pollution to bacterial infection 98:685
relative recoveries of different ages stocked hatchery-reared 102:121
requirement of dietary phosphorus 104:548
spawning redds 91:173
sperm activity maintained with seawater 94:701
squamation chronology 99:429
status of fisheries, Two Fish R. Lakes, ME 98:45
test fish for barb type plastic tag 89:241
time of annulus formation 92:196
tumor in 83:270
validity of scale method 88:193
yolk energy for growth 98:403
Salmon, chinook
alevin, kaladidymus 96:214
amino acids essential for growth 99:92
angler success, sport fishing quality 95:357
annual production, streams 103:437
avoidance of low oxygen 89:18
beach spawning 96:423
body-scale relationship 99:469
catch in high seas, N. Pacific 93:288
caught and exercised 89:218
conditioned to avoid predator 103:815
depression of growth following radiothyroidectomy 98:104
delayed hatching in low oxygen 90:470
diseases in 83:249,255,300,319,334
effect on, of
artificial light, eggs, and larvae 87:151
chlorine and heat 103:569
dissolved atmospheric gas, swimming performance 103:717
egg concentration in incubation channel, survival of fry 104:335
endrin 90:394
finclipping, growth 102:757
John Day Reservoir, migration 98:513
low level chronic irradiation, eggs and larvae 93:333
release location, survival 99:672
temperature
vertebrae and fin rays 88:58
vertebral development 95:177
yolk sac absorption, swimming 98:406
Zectran 101:331
eggs and alevin, effect of gamma radiation 99:112
embryos, dissolved oxygen requirements 92:327
exceed rearing capacity, hatcheries 98:487
experimental nitrite toxicity 103:389
eye disorders 92:34
fin-clipped, retarded growth 98:226
fin deformation 92:67
food of inconnu 94:272
fry
swimming speed 101:696
upper lethal temperature 104:383
fyke net selectivity 96:335
gas bubble disease in 93:306
genetic variation 105:620
growth inhibition by maxillary incision 97:198
hermaphorodite 92:314
homing behavior 95:112
in
Chignik L. system, AK 88:255
Columbia R., WA 86:116
Crooked Fork R., ID 102:746
gatewells 97:126
Little Salmon R., ID 84:203
infected by hemoflagellate 94:328
juvenile, occurrence and utilization of zooplankton by 105:72
kidney disease postorbital lesions 104:805
louver guidance 86:40
marked, fluorescent pigment 96:158
migration rates 97:356
monthly occurrence, Big Beef Harbor, WA 101:727
mortality,
downstream migrant, McNary Dam 90:58
eggs by hydra 90:329
passing through orifices in gatewells of turbine intakes 101:381
movements in two ID streams 100:423
need for vitamin C 98:762
net production 94:51
not susceptible to IPN 92:63
no visceral adhesions in 94:179
olfaction important in homing 100:41
parasitic copepods on 105:491
passing through hydraulic turbines 93:251
possible predation on by S. American freshwater crabs if introduced 101:606
precocious male, hematological and chemical characteristics 98:23

production, two ID streams 100:769
reaction to oxygen concentrations 97:453
rearing methods 87:132
redd measurements 102:313
regression of weight on length 97:198
resistance to pesticide for squawfish 98:677
response to modified flows, simulated turbine intake 99:532
run in Wenatchee R., WA 88:189
seasonal changes in downstream migration 98:315
selective breeding 90:160
serum antigenic difference, from two rivers 103:379
sex ratio and gonadal development retardation in gamma-irradiated 101:428
siltation and egg survival 95:183
size at start of jaw elongation 97:198
spawning efficiency, Fall Creek, CA 84:137
spawning, Salmon R., ID 93:70
squamation chronology 99:429
tattooed 90:62
survival 87:221
temperature
lethal 99:529
tolerance of eggs and young 95:203
test fish, turbine intake screens 100:444
thermal marking 98:331
toxic effect, sulfamerazine 84:86
toxicity to, of
2-(digeranylamino)-ethanol 103:738
malathion to 87:47
organic insecticides 90:264
tumor in 84:270
uptake and elimination of DDT 99:689
virus-like disease in 89:160
X-rays and temperature, effect on mortality and growth 100:267
yearlings, delayed migrations due to dams 105:422
Salmon, chum
catch in high seas, N. Pacific 93:288
dead eggs eaten by stonefly 97:51
diseases in 83:297
embryology 103:371
fed on by walleye pollock 97:202
girth-length relationship 92:305
hermaphrodite 92:313
in
Chignik L. system, AK 88:253
Nile Creek, BC 84:143
infected by hemoflagellate 94:328
migration study 91:133
monthly occurrence, Big Beef Harbor, WA 101:727
mortality, of
downstream migrant, McNary Dam 90:58
embryos in low oxygen 90:470
percentage return 95:193
rearing 87:132
redd measurement 102:313
siltation and egg survival 95:183
spawning migration 96:62
survival estimates 95:210
tumor in 83:270
use of artificial spawning channel 86:220
vertebral anomalies 95:177
visceral adhesions in 94:177
Salmon, coho
angler success, sport fishing quality 95:357
annual production, streams 103:437
ascorbic acid requirement 98:762
ash content 89:305
attempt immunization against furunculosis 97:225
avoidance of low oxygen 89:18
biochemical genetic variation 101:494
catch of
Canada 83:398
high seas, N. Pacific 93:288
to escapement ratios, Puget Sound 98:599
caught and exercised 89:218
change in guanine deposition 100:436
chemical and histological studies, wild and hatchery-reared, fresh water 89:301
chlorine-induced mortality 104:800
contribution to commercial troll fishery 96:42
DDT in eggs, L. Michigan 101:641
diploidization 99:127
diseases in 83:297,319,334
effect on, of
air-supersaturated water, survival of smolts 105:338
artificial light, eggs and larvae 87:151
dissolved oxygen, tolerance to sodium pentachlorophenate 104:133
endrin 90:394
gravel mixtures, emergence of fry 104:461
lime-neutralized iron hydroxide, early development 105:308
limited food, growth 98:393
logging, redds 104:112
low flows 84:37
low-level chronic irradiation on eggs and alevins 93:333
oxygen concentration 92:300
temperature, swimming rate 96:373
eggs, destruction by hydra 90:329
embryology of 103:371
energy expenditure, food consumption 103:43
failure of stocking, CA reservoir 87:202
fat content 89:304
fed on by walleye pollock 97:202
fin-marked, estimating error associated with ocean recoveries 94:319
fluorescent pigment marking 102:735
food habits
and prey selection, zooplankton 105:607
inland lake 103:126
in relation to bass tapeworm infections 103:811
food of 91:407
food, of walleye 101:61
fry, upper lethal temperature 104:383
gill ATPase and saltwater adaption 99:811
gross physical anomalies in F_1 of irradiated and non-irradiated 102:438
growth
equation 94:57
Puget Sound 88:310
hermaphrodite 92:314
homing behavior 95:112
in
Chignik L. system, AK 88:255
Fall Creek, CA 84:147
Fern L., WA 88:4
Oregon coastal streams 94:335
infected, with

acanthocephalan 98:332
blood parasite 95:196
hemoflagellate 94:328
influence of oxygen concentration and water movement on embryo growth 93:342
Ivlev's electivity indices for zooplankton 105:612
juveniles
hexamitiasis in 94:53
influence of dissolved oxygen on growth 91:155
predation on sockeye salmon fry 91:138
kidney disease in 89:303
lactic acid, danger zone 98:266
lipid content 89:305
marked
catch 98:600
fluorescent pigment 96:159
recaptures 96:45
migration
downstream 87:15
food habits and predation on, L. Michigan 103:10
ocean 87:16
mortality of downstream migrant, McNary Dam 90:58
net production, three OR streams 94:40
not susceptible to IPN 92:63
no visceral adhesions 94:179
numbers taken in daytime 103:50
parasites 89:302
parasitic copepods 105:491
passing through hydraulic turbine 93:251
precocious males 98:23
predation on, by
lamprey, sea 99:767
salmon, sockeye 89:377; 102:139
protein content 89:304
reaction to oxygen concentrations 97:453
recreational use of surplus hatchery 98:487
redd measurements 102:313
resistance to piscicide for squawfish 98:677
response to modified flows simulated turbine intake 99:532
return to point of release 87:13
selectivity of gill net 91:264
sex differences in serum 94:368
spawning, effect on
benthic organisms 100:61
migration 96:62
nursery areas, NC streams 101:2
sperm concentration estimation 105:534
stamina of 89:40
stocked in Munsel L., OR 100:55
straying and reproduction in a L. Superior tributary 99:591
survival through hatching of eggs 87:207
susceptibility to insecticides 99:20
temperature, lethal 99:529
thermal branding 98:334
three co-dominant alleles 105:287
thyroid activity, L. Michigan and OR 104:349
time and conditions of spawning migration 87:19
tissue damage by moth larvae 89:303
toxic effect, sulfamerazine 84:86,155
toxicity to, of
2-(digeranylamino)-ethanol 103:738
organic insecticides 90:264
salicylanilide I 101:528
used for antiserum production 100:576
use of olfaction in homing 100:41
Salmonidae, phylogenetic problems, use of cytogenic and biochemical systematics 99:237
Salmonids
ability, to
ascend high fishways 91:1
swim in low oxygen water 88:88
diploid-tetraploid relationships 99:127
food of salmonids 103:812
use of fluorescent pigment in marking 96:157
water velocity and depth criteria for spawning 102:312
Salmon, kokanee
depth distribution 93:137
diel vertical movement 98:245
in Blue Mesa Reservoir, CO 100:683
redd measurement 102:313
stocked in Munsel L., OR 100:55
Salmon, Pacific
bypassing around turbines of dams 100:319
differences in erythrocyte antigens 93:88
diseases in 83:297
juveniles
effect of temperature on swimming 92:111
influence of oxygen concentration on swimming 92:111
landings 97:84
migration 98:582
regurgitate transmitters 104:56
stocked in Great Lakes 99:762
Salmon, pink
appearance in L. Superior 89:371
behavior of displaced adults 95:188
catch
Canada 83:398
commercial, US 84:358
high seas, N. Pacific 93:288
dead eggs, eaten by stonefly 97:51
depth preference for spawning 86:229
disease 83:297
effect, of
chlorine and heat on 103:569
growth pattern and exploitation on yields 95:39
fed on by walleye pollock 97:202
finclipping losses 105:673
herring predation on fry 91:321
homing 100:41
in Chignik L. system, AK 88:255
infected by hemoflagellate 94:328
marked
fluorescent pigment 96:159
sprayed fluorescent pigment 99:397
maximum concentration of eggs in redd for good survival 104:335
migration study 91:133
mortality of embryos 95:210
no visceral adhesions 94:177
rearing 87:132
spawning
behavior, artificial redds 101:276
migration 96:62
study of 83:17
survival estimate 91:96
thermal tolerance 98:715
third generation in L. Superior 91:421
tumor in 83:270
use of artificial spawning channel 86:220
velocity preference for spawning 86:229

vertebral anomalies 95:177
Salmon, sockeye
application of research to management, BC 102:172
biochemical genetic variation 101:494
carbon dioxide and oxygen-nitrogen ratios affecting survival in air-supersaturated waters 105:425
catch
commercial, US 84:300,358
in high seas, N. Pacific 93:288
changes in androgen level 103:375
coastal movements, ultrasonic tracking 105:64
counting fence for 86:199
diseases in 83:248,259,297,321,331,413
kidney 88:117
effects on, of
air-supersaturated water, survival of smolts 105:338
MS-222, oxygen consumption 90:226
sulfamerazine 84:86
temperature
migration 100:436
swimming rate 96:373
weight, swimming speed 103:357
eight-year-old from CT 88:150
extreme year class fluctuation 100:739
fecundity 98:722
feeding period 87:132
filaroid nematode in 94:185
finclipping losses 105:673
food
Dolly Varden 88:253; 94:407; 95:429
salmon, coho 103:127
freezing of catch 83:395
fry
coho salmon predator on 103:14
predators on 91:138
swimming speed 101:699
upper lethal temperature 104:383
gas bubble disease 105:115
girth-length relationship 92:305
heat stressed, effect of light on vulnerability to predation by coho salmon 102:139
hematopoietic virus disease 98:796
homing pattern 95:188; 100:41
IHN in OR 101:121
in
Columbia R., WA 86:116
Lake Wenatchee, WA 88:186
innate controls of migration 104:474
intraspecific variability 103:423
juveniles
food of 94:191
threshold of perception of eugenol 95:112
use of ultrasonic sensor for activity study 100:792
management success, Frazier R. 102:155
marked, fluorescent pigment 96:159
marking fry with biological stains 92:379
migrations 99:649
and survival in Redfish L., ID 97:360
mortality of downstream migrant, McNary Dam 90:58
move in response to temperature 100:33
net production in Cultus L., BC 94:51
orientation cues 105:69
passage through small tunnels 92:302
population
dynamics 88:206
study 97:242
precocious males 98:23
predation
by Dolly Varden 89:378
and northern squawfish 96:424
on fry, by coho salmon 89:377
rate of extinction of conditional reflex 93:399
recommended egg concentration 104:335
respiratory response to pulpmill effluent 105:112
responses to tidal currents, land and sun 105:68
retention of common name 98:180
return of tagged 95:324
run of, Babine R. 83:398
selectivity of gill net 91:263
spawning redds 91:173
stonefly nymphs seen among eggs 97:51
survival and behavior, migrating fry, Brooks L., AK 91:133
swimming
depth and speed 105:68
performance in fresh and salt water 89:218
travel time and factors influencing migration 102:723
tumor in 83:270
use of spring seepage for spawning 91:168
vertebral anomalies 95:177
virus infection 84:376
visceral adhesions in 94:177
Salt
in hatchery diet 86:313
iodized, in hatchery diet 98:773
Salt Creek, OK, chemical characteristics 85:22
Salt tolerance, Mississippi silversides 100:603
Saltwater
adaption, and gill ATPase, coho salmon 99:811
survival, effect of water temperatures on steelhead 104:766
Sampler
basket, substrate, artificial, evolution for macroinvertebrates 100:553
dome suction, construction of 104:398
improved stream bottom fauna 90:225
multiplate for aquatic macroinvertebrates 91:420
quantitative, artificial substrate, for benthic macroinvertebrates 100:136
suction, for quantitative sampling benthos on rocky substrates in rivers 104:398
water, using solenoid tripping mechanism 97:287
Sample size
Petersen mark-recapture experiments 93:215
sport fishery survey 102:466
Sampling
amphipods and euphausiids, in N. Pacific Ocean 101:577
problems of, for brook trout 91:140
program for young fish in a lake 89:185
quantitative
benthos on rocky substrates in rivers, suction samples 104:398
fish population, shallow freshwater environments 103:348

with three benthic dredges, comparison 99:603
systematic, errors in creel census 91:201
Sanctuary, effect on an exploited fish population 104:441
Sandbugs, toxicity during red tide 100:113
Sandfish, Pacific, catch in high seas, N. Pacific 93:288
Sand, influence on survival and emergence of brook trout from redds 105:57
Sandlance, food, of
Dolly Varden 88:256; 91:92; 94:407
trout, cutthroat 100:305
Sandstone, flow of stream through 85:19
Sarcomas, in fishes 83:269
Sardina, used for fish meal, Chile 102:591
Sardine
commercial catch 84:365
observed by underwater television 86:160
World Conference 90:117
Sardine, California
catch 87:444
effect of overfishing 87:286
equilibrium yield curve 99:84
estimate of population 97:238
incubation time 101:691
Sardine, Marquesan, bait for tuna fishing 93:291; 94:236
Sardine, Pacific
commercial catch 86:464
failure of management 102:155
feeding behavior 98:529
fisheries, history 102:178
incubation temperature 99:380
landings 97:83
mortality 98:398
curve, produced on analog computer 98:563
plankton as food for 87:81; 96:246
recruitment curve 98:563
simulated biomass 98:568
use of analog computer simulation, catch forecasting 98:562
weight at age data 98:562
Sardine, scaled
attracted to artificial structures 100:87
food of 102:511
food, of pompano 98:483
killed by antimycin 98:290
larvae, effect of temperature on growth and survival 101:691
led by night lights 102:818
spawning 98:219
Sardine, Spanish
attracted to artificial structures 100:87
bait fish 102:569
caught in gill nets 98:222
led by nightlights 102:819
Sargassum fish, in shipboard aquarium 97:287
Saskatchewan
invasion of carp 88:203
walleye in 86:15
Saturometer, Weiss, comparative evaluation 104:816
Sauger
body-scale relationship 99:469
catch in TVA lakes, AL 88:83
commercial, Norris Reservoir 92:362
caught in electric beam trawl 97:292
competitor with freshwater drum 96:219
disappearance, L. Erie 101:655
embryo and larval characteristics 97:167
factors influencing year class strength 101:311
food of 92:312; 97:163
in
Black R., MO 87:243
Dale Hollow Reservoir 85:77
Missouri R. reservoirs 87:360
southeastern US reservoirs 87:335
movement in upper Mississippi R. 94:270
reduced production, L. Erie 99:756
reproduction 101:311
and early life history 97:159
spawning temperature 101:313
use of emerald shiner for food 96:247
Sauger X walleye, embryo and larval characteristics 97:167
Saury, Pacific
catch in high seas, N. Pacific 93:288
off Pacific coast 87:311
Sawfish
parasitic isopod on 105:328
sexual dimorphism in number of rostral teeth 102:612
Scad, bigeye, parasitic isopod on 105:328
Scad, food of blue marlin 91:226
Scad, round
attracted to artificial structures 100:87
used as bait 102:565
Scalation, aberrant, catostomid fishes 93:202
Scale
alewife, description 92:409
characteristics, fish in constant temperature spring 85:127
development
bass, smallmouth 95:435
bluefish 104:773
bluegill 95:435
crappie
black 95:434
related to growth 100:570
white, early development 94:182
drum, freshwater, early development 95:434
flier, origin and development 95:433
menhaden, gulf 96:60
pike, northern 95:434
several fishes 100:570
walleye 95:435
early 93:199
formation
fallfish 100:721
minnow, fathead 99:429
perch, yellow, sequence 84:252
various fishes 99:429
growth
marked with lead versenate 89:149
^{90}Sr in 95:366
Stoeltzner's method 94:93
head pattern, for identification of mummichog and striped killifish 94:265
key, yellow perch 86:186
length-fork length, cobia 96:345
method
critique for age determination, alewife 92:409
for making impressions 93:200
validation
bluegill 91:362
shiner 93:36
pattern, development in northern pike 89:83

perch, yellow, structure and growth 86:169
reading, increased constrast 88:356
regeneration
bass, redeye 83:205
various species 83:206
resorption, yellow bass 92:387
smears, method for making 93:201
tautog, pitted by trematodes 96:134
trout, brook, false annuli 90:6
vs. branchiostegal rays, lake trout 89:348
walleye, variation in rereading 90:230
Scallop, bay
food of striped burrfish 105:516
sea snail in 97:278
Scallop, giant
abundance on substrates 104:51
effect of temperature on survival 88:73
sea snails living in 97:278
Scallops
food, of
pinfish 105:516
toadfish 105:516
landings, eastern US 97:80
Scarring, incidence of lamprey, Mississippi R. 90:83
Schooling
behavior, juvenile Pacific ocean perch 105:191
bullheads, black 99:541
carpsucker, river 98:520
fishes
induced, result in reduced metabolic rates 102:125
relative to available light 98:497
tendency, channel catfish 99:540
Schools, tuna, size changes in day and night 98:84
Scientist
complete fishery 100:385
fisheries, definition of 100:379
Scoliosis, golden shiner developed in exposure to Dylox, guthion, malathion, parathion 101:317
Scombrids, in shipboard aquarium 97:287
Scombriform fishes, host of hydra 90:420
Scorpion, water
resist desiccation 88:276
susceptibility to DDVP and Phosphamidon 98:341
Screen
belt type 86:42
rotary, fish, simplified 86:371
Screening, fish, appraisal of methods 86:41
Screens, for diverting juvenile salmon and trout from turbine intakes 100:439
Scuba
spawning study 86:258
use in freshwater fish management 92:30
Scuds
effect of Aroclor on survival and reproduction 103:722
food, of
squawfish, northern 88:199
trout, rainbow 85:83
killed by TFM 96:412
recolonization of denuded bottom by drift 93:311
survival in H_2S 96:292
susceptibility to DDT 99:89
toxicity, of
Bayer 73 and TFM 105:324
H_2S 103:819
Sculpin, Aleutian, food of Dolly Varden 88:256
Sculpin, banded
association with stoneroller 89:265
in Holston R., VA 103:271
Sculpin, black, summer food habits 103:270
Sculpin, coastrange
in Chignik L. system, AK 88:255; 89:378
infected by hemoflagellate 94:329
predator, on salmon
chum 94:191
eggs 95:210
fry 91:427
sockeye 91:138
spawning habits and morphological variations 97:46
Sculpin, deepwater, in
Lake Michigan 86:393; 93:156; 99:763
Lake Superior 84:196
Sculpin, fourhorn
bathymetric distribution, L. Superior 95:251
food of lake trout 94:171
in L. Superior 84:196
percent composition, trawl catches 100:700
Sculpin, grubby, in Wickford Cove, Narragansett Bay, RI 97:64
Sculpin, mottled,
catch, electrofishing, L. Monona 103:670
caught in electric beam trawl 97:292
changes in population, AuSable R., MI, 1920-72 105:35
food, of
pike, northern 94:96
walleye 103:15
in
Cherry Run, PA 92:307
Crooked Fork R., ID 102:746
Hebgen L., MT 90:270
Long L., MN 102:795
Montana stream 97:391; 98:209
North Fork Musselshell R., MT 104:685
Ontario streams 94:351
Pigeon R., MI 90:256
Platte R., MI 100:62
Rich Creek, VA 104:447
upper and middle Colorado R. basins 104:227
infected by hemoflagellate 94:329
killed by electrical barrier 86:279
not infected by blackspot 94:150
percent composition, trawl catches 100:700
physical factors influencing population 98:15
Sculpin, northern mottled, relation of age, length, and age-length interaction to fecundity 104:64
Sculpin, Pacific staghorn
monthly occurrence, Big Beef Harbor, WA 101:727
toxicity of crude oil 104:577
Sculpin, Piute
infected by hemoflagellate 94:329
in Sagehen Creek, CA 101:463; 102:627; 104:467
live in rubble 95:210
Sculpin, prickly
infected by hemoflagellate 94:329
in Munsel L.,OR 100:55
migratory pattern 96:64
occupy beverage cans 101:566

predator, on salmon
chum 94:191
fry 91:427
pink 94:191
spawning habits and morphological variations 97:46
Sculpin, reticulate
infected by hemoflagellate 94:329
in OR streams 94:40,335
intergravel movement, and potential predator on salmonid embryos 95:210
predator on coho salmon 94:191
fry 96:66
Sculpin, riffle, infected by hemoflagellate 94:329
Sculpin, Rocky Mountain, native of Henry's L., ID 84:275
Sculpins
catch, in high seas, N. Pacific 93:228
downstream migration 91:407
food habits 101:377
food, of
burbot 89:375
rockfish, copper 102:415
trout
cutthroat 84:292
lake 94:171
fry, taken in new net 97:63
furunculosis in 89:241
in
Columbia R., WA 86:123
Lemhi R. drainage, ID 100:124
North Carolina streams 101:2
North Fork Clearwater R., ID 104:69
Sashin Creek 91:93
Valley Creek, MN 91:244
West European streams 88:156
juvenile, drift, growth and mortality, Sahehen Creek, CA 97:495
length-weight realtionship 97:495
predator on steelhead 84:147
production, two ID streams 100:769
selectivity of gill net 91:263
Sculpin, shorthead, influence angling mortality and stream gradient on abundance 95:381
Sculpin, shorthorn
in Wickford Cove, Narragansett Bay, RI 97:64
predation on Atlantic herring 96:359
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
Sculpin, silverspotted, food of Dolly Varden 94:407
Sculpin, slimy
annual production in small trout stream 104:237
bathymetric distribution 95:251
caught in electric beam trawl 97:292
changes in population, AuSable R., MI, 1920-72 105:35
deep water, L. Michigan 99:763
effect of stream management on standing crop 103:637
food, of
burbot 101:673
inconnu 94:273
in
Black R., MI 101:18
Cold Stream Pond, ME 85:258
Michigan trout streams 90:252
Sebago L., ME 95:160
killed by electrical barrier 86:279
no leech infestation 98:116
percent composition, trawl catches 100:700
population in PA streams 91:54
Sculpin, spoonhead
bathymetric distribution, L. Superior 95:251
percent composition, trawl catches 100:700
Sculpin, tidepool, homing 102:621
Sculpin, torrent
host of blood parasite 95:196
in Crook Fork R., ID 102:746
infected by hemoflagellate 94:329
influence of angling mortality and stream gradient on abundance 95:381
predator, on salmon
coho 94:191
fry 91:427
spawning migration and intragravel movement 102:620
Scup
effect of dredge spoil disposal on catch 103:499
fin rot in 102:599
in Atlantic coastal fisheries 88:105
parasitic isopod on 105:328
serum protein and cholesterol levels 95:215
Scup, northern, feed on Atlantic silverside 104:762
Seabob, off Texas coast 89:135
Sea grass, primary producer, estuaries 99:838
Seahorse, dwarf, population variability 94:314
Seahorse, spotted, population variability 94:314
Sea, Law of, General Conference, Geneva 89:128
Seal, hair
consumption of fish by 84:361
in Little Port Walter estuary 91:93
Seal, harbor, lipids in 84:153
Seaperch, culture in multispecies ponds 99:710
Seaperch, pile, Big Beef Harbor, WA, monthly occurrence 101:727
Seaperch, shiner, Big Beef Harbor, WA, monthly occurrence 101:727
Seaperch, striped
age and growth 99:475
angler success, sport fishery quality 99:357
food, of copper rockfish 102:415
monthly occurrence, Big Beef Harbor, WA
Seaperch, white
age and growth 99:475; 102:448
angler success, sport fishery quality 95:357
Searobin
affected by hurricane 91:378
food of common bonito 95:227
immature, caught in NC inlets 100:301
Searobin, armored, serum protein and cholesterol levels 95:215
Searobin, leopard
killed by antimycin 98:291
population variability 94:314
Searobin, northern, fin rot in 102:599
Searobin, striped
age and growth 99:343
gonad development 99:351
spawning 99:351
Seasonal changes, food habits, young white crappie 100:309

Seasonal distribution, black drum 102:589
Seasons, closed, effect on catch per recruit and biomass of Peru anchovetta 97:240
Seatrout, sand
  catch in Galveston Bay 102:574
  taken, in
    nekton subsampler 105:512
    trap in salt marsh impoundment, LA 104:302
Seatrout, silver, streptococcal infection in 103:359
Seatrout, spotted
  affected by hurricane 91:377
  age 91:84
  estimation of abundance and mortality 91:395
  fecundity, LA 91:84
  food of 102:511
  gas bubble mortality 93:320
  predation on sheepshead minnow 103:582
  spawning 91:86
  sport fishery survey 102:467
  taken in trap in salt marsh impoundment, LA 104:302
Sea urchin eggs
  fed thread herring 98:529
  food of bluefish 95:265
Secchi disk readings and light penetration relationship, L. Huron 87:73
Secretary-Treasurer, report of 83:361; 84:322; 85:289; 86:448; 87:408; 88:225; 89:102; 90:105; 91:108; 92:78; 93:117; 94:108; 95:121
Section
  Fish Culture, report of 103:176; 104:197
  Fishery Administrators
    bylaws 103:174
    report of 103:174
  Fish Health
    bylaws 103:171
    report of 103:170; 104:198
Sedge, in IA ponds 86:368
Sediment, deposition on brown trout redds 104:104
Segregation, ecological, minnows 102:794
Seine
  beach, net-board for setting from small boat 101:133
  catch, vs. electrofishing 88:35
  electric
    design of 88:142
    selectivity of 88:34
  purse
    effect of thermocline on success for tuna 96:126
    for juvenile salmon and trout, Columbia R. estuary 102:341
Selective breeding
  goldfish 85:93
  trout
    brook 85:93
    rainbow 85:93
Selective feeding, blueback herring 103:297
Selectivity
  four trawl cod ends for rainbow smelt 92:125
  gill nets
    L. Huron 90:413
      squawfish, northern 88:201
      walleye 90:210
      whitefish, lake 89:176; 90:337
    monofilament, effect of different filament diameters 103:386
    small meshed 91:263
Selenium
  content in mosquitofish tissue 105:692
  toxicity to carp eggs 103:822
Semen, Atlantic salmon, chemical analysis 99:518
Seminal plasma
  trout, fructose in 97:203
  walleye, physical and chemical properties 99:518
Sensors, ultrasonic, to study fish activities 100:792
Septacaemia, caused by *Aeromonas liquefaciens* 87:381
Sergent major, movement, use of Doppler effect 92:179
Serum
  antigenic differences, chinook salmon from two rivers 103:379
  blood, differences of level of alkaline phosphate in salmon 93:95
  chemistry, seasonal changes in, winter flounder 101:746
  cholesterol, level in certain fish 95:214
  complement, freshwater fishes, comparative immunology 96:237
  globulin, increase with age, lake whitefish 94:397
  groups, tunas 99:154
  proteins
    homology of golden shiner and man 95:272
    level in certain fishes 95:214
    shiner
      common, effect of ferric hydroxide on 105:452
      golden 105:451
    variability in bluegills 103:630
  transferrin, in brook trout 102:335
Session, Keynote 102:212
Session, Special 98:347,738; 100:804
  Application of theory and research to freshwater and marine management 102:155
  Biological and political aspects of management of International fisheries 99:621
  Biological considerations of pumped storage development 105:155
  Changing estuary environment 99:826
  Communicating with other scientists 100:389
  Computer applications in fisheries science 104:589
  Computer models 98:551
  Evolution of fisheries scientist 100:378
  Innovative teaching in fisheries science 102:647
  Management of fisheries, ecological subsystems 102:470
Sevin
  acute toxicity level 97:402
  avoidance by sheepshead minnow 98:426
  resistance of freshwater shrimp to 99:697
  retardation of fin regeneration in mummichog 104:136
  toxicity, to
    cladocerans 95:167
    crawfish, red 92:428
    fish 90:265

marine organisms 96:25
Sewage
as fertilizer 84:229
domestic, behavioral reactions of blacknose dace to 105:430
food of brown bullhead 104:544
outfalls, water quality and fish life below 102:281
Sex
composition
bloater 97:155
smelt, rainbow 93:382
determination
bass, striped 87:104
external
bass, largemouth 103:343
bluegill 103:343
catfish, channel, technique for 105:460
minnow, fathead 103:343
pike, northern 103:343
minnow, fathead 98:256
effect, on growth, black bullhead 98:39
ratio
alewife 90:284; 103:314
bass, striped 85:153
bluegill 92:435; 96:420
carp 95:373
crappie, black 83:176
dace, western blacknose 98:457
darter, tessellated 101:82
dolphin 103:97
gar, longnose 91:257
lobster, American 104,673
marlin, blue 97:131
pike, northern 92:93; 104:60
shiner, cherryfin 104:520
shrimp, pink 89:4
smelt, rainbow 98:631
snapper 91:382
steelhead 84:32
sturgeon 84:225
sunfish, redear 92:435
trout
brown, in wild populations 91:94
cutthorat 84:275
lake 84:52; 85:263; 86:238
rainbow 85:82
stocked, Great Lakes 100:348
tuna, skipjack 101:626
walleye
Red Lakes, MN 90:203
spawning run 86:19
whitefish
lake 89:330
pigmy 84:190
round, L. Michigan 93:51; 98:8
reversal
cyprinodont 98:58
shrimp, northern 98:69
Sexual dimorphism
dace, western blacknose 98:457
redhorse, black 99:549
Sexual maturity
bass
largemouth 91:23
striped 85:144
determined by ovum diameter 91:279
haddock 88:212
steelhead, length at 84:32
sturgeon, lake, age at 84:219
trout
lake, age and size 87:265
rainbow 85:82
whitefish
pygmy, length at 84:190
round 98:7
Sexual succession, age of, protogynous hermaphrodite, gag 93:301
Shad, Alabama
caught in gill net 98:222
in Chipola R., FL 88:191
Shad, American
age and growth 87:139
annulus formation 92:410
at ladder, John Day Dam 99:670
caught in purse seine, Columbia R. estuary 102:343
Connecticut R.runs 91:98
effect of overfishing 87:286
food and growth 86:302
gas bubble disease 105:115
hemorrahagic septicemia in 98:270
in
Atlantic Coastal fisheries 88:105
Big Flatbrook, NJ 99:55
Great Lakes 86:98
Sacramento-San Joaquin basin 87:325
juvenile, collected from gatewells 97:126
louver guidance 86:40
mark with Bismarck Brown Y, and Neutral red 99:600
natural mortality 90:228
parent-progeny relation and estimation of optimum yield 92:436
pugheadedness 94:97; 97:50; 103:642
responses to rapid temperature change 99:381
seasonal distribution, ME estuary 102:543
sinking rate of eggs 105:350
sonic tagging 101:455
summer abundance, tidal cove 103:327
swimming ability 94:382
tagged in Quebec 86:348
two further records, NF waters 95:228
weight loss during freshwater migration 101:549
young
reaction to heated effluent 101:740
responses to low temperature 101:680
Shad, Atlantic
introduced into L. Ontario 1870 99:754
plankton as food of 87:81
Shad, gizzard
catch
in different colored gill nets 102:111
in TVA lakes, AL 88:83
seine vs. electrofishing 88:35
comparison of catch rates, gill nets 93:236
considered for introduction into CA reservoirs 87:331
DDT in 99:392
distribution and condition in heated water reservoir 103:519
effect of, on fish population, OK lakes 85:58
effect on, of pesticide 97:400
endrin concentration in blood 97:260
food and feeding habits 102:378
food, of
bass largemouth 93:316; 103:277
sauger 97:162
walleye 100:474
gizzard width used to determine total length of fish 105:409
growth
in new reservoir 87:252

rate 87:125
in
Alabama 83:50
Big Piney R., MO 103:761
Elephant Butte L., NM 105:223
Lake Taneycomo, MO 97:140
Lake Waccamaw, NC 98:467
Louisiana backwaters 88:10
Missouri R. reservoirs 87:360
Norris Reservoir 92:362
Smith Mountain Reservoir, PA 105:176
southeastern US reservoirs 87:336
tailwater, Dale Hollow Reservoir 85:77
Tennessee streams 86:144; 88:137
juvenile, utilization of plankton 87:80
killed by zinc 93:180
origin and dispersal, Great Lakes 86:97
overpopulate waters 94:385
oxygen consumption 102:127
partial reduction, rotenone 90:221
plankton, food for 96:246
population management 102:164
records, Great Lakes 90:170
selective kill, with rotenone 90:292
selective predation on zooplankton 99:320
sexing of 88:149
taxonomy 86:105
toxicity of guthion 94:205
Shad, hickory, catch, ME estuary 102:543
Shad, Japanese gizzard, pharyngeal pocket in 87:83
Shads
commercial fisheries 84:302
larval, food of largemouth bass 96:76
separation of organisms and detritus using density-gradient centrifugation 100:138
taken by spearfishing 92:32
Shad, threadfin
age, growth, population dynamics 99:739
catch, in TVA lakes, AL 88:83
comparison of catch rates, gill nets 93:236
considered for introduction into CA reservoirs 87:331
distribution and condition, in
destratified lake 100:335
heated water reservoir 103:519
fecundity 98:320
food of 96:243
food, of largemouth bass 105:241
hemorrhagic septicemia in 98:270
in
Alabama 83:52
California reservoir 87:202
Louisiana backwaters 88:10
southeastern US reservoirs 87:336
introduced forage fish, CA and OK reservoirs 105:404
killed, by
rotenone 90:291
zinc 93:180
maturity and fecundity 100:74
maximum incubation temperature 103:369
number of spawns per year 100:80
population estimation, midwater trawls, Bull Shoals Reservoir 96:176
possible bait for tuna fishing 93:291
reduced transport mortality with salt added to water 103:593
select daphnia 99:571
size distribution 94:385
spawning behavior 94:385
stocked, in
Dale Hollow Reservoir 85:75
new impoundment, AZ 92:2
use of gizzard weights to determine total length and weight of fish eaten by predators 105:409
Shad, yellowfin, killed by antimycin 98:290
Shark, Atlantic angel, electrophoresis of serum protein 96:131
Shark, basking, catch in high seas, N. Pacific 93:288
Shark, blue, catch in high seas, N. Pacific 93:288
Shark, freshwater, undesirable exotic 100:184
Shark, hammerhead, near midwater artificial structure 102:569
Shark, nurse, population variability 94:315
Sharks
activity studies, ultrasonic recorder 97:15
captured
iodine excretion 99:515
mortality due to lactate acidosis 100:139
Shark, salmon, catch in high seas, N. Pacific 93:288
Shark, sand
electrophoresis of serum protein 86:131
serum protein and cholesterol levels 95:215
Shark, sandbar, electrophoresis serum protein 96:131
Shark, sixgill, catch in high seas, N. Pacific 93:288
Shark, whale, feeding with tuna, Gulf of Mexico 85:15
Sharpsucker, survived antimycin treatment 98:291
Shear, effect of, on eggs and larvae, white perch and striped bass 105:149
Sheepshead
commercial fisheries, Red Lakes, MN 83:133
in salt water marsh impoundment, SC 105:42
killed, by
antimycin 98:291
hurricane 91:377
range, taken in trawl 103:780
Shellfish
history of culture 98:743
landings, Pacific coast, N. America 97:83
Shellfisheries, criteria of success and failure in management 95:260
Shelter seeking, tendency in channel catfish 99:540
Shelter, sponge, for young spiny lobsters 93:204
Shield, water, killed by anhydrous ammonia 102:80
Shiner, bigeye
in Black R., MO 87:243
repopulation after fish kill 103:80
Shiner, bigmouth
increase in number 98:452
in prairie lake, MN 88:179
Shiner, blackchin
caught in electric beam trawl 97:292
changes in population, AuSable R., MI, 1920-72 105:35
in
Crooked L., IN 97:295

Long L., MN 102:803
prairie lake, MN 88:197
infected with blackspot 94:150
toxicity of TFM 91:342
Shiner, blacktail
in Chipola R., FL 88:191
killed by rotenone 90:292
Shiner, bleeding, in
Big Piney R., MO 103:761
Black R., MO 87:243
Shiner, bluntface, oxygen requirement in exercise 93:210
Shiner, bridle, in
Cranberry Pond, MA 100:350
Quabbin Reservoir, MA 89:28
Shiner, cherryfin, ecological life history 104:516
Shiner, coastal,
food, of largemouth bass 101:651
in L. Waccamaw, NC 98:468
life history and ecology 100:726
Shiner, common
abundance in Clearwater L., MO 87:256
caught in electric beam trawl 97:292
changes in population, AuSable R., MI, 1920-72 105:35
ecological segregation 102:794
effect on, of
DDT-R 100:208
ferric hydroxide suspension, blood chemistry 105:450
pressure, survival 94:89
feeding habits 102:801
food, of creek chub 100:285
in
Adirondack lakes 100:326
Barrows Stream, ME 99:298
Big Flatbrook, NJ 99:55
Cold Stream Pond, ME 85:258
Floods Pond, ME 105:616
Love L., ME 96:11
Pigeon R., MI 90:256
Quabbin Reservoir, MA 89:28
Sebago L., ME 95:160
Smiths Branch, IL 88:266
infected with blackspot 94:150
killed by electrical barrier 86:279
mortality due bacterial infection 98:687
oxygen requirement in exercise 93:210
parasitic copepod on 88:128
population in PA streams 91:54
recovery of shocked 101:552
scale regeneration 83:206
standing crop, ON streams 94:352
strigeid trematode in 93:305
uses fallfish nest 100:720
Shiner, crescent, pugheaded 103:642
Shiner, dusky, associated with coastal shiner, NC 100:728
Shiner, duskystripe
repopulation after fish kill 103:80
upper lethal temperatures 102:838
Shiner, emerald
age and growth 96:249
catch, electrofishing, L. Monona 103:670
changes in population, AuSable R., MI, 1920-72 105:35
fed lake trout 92:36
food, of
burbot 101:673
sauger 97:162
smelt, rainbow 98:631
walleye 100:474
in Saginaw Bay, L. Huron 88:331
larvae, first foods 101:219
lethal dissolved oxygen concentration 90:326
life history 96:247
percent composition, trawl catches 100:700
reduced after alewife introduction, L. Ontario 99:758
Shiner, ghost, killed by rotenone 90:292
Shiner, golden
associated with coastal shiner, NC 100:728
average numbers in Linwood L. 89:71
bait species for largemouth bass 102:355
catch, electrofishing, L. Monona 103:670
caught in electric beam trawl 97:292
changes in population, AuSable R., MI, 1920-72 105:35
control of *Gyrodactylus elegans* on 92:60
depth distribution, vertical gill net 97:297
developed scoliosis exposed to dylox, guthion, malathion, parathion 101:317
effect on, of
Dibrom, respiration 102:806
pesticide 97:400
zinc and copper, osmolality of blood serum 100:639
fish of quieter waters 88:155
food, of
bass 88:126
largemouth 90:278; 93:316; 101:651; 105:341
fingerling 91:34
smallmouth 105:245
pike, northern 97:28
piscivorus fishes 101:57
homology of serum protein with man 95:272
in
Adirondack lakes 100:326
Alabama lakes 85:210
Barrows Stream, ME 99:298
Big Flatbrook, NJ 99:55
California reservoir 87:202
Cold Stream Pond, ME 85:258
Cranberry Pond, MA 100:350
Echo L., ME 98:642; 103:396
Floods Pond, ME 105:616
Lake Waccamaw, NC 98:468
Long Pond, ME 89:212
Love L., ME 96:11
Maine lake 91:425; 101:609
Moapa R., NV 105:505
Montana ponds 89:379
Quabbin Reservoir, MA 89:28
South Branch, IL 88:266
infected with blackspot 94:150
introduced into
California reservoirs 87:324
Little Dixie L., MO 98:300
killed, by
anhydrous ammonia 102:77
electrical barrier 86:279
rotenone 90:292
loss over drop box spillway 97:493
marked, injected dye 96:168
new microsporidian parasite from 93:6
oxygen consumption 102:127
parasitic copepod on 88:128
population in PA streams 91:54
removal from MA ponds 87:108

repopulation after fish kill 103:82
resistance to endrin 95:325
resistant and susceptible populations to endrin 97:260
serum proteins 105:451
spawning area 89:223
spawn in largemouth bass nests 91:39
stocked in bass ponds 100:460
susceptibility to predation 96:428
success in IA ponds 86:361
test animal
organic phosphorus insecticides 90:143
rotenone 99:806
toxicity to, of
guthion 94:204
KMnO 104:580
TFM 91:342
Shiner, ironcolor
associated with coastal shiner, NC 100:728
in L. Waccamaw, NC 98:468
Shiner, mimic
changes in population, AuSable R., MI, 1920-72 105:35
ecological segregation 102:794
feeding habits 102:796
food, of walleye 85:199
in
Crooked L., IN 97:295
Ontario streams 94:350
not infected by blackspot 94:150
Shiner, red
abundance 98:452
bait species for largemouth bass 102:356
fed white bass 91:326
food of rainbow trout 88:36
forage fish, CA reservoirs 87:331
in
Moapa R., NV 105:505
upper and middle Colorado R. basins 104:224
introduction in Paul L., BC 86:90
killed, by
anhydrous ammonia 102:77
rotenone 90:292
new occurrence, NC 105:220
oxygen consumption 102:127
resistance to piscicide for squawfish 98:683
stocked in bass ponds 100:460
test animal, toxicity tests, brine water 84:97
Shiner, redfin
changes in population, AuSable R., MI 1920-72 105:35
effect of pesticide 97:400
in
Black R., MO 87:256
Smith Branch, IL 88:266
Shiner redside
change in population following impoundment, Sagehen Creek, CA 102:628
competition of Kamloops trout 87:97
ecology of 83:162
effects on, of
introduction 83:161
kraft paper waste on 88:153
in
Columbia R., WA 86:116
Fern L., WA 88:4
Green R., UT 98:196
Henry's L., ID 84:275
North Fork Clearwater R., ID 104:69
Priest Lakes, ID 90:27
Thompson L., MT 84:241
upper and middle Colorado R. basins 104:224
selectivity of gill net 88:198
Shiner, rosyface,
changes in population, AuSable R., MI, 1920-72 105:35
failure of method to obtain gut content from live fish 105:521
in
Ontario streams 94:350
Smiths Branch, IL 88:266
not infected by blackspot 94:150
reproductive biology 103:88
Shiner, sand
changes in population, AuSable R., MI, 1920-72 105:35
in
Smith Branch, IL 88:266
upper and middle Colorado R. basins 104:225
life history 98:444
Shiner, satinfin
in Big Flatbrook, NJ 99:55
parasitic copepod on 88:128
Shiners, food, of
bass 88:126
burbot 89:375
Shiner, spotfin
changes in population, AuSable R., MI, 1920-72 105:35
in
Conowingo Pond, PA 105:167
Smiths Branch, IL 88:266
thermal responses 105:692
Shiner, spottail
body-scale relationship 93:36
catch, electrofishing, L. Monona 103:670
caught, in
electric beam trawl 97:292
trawls, L. Huron 102:119
changes in population, AuSable R., MI, 1920-72 105:35
coefficient of condition 93:40
food habits 93:41; 105:77
food, of
piscivorous fishes 101:56
walleye 85:199; 86:26; 93:35; 100:474
growth 93:36
in
Big Flatbrook, NJ 99:55
Linwood L., average number 89:71
Little Bay de Noc, MI 103:10
lower Red L., MN 93:35
Quabbin Reservoir, MA 89:28
Saginaw Bay, L. Michigan 88:331
life history 88:336
parasites on 88:342
parasitic copepod on 88:128
percent composition, trawl catches 100:700
pesticide residue in 99:499
validation of scale method 93:36
Shiner, steelcolor
infected with blackspot 94:150
in Smiths Branch, IL 88:266
Shiner, striped, repopulation after fish kill 103:80
Shiner, swallowtail, in Big Flatbrook, NJ 99:55
Shiner, telescope, in Rich Creek, VA 104:447
Shiner, whitetail, in
Black R., MO 87:243
Rich Creek, VA 104:447
Shiner, Yaqui, habitat 103:531

Shocker, electric
alternate polarity 85:234
back pack 85:239
direct current, night use for collecting trout 90:81
effectiveness 85:239
patterns of electrical fields 85:236
power sources 85:238
safety techniques in use 85:239
Shockers, fish mortality caused by 84:93, 112
Shocking and seining, efficiency of, comparison 84:115
Shrimp
bait
fishery for, Galveston Bay, TX 89:135
for sport fishery 102:574
catch, commercial, US 84:358; 87:445; 88:171
Convention for Conservation of 89:127
culture, University of Miami 98:739
effect on, of
DDT 94:155
radius and direction of two, catch with Renfro beam trawl 97:127
exploration for 86:196
food, of
bonito, common 95:227
drum, red 100:291
gag 105:516
grouper 89:12
perch
Pacific ocean, juvenile 105:198
silver 105:516
pinfish 105:516
pompano, juvenile 100:486
rockfish, copper 102:415
smelts, marine 98:637
spot 105:516
tuna, skipjack 94:238
landings, eastern US 97:81
length-weight relationship 89:137
vinyl streamer tag for 105:658
Shrimp, brine
automatic live feeder 98:432
device for feeding to fishes 91:230
fed to
bluegills 101:620
herring
lake 100:693
thread 98:529
penaeid shrimp larvae 98:752
food, of
alewife, in aquaria 100:625
bass, striped, fingerlings 102:15
flounders 93:364
trout, hatchery 88:290
made radioactive 96:153
Shrimp, brown
culture 98:751; 104:296
effect on, of
injected biological stain, oxygen uptake 94:277
malathion 104:793
efficiency of electrical trawl for 105:135
food, of juvenile red drum 104:37
infected by cestode 101:226
juvenile, cover as a factor in habitat selection 102:144
length-weight relationship 100:584
microsporidian parasite on 88:130
on TX coast 89:135
predation on, by
catfish, sea 97:503
croaker, Atlantic
spontaneous necroses in muscle 99:583
toxicity to, of
Aroclor 104:584
methylparathion 92:430
sevin 96:29
vertical distribution during immigration through tidal pass 101:748
Shrimp, caridean, mortality due high temperature 101:694
Shrimp, coon-stripe, food of copper rockfish 102:415
Shirmp, fairy, killed by hydra 90:330
Shrimp, freshwater
food, of
trout
cutthroat 84:275
lake 86:80
increased production 102:622
introduced in HI 102:6
killed by anhydrous ammonia 102:80
levels of resistance to insecticides 99:696
mortality due to ABS 92:153
Shrimp, ghost, toxicity of sevin 96:26
Shrimp, glass, susceptibility to DDT 99:89
Shrimp, grass
effect of Mirex on 105:546
food of juvenile red drum 104:37
toxicity to Aroclor 104:584
Shrimp, Japanese, introduction into US 102:6
Shrimp larvae, food, of
juvenile marine fishes 102:514
juvenile Pacific ocean perch 105:198
Shrimp, mud, toxicity of sevin 96:26
Shrimp, mysid, food of Sacramento perch 99:703
Shrimp, northern, biology of 98:60
Shirmp, opossum
caught in electric beam trawl 97:292
feeding behavior, temperature and light tolerance in laboratory 104:394
food, of burbot 101:673
tolerance to thermal shock and light 99:418
Shrimp penaeid
culture of larval 98:751
effect of DDT of hepatopancreas 101:547
food of gray snapper 91:383
Shrimp, pink
attempt to transmit a microsporidian 100:369
biology of 89:1
culture 98:751; 104:296
effect of malathion on 104:793
efficiency of electrical trawl for 105:135
growth and yield in feeding experiments in concrete tanks 105:259
in
estuaries 99:844
salt water impoundment, FL 98:289
killed by hurricane 91:377
length-weight realtionship 100:584
maturation and spawning 90:462
migrating juvenile, distribution in Buttonwood Canal, FL 99:401
mortality due high temperature 101:694
new microsporidian parasite on 88:130
on
Texas coast 89:135
Washington coast 87:310

parasites on, comparison of wild and pond-reared 99:789
positive response to moonlight 99:406
sounds produced by 86:160
tagging 89:4
toxicity of Aroclor 104:584
Shrimp, river
life history notes 103:120
spawning migration 103:120
Shrimp, royal-red, investigation of 95:92
Shirmp, seed
susceptibility to DDT 99:89
toxicity to 2-(digeranylamino)-ethanol 103:738
Shrimp, snapping, affected by hurricane 91:378
Shrimp, spot, juvenile, method of estimating abundance on nursery area 100:781
Shirmp, white
culture 98:751; 104:296
effect on, of
malathion 104:793
temperature, spawning 90:467
growth 89:6
hermaphroditic, parasitized by microsporidia 104:292
in estuaries 99:843
internal anchor tag results 101:358
juvenile, cover as a factor in habitat selection 102:144
length-weight relationship 100:584
mark-recapture study 103:107
microsporidian parasite on 88:130
on TX coast 89:135
taken in drop net 104:47
toxicity of sevin 96:29
vertical distribution during immigration through tidal pass 101:748
Shrinkage, length, yellowtail flounder 89:373
Sideswimmers, test animal, toxicity of brine water 84:98
Silica, in certain waters 84:99
Siltation, egg survival 95:183
Silt, effect on embryo and larval survival, northern pike 99:370
Silver cyanide, toxicity to fish 95:17
Silverside, Atlantic
effect on, of
ABS 94:27
temperature, development and survival of eggs and larvae 104:762
fin rot in 102:599
food habits 105:516
food, of striped bass 97:317
immature, caught in NC inlets 100:301
length-weight relationship 102:554
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
toxicity of endrin 95:155
Silverside, brook
abundance, Clearwater L., MO 87:256
catch, electrofishing, L. Monona 103:670
decline after planting Mississippi silverside 100:608
food and growth 99:435
food, of 97:300
bass, largemouth 89:231; 101:651
fingerling 91:34
pike, northern 92:108
in
Gull L., MI 98:632
Smiths Branch, IL 88:266
life history 97:293
oxygen requirement in exercise 93:210
repopulation after fish kill 103:83
Silverside, Mississippi
development
rates 100:603
temperature tolerance 100:604
diel feeding cycle, and effects of light on feeding intensity 105:84
effect of introduction on growth of black and white crappie 105:404
established in CA 99:70
killed by rotenone 90:292
predator on gnat 100:603
salt tolerance 100:603
Silverside, rough, food, of striped bass 97:317
Silversides, aggregation in morning light 99:542
Silverside, tidewater
effect of DDT on 94:153
food of 102:511
food, of red drum juvenile 104:38
killed by antimycin 98:290
not infected by parasitic isopods 105:327
Silverside, Waccamaw
characteristics 98:468
in L. Waccamaw, NC 100:728
life history 98:466
Silvex, effect, on
fishes 96:415
plankton in farm ponds 94:371
Simazine, effect on fishes 96:415
Simulians, drift collected 104:530
Simuliids, food, of
bass, spotted 98:649
trout, brook 103:132
Singhi, susceptibility to DDVP and Phosphamidon 98:431
Siscowet
fat content, L. Superior 94:62
reproduction, L. Superior 84:47
Size
at maturity, lake whitefish 93:78
change in average, bloater 97:148
composition, lake trout spawners 86:238
distribution
shad, threadfin 94:385
walleye, spawning run 86:19
effect on metabolic rate, fishes 90:390
eel, American 99:57
limit
effect on trout fishery 100:50
in largemouth bass management 87:227
minimum, adult spring lobsters, Dry Tortugas, FL 104:675
permit 98:481
pompano 98:481
relationship to time of annulus formation, brook trout 88:176
seasonal distribution, gars, Lake Texoma 101:106
Size of fish, relationship to flavor and aroma 98:533
Skate, clearnose, electrophoresis serum protein 96:131
Skilfish, catch in high seas, N. Pacific 93:288
Skipjack
commercial fisheries 84:362
in
Alabama 83:50
southeastern US reservoirs 87:336
Skipjack, black, courting behavior 99:93

Skipjack, wavyback, passage of food through intestines 98:385
Skipjack, white, in Gulf of Mexico and Caribbean 85:13
Slime, bacterial, growth in polluted stream 88:153
Sloughs, managed for northern pike 92:109
Smelt
  commercial fisheries 84:301
  deep sea, heterogamety 99:133
  disease in 83:264
  fishery, L. Superior 100:696
Smelt, longfin
  abundance, growth and spawning 103:46
  caught in purse seine, Columbia R. estuary 102:343
Smelt, pond,
  food, of Dolly Varden 88:256
  in Chignik Lake system, AK 88:255
Smelt, rainbow
  age, growth, length-weight relationship sex ratio and food habits, in Gull L., MI 98:631
  age, growth, sex composition, L. Superior 95:251
  bathymetric distribution, L. Superior 95:251
  catch, L. Michigan 87:190
  caught, in
    electric beam trawl 97:292
    trawls 102:119
  change in population 102:779
  DDT content 95:163
  depth distribution
    range 102:721
    vertical gill net 97:297
  diel pattern 103:50
  effect of introductions on growth of Atlantic salmon 102:392
  eggs destroyed by waves 104:524
  estimation of year-class strength 104:246
  fry, taken by new net 97:63
  food competition with lake herring 104:541
  food interrelationship between brook, trout, alewife and Atlantic salmon 98:641
  food of 90:439
  food, of
    burbot 101:673
    perch, white 101:608
    pickerel, chain 102:150
    piscivorous fishes 101:55
    salmon
      Atlantic 98:643; 103:396
      coho 103:127
    trout
      brook 103:397
      lake 94:172
    walleye 100:474
  forage fish, Long L., ME 98:5
  in
    Adirondack lakes 100:326
    Barrows Stream, ME 99:298
    Cold Stream Pond, ME 85:258
    deeper waters, L. Michigan 93:156
    Floods Pond, ME 105:616
    Lake Superior 84:196
    Little Bay de Noc, MI 103:10
    Long Pond, ME 89:212
    Love L., ME 96:11
    Maine lake 91:425
    Matamek R. system 102:708
    Owasco L., NY 105:233
    Quabbin Reservoir, MA 89:28
    Saginaw Bay, L. Michigan 88:331
    Schoodic L., ME 102:121
    Sebago L., ME 95:160
  introduced, into
    Fish R. Lakes, ME 92:193
    Quabbin Reservoir, MA 89:27
    Sporley L., MI 96:2
  killed by electrical barrier 86:279
  larval, first foods 101:219
  life history, ME 88:241
  lymphocystis in 85:272
  parasite in 83:84
  percent composition, trawl catches 100:700
  production and survival of eggs 90:42
  relation to alewife, L. Michigan 99:758
  seasonal distribution, ME estuary 102:543
  selectivity of four trawl cod ends 92:125
  shore spawning and survival of eggs 94:160
  spawning runs, Black R., MI 101:18
  summer abundance, tidal cove 103:327
  tagged in PQ 86:348
  tidal cove night catch 104:31
  tubercles on female 91:419
Smelt, surf
  caught in purse seine, Columbia R. estuary 102:343
  monthly occurrence, Big Beef Harbor, WA 101:727
Smolt, steelhead, migration 84:29
Snail, apple, food of everglades kite 102:8
Snail, common pouch, toxicity of saltwater to 84:104
Snail, pond, predation on largemouth bass embryos 101:734
Snails
  attempts to infect with trematode 88:96
  effect on, of
    ABS 92:157
    rotenone 98:542
  fed to grass carp 103:587
  food, of
    carp 95:366
    Mississippi R. fishes 89:34
    perch, yellow 88:331
    salmon, coho 103:128
    sculpin, slimy 104:242
    sucker, longnose 83:40
    sunfishes 100:126
    trout, cutthroat 84:245,291
    warmwater fishes 93:272
  host of trematode parasite 94:143
  in
    Clinton R., MI 88:114
    Valley Creek, MN 91:244
  intermediate host, strigeid nematode 93:305
  killed by TFM 96:412
  population, reduced by reintroduction of fish in lake 94:212
  test animals, toxicity tests of brine water 84:98
  toxicity to, of
    Bayer 73 and TFM 105:324
    2-(digeranylamino)-ethanol 103:738
Snail, sea, in bay scallop 97:278
Snail, striped, living in scallop shell 97:278
Snail, violet, feed on coelenterates 98:709
Snake, garter, predator on trout 102:757
Snakeheads, undersirable exotics 100:184

Snapper, gray
affected by hurricane 91:377
growth and food of 91:379
range, taken in trawl 103:780
sport fishery survey 102:467
Snapper, lane
correlation hematocrit and hemoglobin 98:330
range, taken in trawl 103:780
Snapper, red
coefficient of condition 92:310
length-weight relationship 92:310
return of marked after 6 years, Caribbean 99:428
Snappers, food of 89:9
Snapper, silk,
catch 102:844
depth distribution 102:844
length-weight relationship 102:844
Snapper, vermillion, pugheadedness in 100:366
Snapper, yellowtail, population variability 94:314
Snipeflies, toxicity of Bayer 73 and TFM 105:324
Snook
juvenile, occurrence in NC waters 100:131
killed by hurricane 91:377
survived antimycin treatment 98:291
Snowmobile, effect of lead and hydrocarbons from exhaust, on brook trout 104:363
Society, American Fisheries, highlights in history of 86:436
Sodium
arsenite
effect on plankton in farm ponds 94:371
toxicity to caldocernas 95:168
use to control algae 94:130
concentration, alewife, held in fresh and sea water 100:630
cyanide, used to recover fish from ponds 100:471
fluoride, effect on carp and trout 89:358
in
brine-polluted stream 85:18
certain waters 84:99
pentachlorophenate
effect of dissolved oxygen on tolerance of coho salmon to 104:133
toxicity to fathead minnow 104:567
sulfate, effect on aquatic invertebrates 92:156
Soil
analysis, farm ponds, KY 89:334
pond, effect on calcium in pond water 100:580
Solar radiation, effect on salmon and trout 83:194
Sole, butter, in East Sound, Orcas Island, WA 100:248
Sole, C-O, in East Sound, Orcas Island, WA 100:248
Sole, Dover
environmental aspects of fin erosion and tumors 103:799
incubation temperature 104:146
in East Sound, Orcas Island, WA 100:250
tumor-bearing, occurrence off CA 105:561
Sole, English
catch in high seas, N. Pacific 93:288
deformed by high temperature 101:694
in East Sound, Orcas Island, WA 100:250
monthly occurrence, Big Beef Harbor, WA 101:727
nursery grounds, parasites as indicators 102:405
skin tumor in 103:808
toxicity of sevin 96:26
Sole, flathead
epizootiology of tumors 100:247
in coastal fiords, S.E. AK 105:196
Sole, lined, range, taken in trawl 103:780
Sole, rex, in
coastal fiords, S.E. AK 105:196
East Sound, Orcas Island, WA 100:250
Sole, rock
in East Sound, Orcas Island, WA 100:248
pugheaded 99:95
Sole, sand, in East Sound, Orcas Island, WA 100:248
Sole, yellowfin, catch in high seas, N. Pacific 93:288
Solids
settleable, contribution to total turbidity 100:685
suspended
effect on respiratory and hematological responses in oyster toadfish 104:775
hatchery effluents 102:329
total dissolved
in glacial lakes 93:262
Missouri R., NE effect of channelization 97:383
Sonar, use in
measuring swimming rate, yellow perch 96:373
operations, kokanee salmon movement 98:247
Sonic tagging
bass, largemouth 104:696
shad, American 101:458
Sonic tracking
bass
striped 101:453
white 101:455
salmon, chinook 101:454
Sounds, produced by
lobster, Florida 86:160
shrimp , pink 86:160
Sowbugs, aquatic
effect of ABS on 92:157
food, of
sturgeon, lake 84:226
trout, rainbow 85:83
susceptibility to DDT 99:89
Soybean meal, in
channel catfish diet 101:95
hatchery diet 86:313; 98:773
Spadefish, Atlantic, taken in saltmarsh impoundment, LA 104:302
Spadefish, killed by antimycin 98:291
Spaghetti tag, on striped bass 88:319
4-SP, anesthetic effect on lamprey and other fish 93:206
Sparid, Pacific, disease in 83:275
Spat, collection, DE 100:106
Spatterdock, egg masses of *Heliosoma* on 95:37
Spawning, controlled
effect on future fish culture 88:53
salmonid, water velocity and depth criteria for 102:312
velocity, recommended for salmonids 102:315
Spawning, species

alewife 90:285; 103:392
  anadromous 103:312
  Lake Michigan 96:392
  runs 102:435
bass, use of brush shelter as cover 104:264
  largemouth 91:30
    dates of 89:224
    induced 102:442
    in laboratory 101:539
    season, FL 85:131
    suppression by interspecific competition for space 105:682
  rock, induced 88:55
  smallmouth, behavior 104:85
  striped 85:155; 97:340
    grounds 85:144
    migration blocked by total dissolved solids 96:405
    season 85:144; 101:448
    temperature at 85:144
bloater 97:156
bluegill 91:25
bullhead, black 101:484
burbot 101:672
catfish
  channel, induced 88:54
  flathead, induced 88:55
char, Arctic 105:420,617
chub
  roundtail 98:205
  Utah 90:272
crappie, white
  effect of light on 97:258
  induced 88:55
cui-ui 102:145
dace, western blacknose 98:456
drum, freshwater 99:560
fallfish 100:720
gar, longnose 91:258
grouper, Nassau, aggregation 101:257
herring
  Atlantic thread 98:219
  North American 88:164
hilsa, Indus R. 97:350
lamprey, sea, run, sex ratio 99:773
marlin, blue, cycle 98:131
menhaden 98:218
minnow
  fathead, reduction due to zinc 98:276
  silverjaw, behavior 100:517
muskellunge, habits, TN streams 88:138
oyster, Pacific, west coast US inability 98:309
paddlefish 90:126
perch
  Sacramento 99:701
  yellow 84:242; 104:728
permit 98:480
pike, northern 92:94; 98:693
  dates of 86:287
  ecological significance of vegetation 101:560
pikeperch, European 91:355
pompano 98:480
redhorse, Des Moines R., IA 91:418
  black 99:547
salmon, use of artificial channel 86:220
  Atlantic
    choice of areas 103:454
    success 92:161
  chinook 84:137
    beach 96:423
    efficiency 84:137
    temperature at 85:203
  coho
    effect on benthic organisms 100:61
    migration, time and conditions 87:19
  pink, behavior on artificial redds 101:276
  sockeye, in spring seepage 91:168
sardine, scaled 98:219
sauger
  temperature 101:313
  time 97:160
sculpin
  slimy 104:242
  torrent 102:620
sculpins, habits 97:46
searobin, striped 99:351
seatrout, spotted, LA 91:86
shad, threadfin 94:385
  number per year 100:80
shiner
  coastal 100:731
  rough, season 103:89
shrimp
  pink 90:462
  river, migration 103:120
  white, effect of temperature on 90:467
silverside
  brook 97:294
  waccamaw 98:470
smelt
  longfin 103:46
  rainbow 94:167
    period, ME 88:246
    shore 94:160
    sites, ME 88:246
squawfish
  Colorado, time 98:203
  northern 88:201; 98:110
sucker
  spotted 101:738
sunfish
  banded, effect of light on 97:258
  longear 98:308
  spotted, season 85:122
trout, effect of light and temperature on 86:139
  brook
    artificial facilities for 91:168; 103:144
    influence of flow on, in laboratory 99:595
    in ten-gallon aquaria 97:299
    upwelling water in choice of site 105:416
  brown, selection of area 91:168
  cutthroat 84:242
  lake 86:235
    artificial ground, establishing for 86:75
    grounds 85:257
    length at 85:257
    river run 87:259
    season 85:262
    time 86:232
    use of artificial and natural spawning beds 86:258
  rainbow
    effect of intermittent stream on 105:675
    extended, environmental influences on 100:312

potential, effect of harvest, migration and stocking on 91:63
success, in tailwaters 85:82
walleye 85:192; 86:16
age groups 86:21
behavior 94:358
movements 92:48
sex ratios in run 86:19
stock, effect of fishery on 101:660
time, SK 86:18
warmouth 91:25
whitefish
lake 93:92
pygmy, locality 84:192
round 98:10
Spear fishery, lake sturgeon 84:208
Spear fishing
legality in states 92:32
status and use of scuba in freshwater fish management 92:30
Spearfish, longbill, off PR 91:225
Spearfish, shortbill, longline catch 104:9
Species
in commercial catch, Red Lakes, MN 99:28
interaction, alewife, Great Lakes 99:754
introduced, effect of impoundment on 87:324
list of, in Middle Creek, TN 101:373
relationship of Sacramento perch to other 99:703
transient, fishes, Big Beef Harbor, WA 101:726
Species association
fishes, Kiamichi R., OK, factor analysis 105:17
Lake Superior 84:195
Species composition
backwater lakes, LA 88:7
fish, changes in, AuSable R., MI, 1920-72 105:32
tunas, midwater trawl, HI 99:62
Species, exotic, list of undesirable species for N. America 100:184
Specific conductance, range of 85:22
Sperm
activity, effect of potassium tellurite on goldfish 94:399
concentration, salmonid, technique for estimating by microhematocrit 105:534
fish, chemical and physical characteristics 98:785
frozen
herring, Atlantic 99:518
steelhead 99:518
morphology and ultrastructure, channel catfish 105:475
mortality, effect of tannin on walleye 104:808
motility, in LAS water 100:5
physical and chemical properties, walleye 99:518
preservation, channel catfish 105:469
Spermatocrits, salmonid 105:535
Spermatology, study, channel catfish 105:463
Sphaeriids, food, of lake whitefish 90:304
Spiders, terrestrial, food of trout 103:442
Spikedace, endangered species 95:138
Spillway, drop box, loss of fish over 97:492
Spinedace, little Colorado, endangered species 95:138
Spinedace, Pahranagat, habitat 103:531
Spine, pectoral, method for rapid decalcifying 97:210
Spines, crooked, genetics of 83:231
Splake
behavior of fingerlings 90:328
hybrid brook-lake trout 86:136
stocked ON lakes 97:32
Spleen
bluegill, hemosiderin in 97:48
in hatchery diet 86:312
Sponge, shelter for young spiny lobster 93:204
Spoonbill, catch in TVA lakes, AL 88:83
Sporozoan, infection in largescale sucker 94:330
Sport fisheries
freshwater, trends in N. America 98:136
marine, trends in N. America 98:151
on southeastern reservoirs 87:340
Sport fishermen, survey of opinions, MI 93:183
Sport fishery
bass, smallmouth Columbia R., WA 86:113
development of resources, Indian lands southwest 89:271
salmon, Puget Sound, statistics 105:667
sturgeon, Lake 84:208
surveys, sample size 102:466
Sport fishing
activity, annual cycle, warmwater discharge, Galveston Bay, TX 102:573
catch, Pacific billfish 104:1
dolphins 98:94
measurement of economic values 98:352
on water supply reservoirs 87:200
yield, Missouri R. reservoirs 87:360
Spot
abundance, lower estuary, NC inlets 100:297
catch, Galveston Bay 102:574
coefficient of condition 91:90
chronic exposure to sublethal concentration of toxaphene in seawater 93:396
effect on, of
DDT 94:153
pesticide 97:400
food habits 105:516
food, of
bonito, common 95:227
drum, red, juvenile 104:37
hematological response to fullers earth 104:780
in Atlantic coastal fisheries 88:105
juvenile, no observable effect of low level toxaphene on growth 99:489
parasitic isopod on 105:328
retention in pound net 105:370
streptococcal infection in 103:359; 104:286
taken in trap, in salt marsh impoundment, LA 104:300
toxicity of Aroclor 103:582; 104:584
uptake of mixed fission products 95:145
Spotting, white, of winter flounder 102:83
Sprat, electrophoresis 102:22
Spring, constant temperature, fish population in 85:120
Springfish
in Moapa R., NV 105:505
White R., exotic fish barrier against 100:507
Squamation chronology
bass, smallmouth 99:429

bluegill 99:429
carp 99:429
crappie
black 99:429
white 99:429
Dolly Varden 99:429
drum, freshwater 99:429
flier 99:429
minnow, fathead 99:429
perch, yellow 99:429
pike, northern 99:429
salmon
Atlantic 99:429
chinook 99:429
shiner, common 99:429
trout
brook 99:429
brown 99:429
cutthroat 99:429
Squaretail, smalleye, catch in high seas, N. Pacific 93:288
Squawfish
dinaphthol compound as selective toxicant 103:736
disease in 83:303
in Thompson Lakes, MT 84:241
marked with latex 97:281
taken by spearfishing 92:32
Squawfish, Colorado
in upper and middle Colorado R. basins 104:217
life history 98:193
Squawfish, Columbia, in Columbia R., WA 86:116
Squawfish, northern
age and growth 88:199
at ladder of John Day Dam 99:670
chemical selectively lethal to 98:676
ecology and control of, ID 88:197
effect of kraft paper waste on 88:153
food habits 88:199
in
North Fork Clearwater R., ID 104:69
Oregon farm pond 92:27
Priest Lakes, ID 90:27
killed with squoxin 103:362
largest taken, ID 98:198
prey on sockeye salmon 96:424
reproductive behavior 98:108
selectivity of gill net 88:198
spawning and fecundity 88:201
temperature of tissues 105:710
underwater census 92:147
Squawfish, Sacramento, oldest taken 98:198
Squawfish, Umpqua, chemical selectively lethal to 98:676
Squid
effect of dredge spoil disposal on catch 103:500
food, of
bluefish 105:525
bonito, common 95:227
marlin, blue 91:226
salmon, coho 103:129
tuna
bluefin 99:726
skipjack 94:238
tax on, CA 102:181
Squirrelfish
food, of blue marlin 91:226
in shipboard aquarium 97:287
Squoxin
effect on insect drift 103:362
lethal to northern squawfish 103:362
Stains
biological, effect of injected on oxygen uptake in shrimp 94:277
marking sockeye salmon fry 92:379
Stain tests, on swimmerets of brushed lobster 102:847
Stamina
salmon, coho 89:40
trout
brook 89:40
comparison between wild and domestic strains 93:96
brown 89:41
cutthroat 89:40
rainbow 89:41
influence of capture method on 96:220
Stanazolol, effect on growth, of
catfish, channel 102:44
goldfish 102:444
Standard length-total length relationship
gulf menhaden, bay anchovy, and Atlantic croaker 104:408
hogchocker 91:89
Standing crop
bass 104:274
largemouth 85:253
biotic constituents, fish ponds 99:712
fishes
farm ponds, KY 89:333
in
Louisiana backwaters 88:11
Ontario streams 94:352
Oregon farm ponds 92:25
three ME lakes 94:9
number per acre 85:61
Oklahoma lakes 85:58
pounds per acre 85:61
salmon
Atlantic 103:454
Schoodic L., ME 102:733
juvenile, factors influencing 99:297
sculpin, slimy 104:240
trout
brook, recovery in flood damaged stream 103:431
headwater refuge 93:195
Starfish
abundance on substrates 104:51
predator on oysters 98:313
Stargazer, southern, immature, caught in NC inlets 100:301
Starvation
bluegill, effect on protein utilization 100:18
influence on oxygen consumption 93:103
States, survey of, relative to importation of exotic fishes 102:241
Statistics
commercial fishery, walleye, Green Bay 90:478
Lake Superior 100:693
Puget Sound salmon sport fishery 105:667
sport fishery for walleye, MN 87:52
Status of Society 83:357
Stearate, effect of temperature on, channel catfish 101:97
Steelhead
age composition 84:268
bypassing around turbines at dams 100:319
catch
in high seas, N. Pacific 93:288

Little Salmon R., ID 84:200
characteristics of redds 97:42
cost expenditures by anglers for 102:299
depression of growth following radio-thyroidectomy 98:104
effect on, of
air-supersaturated water, survival of smolts 105:338
angling and stocking, abundance 102:745
gravel mixtures, emergence of fry 104:461
limited food, growth 98:393
logging and road construction 101:1
nitrogen concentration 99:664
stocking location, adult catch 98:27
stocking time, survival 97:374
efficiency of electrode-louver array in guidance 96:422
eggs and alevins eaten by *Acroneuria* nymphs 99:677
embryos, dissolved oxygen requirements 92:327
evaluation of winter fishing 101:29
found in gatewells 97:124
gas bubble disease 103:717; 105:114
growth equation 94:57
hexamitiasis in 94:53
hypothyroid 104:349
in Fall Creek, CA 84:147
infected by hemoflagellate 94:328
influence of oxygen concentration and water movement on embryo growth 93:342
inhibition of salt water survival and Na-K-ATPase elevation by water temperatures 104:766
juveniles, screens for diverting from turbine intake 100:439
life history, Chilliwack R., BC 84:27
management, WA 84:261
marking program 101:29
migrating, effect of displacing, hooking and releasing 104:458
mortality, in passing through orifices in gatewells of turbine intakes 101:381
movement, in two ID streams 100:423
net production 94:51
passage, through
dams 99:532
gatewells, McNary Dam 98:723
hydraulic turbine 93:251
inclined pipe 100:448
protected 98:487
redd measurements 102:313
regurgitate transmitters 104:56
resistance to piscicide, for squawfish 98:677
seaward and return migration 92:202
size and age at migration 92:205
sperm
concentration estimation 105:534
frozen 99:518
toxicity of paper fiber deposits to 96:278
yellow grub in 95:35
Sterility, brook trout, from sulfa drugs 84:157
Sterlet, X-ray treatment of sperm 105:13
Sterols, in northern pike 84:150
Stickleback, blackspotted
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
Stickleback, brook
burrowing behavior 99:433
caloric content 102:365
catch, electrofishing, L. Monona 103:670
caught in electric beam trawl 97:292
changes in population, AuSable R., MI, 1920-72 105:35
food, of
bass 88:126
walleye 85:199
in
Alberta pothole 86:262
alkaline lakes, NE 97:53
North Dakota saline lakes 103:744
percent composition, trawl catches 100:700
trematode in 88:96
Stickleback, fourspine
food, of striped bass 97:317
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
Stickleback, ninespine
association with northern pike 91:327
bathymetric distribution, L. Superior 95:251
caught in electric beam trawl 97:292
downstream migration 91:401
early survival and growth 101:350
fatty acids in 84:150
food, of
burbot 101:673
piscivorous fishes 101:57
salmon
Atlantic 98:643
coho 103:127
trout
brook 98:642; 103:397
lake 94:172
walleye 86:26
in
beaver pond 84:77
Cold Stream Pond, ME 85:258
Chignik L. system, AK 88:255
Lake Superior 84:196
Matamek R. system 102:708
killed by electrical barrier 86:279
percent composition, trawl catches 100:700
selectivity of gill net 91:263
summer abundance, tidal cove 103:327
tidal cove night catch 104:31
Sticklebacks
food of Dolly Varden 88:256
undesirable exotics 100:184
Stickleback, threespine,
catch in high seas, N. Pacific 93:288
caught in purse seine, Columbia R. estuary 102:343
disease in 83:273
effect on, of
endrin 90:394
pesticide 97:400
flight behavior 99:541
food, of cutthroat trout 100:304
in
Chignik lake system, AK 88:255; 89:378
Fern L., WA 88:4
Floods Pond, ME 105:616
Matamek R. system 102:708
North Carolina streams 101:2
infected by hemoflagellate 94:330
monthly occurrence, Big Beef Harbor, WA 101:727
occupy beverage cans 101:566
parasites of 103:632

reestablished after rotenone treatment 92:18
selectivity of gill net 91:263
sexual dichromatism 97:208
summer abundance, tidal cove 103:327
toxicity to, of
endrin 99:155
organic insecticides 90:264
sevin 96:26
Stick, water, susceptibility to DDVP and Phosphamidon 98:431
Stingray, Atlantic, killed by antimycin 98:291
Stingray, freshwater, undesirable exotic 100:184
Stingray, roughtail, electrophoresis serum protein 96:131
Stingray, southern, killed by hurricane 91:377
Stingray, streptococcal infection in 103:359
Stingray, yellow, population variability 94:314
Stock analysis, computer program, FORTRAN IV and Univac 1108 99:426
Stock-effort relationship, Atlantic menhaden 101:292
Stocking
Alabama state-owned fishing lakes 94:129
bass, smallmouth, effect on fishery 103:757
catchable sized warmwater fishes, results 92:235
steelhead, effect on abundance 102:745
trout
brook, airdrop 97:32
brown, Denmark 92:264
cutthroat, evaluation of 100:55
lake, comparison fall and spring hatchery-reared 91:425
rainbow
effect of location on adult catch 98:27
effect on
spawning potential 91:63
time on survival 97:374
fall, results 92:44
walleye, fry, evaluation of alternate year, Clear L., IA 89:249
Stocking rates, AL fishing lakes 85:209
Stocking ratios, IA fish ponds 86:365
Stock, reduction in Pacific ocean perch 101:64
Stocks, lake herring, changes in 100:701
Stoeltzner's method, determination growth of fish scales 94:93
Stomach capacity, method of estimating 100:572
Stomach content
Dolly Varden 88:256
use of ice water to prevent regurgitation 92:68
Stomachs, fish, device for holding objects in 94:193
Stonecat
changes in population, AuSable R., MI, 1920-72 105:35
in Cedar Creek, WI 94:2
standing crop, ON streams 94:352
Stoneflies
effect on, of
DDT 86:215
low oxygen 101:675
food, of Dolly Varden 88:256
killed by TFM 96:412
naiads, long term effects of organic insecticides 93:357
toxicity of Bayer 73 and TFM 105:324
Stonefly
effect on, of
Dibrom, respiration 102:806
ten organic insecticides, naiads 93:27
elutriated from stony substrate 104:823
food, of
salmon, coho 91:407
walleye 86:26
in Wenatchee R., WA 88:187
nymphs, predators or scavengers on salmon eggs and alevins 99:677
potential predator on salmonid embryos 97:50
Stoneroller
abnormal specimen 103:642
age 89:266
distribution, Great Smoky Mountains National Park 89:263
effects of herbicides on 96:414
in
Big Piney R., MO 103:761
Holston R., VA 103:271
Rich Creek, VA 104:447
Smiths Branch, IL 88:266
Tennessee streams 86:147
killed, by
anhydrous ammonia 102:76
rotenone 90:292
oxygen requirement in exercise 93:210
population in PA streams 91:54
pounds per acre, Great Smoky Mountains National Park 89:264
production, small stream, IL 84:113
repopulation, after fish kill 103:82
size and maturity 89:265
Stonewort
in
Lake Atitlan, Guatemala 96:210
Oklahoma lakes 85:59
strip mine ponds, IL 84:123
yellow perch eggs on 84:242
Storage, effects on vitamin contents of diets 86:163
Strains, disease-resistant fish 83:342
Stream
drift, indicator of water quality 103:507
flow, effect on growth
chub, creek 84:253
salmon, chinook, movement 100:423
simulated in aquarium 94:274
steelhead, movement 100:423
gradient, influence on trout and sculpin abundance 95:381
headwaters, repopulation of decimated segment 98:305
improvement, new structure
effect on standing crop of rainbow trout 103:637
for brook trout 91:185
Maine 89:59
New Mexico 91:228
metabolism, effect of hatchery discharge on 103:228
stability, influence on homing behavior of smallmouth bass 91:346
survey, TN 86:145
Stream bottom invertebrates, method of estimating production rate 91:243
Streamer tag, on striped bass 88:319

Streams, description of, TN 86:146
Streptococcus, pathogenicity in fishes 104:286
Streptomycin
  treatment, kidney disease 88:120
  tubificid sensitivity to 97:502
  used to isolate virus 101:267
Stress
  acute hypoxia, trout, rainbow, composition of urine 98:20
  handling, effect on nitrogen excretion, bluegill 102:629
  hooking, physiological response of rainbow trout to 105:601
Strip-mine
  lakes, acid and alkaline, community metabolism 99:577
  ponds, IL 84:117
Strobane, resistance of freshwater shrimp to 99:697
Strontium^{89}, uptake by fishes 95:150
Strontium^{90}
  and yttrium^{90}, uptake by fishes 95:150
  in carp scales 95:336
  uptake by guppies 90:53
Structures
  artificial, attracting fishes to 100:86
  midwater, for attracting pelagic sport fish 102:563
Studfish, northern
  abundance, Clearwater L., MO 87:256
  food of 101:375
  in Big Piney R., MO 103:761
  repopulation after fish kill 103:83
Sturgeon
  commercial fisheries 84:301
  in southeastern US reservoirs 87:336
  X-ray treatment of sperm 105:13
Sturgeon, Atlantic, tagged in PQ 86:348
Sturgeon, lake
  competitor with freshwater drum 96:219
  length distribution 84:211
  life history 84:207
  production, Red Lakes, MN 83:138
  tagged in PQ 86:348
Sturgeon, shortnose, fin rot in 102:599
Sturgeon, shovelnose
  early summer foods 98:514
  in Missouri R. reservoirs 87:360
  mayflies and caddis flies as food 89:32
  scarred by lamprey 90:84
Sturgeon, Volga, eggs parasitized by hydra 90:330
Sturgeon, white
  in Columbia R., WA 86:116
  serum complement 96:238
  temperature of tissues 105:710
Substrate sampler, basket, artificial, evolution for macroinvertebrates 100:553
Substrates, artificial, use in sampling estuarine benthos 104:50
Sucker, Alabama hog, new cestode parasite in 103:610
Sucker, bluehead, bait species for largemouth bass 102:355
  food, of Colorado squawfish 98:203
  hybrid with white sucker, in upper and middle Colorado R. basins 104:228
  in
    Green R., UT 98:196
    upper and middle Colorado R. basins 104:225
Sucker, blue, removal from Norris Reservoir 92:357
Sucker, bridgelip, in
  Lynch L., WA 95:36
  Priest Lakes, ID 90:27
Sucker, desert
  electrophoresis 102:22
  polymorphism 105:288
Sucker, dwarf
  homing tendency 92:13
  in Yellowstone Lake 83:41
Sucker, flannelmouth
  hybrid, with
    humpback sucker, upper and middle Colorado R. basins 104:228
    white sucker 104:228
  in
    Green R., UT 98:196
    upper and middle Colorado R. basins 104:217
Sucker, humpback
  effect of impoundment on 87:324
  hybrid, with flannelmouth 104:228
  in upper and middle Colorado R. basins 104:217
Sucker, largescale
  caught in purse seine, Columbia R. estuary 102:343
  Columbia, in Thompson Lakes, MT 84:241
  effect of kraft paper waste on 88:153
  in
    North Fork Clearwater R., ID 104:69
    Priest Lakes, ID 90:27
  infected by sporozoan 94:330
  Klamath, infected by hemoflagellate 94:327
  late spawner 98:213
  resistance to piscicide for squawfish 98:683
  selectivity of gill net 88:198
  standing crop, OR farm pond 95:27
  underwater census 92:147
Sucker, longnose
  bathymetric distribution 95:251
  catch, diurnal variation 86:31
  depth distribution 93:137
  effect on, of
    DDT 90:239
    kraft paper waste 88:153
    pesticide 97:400
  food of 103:427
  food, of inconnu 94:273
  homing tendency 92:13
  in
    Hebgen L., MT 90:270
    Lake de Smet, WY 91:63
    Lake Michigan 86:393
    Lake Superior 84:196
    Montana 98:209
      ponds 89:379
      stream 97:391
    Sebago L., ME 95:160
    Thompson Lakes, MT 84:241
    upper and middle Colorado R. basins 104:226
    Yellowstone L., WY 83:38; 85:161
  killed by electrical barrier 86:279
  large population, Rocky Mountain region 90:223
  marked with latex 97:281
  native to N. Michigan lake, CO 103:425
  percent composition, trawl catches 100:700

physical factors influencing population 98:15
removal of large population 104:685
spawning run, Black R., MI 101:18
Sucker, mountain
change in population, following impoundment, Sagehen Creek 102:628
in Lake de Smet, WY 91:63
life history 98:209
not taken in upper and middle Colorado R. basins, 1967-73 104:228
Sucker, northern hog
changes in population, AuSable R., MI, 1920-72 105:35
in
Big Piney R., MO 103:761
Black R., MO 87:243
Cherry Run, PA 92:307
Rich Creek, VA 104:447
Smiths Branch, IL 88:256
Tennessee streams 86:147
killed by zinc 93:180
oxygen requirement in exercise 93:210
population in PA streams 91:54
repopulation after fish kill 103:84
scale regeneration 83:206
standing crop, ON streams 94:352
Suckers
at ladder, John Day Dam 99:670
disease in 83:303
efficiency of gill nets 102:778
estimation of yearclass strength 104:246
food, of burbot 89:375
in
Columbia R., WA 86:116
deeper waters, L. Michigan 93:156
Louisiana backwaters 88:10
small IL streams 84:111
polymorphism in esterases 99:147
production, L. Michigan 87:190
taken by spearfishing 92:32
Sucker, spotted
in
Alabama 83:50
Chipola R., FL 88:191
killed by rotenone 90:292
population in Clearwater L., MO 87:255
repopulation after fish kill 103:82
scarred by lamprey 90:84
spawning behavior 101:738
Sucker, Tahoe
change in population following impoundment, Sagehen Creek 102:628
food, of Sacramento perch 103:401
Sucker, white
anesthetic effect of 4-SP on 93:207
bathymetric distribution, L. Superior 95:251
catch
diurnal variation 86:31
electrofishing, L. Monona 103:670
Minnesota lake 89:68
Red Lakes, MN 99:28
caught, in
electric beam trawl 97:292
trawls, L. Huron 102:119
change in population 102:779
AuSable R., MI, 1920-72 105:35
chlorine-induced mortality 104:800
DDT in 99:392
death from low pH 104:682
depth distribution 93:137
diseases in 83:250,264
effect on, of
electric shocker 85:239
pesticide 97:400
eggs in fallfish nest 100:720
electrophoresis blood analysis 95:175
food of 83:40
food, of
pickerel, chain 102:150
pike, northern 94:96
piscivorous fishes 101:56
walleye 86:26; 98:122
fry, taken in new net 97:63
growth rate 87:125
hermaphroditism in 104:413
homing tendencies of spawning 92:13
in
Adirondack lakes 100:326
Barrows stream, ME 99:298
beaver ponds 84:77
Big Flatbrook, NJ 99:55
Cedar Creek, WI 94:2
Cherry Run, PA 92:307
Cold Stream Pond, ME 85:258
Floods Pond, ME 105:616
Gladstone L., MN 91:42
Gull L., MI 98:632
Lake de Smet, WY 91:63
Lake Michigan 86:393
Lake Superior 84:196
Long L., MN 102:795
Long Pond, ME 89:212
Love L., ME 96:11
Maine lake 91:425; 101:609
Minnesota lakes 85:191; 86:286; 87:53
Montana 98:209
ponds 89:379
stream 97:391
Pigeon R., MI 90:256; 91:408
prairie lake, MN 88:178
Quabbin Reservoir, MA 89:28
Rich Creek, VA 104:447
Saginaw Bay, L. Michigan 88:331
saline waters 91:328
Schoodic L., ME 102:121
Sebago L., ME 95:160
Smiths Branch, IL 88:266
Stager L., MI 96:2
upper and middle Colorado R. basins 104:226
winterkill lake 98:695
infected by hemoflagellate 94:333
influence on, of
light and dark periods, spatial distribution and activity 100:353
starvation, oxygen consumption 93:103
insecticide residues in tissues 99:423
killed, by
electrical barrier 86:279
zinc 93:180
larval, first foods 101:219
lethal pH 101:355
loss over drop-box spillway 97:493
marked with latex 97:281
method for obtaining gut content from small live fish, failure of 105:421
no leech infestation 98:116
not infected by blackspot 94:150
parasitic copepod on 88:128
pathogenic bacteria in 103:115
percent composition, trawl catches 100:700
pesticide residue in 99:499

physical factors influencing population 98:15
population in PA streams 91:54
predation on trout eggs 85:263
production, Red Lakes, MN 83:132
rate of escape from trap net 97:61
relationship of river pollution to bacterial infection 98:685
removal of large population 104:685
from Massachusetts ponds 87:108
repopulation after fish kill 103:82
scale regeneration 83:206
scarred by lamprey 90:84
selectivity of gill net 90:413
spawning
area 90:321
run, Black R., MI 101:18
sperm activity maintained by KCl 94:401
standing crop
Kentucky farm ponds 89:336
Ontario streams 94:352
toxicity to, of
2-(digeranylamino)-ethanol 103:738
juglone 99:511
$KMnO_4$ 104:580
Salicylanilide I 101:528
TFM 91:342
two allele transferrin system 105:287
use of automatic brine shrimp feeder 98:533
Sugar flotation, use to sort benthic samples 100:794
Suiffe, in west European streams 88:157
Sulfadiazine, treatment, kidney disease 88:199
Sulfadimetine, treatment, kidney disease 89:119
Sulfaguanidine
effect on trout growth 84:86
in disease treatment 83:313
kidney damage in trout 84:156
Sulfamerazine
effect on trout growth 84:86,155
in disease treatment 83:313
kidney damage in trout 84:156
treatment, kidney disease 88:119
uniform dispersion in trout food 89:64
Sulfamerthiolate, disinfectant, trout eggs 85:308
Sulfamethazine 83:313
Sulfamethylthiadiazole, treatment, kidney disease 88:119
Sulfate, in certain waters 84:99
Sulfates, range of, brine polluted waters 85:22
Sulfathiazole, treatment, kidney disease 88:119
Sulfides
dissolved, Rainy R., MN 96:285
hydrogen, Rainy R., MN 96:287
Sulfisoxazole
effect on trout growth 84:86
kidney damage in trout 84:156
treatment, kidney disease 88:119
Sulfomerthiolate, in disease treatment 83:314
Sulfonamide
prophylaxis, effect on trout 84:157
toxicity of, to brook trout 84:155
use, in
control of furunculosis 97:227
disease treatment 87:376
Sulfur, transformation in soil, Denmark 92:260
Sulfur^{35}, use in fish culture and hydrobiology 90:49
Summer kill
cisco 85:192
troutperch 85:192
Sunfish
artificial propogation, meristic comparison 91:33
food, of
burbot 89:375
pickerel, chain 102:150
shad, American 86:304
fry, taken in new net 97:63
hybrid
growth in low temperatures 104:333
reproductive success 97:466
supplemental feeding of 100:619
in
Alabama 83:50
Minnesota lakes 89:223
intergeneric crosses 99:101
interspecific crosses 99:101
movement 90:449
percentage catch, MN lakes 85:36
phylogenetic relationship as demonstrated by hybridization 99:100
sperm activity maintained by KCl 94:401
suppress spawning in largemouth bass by competition for space 105:682
use of Stoeltzner's method, scale growth 94:94
various, stocked in OK lakes 85:59
young of the year, food of largemouth bass 89:231
Sunfish, banded
effect of light on spawning 97:258
induced offseason spawning 102:442
in L. Waccamaw, NC 98:468
Sunfish, banded pygmy
embryology study 91:334
in L. Waccamaw, NC 98:468
Sunfish, bluespotted, in L. Waccamaw, NC 98:468
Sunfish, dollar
food, of largemouth bass 101:651
residual concentration of dieldrin in 105:698
Sunfish, green
catch
comparison of rates, gill nets 93:236
electrofishing, L. Monona 103:670
seine vs. electrofishing 88:35
coefficient of condition 85:65
DNA value in 99:124
effect on, of
DDT-R 100:208
herbicides 96:414
pesticide 97:400
turbidity, ventilation rates and oxygen consumption 105:107
food conversion 92:403
food of 100:124
food, of
bass, largemouth 90:278; 93:316
pike, northern 97:28; 101:561
growth 85:63
influenced by photoperiod 99:367
in new reservoir 87:250
rate 87:126
harvest 98:299
heart differentiation 98:674
homing instinct 100:352
hybrid, with
bluegill

hemoglobin comparisons to parents 104:148
use of supplemental feeding 100:620
pumpkinseed, food of 100:124
in
Alabama intensive fishing pond 100:758
Alabama lakes 85:210
beverage can 101:566
Big Piney R., MO 103:761
California reservoir 87:202
Crooked L., IN 97:295
four CO lakes 104:234
Gull L., MI 98:632
Little Dixie L., MO 98:295
Long L., MN 102:795
Louisiana backwaters 88:10
Moapa R., NV 105:505
Muddy Run recreational lake 105:169
Oklahoma lakes 85:58
Priest Lakes, ID 90:27
sandhill lakes, NE 97:53
Smiths Branch, IL 88:266
strip-mine ponds, IL 84:117
upper and middle Colorado R. basins 104:227
infected with blackspot 94:150
introduced in CA reservoirs 87:325
jumping ability 103:620
killed, by
rotenone 90:292
toxaphene 91:15
zinc 93:181
loss over drop box spillway 97:493
movement in stream 85:40
not predator on largemouth bass 91:39
number per acre 85:68
photoperiod and temperature effects on gonads during winter 101:270
population in OK lakes 85:65
predator on plains killifish 98:464
reaction to pesticide 98:426
reduced growth, radioiodide treatment 98:105
relationship between thyroid and growth 92:401
repopulation after fish kill 103:84
resistance to endrin 95:325
standing crop, KY farm ponds 89:333
success in IA ponds 86:363
susceptibility to predation 96:428
test animal, toxicity, of
brine water 84:97
rotenone 99:806
toxicity to, of
antimycin 101:101
dieldrin 86:253
2-(digeranylamino)-ethanol 103:738
guthion 94:204
juglone 99:511
$KMnO_4$ 104:580
organic phosphorous insecticides 91:176
Salicylanilide I 101:528
Sunfish, longear
catch, seine vs. electrofishing 88:35
comparison of catch rates, gill nets 93:236
eat *Argulus* 99:599
in
Alabama lakes 85:210
Big Piney R., MO 103:761
Black R., MO 87:243
Louisiana backwaters 88:10
Smiths Branch, IL 88:266
Smith Mountain Reservoir, PA 105:176
southeastern US reservoir 87:335
Tennessee 83:204
streams 86:147; 88:137
infected by blackspot 94:150
killed, by
anhydrous ammonia 102:77
rotenone 90:292
zinc 93:181
movement 90:149
in streams 85:39
repopulation
after fish kill 103:83
of decimated stream sections 99:776
one year after removal 104:257
spawning 98:308
Sunfish, mud, in L. Waccamaw, NC 98:468
Sunfish, ocean, parasitic isopod on 105:328
Sunfish, orangespotted
comparison of catch rates, gill net 93:236
food of 87:98
food, of sauger 97:163
in
Louisiana backwaters 88:10
prairie lake, MN 88:179
killed by rotenone 90:292
success in IA ponds 86:363
test fish, rotenone 99:806
toxicity of guthion 94:205
Sunfish, redbreast
aggregation in winter 99:542
associated with coastal shiner, NC 100:728
cold branded 102:638
food, of largemouth bass 101:651
effect on largemouth bass spawning 105:244
hybrid, with
bluegill 91:334
sunfish, redear 91:334
in
Big Flatbrook, NJ 99:55
Chipola R., FL 88:191
Lake Waccamaw, NC 98:468
Maine lake 101:609
Quabbin Reservoir, MA 89:27
meristic studies 91:333
Sunfish, redear
abundance, survival, growth in Alabama pond 100:763
catch, in AL pond 100:759
coefficient of condition 85:65
distribution of sex ratios 92:435
effect on, of
pesticide 97:400
sanctuary, population 104:441
spawning of largemouth bass 105:244
food of 91:9
food, of largemouth bass 98:298; 101:651
growth 85:63
harvest 98:299
hybrid, with
bluegill 91:334
sunfish
green, use of supplemental food 100:619
redbreast 91:334
in
Alabama ponds 105:634
fertilized ponds 105:536
Lake George, FL 83:177
Louisiana backwaters 88:10
Oklahoma lakes 85:58
infected with blackspot 94:150
introduced in CA reservoir 87:325

killed, by
antimycin 102:77
rotenone 90:292
zinc 93:181
length frequency 85:69
length-weight equation 85:61
loss over drop box spillway 97:493
meristic studies 91:333
new method of assessing contagion in distribution of 94:135
number per acre 85:68
pathology of, exposed to Hydrothol 191 98:52
population in OK lakes 85:63
production in AL lakes 85:208
rate of escape from trap net 97:61
repopulation after fish kill 103:84
stocked
Alabama lakes 89:351; 94:129
Little Dixie L., MO 98:295
stocking rate, farm pond 99:808
susceptibility to insecticides 99:20
survival finclipped and latex injected 87:220
Sunfish, spotted
food of 85:128
food, of largemouth bass 101:651
growth, in cages 85:126
in
Black R., MO 87:243
Chipola R., FL 88:191
Lake Waccamaw, NC 98:468
Louisiana backwaters 88:10
infected with blackspot 94:150
killed by rotenone 90:292
length-weight relationship 85:125
maturity and spawning 85:122
parasites in 85:131
population in constant temperature spring, FL 85:120
Sun, response of sockeye salmon to 105:69
Supersaturation, air
in water, effect on salmon and trout smolts 105:338
lake water, precaution in hatchery use 96:194
Surface response, of brook trout 89:39
Surfperch, barred, life history 99:475
Surfperch, walleye, age and growth 99:475
Surgeonfish, food, of blue marlin 91:226
Surgeon, ocean, population variability 94:314
Survey
fisheries, upper Mississippi R. 88:210
fishermen, Madison-Firehole rivers, Yellowstone National Park 101:352
fishery technical personnel 88:18
international 90:116
limnological, Great Lakes 86:409
opinions of Michigan sport fishermen 93:183
oyster, data 100:104
postal, biased fish harvest estimate 101:262
questionnaire, use of in forming fishery management policy 105:232
sport fishing
for dolphin 98:94
sample size 102:466
states, importation of exotic species of fishes 102:241
streams
small, use, of
electrofishing 92:307
rotenone 92:307
Tennessee 86:145
use of scuba 92:33
Survival
alewife
effect of marking 102:633
egg and larvae, effect of temperature 99:376
bass
largemouth
embryos, in low dissolved oxygen 104:122
in AL pond 100:761
smallmouth, effect of finclipping and other factors on 100:460
spotted 91:324
striped, effect of temperature, salinity and age on 104:560
bluegill
effect of copper 104:353
in AL pond 100:763
catfish, channel
AL pond 100:765
Lake Sharpe, SD 103:53
dace, blacknose, time, exposed to free chlorine and chloramines 105:313
effect of pressure on fishes 94:88
eggs and siltation 95:183
estimate, use of Chapman-Robson method, single-multiple release 91:95
grouper, red, tagged, prolonged 96:228
grunt, white, tagged, prolonged 96:228
herring, lake, larval, effect of turbidity on 105:541
menhaden, Atlantic
larvae, effect of minimum temperature one 94:409
temperature and salinity 95:423
midge, effect of Aroclor on 103:722
minnow, fathead
elevated temperature effect 100:622
marked with fluorescent pigment 101:128
perch
Sacramento, in CO 104:232
yellow, first year, re cannibalism 103:462
pike, northern 100:70
rates, estimation 90:187
salmon
Atlantic 102:732
hatchery-reared 103:450
chinook
effect of release location on 99:672
fry, effect of egg concentration in incubation channel 104:335
tattooed 87:221
coho, hatching of eggs 87:207
juvenile, factors influencing 99:297
pink, estimate 91:96
sockeye
effects of carbon dioxide and oxygen-nitrogen ratios in air-supersaturated waters 105:425
fry, migrating 91:133
Redfish L., ID 97:360
sardine, scaled, effect of temperature on larvae 101:691
scallop, giant, effect of temperature 88:73
scuds, effect of Aroclor 103:722
shrimp, tagged, rates 105:660
silverside, Atlantic, eggs and larvae, effect of temperature on 104:762

steelhead
fin-clipped releases 92:208
stocking time 97:374
stickleback, ninespine, early 101:350
sunfish, redear
finclipped and latex injected 87:220
in AL pond 100:765
trout
alevins, in suspended wood fiber 94:254
brook
comparative, wild and domestic strains 93:58; 96:313
eggs to fingerling 90:252
finclipped, overwinter 105:669
from flooding from hurricane 104:96
influence of sand in redds 105:57
in Honnedaga L., NY 94:231
brown
effect of fin removal on wild 96:353
hatchery rearing condition 92:132
rates 91:58
cutthroat, in stream 83:120
lake, tagged 89:308
rainbow
effect on, of
fin removal on 102:753
pulsating direct current 100:546
eggs, from physical shocks 103:711
embryos, influence of dissolved oxygen and water exchange 90:469
hatchery reared, overwinter 92:39
jaw-tags and fin excision 96:394; 98:225
tattooed 87:221
walleye
eggs and fry on paper fiber sludge deposits 96:278
eggs on different bottoms 90:312
fingerlings in conifer wood fibers 94:402
waterflea, effect of Aroclor on 103:722
whitefish, lake, eggs, effect of temperature on 104:555
Susceptibility, fish and aquatic invertebrates to DDT 99:89
Swallower, black, food of blue marlin 91:226
Sweden, Atlantic salmon conservation 92:286
Swimming
ability
bass, smallmouth fry, effect of temperature 97:175
salmon, chinook, effect of yolk sac absorption 98:406
shad, American 94:382
depth and speed, sockeye salmon 105:68
effect on, of
oxygen concentration, tilapia 104:758
respiration, white bass 100:537
temperature, high and low, tilapia 104:755
endurance, fathead minnow, effect of pulpwood fiber on 95:71
fishes
influence of temperature on 92:111
oxygen concentration on 92:111
performance
lamprey, sea, in relation to weight and temperature 103:355
salmon, chinook, effect of dissolved atmospheric gas 103:717
seasonal changes in rate, yellow perch 96:373
speed
aholehole, method of measuring 94:378
herring, Atlantic 90:21
salmon
chinook, fry 101:696
sockeye, fry 101:699
trout, dace, goldfish 95:207
trunkfish 98:330
speeds
fish 86:47
skipjack and yellowfin tuna, Pacific bonito 95:203
Swimways, channel catfish, in culture ponds 105:725
Swordfish
albino, genetics of 83:220
food, of blue marlin 91:226
genetics of 83:230
golden, genetics 83:230
wild, coloration 83:230
Swordfish, green, introduced into FL 102:4
Swordfish, Montezuma, genetics 83:230
Swordfish, red, introduced into FL 102:4
Symbiosis, cleaning, possible cases in freshwater fishes 99:599
Symposium
commercial fisheries 87:281
fish cytogenetics 99:98
fish disease 83:217
freshwater fishery problems in Europe 92:257
Great Lakes 86:383
keynote 97:77; 98:136
reservoir management 87:318
Syndromes, vitamin deficiency 83:258
System
aquarium, device for removing supersaturating gases 105:116
Aquatic Sciences Information Retrieval 91:151
for
continuous dosing of stream 104:359
controlling dissolved oxygen in water 93:100
emergency water supply, small aquaria 105:347
water delivery, small fish holding tank 99:799
Systematics, biochemical and cytogenetic, in phylogenetic problems of Salmonidae 99:237
Systox
effect on bluegill 101:318
toxicity to fish 87:41; 88:30; 91:178

T

Tadpole
food, of
bass, largemouth 98:298
juvenile marine fishes 102:527
killed by anhydrous ammonia 102:75
Tag
dart,
effect on yellow perch 101:365
use and evaluation for migration study, Dolly Varden 95:320
used to mark individual fish 97:55
yellow, on great barracuda 90:499
disk, new tools for applying 95:323
fish
barb-type plastic 89:241
new, rapid cartridge-fed applicator

97:57
ultrasonic transmitter 95:330
flag, for underwater recognition of individual fish 97:55
jaw
effect on growth, survival and exploitation, rainbow trout 96:394
recoveries, lake trout 90:408
Petersen
disk, on great barracuda 90:499
color-coded 97:55
recoveries, lake trout 90:408
streamer
recoveries, lake trout 90:408
vinyl, for shrimp 105:658
Tagged
bass, largemouth, recapture of 89:295
bluefish, migration 99:719
catfish, channel, movement of 92:165
crab, king, recaptures 94:95
fish
in PQ waters 86:345
recovery of
Lake Huron 86:129
in PQ 86:347
halibut, Atlantic
movement of 88:357
off New England 90:489
lobster, American, movement 100:117
salmon, recaptures 90:492
trout
lake, recovery of 92:315
Lake Superior 90:404
survival and growth 89:308
walleyes and saugers, movement in upper Mississippi R. 94:270
Tagging
anchovy, Hawaiian 104:53
and marking
sucker, longnose 83:41
trout 83:94
barracuda, great 90:497
bass
largemouth 85:131
sonic 104:696
rock 90:452
smallmouth 86:117; 90:450
striped 85:144; 90:13; 97:320; 104:703
carpsuckers, river 98:520
cod, Atlantic, effect on growth 96:37
crab, blue 91:275
data, use in population estimate, blue crab 94:287
experiments, use of Chapman-Robson survival estimate, single and multiple release 91:95
flounder, winter 94:260; 98:612
recoveries 104:15
menhaden, Atlantic, juvenile 102:417
paddlefish 92:242
shrimp, pink 89:4
stream fishes 85:39
sunfish, spotted 85:126
trout
brook 91:140
cutthroat 101:44
lake 85:257; 87:262
Lake Superior, movement 97:481
slowed down growth of 92:185
rainbow 85:78
walleye 86:32
Oneida L., NY 92:47
whitefish, lake 86:128
Tag loss
estimates from recoveries of tagged and permanently marked fish 95:56
king crab, during ecdysis 93:303
Tag recoveries
bass, striped 90:17
trout
lake 90:408
rainbow, L. Washington system 103:250
used to estimate natural and fishing mortality rates 101:542
Tag retention, American lobster 99:414
Tags
durability, on striped bass 88:326
estimation of fraction of anglers returning 103:616
field tests, on striped bass 88:319
fish, types used in Quebec 86:345
internal anchor, white shrimp, results 101:358
Tailwater
Dale Hollow Reservoir, trout fishery 85:75
management 87:349
special problems 87:341
Tanks, gradient, electrode for detecting movement in 101:714
Tank, small-fish holding, water delivery system 99:799
Tannin
effect on motility of walleye sperm 104:808
use in eliminating adhesiveness of walleye eggs in artificial propogation 105:731
Tapeworm, bass
infection of salmonids in relation to food habits 103:811
in roundtail chubs 98:203
taken in squawfish stomachs 98:202
Tarpon, not affected by hurricane 91:377
Tartar emetic, used to collect stomach contents 98:699
Taste panel, scoring system 90:177
Tautog
body-bone relationship 96:136
length-weight relationship 96:138
migration and population estimation 95:239
parasitic isopod on 105:328
scales pitted by trematodes 96:134
sexual dichromatism 97:208
Taxonomy
alewife 86:100
gizzard shad 86:105
lobsterettes 95:93
TDE (DDD), toxicity to cladocerans 95:166
Teaching
computer implemented resource game 103:601
fisheries, computer simulation models for 98:551
Technical aid program 84:333
Technique
cold branding, effect of location on quality 102:637
detecting effects of toxicants on predator-prey interaction 101:367
detection of brushed lobsters by staining cement on swimmerets 102:847
direct photography of translucent objects 90:500

estimation of salmonid sperm concentration by microhematocrit 105:534
field measurement on minnow schools 102:840
fish, removal from winterkill lake 98:695
for sexing channel catfish 105:460
immunofluorescent, for detecting *Aeromonas liquefaciens* in lunar exposure studies 100:575
incubation, northern pike eggs 90:299
marking fish
subcutaneous with acrylic colors 103:140
use, of
fluorescent pigment 102:459
immersion stain 102:459
microelectrophoresis 104:150
microhematocrit, trout blood 90:139
microinjecting materials into fish eggs 96:57
mounting and storing otoliths 94:267
preparing scale smears 93:201
radiography of fishes 95:99
sequential pond flooding, extend production bait-sized crawfish 105:637
simultaneous echo location of fish and thermal plume mapping 102:462
thermal marking, juvenile salmonids 94:386
Technological advances, influence on fish utilization 87:293
2,4,5-T, effect on fishes 96:415
Telemetry, underwater, detect movement of largemouth bass 104:696
Television, underwater, application to fishing gear research 86:158
Temperature
acclimation levels
blue crab 98:713
bluegill 103:688
affecting fry production, smallmouth bass 104:85
air, effect on year-class strength 85:139
at herring spawning 88:167
cause of nest desertion
bass
largemouth 97:258
smallmouth 97:258
walleye 97:258
cooling reservoir, effect on largemouth bass reproduction 104:78
developmental tolerance, Mississippi silverside 100:604
discrimination, by free swimming kawakawa 105:588
distribution of fishes in heated effluent 103:663
effect of, elevated on fathead minnow growth and survival 100:659
effect of, on
abundance
crab
green 84:23
soft-shell 84:13
summer, fishes in tidal cove 103:325
adsorption by activated charcoal 105:121
alewife egg and larvae survival 99:376
ammonia production 102:327
bottom organisms 92:141
COD 102:608
depth distribution 93:139
developing meristic structures of smallmouth bass 102:142
development and survival of eggs, larvae of Atlantic silverside 104:762
development of metacercaria 94:144
distribution, of
bluefish eggs 103:487
pelagic fishes in Maine estuary 102:548
pompano and permit 98:485
shrimp, northern 98:65
egg survival and embryonic development, lake whitefish 104:555
electrolyte balance in alewife in fresh and seawater 100:624
embryo and larvas survival, northern pike 99:370
feeding
catfish, channel 105:720
darter, blackbanded 102:52
rate, trout 102:326
fertility, hatching and survival, sheepshead minnow 103:584
food habits, haddock 94:246
gonads, green sunfish 101:270
growth
and survival, scaled sardine larvae 101:691
flounder, winter 102:614
perch, yellow and walleye, on prepared diets 105:255
shiner, spottail 93:38
half-life of antimycin 101:101
hatching time 100:606
hooking mortality, cutthroat trout 99:684
larvae, bay anchovy 101:693
lethal threshhold, LAS 100:8
metabolic rate
fishes 90:390
young winter flounder 102:427
metabolism, fathead minnow 95:77
migration, Atlantic and sockeye salmon 100
mortality
alewife 100:629
and growth, chinook salmon 100:267
bluegill 101:435
movement
bass, smallmouth 99:51
salmon, chinook 100:423
shrimp, river 103:125
steelhead 100:423
trout 100:35
muskellunge 102:89
osmoregulation in alwife in fresh and seawater 100:624
rate of gastric evacuation, rainbow trout 105:712
salmon
chinook 87:216
vertebrae and fin rays 88:58
sockeye 87:216
spawning
bass, largemouth 91:30
shrimp
pink 90:467
walleye 86:18
white 90:467
survival and growth
bass, striped, juvenile 104:500
menhaden, Atlantic
larvae 95:423
young 97:344
scallop, giant 88:73

swimming
ability, smallmouth bass fry 97:175
performance, sea lamprev 103:355
rate, fishes 96:373
toxicity
2-(digeranylamino)-ethanol 103:739
Salicylanilide I 101:528
trout
brook, growth and food consumption 86:323
growth and spawning 86:139
rainbow 92:140
elevated, resistance to, by northwestern crayfish 104:374
environmental, effects on growth, food conversion, body composition, catfish, channel 101:94
fish body, in relation to water temperature 103:686
Green R., UT 98:195
groundwater, effect on brown trout redds 104:102
growth of largemouth bass fry in various 90:334
high
causes deformed
anchovy, Argentine 101:694
sole, English 101:694
rate of acclimation to, juvenile channel catfish 100:665
tolerance to of
tilapia 93:323
trout, brook 89:39
high and low, effect on swimming of tilapia 104:755
increased with logging, N. CA streams 101:14
incubation, Dover sole 104:146
influence, on
diseases 87:381
scope for activity, cutthroat trout 104:522
sucker, longnose 83:41
instant increase, effect on bioassay of fathead minnow 101:403
kokanee, diel movement 98:249
Lake Erie 90:155
lethal
cisco 99:528
salmon
chinook 99:529
coho 99:529
trout, brook 99:529
lethal and preferred, alewife 105:96
lethal limits, mosquitofish 105:689
limiting factor, shrimp culture 98:753
low, effect, on
antimycin 100:17
growth of channel catfish and hybrid sunfish 104:333
responses of young American shad 101:680
maximum incubation, for threadfin shad 103:369
mean, rainbow trout spawning 100:316
method of estimating maximum expected in ponds and small lakes 90:494
minimum, effect on survival of Atlantic menhaden larvae 94:409
Missouri R., NE, effect of channelization on 97:383
of tissues of freshwater fishes 105:709
optimum
growth, guppy 90:335
incubation, plaice 104:146
preference, mosquitofish 105:687
preferred
goldfish 97:348
trout, brook 97:348
Rainy R., MN 96:282
rapid change, response in American shad 99:381
relation, to
fish distribution 90:306
winter flounder activity 98:720
requirements, of
bivalve mollusks 98:746
northern pike embryos and larvae 102:89
resistance to high
increased in long photoperiod in goldfish 101:717
variation
frog, leopard 101:717
turtle, painter 101:717
response, of
alewife to changes 101:740
bluegills to diurnal change 103:138
herring
blueback, to changes 101 740
dwarf, to changes 101:740
Pacific, to changes 101:740
sea availability of albacore 91:269
Smith Mountain Reservoir, pumped storage 105:175
stress, change in hematology, rainbow trout 105:596
tailwater, Dale Hollow Reservoir 85:76
tolerance
amphipod, in laboratory 101:253
cisco, young of the year 99:528
Gammarus, two species 102:431
salmon, chinook, eggs, 85:203
shrimp, opossum 104:394
triangle 104:382
trout
and upper lethal limit, in Arizona trout 105:294
brown 92:136
trends of, New Haven, CT 84:22
upper lethal
Columbia R. fishes 104:383
shiner, duskystripe, and bluegill 102:838
water
effect of, on
alewife activity 101:583
inhibition of saltwater survival and Na-K-ATPase elevation, steelhead 104:766
logging, salmonid spawning beds 104:111
metabolism, dietary phosphorus in brook trout 90:398
mortality 92:43
rate of surfacing of dead fish from rotenone 99:806
salmon, chinook, embryos 92:337
steelhead embryos 92:334
toxicity of $KMnO_4$ to fishes 104:580
year-class strength 91:37
elevated, power plants 99:848
factor in downstream migration, cutthroat trout 89:172
in
heated-water reservoir 103:521
pond during fish kill 103:237
influence on catch 89:77
manipulated to induce spawning, largemouth bass 102:442

reduction in, by shortened spring channel 88:286
York R., VA, bottom 89:158
Tench
AChE, maximum hydrolytic activity 100:675
disease in 83:264
in west European streams 88:156
selectivity of gill net 88:198
Tendipedids
effect of herbicides on 98:438
food, of fathead minnow 103:748
Tengra, susceptibility to DDVP and phosphamidon 98:431
Tennessee
description of streams 86:146
muskellunge in streams 88:136
stream surveys 86:145
TEPA, effects on guppy 98:280
TEPP, toxicity to fish 87:41; 88:30; 91:178
Teratomas, in fishes 83:282
Terramycin
in disease treatment 83:313
used to preserve fish 87:443
Testes
catfish, channel, weight and measurements 105:464
marlin, blue, stages in development 97:133
Testing, for contagion in animal populations 95:436
Tests, toxicity 88:25
Tetracycline
treatment of kidney disease 88:120
use to mark brook trout fry and fingerlings 93:309
Tetra, Mexican banded, undesirable exotic 100:184
Tetrazolium oxidase, in rainbow trout 101:494
Teuthidid, food, of snapper 89:12
TFM
control of sea lamprey 99:771
effect, on
aquatic invertebrates 96:410
oxygen consumption, midge 103:551
removed from water by activated carbon 105:120
toxicity, to
lamprey and fishes 91:342
ostracods 102:829
twenty-one freshwater invertebrates 105:322
Thermal branding, coho salmon 98:334
Thermal marker, regulated temperature 98:338
Thermal marking, technique for juvenile salmonids 94:386
Thermal plume mapping, technique for simultaneous echo fish locating and 102:462
Thermal resistance
crayfish 104:374
effect of photoperiod on speckled dace 101:715
Thermal shock, tolerance of mysids to 99:418
Thermal stress, effect on mosquitofish 105:686
Thermal tolerance
crab, blue 98:713
goldfish 98:714
mullet, Hawaiian striped, eggs and larvae 104:144
salmon, pink 98:715
Thermocline
changes due to fertilization 89:200
relationship to success in purse seining for tuna 96:126
Thermoregulation, fishes, in heated effluent 103:663
Thiamin, vitamin requirement, trout 83:256
Thioflavine-S, used to stain oysters 100:588
Thiomycetin, treatment, kidney disease 88:120
Thistle, Russian, burned on stream banks 92:303
Thornback, immune response to bacteriophage antigens 101:115
Thyroid
activity
peak, brown trout 99:515
salmon, coho, L. Michigan and OR 104:349
hyperplasia, brook trout 97:486
relationship to growth, green sunfish 92:401
treatment, salmon and trout 98:104
tumors 83:267
Tigerfish
annulus formation, and growth, L. Bangeweulu, Zambia 104:499
undesirable exotic 100:184
Tilapia
annulus formation, Kafue R., Zambia 104:503
as experimental fish 104:308
astomous 103:143
digest bluegreen algae 105:578
effectiveness as live bait for skipjack tuna fishing 93:291
effect of high and low temperatures on swimming 104:755
evaluation as pondfish, AL 89:142
food, of largemouth bass 93:316
growth, Kafue floodplain, Zambia 103:281
in
commercial catch, FL 92:317
Lake Atitlan, Guatemala 96:211
nutrient content of small fish 99:810
prior experiences as factor in habitat selection 104:742
production
in
Alabama ponds 89:144
Israeli ponds 92:294
replicate ponds 99:77
of unisex broods with methyl testerone 97:18
stocked in AL lakes 94:129
tolerance to high temperature 93:323
undesirable exotics 100:184
use in rice field fishery 87:302
use of androgens to prodcue all male 104:342
Tilapia, blackchin, introduced into FL 102:4
Tilapia, blue
introduced into FL 102:4
repressed spawning in high population densities 105:682
Tilapia, Mossambique, introduced into FL 102:4
Tilapia, Nile, oxygen requirement in exercise 93:210

Timber clearing, reservoirs 87:345
Time
  contact, effect on adsorption by activated carbon 105:120
  lapse, between tagging and recovery
    bass, striped 85:148
    stream fishes 85:43
Timsan (EMP), effect on rainbow trout 98:419
Tipulid larvae, food of creek chub 100:285
Tissue
  damage
    fishes, from sulfa drugs 84:158
    salmon, coho, from moth larvae 89:303
  electrolytes, effect of hypoxia on, channel catfish 103:593
  epithelial, tumors of 83:263
  fish, biochemical constituent, especially brain 92:168
  mesenchymal, tumors of 83:269
  neural, tumors of 83:280
  temperature, freshwater fishes 105:709
Toad, common, infected tadpoles with microsporidian 100:369
Toadfish, gulf
  population variability 94:314
  range, taken in trawl 103:780
Toadfish, oyster
  age, growth and food 92:170
  food habits 105:516
  intestinal parasite in 92:173
  respiratory and hematological response to suspended solids 104:775
  twinning in 102:846
Toad, Fowlers, food, of largemouth bass 90:278
Tolerance
  heat, mosquitofish 103:331
  levels, brine water 85:19
  mysids to thermal shock and light 99:418
  salinity
    catfish hybrid 100:790
    herring, blueback, young 101:123
    limits, Sacramento perch 99:706
  temperature
    amphipod in laboratory 101:253
    Arizona trout 105:294
  various life stages, bluegill to LAS 100:8
Tomcod, Atlantic
  summer abundance, tidal cove 103:327
  tagged in PQ 86:348
  tidal cove night catch 104:31
Tomcod, Pacific, monthly occurrence, Big Beef Harbor, WA 101:727
Tomtate
  aggregation in morning light 99:542
  population variability 94:314
Tonguefish, blackcheek
  food habits 105:202
  killed by hurricane 91:377
  population variability 94:314
  range, taken in trawl 103:780
Tools, new, for applying disk tags 95:323
Topminnow, blackspotted, repopulation after fish kill 103:83
Topminnow, blackstripe
  in
    Crooked L., IN 97:296
    Smiths Branch, IL 88:266
  killed, by
    anhydrous ammonia 102:77
    rotenone 90:292
Topminnow, gila, endangered species 95:138
Total alkalinity-total dissolved solids relationship 93:266
Total dissolved solids, block spawning run of striped bass 96:405
Total length, distribution, cutlass fish 96:118
Toxaphene
  acute toxicity level 97:402
  affected, by
    alkalinity 85:183
    temperature 95:183
  as fish poison 85:180
  avoidance by mosquitofish 103:557
  chronic exposure of spot in seawater 93:396
  concentration in sediments and vegetation 91:22
  detoxification 85:186
  distribution and detoxification 91:14
  distribution and persistence in ecosystem 105:124
  duration of toxicity 85:186
  effect, on
    benthos 94:210
    bottom fauna in CO reservoirs 86:294
  low level, no effect on growth of spot 99:489
  resistance of freshwater shrimp to 99:697
  toxicity, to
    bluegill 87:46
    cladocerans 95:166
    fish 87:47; 88:24; 90:265; 91:15; 99:22
    invertebrates 85:183
  use in fish management 85:189
Toxicants
  effect on sea lamprey mucus cells 88:305
  fish, juglone 99:510
  fixed concentration, maintained in flow through apparatus 97:498
  method detecting effect on predator-prey interaction 101:367
  selective 98:430
    dianaphthol, nitrophenol and antimycin as 103:736
    2-(digeranylamino)-ethanol as potential 103:736
  use in fish management 89:123
Toxic chemicals, removal from water by activated carbon 105:119
Toxicity
  ABS to estuarine fishes 94:26
  acute, effect on dissolved oxygen on cadmium to mummichog 104:129
  aluminum hydroxide to rainbow trout 100:644
  Antimycin A, Bayer 73, and TFM to ostracods 102:829
  antimycin, to
    fishes 101:100
    mammals, birds and fish 96:322
  Bayer 73 and TFM to 21 freshwater invertebrates 105:322
  bivalve mollusks, during red tide 100:112
  cadmium to bluegills 103:729
  chlorinated hydrocarbons, to fish 88:23
  chlorine and heat to salmon 103:569
  chronic
    H_2S to scuds 103:819
    zinc to fathead minnow 98:272
  comparative, chlorinated hydrocarbons

and organic phosphorus insecticides 88:30
crude oil, and oil dispersants, to rabbitfish 104:571
crude oil, to
perch shiner 104:577
pipefish, bay 104:577
sculpin, staghorn 104:577
2,4-D
acceptable limit, method of establishing 96:185
to
bluegill 99:2
trout, rainbow 99:2
DDT, to fishes and aquatic invertebrates 99:89
and endrin, under static dynamic bioassay conditions 99:13
dibrom, to insects and fish 102:806
dieldrin to fish 86:245
drugs 83:324
duration, antimycin 98:292
dursban, on aquatic invertebrates and fishes in ponds 101:420
effect of water quality on LAS 100:5
eggs, of longnose gar 91:258
endrin, to fishes 95:155
experimental nitrite, rainbow trout and chinook salmon 103:389
factors
affecting pesticides 97:403
influencing susceptibility of rainbow trout to Timsan (EMP) 98:419
fluoride, factors affecting 89:363
fuel oil to bluegill 100:6
guthion, to fishes 94:205
heavy metals, factors influencing, Honnedaga L., NY 94:233
herbicides to fishes 95:414
hexavalent chromium, phenol and sodium pentachlorophenate to fathead minnow 104:567
hydrogen sulfide and oxygen 99:505
to bluegill 105:442
index, rotenone 83:112
iodophors to rainbow trout eggs 103:73
juglone to fishes 99:511
LAS to bluegill 100:1
levels, some pesticides 97:402
malathion
acceptable limit, method of establishing 96:185
to daphnia 96:187
mercury and selenium to carp eggs 103:822
metal cyanides, to fish, in relation to concentration of hydrocyanic acid 95:6
methoxychlor to fishes 101:298
non-persistent, Salicylanilide I, to fishes 101:526
organic insecticides to salmonids and stickleback 90:264
organic phosphorus insecticides to fish 87:39; 91:175
persistent, DDT 94:156
potassium permanganate 100:814; 104:579
several pesticides to cladocerans 95:165
sevin, to marine organisms 96:25
study, continuous flow apparatus 97:501
tests, bioassay methods 88:25
TFM, to
aquatic invertebrates 96:410
lampreys and fishes 91:342
toxaphene, to spot 93:397
zinc, to
bullhead, brown 90:446
immune response in zebrafish to viral and bacterial antigens 105:456
Toxicology, study of antimycin 96:320
Toxin, *Clostridium botulinum*, effect on rainbow trout 96:68
Trace mineral metabolism, research program 88:1
Tracking
sonic, of salmonids, shad and bass 104:696
ultrasonic
salmon, sockeye movement 105:64
trout, cutthroat 101:44
Transferrins
described, for
buffalo, bigmouth 102:28
tuna
bluefin, southern 102:28
yellowfin 102:28
in rainbow trout 101:495
loci, in brook trout 99:179
physiocochemical properties, in brook trout 99:207
Transmitters
ultrasonic, surgically transplanted in flathead catfish 104:56
use in movement of fishes study 95:350
Transparency
Lake Erie 90:155
Lake Huron 87:75
Transplantation, brook trout, in small stream system 91:388
Transplant, oyster, DE water 100:107
Trap, floating, effect of dredge spoil disposal on fishery 103:498
Travel time, sockeye salmon through Karluk R., AK 102:723
Trawl
beam
electric
capture larval sea lamprey 97:289
fishes caught in 97:292
Renfro, effect of radius and direction of tow on catch on shrimp 97:127
duration of tow, effect on catch of blue crab 101:732
electrical wing, catching efficiency 102:116
electric, shrimp, efficiency of 105:135
midwaters
collect juvenile tunas 98.60
use in population estimation, threadfin shad 96:176
otter
sampling Lake Erie 86:58
use in Lake Superior sampling 84:163
standard wing, catching efficiency 102:116
study, in variation of data from 103:777
Treatment, of bacterial diseases 83:313
Trematode
digenetic, parasite of
bass, largemouth, bluegill, warmouth 104:279
dolphin 103:101
minnow, fathead 104:567
giant, parasite on skipjack tuna 90:419
larvae, food of juvenile Pacific ocean perch 105:198
monogenetic
in
bass, Central Columbia R., WA 101:723

fishes 96:428
parasitic on largemouth bass, bluegill and warmouth 104:280
parasites, of
bass 95:24
shrimp, pink 99:790
sole, English 102:405
pit scales of tautog 96:134
strigeid, in blacknose dace 93:304
Tributaries, special problems, reservoirs 87:341
Tricaine methanesulfonate, use in narcotization of fish 89:164
Trichlorofon, effect on bluegill 101:318
Tricopterans
abundance, benthos, Platte Creek 104:527
drift, collected 104:530
effect of fluctuation in water flow on 103:321
food, of
bass, spotted 98:649
minnow, fathead 103:748
salamanders 102:36
salmon, coho 103:12
salmonids 103:812
sculpin
black 103:272
slimy 104:242
silverside, brook 99:437
trout 103:426,442
brook 103:132
whitefish, mountain 102:769; 105:216
in alpine lake 102:677
taken in drift net 103:513
Trifuralin, toxicity to cladocerans 95:168
Triggerfish
food, of alligator gar 96:297
found with jellyfishes 98:706
Triggerfish, sargassum, food of blue marlin 91:226
Triple sulfa, treatment kidney disease 88:119
Tripterygiid, food of grouper 89:13
Trout
abundance and harvest, Sagehen Creek, CA 101:463
aerial planting, OR 87:182
age and growth 101:466
anglers catch, AuSable R., MI 96:265
angling journal, MI, 1903-05 95:101
Arizona, temperature tolerance and upper lethal limit 105:294
bacteria in blood and kidney 98:268
catchable, computer analysis of management 105:48
commercial industry, problems 87:365
commercial production, problems 87:368
condition of 86:168
control of kidney disease 88:117
creel census, Sagehen Creek, CA 101:466
culture, PQ 86:136
diets 86:136; 88:77
differential recruitment, Sagehen Creek, CA 101:480
directed by pulsating direct current from turbine intake 100:546
diseases 88:78
effectiveness of salmon eggs and earthworm baits 89:280
effects on, of
detergents 92:153
floods, Sagehen Creek, CA 101:478
highway construction 88:72
temperature, ice and fluctuating water levels 92:140
eggs, numbers sold by commercial farmers 89:110
experimental spiral raceway 86:135
fishery, effect of size regulation on 100:50
fishery management, public opinion analysis 87:163
food, of eel 99:58
food, uniformity of sulfamerazine dispersion in 89:64
gravel size, in spawning redds 91:173
gross weight efficiency 97:27
hatcheries, problems of private operators 87:374
hybrid 88:79
appearance and fertility 87:172
growth rate 83:82
mortality, caught on artificial lures 95:326
hybridization of, PQ 86:141
industry, commercial, regulations 87:365
IPN (infectious pancreatic necrosis) in 98:796
lack of success in stocking CA reservoir 87:202
lactate dehydrogenase subunit loci 99:193
legal sized, recoveries by anglers in different seasons, MI 91:145
management, Rocky Mountain region 90:222
metabolism characteristics 102:323
microhematocrit technique 90:139
movement
headwaters refuge 93:195
Salmon R., ID 93:72
wild and planted, ID river system 93:70
winter 92:143
natural coloration with xanthophylls 95:408
night use of DC shocker for collecting 90:81
numbers stocked in US and Canada 89:110
occurrence of fructose in seminal plasma 97:203
of the future 88:75
oxygen requirements 102:325
population estimate, Mecan R., WI 94:96
population estimates 89:287
reaction to changes in artificial overhead cover 97:37
refuge, headwaters, five year study 93:194
relationship, young of the year to mature and ground water levels 94:32
role of minerals in nutrition and physiology 88:133
selective breeding 88:78
shiner relationship, effect on fishery 88:43
standing crop, headwaters refuge 93:195
stream, temperature reduction by shortened spring channel 88:286
summer distribution and food, Elk L., OR 96:308
tissue O_2 and CO_2 tensions, high altitude lakes 102:132
zone, in west European streams 88:156
Trout, brook
abnormal behavior due to DDT 99:489
absorb inorganic phosphorus 104:550
aerial planting, OR 87:183
age
composition of catch 92:199

determination 83:91
Maine lakes 94:396
allele frequency analysis of 5 soluble protein loci 102:335
angling and population, under different regulations, AuSable R., MI 95:85
anomalies in adipose and pelvic fins 104:414
artificial laboratory substrate for spawning 103:144
artificial spawning facilities 81:168
attempt to train to avoid predation by common loon 103:815
beaver-trout relationship 84:75
behavior of fingerlings 90:328
blood serum calcium and protein levels 98:23
blue-sac disease 86:66
catch
Cold Stream Pond, ME 85:258
Little Salmon R., ID 84:203
under special and normal regulations 94:221
changes in population
AuSable R., MI, 1920-72 105:35
following impoundment, Sagehen Creek, CA 102:628
chemical composition 89:49
cold-branded 102:639
collected by rotenone in ice and snow covered stream 96:222
comparative survival, domestic and wild strains 96:313
comparison of stamina between domestic and wild strains 93:96
condition factor 90:435
cough response and uptake of mercury, at different pH concentrations 103:244
cruising speed against current 88:94
decrease in osmotic values, exposed to copper 100:642
degradation of DDT in eggs and fry 104:782
differential recovery, planted by hand and air drop 97:32
diseases in 83:246,281,304,348
dispersal, first summer 94:186
effects on, of
cadmium, three generations 105:550
flies only restriction, angling 91:295
floods, food consumption and production rates 98:253
increased mortality, young in a population 100:456
lead and hydrocarbons from snowmobiles exhaust 104:363
lime-neutralized iron hydroxide, early development 105:308
metabolites 89:38
pesticide 97:400
predation, crayfish population 96:202
shocker 85:239
sulfonamides, growth 84:86
eggs, increase in size at maturity 98:723
electrical shocker mortality 84:93
electrophoresis 102:22
exposure to copper 104:353
failure to form annuli 92:389
false annuli 90:6
fed acanthocephalan segment 98:332
feeding, seasonal fluctuations 83:76
finclipped, overwinter survival 105:669
fin rot in 102:603
fishery for
Cove Brook, ME 91:208
Fish R. Lakes, ME 92:193
Moosehead L., ME 102:734
food
and distribution of underyearlings, Castle L., CA 104:88
consumption, different temperatures 86:323
habits 84:82; 94:188; 103:396,426
interrelationships with American smelt, Atlantic salmon, and alewife 98:641
food of 102:130; 103:443
growth 91:299; 94:187; 103:434
and longevity, in populations subjected to light exploitation 96:383
in different temperatures 86:323
wild and hatchery strains 90:424
gynogenesis in intergeneric crosses 105:13
hatchery, estimate of natural mortality in lakes 92:53
heavy mortalities from DDT 101:638
homing 100:41
hooking mortality 105:368
hybrid with brown trout, estimate of natural mortality 92:58
hypothetical population 98:509
in
Barrows Stream, ME 99:298
Castle L., CA 102:754
Condon Run, WV 92:173
Cranberry Pond, MA 100:350
Floods Pond, ME 105:616
Hebgen L., MT 90:270
Henry's L., ID 84:275
Hunt Creek, MI 96:394
Lehmi R. drainage, ID 100:424
Love L., ME 96:11
Madison-Firehole rivers 101:352
Maine lake 101:609
Matamek R 102:708; 104:529
Montana 98:209
stream 97:391
Ontario streams 94:350
Quabbin Reservoir, MA 89:28
Rich Creek, VA 104:447
Sagehen Creek, VA 104:467
Schoodic L., ME 102:121
Sebago L., ME 95:160
tailwater, Dale Hollow Reservoir 85:75
Thompson Lakes, MT 84:241
Two Fish River Lakes, ME 98:45
Valley Creek, MN 91:244
infected by pancreatic necrosis 88:289
influence on, of
angling mortality and stream gradient, abundance 95:381
domestication 89:35
flow, spawning in laboratory 99:595
oxygen concentration, swimming 92:111
sand in redds, survival and emergence 105:57
starvation, oxygen consumption 93:103
introduced, in
Great Smoky Mountain National Park 89:235
Priest Lakes, ID 90:27
IPN in 92:63; 98:796
kidney disease in 84:376; 88:117
killed, by
electrical barrier 86:279
mineralization of pyritiferous rocks

104:677
lactic acid in blood following air drop 98:263
lengths, ME Lakes 94:396
length-weight relationship 90:432
  domestic and wild strains 93:66
lens protein polymorphism in hatchery and natural populations 100:527
lethal temperature 99:529
life history in laboratory 98:473
marked, injected dye 96:169
migration 84:77
mortality 99:199
  bacterial infection 98:687
  diphyllobothrid larvae 94:185
need for vitamin C 98:762
nematode infection 94:180
net production 94:51
new host for IPN 92:63
nitrogen excretion 100:18
numbers decline in water treated with diazinon 101:343
opaque eyes 92:35
pelletized dry rations for, MI 86:309
periodicity of mortality, first summer 91:408
physical factors influencing population 98:15
physicochemical properties of transferrins 99:207
polymorphism for LDH and transferrin loci 99:179
population
  estimate, efficiency of rotenone sampling and electrofishing 92:307
  Pennsylvania streams 91:55
postal card survey, harvest estimate 101:262
pounds per acre, Great Smoky Mountains National Park 89:264
predicting yield from population 103:353
preferred temperature 97:348
problems of sampling 91:140
production, two ID streams 100:769
rare in Platte R., MI 100:62
redd measurements 102:313
relation between water temperature and metabolism of dietary phosphorus 90:398
repopulation of an eradicated stream 104:685
resistance to piscicide for squawfish 98:677
response to habitat improvement 105:361
results of predator reduction 99:312
retained chitin in stomach 101:113
seasonal variation in length-weight relationship 94:43
selective breeding 85:93
selectivity of food 89:80
spawn, in
  laboratory 98:473
  ten-gallon aquaria 97:299
squamation chronology 99:429
stamina 89:40
standing crop recovery and production rate in flood damaged stream 103:431
start of fish culture of 88:53
stocked
  Adirondack lakes 100:326
  after toxaphene application 94:212
stream improvement for increased production 91:185
  Maine 89:59
  study of headwaters refuge 93:194
  stunted, removed, alpine lake 102:675
  surface response 89:39
  survival and production 93:58
    egg to fingerling 90:252
    from flooding from hurricane 104:96
    young 94:32
  test fish for barb-type plastic tag 89:241
  three codominant alleles 105:287
  thyroid hyperplasia 97:486
  time of annulus formation 88:176
  tolerance of high temperature 89:39
  toxicity to, of
    chlorine to 105:313
    salicylanilide I 101:528
    sulfonamide 84:155
  transplantation in stream system 91:388
  treatment for IPN 92:180
  tumors in 83:236,270
  undesirable transplant 85:311
  upwelling water in choice of spawning site 105:416
  used for antiserum production 100:576
  use of tetracycline drugs to mark fry and fingerlings 93:309
  utilization of invertebrate drift 103:440
  vitamin requirement of 83:255
  water quality in relation to survival 94:227
  wild, observation on movement 97:472
  young, upper lethal temperature 104:383
Trout, brown
  aerial planting, OR 87:186
  age determination 83:91
  angling and population, under different regulations, AuSable R., MI 95:85
  annual production, streams 103:437
  bathymetric distribution, L. Superior 95:251
  calculated total lengths 97:396
  catch, under special and normal regulations 94:221
  changes, in
    color, different habitat 98:517
    population
      AuSable R., MI, 1920-72 105:35
      following impoundment, Sagehen Creek, CA 102:628
  chronic irradiation of eggs 101:428
  coefficient of condition 89:258
  cold-branded 102:639
  competition with Atlantic salmon 98:393
  DDT in 99:392
  depth distribution 93:137
  device for counting eggs 96:362
  diel periodicity in stomach contents 105:217
  digest zooplankton, different rates 105:93
  diseases of 83:249,255,269,314,348
  early maturing 88:79
  ecological comparison, six populations 91:53
  effect on, of
    char, Arctic 87:97
    DDT 90:239
    gravel cover in development 83:194
    groundwater, redds 104:100
    hatchery rearing conditions, survival 92:132
    pesticide 97:400
    shocker 85:239
    solar radiation, development 83:194

sulfonamides, growth 84:86
wood fibers, eggs and alevins 94:252
eggs
and alevins eaten by *Perla* 99:677
attacked by stonefly 97:51
electric
fishing, reaction 92:265
shocker, mortality 84:93
electrophoretic analysis of hybrid with Atlantic salmon 99:229
energy deficit, mortality 98:398
estimating stomach capacity 100:572
failure to form annuli 92:389
food of 83:81; 92:277
food, of northern pike 94:96
fry, sensitive to low-level DDT 99:489
gain in condition 92:42
gamma radiation of sperm 105:13
growth 89:27; 91:59
Chilean waters 101:605
Pennsylvania streams 89:255
hermaphroditism in 92:313
hooking mortality 105:368
in
Big Flatbrook, NJ 99:55
Black R., MI 101:18
Cherry Run, PA 92:307
Cranberry Pond, MA 100:350
Hebgen L., MT 90:269
Lake De Smet, WY 91:63
Little Bay de Noc, MI 103:10
Madison-Firehole rivers 101:352
Maine lake 91:425
Montana 98:209
stream 97:391
Pigeon R., MI 90:256
Platte R., MI 100:62
Rich Creek, VA 104:447
Sebago L., ME 95:160
tailwater, Dale Hollow Reservoir 85:75
upper and middle Colorado R. basins 104:220
infected by hemoflagellate 94:327
influence of oxygen concentration on growth 92:300
interaction with char, Scandinavia 92:276
killed by electrical barrier 86:279
length-weight relationship 89:257
loss of, by predation 83:194
low hemoglobin values 98:23
movement in relation to density 104:688
net production 94:51
not affected by pancreatic necrosis 88:289
number of vertebrae 88:62
opaque eyes in 92:35
ova covered with silt 105:308
parasitic copepod on 105:492
peak thyroid activity 99:515
physical factors affecting population 98:14
parameters of microhematocrits in experimental flume 98:230
possible survival, stripmine pond 84:124
pugheadedness 94:97
redd measurements 102:313
reduction in feeding due emergence of insects 100:288
require dietary phophorus 104:550
results of predator reduction 99:312
return to same spawning grounds 100:41
runs 89:371
selection of spawning area 91:168
sex ratio in wild populations 91:94
sexual maturity and fecundity 105:529
squamation chronology 99:429
stamina 89:41
standing crop, Pigeon R., MI 91:408
stocked, after
lake poisoning 89:200
toxaphene application 94:212
stocked in Congamond L., MA 105:395
stocking, Denmark 92:263
survival rates 91:58
young 94:32
susceptibility to insecticides 99:20
temperature tolerance 92:136
thermal marking 98:338
toxicity to, of
carbaryl 102:137
2-(digeranylamino)-ethanol 103:738
free chlorine 105:313
salicylanilide I 101:528
sulfonamides 84:155
transfer of matter from various foods 97:26
unusual color pattern 98:517
upwelling water in spawning site selection 105:416
vitamin requirements of 83:256
vulnerability to grubs 95:37
vulnerable to angling 91:140
wild, observation on movement 97:472
Trout, cutthroat
age and growth 90:29
alevins attacked by stonefly 97:52
associated with spawning salmon 96:62
best fishing months 84:273
brain acetylcholinesterase 100:672
catch
Little Salmon R., ID 84:203
Yellowstone L. 85:160
chemical and physical characteristics of sperm 98:785
creel limit, Yellowstone L. 89:236
DDT in 99:392
development of olfactory apparatus 101:284
diet experiments 98:772
diseases 83:271
downstream migrations 89:171
ecological relationship, yellow perch 84:239
ecology of, Henry's L., ID 84:275
effect on, of
DDT 90:239
kraft paper waste 88:153
logging, redds 104:112
mirex 97:188
pesticide 97:400
zectran 101:331
evaluation of stocking 100:55
exposure to DDT 95:302
factors influencing production of immature 89:168
food habits 88:199; 103:423
in relation to bass tapeworm infection 103:811
food of 103:443
fry, factors influencing genetic control in lakeward migrations 104:474
genetic control, lakeward migrations 100:33
growth 86:355
effect of temperature on 83:82
hearing threshold 101:36
heat tolerance 103:334

hermaphrodite 92:314
hooking mortality, in realtion to temperature, fatigue and reproductive maturity 99:684
in
Crooked Fork R., ID 102:746
Fern L., WA 88:4
Hebgen L., MT 90:270
Montana 98:209
North Fork Clearwater R., ID 104:68
Oregon streams 94:40
Snake R. 102:764
tailwater, Dale Hollow Reservoir 85:75
upper and middle Colorado R. basins 104:220
influence on, of
angling mortality and stream gradient, abundance 95:381
temperature, scope for activity 104:552
interracial hybridization, use in management 86:350
lactic acid concentration 98:266
length frequency, spawning population 100:51
management of ecological segregation of two populations 103:423
migration and growth, OR 91:77
movement and homing 100:41
Oregon coastal streams 94:334
net production 94:51
new host for IPN 92:63
no dorsal fin 92:67
original sport fish, Rocky Mountain region 90:219
predicting recruitment of fry 94:389
production, Echo L., WA 86:356
response to underwater noise spectra, fish sounds in relation to orientation and homing 98:652
sea-run, age, food and migration 100:302
selectivity of gill net 88:198
spawning and nursery areas, N. CA streams 101:2
squamation chronology 99:429
stamina 89:40
standing crop, OR farm pond 92:27
stocked, alpine lake 102:675
survival
immature, Yellowstone L. 89:174
in stream 83:120
ultrasonic tracking and tagging studies 101:44
utilization of invertebrate drift 103:440
weight changes in 83:125
yellow grub in 95:35
Trout, Kamloops
catch statistics 83:171
food of 83:163
growth rate 83:166
introduction into Paul L., BC 83:161
Trout, lake
accumulation of DDT in 83:127
age
and
growth 86:79
growth, maturity, fecundity, L. Superior 94:75
size at sexual maturity 87:265
spawning population 87:264
known 83:91
aging, use of branchiostegal rays 89:344
annuli on branchiostegal rays 91:253
bathymetric distribution, L. Superior 95:251
biology of 86:71
body-scale relationship 89:274
cataract in 92:34
catch estimate, mark-recovery method 100:497
catch, in gill nets, L. Michigan 85:107
caught and exercised 89:218
coefficient of condition 86:77
comparison of returns from fall and spring stocked hatchery-reared 91:425
condition factor 84:61
damage by sea lamprey 99:766
DDT in 99:392
decline in L. Superior 97:146; 100:691
destruction by sea lamprey 85:115
disappearance, L. Huron 91:223
diseases in 83:247,270
effect on, of
DDT, reproduction 93:127
pesticide 97:400
pressure, survival 94:89
removal of cisco 87:35
temperature, swimming rate 96:373
efficiency of gill nets 102:779
egg loss 86:239
eggs
distribution on spawning bed 86:239
predation on 86:74
extinction in L. Michigan 94:216
fat content, L. Superior 94:62
fecundity 84:64; 86:82
fin removal, growth 98:225
fisheries for, Moosehead L., ME 102:734
food habits, significance in biology, exploitation, management 95:415
food of 86:78
Lake Superior 94:169
food, of burbot 101:673
fry, and juveniles 86:242
growth 89:27
Lake Superior before maximum sea lamprey 96:268
hatchery diets 92:35
heavy mortality, from DDT 95:162
homing behavior 84:55
hooking mortality 105:369
hybrid with brook trout 88:79
incubation and hatching 86:242
in
deep water, L. Michigan 86:393; 93:156
Fish R. Lakes, ME 92:193
Gull L., MI 98:632
Lake Superior 101:667
Owasco L., NY 105:233
infected, with
acanthocephalan 98:332
hemoflagellate 94:333
introduced into Priest Lakes, ID 90:27
length
distribution 85:117
frequencies 84:52
lengths, calculated and observed 89:274
length-weight relationship 86:78; 94:67
local extinction by sea lamprey 105:6
management of 86:71
marked
fluorescent pigment 96:157
recaptures 87:268
metabolic rate 88:94
movement, in L. Superior 97:481
near extinction, L. Michigan 85:102
no parasitic copepod found 105:492
percent composition trawl catches 100:700

predator, L. Ontario, until 1890 99:755
recovery of tagged 92:315
after twenty-one years 92:432
Lake Superior 90:404
reproduction
Algonquin Park, ON 86:231
siscowet 84:69
southern L. Superior 84:47
research and management, Great Lakes 102:156
river spawning population, L. Superior 87:259
sex ratio 84:52
simulated food competition with burbot 103:221
size at first maturity 84:52
slow growth following tagging 92:185
spawning 105:615
activities 86:235
tagged
growth 92:316
survival and growth 89:308
tagging and finclipping 87:262
toxicity to, of
2-(digeranylamino)-ethanol 103:738
salicylanilide I 101:528
use of
analog computer, catch forecasting 98:564
artificial and natural spawning beds 86:258
artificial spawning ground 86:75
Trout, Lake Ohrid, planned evaluation 100:185
Trout-perch
bathymetric distribution, L. Superior 95:251
caught, in
electric beam trawl 97:292
trawls, L. Huron 102:119
food, of
burbot 101:673
piscivorous fishes 101:56
trout, lake 94:172
walleye 85:199; 100:482; 103:15
fry, food of walleye 98:122
in
Little Bay de Noc, MI 103:10
Minnesota lakes 85:191
Saginaw Bay, L. Huron 88:331
Lake Superior 84:196
killed by electrical barrier 86:279
marked with Bismarck Brown Y and Neutal Red 99:600
parasites on 85:272
percent composition, trawl catches 100:700
Trout, rainbow
abnormal vertebrae in reference to electrofishing 94:84
accumulation of ^{131}I, in ovary 100:237
adverse effect of coelomic fluid on unspawned ova 95:104
aerial planting, OR 87:185
age and growth 96:223
in Chile 101:604
age determination of 83:91
androgen levels in 103:375
anesthetic effect of 4-SP on 93:207
appearance after flood 103:431
ascorbic acid requirement 98:762
bathymetric distribution, L. Superior 95:251
biochemical genetic variation in stocks 101:494
bioconcentration of PCB 104:785
bluesac disease in 86:62
body-scale relationship 101:21
brackish-water cage culture 102:826
cadmium residue in tissues 105:558
calculated total lengths 97:396
carrier, IHN 101:268
catch
Lake Taneycomo, MO 97:138
Little Salmon R., ID 84:200
tailwater 85:80
caught and exercised 89:218
changes, in
color, different habitat 98:517
population
AuSable R., MI, 1920-72 105:35
following impoundment, Sagehen Creek, CA 102:628
chemical composition of urine following stress 98:20
coefficient of condition 85:87
cold-branded 102:638
competition from redside shiner 87:97
composition of control diet 86:162
creel recovery, movement and growth, Great Lakes 100:336
DDE and lindane in 105:127
DDT in 99:392
and matabolites in 92:423
decline in sport fishing, below dam 103:318
decreased survival in finclipped 105:669
decrease in osmotic values, exposed to zinc 100:642
depth distribution 93:137
effects of hypolimnion aeration on 102:715
diel periodicity in stomach content 105:217
diet
comparison of dried yeasts in 86:161
experiments 98:772
differential movement of digestible and nondigestible food fraction 101:112
diseases of 83:248,255,264,314,331
downstream migration 91:407
early maturing 88:79
effectiveness, of
inbreeding on populations 105:273
various diets 86:315
effect on, of
change of food, yield 88:36
4-chlorotesterone acetate, growth 102:444
DDT 90:239
dissolved oxygen, tolerance to copper, lead, zinc and ethyl mercury phosphate 104:132
endrin 90:394
fin removal, survival and growth 102:753
gravel cover, development 83:194
hypoxia 103:593
intestinal fluke 98:1
jawtags and fin clipping, growth, survival and exploitation 96:394
kraft paper wastes 88:153
MS-222, blood sugar and liver glycogen 101:125
nematode and cestode 94:184
parasitic copepod, reproduction 101:345
pesticide 97:400
pulsating direct current, survival,

growth and fecundity 100:546
shocker 85:239
sodium
arsenite 95:289
fluoride 89:358
stream improvement, standing crop 103:637
sulfonamides, growth 84:86
wood fibers, eggs and alevins 94:252
yearling plantings, yield 88:36
zectran 101:331
efficiency of louver in deflecting 90:336
eggs
control of *Saprolegnia* with ozone 95:430
survival from physical shocks 103:711
toxicity of iodophors 103:73
electric fishing
mortality 84:93
reaction 92:265
embryonic and larval development 92:334
energy deficit, mortality 98:398
estimated natural mortality 92:58
experimental nitrite toxicity 103:389
exposed, to
acutely toxic levels of akton and dyrene 101:317
hydrothol 191 98:52
wood fibers 95:60
extended spawning, environmental influences on 100:312
factors influencing toxicity of Timsan (EMP) 98:419
failure to form annuli 92:389
finclipped
mortality 102:735
recovery 96:221
fisheries, AL "pothole" 86:261
food and distribution of underlings, Castle L., CA 104:88
food habits 88:199; 103:426
in relation to bass tapeworm infection 103:811
food of 85:82; 88:39
food, of northern pike 94:96
freshwater cell line RTG 2 102:599
fry, downstream movement under permanent and intermittent flows 104:468
growth 85:84,95; 86:84; 88:41; 103:434
Alberta 86:263
effect of temperature on 83:82
jawtagged, finclipped 98:225
hematocrit-hemoglobin 98:330
hematological characteristics 98:411
hematopoietic virus disease 98:796
hemorrhagic eyes 92:34
hepatoma, multiple metastasis 92:365
hermatophroditism in 92:313
hooking mortality 105:368
hybrid with brook trout 88:79
in
Big Flatbrook, NJ 99:55
Blue Mesa Reservoir, CO 100:683
Chignik L. system, AK 88:255
Columbia R., WA 86:116
Gull L., MI 98:632
Hebgen L., MT 90:270
Henry's L., ID 84:275
Holston R., VA 103:271
Little Bay de Noc, MI 103:10
Long L., MN 102:795
Madison-Firehole rivers 101:352
Moapa R., NV 105:505
Montana 98:209
North Fork Clearwater R., ID 104:69
North Fork Musselshell R., MT 104:685
Ontario streams 94:350
Oregon farm ponds 92:27
streams 94:40,335
Owasco L., NY 105:233
Pigeon R., MI 90:256
Platte R., MI 100:62
Quabbin Reservoir, MA 89:28
Rich Creek, VA 104:447
southeastern US reservoirs 87:335
tailwater, Dale Hollow Reservoir 85:75
Thompson L., MT 84:241
upper and middle CO R. basins 104:220
induced aggregation by acoustics 101:35
influence on, of
capture methods, blood and mortality 95:170
fishing success, stamina and mortality 96:220
influence water exchange and dissolved oxygen on survival embryos 90:469
innate controls of migration 104:474
introduced
Great Smoky Mountains National Park 89:235
Sashin Creek 91:93
IPN in 98:796
juvenile, age, growth, and downstream migration 101:18
killed, by
ABS 92:372
electrical barrier 86:279
TFM 96:412
toxaphene 91:15
lactic acid in blood after exercise 98:266
length-fecundity relationship 85:100
length-weight relationship 85:95; 101:22
lethal dosage of fluoride 89:361
lethal effects of kaolin and diatomaceous earth 95:71
loss by predation 83:194
management problems, AL 86:266
marked
fluorescent pigment 96:159
latex 97:281
mark retention 98:225
migratory pattern 96:64
monthly occurrence, Big Beef Harbor, WA 101:727
mortality
caught on artificial lures 95:326
downstream migrant, McNary Dam 90:59
move in response to temperature 100:33
movement in tailwater 85:88
nematode infection 94:180
nest building 100:314
new host, IPN 92:63
new tag applicator used on 97:57
nitrogen excretion 100:20
not infected, by
blackspot 94:150
pancreatic necrosis 88:289
number of eggs 85:95
parasitic copepod on 105:492
pelleted dry rations for, MI 86:307
physical factors influencing population 98:15
physiological response to hooking stress 105:601
population
estimates 99:593
maintained by stocking 91:169

Pennsylvania streams 91:54
possible survival in stripmine pond, IL 84:124
postspawning migration 100:314
pounds per acre, Great Smoky Mountains National Park 89:264
predation by herring gull 100:343
predator on sockeye salmon fry 91:138
prespawning migration 100:314
production, two ID streams 100:769
purse seining for, in Columbia R. estuary 102:341
rapid method food habits study 92:434
recovery from aluminum poisoning 102:152
redd measurements 102:313
retain chiton in stomach 101:115
retention of opercular plastic streamer 102:636
return of tagged, L. Taneycomo, MO 97:143
run, in Wenatchee R., WA 88:189
runs 89:371
selective breeding 85:93; 86:350
selectivity of gill net 88:198; 91:264
select large daphnia 99:571
self-sustaining population, McConaughy Reservoir, NE 103:59
sex ratio 85:82
and maturity 100:348
sexual maturity 85:82
size
as determinant of growth rate 86:90
selective predation on daphnia 96:1
spawning
effect of intermittent stream on 105:675
potential, effect of harvest, migration and stocking 91:63
success 85:82
sperm
activity maintained by NaCl 94:401
chemical and physical characteristics 98:785
stamina 89:41
standing crop 103:433
stocked
after toxaphene application 94:212
in
Fern L., WA 88:4
Munsel L., OR 100:55
Ryan L., ON 97:32
Stormy L., WI 103:127
Washington lakes 92:18
study of headwater refuge 93:194
survival
jawtagged and fin clipped 98:225
stocked 86:264
susceptibility, to
Clostridium botulinum 96:67
DDT 99:89
insecticides 99:20
swimming speed 95:207
tagging 85:78
tag returns, and movements, L. Washington system 103:250
tattooed, survival 87:221
temperature
and rate of gastric evacuation 105:712
of tissues 105:710
thermal marked 98:338
toxaphene concentration in 91:21
toxicity to, of
aluminum hydroxide 100:644
antimycin 101:101
Bayer 73 and TFM 105:324
BHC 87:46
2,4-D 99:2
DDT 87:46
2-(digeranylamino)-ethanol 103:738
dursban 101:420
fluoride 91:182
juglone 99:511
$KMnO_4$ 104:580
organic insecticides 90:264
salicylanilide I 101:528
sulfonamindes 84:156
TFM 91:342
two dorsal fins 92:67; 94:408
underwater census 92:146
upper lethal temperature 104:383
uptake
distribution, and elimination of ^{14}C-DDT, ^{14}C-dieldrin 99:689
excretion of iodine 99:515
use of DeLury method, determine angler harvest of stocked 90:259
virus-caused epizootic, in Minnesota 101:121
vitamin requirements of 83:256
X-ray, treatment of sperm 105:13
zectran, lethal to, in laboratory 101:342
Trout, Sunapee, tumor in 83:270
Trunkfish
population variability 94:314
swim at high speed 98:330
Trypan blue, used, to
mark fish 102:459
stain oysters 100:588
Tubercles
nuptial, on female quillback 100:132
whitefish 84:170
Tuberculosis
fish 83:248,310
Pacific green sea turtle 105:564
Tubificids
sensitivity to streptomycin 97:502
taken in drift net 103:512
Tucanare, proposed introduction 102:6
Tullibee, parasites in 85:272
Tumor
Dover sole, off CA 105:561
environmental aspects of 103:799
thyroid, in sheepshead minnow 104:138
Tumorigenesis, flathead sole 100:252
Tumors
epizootiology, flathead sole 100:247
freshwater fishes 83:236,262
genetics of 83:236
Tuna
abundance, in Gulf and Caribbean 85:14
behavior, inferences from fishermen's logbooks 98:77
blood groups 99:153
catch
commercial fisheries, US 83:395; 84:304, 358; 86:464; 88:171
midwater trawls, HI 99:60
Pacific coast, US 87:445
per unit effort, eastern Pacific Ocean 99:632
electrophoretic separation of subpopulation 105:281
immunological and biochemical genetics 99:152

landings, Pacific coast, N. America 97:84
polymorphism in esterases 99:147
record pack, CA 89:116
relationship of thermocline on success of purse seining 96:126
serum groups 99:154
tropical, management, Eastern Pacific Ocean 99:629
Tuna, albacore, commercial fisheries 84:358
Tuna, bigeye
exploitation, Gulf and Caribbean 85:16
food of 94:241
juveniles, taken midwater trawl 99:60
radioactive potassium in muscle 89:312
use of analog computer, catch forecasting 98:566
Tuna, blackfin
abundance, Gulf and Caribbean 85:14
food, of blue marlin 91:226
Tuna, bluefin
abundance, Gulf and Caribbean 85:15
effect of thermocline on purse seining for 96:126
food of 99:726
night availability 98:81
population study by proteins from nucleus of eye lens 102:578
Tuna, bluefin, Atlantic, mortality rate by Leslie matrix 105:381
Tuna, bluefin, southern, transferrins 102:28
Tuna, kawakawa, temperature discrimination by capture of free-swimming 105:588
Tuna, skipjack
allele frequencies of esterase 102:335
color anomalies 101:371
courting behavior 99:93
daytime availability 98:81
digestion and food consumption 98:379
effectiveness of tilapia as live bait for fishing 93:291
evacuation rate 102:762
food and feeding habits 94:236
food, of blue marlin 91:226
giant trematode in 90:419
Hawaiian anchovy as bait 104:53
juveniles, taken in midwater trawl 99:60
management, eastern Pacific Ocean 99:629
response to temperature differences 105:590
serum esterases 100:527
sexual maturity, fecundity, and sex ratio 101:626
simulated catch per unit effort 98:569
swimming speed 95:203
use, of
aerial spotting 96:128
analog computer, catch forecasting 98:566
Tuna, yellowfin
abundance, in Gulf and Caribbean 85:13
catch, in high seas, N. Pacific 93:288
commercial fisheries 84:362
daytime availability 98:81
do not retain residual ova 101:634
effect of thermocline on purse seining for 96:126
equilibrium yield curve 99:85
exploration for 86:197
fishery dynamics 99:634
food of 94:241
growth rate 101:76
interfere with skipjack fishing 93:292
Japanese longline fishery for 104:8
juveniles, taken in midwater trawl 99:60
longline fishery, Atlantic Ocean 98:589
management, eastern Pacific Ocean 99:629
radioactive potassium in muscle 89:312
relationship, fishing effort, catch per effort, total catch 97:235
simulated catch per unit effort 98:569
swimming speed 95:203
transferrins 102:28
worn fins 96:122
yield isopleth 97:233
yield per recruit estimates 101:75
Tunicates
food, of skipjack tuna 94:238
not killed by antimycin 98:291
Tunnels, passage of sockeye salmon through 92:302
Tunny, little
attracted to midwater artificial structures 102:563
food, of blue marlin 91:226
in Gulf and Caribbean 85:14
phalanyx orientation in feeding 96:122
Tupelo gum, in backwater lakes, LA 88:8
Turbellarians
food, of mountain sucker 98:214
killed by TFM 96:412
toxicity of Bayer 73 and TFM 105:324
Turbidity
decrease in, following rotenone treatment 90:295
effects, on
productivity, freshwater impoundments 91:69
ventilation rate and oxygen consumption, green sunfish 105:107
increase during logging, N. CA streams 101:11
influence on catch 89:77
Iowa fish ponds 86:367
measurement 100:682
meter analysis 100:684
total, contribution of settleable solids 100:685
Turbines
hydraulic, passing fish through 93:243
intakes
screens for diverting juvenile salmon and trout 100:439
simulated response of chinook and coho salmon to modified flow 99:532
Turbot, hornyhead, DNA value in 99:124
Turtle, grass, effect of hurricane on 91:377
Turtle, green, migration 98:582
Turtle, musk, population in OK lakes 85:59
Turtle, Pacific green sea, tuberculosis in 105:564
Turtle, painted
lipids in 84:153
variations in temperature resistance 101:717
Turtle, slider, population in OK lakes 85:59
Turtles, lipids in 84:152
Turtle, smooth softshell, predation on plains killifish 98:464
Turtle, spiny softshell, predator on plains killifish 98:464
Twinning, in

midshipman, plainfin 102:846
mummichog 102:846
toadfish, oyster 102:846

U

Ulcer disease 83:318,346
effect of temperature on 87:381
Ultrasonic sensors, use in fish activity study 100:792
Ultrastructure, sperm, channel catfish 105:475
Ultraviolet irradiation, effect, on
fishes 103:541
fish parasites 103:542
water, kills protozoan infections 103:541
Unisex broods, produced by tilapia with methyltesterone 97:18
United States
Army Corps of Engineers 85:76
commercial fisheries catch 87:443
Fish and Wildlife Service 85:13
Geological Survey 85:21
Public Health Service 85:19
Univac 1107, age and growth program 95:229
Univac 1108, stock analysis program 99:426
Uranium235, production of primary fission products 95:145
Urchin, sea, abundance on substrates 104:51
Urchin, spiny, shelter for young spiny lobsters 100:586
Urea, added to incubation water 86:67
Urethane, fish anesthetic 83:92; 85:260
Utilization
benthic organisms, by four predators, Marion L., BC 102:41
technological advances 87:293
U-tube, oxygenation for economical saturation in hatchery 98:789

V

Variations, in trawl data 103:777
Vegetable matter, food of burbot 89:375
Vegetation
cover for cladocerans 92:20
ecological significance to spawning northern pike 101:560
effect on, of
ammonium nitrate 91:8
cutting and treatment on mats 91:8
2,4-D 91:8
farm pond, effect of sodium arsenite and silvex on 94:374
in IA fish ponds 86:367
residue of endrin 90:333
types, MN slough 92:92
Velocity
preferences of spawning pink salmon 86:229
water
for salmonid spawning 102:312
influence on growth of trout and salmon embryos 93:342
Ventilation rate
bluegill 105:112
sunfish, green, effect of turbidity on 105:107
Vertebrae
abnormal, rainbow trout, in relation to electrofishing 94:84
salmon, chinook, effect of temperature on 88:58
Vertebral anomalies
Fundulus 95:177
salmon, sockeye, pink, and chum 95:177
Vertebral damage, bluegill, exposed to acutely toxic levels of pesticides 101:317
Vessel, fishing, commercial, number on L. Huron 99:761
VHS, not yet in US and Canada 98:184
Viability, hybrid, salmon crosses 97:112
Viomycin, treatment of kidney disease 88:120
Viral antigen, effect of zinc on immune response in zebrafish 105:456
Viral hemorrhagic septicemia (VHS)
in rainbow trout 98:796
transmission of 96:91
Virtual population, smallmouth bass 85:137
Virus
assay 102:599
channel catfish, experimental infections with several strains 104:140
diseases of fish 83:331
effects of antibiotics on 101:268
IHN, in rainbow trout 101:121
method isolating, asymptomatic carrier 101:267
Vitamin
concentrate, in hatchery diet 98:773
content, rainbow trout diet 86:163
requirements of trout 83:256
Vitamin A, essential nature, in goldfish diet 100:676
Vitamin C, needed by fish 98:762
Vitamins
effect on growth 86:165
in
channel catfish diet supplement 101:95
hatchery diet 86:162
intake, by rainbow trout 86:165
Volume, total blood, fishes 100:238
Von Bertalanffy growth curve
II, IBM 7094, Univac 1107, FORTRAN IV 94:195
fitting, IBM 709, 7094, FORTRAN IV 95:231
Vulnerability, function of, in food choice, largemouth bass 90:277

W

Wahoo, trematode in 90:419
Walleye
abundance, spawning run 84:125
age
composition 83:154
groups, spawning 86:21
growth 90:130,192
bathymetric distribution, L. Superior 95:251
body-scale relationship 90:131
cannibalism, as factor in survival 102:739
caught in electric beam trawl 97:292
change, in

fishery, Green Bay 90:475
net efficiency for 102:778
population, AuSable R., MI, 1920-72 105:35
commercial catch 86:27
diurnal, variation in 86:31
electrofishing, L. Monona 103:670
in different colored gill nets 102:111
Minnesota lakes, 85:35; 89:68
Red Lakes, MN 99:28
competitor with freshwater drum 96:219
condition factor 95:63
depth distribution 86:30
device for pumping eggs from spawning area 93:204
digestive rate 93:269
diseases in 83:277,333
distribution
Oneida L., NY 92:47
young, MN lake 85:193
dominant year classes 91:58
dynamics of fishery 87:69
early scale development 93:199
effect of
predation on yellow perch abundance 103:15
removal, of
bass, yellow, on 87:34
perch, yellow, on87:35
sucker on 92:13
tannin on motility of sperm 104:808
temperature and light on growth, using prepared diet 105:254
egg survival on different bottoms 90:312
embryo and larval characteristics 97:167
estimation of year-class strength 104:246
evaluation of fry stocking, Clear L., IA 89:249
factors, related to commercial production, Red Lakes, MN 90:190
failure to form annuli 92:389
feeding habits 93:269
feed, on
crustacean zooplankton 99:331
drum, young freshwater 94:346
fingerlings
contribution of native and stocked to anglers catch 101:644
effect of fin removal on survival, growth, vulnerability to capture 92:298
fluctuation in abundance 83:148
food and growth 98:121
food consumption and efficiency 95:63
food habits 101:59
young 105:77
food of 85:198; 86:25; 92:312; 103:17
young 96:17
fry
effect of hydrogen sulfide 101:620
mortality rates 101:720
taken in new net 97:63
growth 86:21; 87:64; 93:269; 95:61
young of the year 85:196
hematocrit 95:66
in
Alabama 83:50
Black R., MO 87:243
commercial catch, Norris Reservoir 92:362
Conowingo Pond, PA 105:167
deeper waters, L. Michigan 93:156
Des Moines R., IA 91:413
Elephant Butte L., NM 105:223
Gladstone L., MN 91:42
Lake Michigan 86:393
Little Bay de Noc, MI 103:10
Long L., MN 102:795
Minnesota lake 87:53
North Dakota saline lakes 103:744
Oneida L., NY 103:462
Owasco L., NY 105:233
prairie lake, MN 88:178
southeastern US reservoirs 87:335
Turtle Creek reservoir, KS 99:324
upper and middle CO R. basins 104:227
winterkill lake 98:695
index of abundance, Clear L., IA 89:251
infected with blackspot 94:150
insecticide residues in tissues 99:423
introduced in reservoir to utilize forage species 100:276
lethal dissolved oxygen concentration 90:326
life history
and production, L. Erie 101:655
Minnesota lakes 85:191
long-term effects of conifer ground wood paper fiber 95:60
management 86:34,285
metabolism 95:64
mortality from suspended fiber 94:252
movement 86:28
Oneida L., NY 92:47
upper Mississippi R. 94:270
mucus-producing cells 95:67
nest desertion 97:258
oxygen consumption 95:65
parasites of 86:26
pathogenic bacteria in 103:115
percent composition, trawl catches 100:700
pesticide residue in 99:499
physical and chemical properties of sperm and seminal plasma 99:518
population
density 86:27
estimate, MN lake 87:63
predator on coho salmon 103:13
production
Lake Michigan 87:191
Red Lakes, MN 83:131
pugheadedness 94:97
reduced
production, L. Erie 99:756
stocks, Great Lakes 102:158
reduction in number, in tailwater 85:77
relationship to yellow perch 85:201
relative abundance 103:21
sampling of young in a lake 89:185
scale development 95:435; 100:570
scarred by lamprey 90:85
seasonal energy and diet changes in 102:363
selective food preferences, L. Erie 100:474
sexing of 88:149
size distribution, spawning run 86:19
spawning 86:16; 94:358
homing behavior 91:355
split fin membranes 95:68
sport fishery statistics, MN 87:52
sport fish, Oneida L., NY 100:740
spottail shiner as food 93:35
stocked
after toxaphene application 94:212
in reservoirs 102:169
survival, of

eggs exposed to wood fiber and *Sphaerotilus natans* 92:220
fingerlings in conifer wood fibers 94:402
tagged
movements of, L. Erie 92:414
recoveries 84:125
tagging of 86:32
taste panel tests 90:175
toxicity to, of
2-(digeranylamino)-ethanol 103:738
salicylanilide I 101:528
TFM 91:342
transfer over dam, Muskegon R., MI 84:125
use, of
emetic to collect stomach contents 98:698
Stoeltzner's method, scale growth 94:94
tannin to eliminate adhesiveness in eggs in artificial propogation 105:731
utilization
by commercial fishermen 84:135
of spawning runs by anglers 84:134
variation in rereading scales 90:230
waves kill eggs 104:524
Walnuts, source of juglone, fish toxicant 99:510
Walrus, lipids in 84:153
Warmouth
associated with coastal shiner, NC 100:728
coefficient of condition 85:65
comparison of catch rates, gill nets 93:236
digestion rate and food consumption 89:206
growth 85:63
hours to empty stomach 98:383
hybridization 95:280
in
Alabama lakes 85:210
Black R., MO 87:247
Chipola R., FL 88:191
Lake Waccamaw, NC 98:368
Louisiana backwaters 88:10
Munsel L., OR 100:55
Oklahoma lakes 85:58
southeastern US reservoirs 87:335
infected by blackspot 94:150
introduced in CA reservoir 87:325
killed, by
anhydrous ammonia 102:77
rotenone 90:292
length frequency 85:71
length-weight equation 85:61
parasite community structure 104:277
population estimates 85:63
spawning 91:25
taken by spearfishing 92:32
toxicity of guthion 94:205
used in intergeneric hybridization 100:611
Wastes
electroplating, resistant midges 88:111
kraft paper, effect on Montana streams 88:153
Water
air-supersaturated, salmon survival affected by carbon dioxide and oxygen-nitrogen ratios 105:425
analysis
Kentucky farm ponds 89:334
Logan City, UT 89:359
Rainy R. system 92:224
sodium sulfate tests 92:156
Water boatmen
food, of cutthroat trout 84:291
toxicity of Bayer 73 and TFM 105:324
Waterbugs, giant, killed by TFM 96:142
Water chemistry
Bayou Bacon, MS 104:518
four CO lakes 104:234
heated water reservoir 103:523
several ND saline lakes 103:746
streams in Great Smoky Mountains National Park, TN 104:682
unfertilized ponds in pastures and woods 105:634
Water delivery system, small fish holding tank 99:799
Water exchange, influence on survival rainbow trout embryos 90:469
Waterflea
effect of Aroclor on survival and reproduction 103:722
food, of slimy sculpin 104:242
toxicity of 2-(digeranylamino)-ethanol 103:738
Water flow
fluctuation below dam, effect on bottom fauna 103:318
related to chinook migration 97:357
requirement to limit ammonia, trout hatchery 102:327
Water, ground, effect of levels on survival of trout 94:32
Water hardness, effect on toxicity of 2-(digeranylamino)-ethanol 103:739
Water, hatchery, U-tube oxygenation for economical saturation 98:789
Water level
effect, on
fry production, smallmouth bass 104:85
year-class strength, northern pike 99:373
fluctuating, effect on trout 92:140
fluctuation, effect on bottom organisms 92:141
spring, effect on northern pike year-class strength 86:285
Water milfoil, introduced into FL 102:2
Water mites, food of rainbow trout 102:35
Water quality
affect growth of striped bass fingerlings 102:18
below sewage outfall 102:281
criteria
coldwater fishery 97:94
warmwater fishery 97:96
effect on, of
beaver dam 84:82
hurricane 91:376
natural fish kill 103:235
toxicity of LAS 100:5
indicated by steam drift 103:507
lakes where Sacramento perch introduced 99:704
Lavon Reservoir 90:291
recirculating system, channel catfish culture 105:705
Water reuse, trout hatcheries, design of nitrification facilities 102:323
Watersheds
management of forest 87:392
multiple use of 87:386
protection problems 87:394

Water shield, nesting site for largemouth bass 91:32
Water supply, emergency, for small aquaria systems 105:347
Water treatment plants, use of rotenone 90:294
Water, upwelling, factor in choice of spawning site by brook trout 105:416
Water weed, residual concentration of dieldrin in 105:697
Water, well, analysis 105:443
Wave action, effect on walleye eggs 90:320
Waves, destroy nests and eggs 104:524
Weakfish
  fin rot in 102:599
  in Atlantic coastal fisheries 88:105
  parasitic isopod on 105:328
  predation on brown shrimp 97:503
  pugheaded 99:95
  retention in pound nets 105:370
  urinary calculi in 96:355
Weatherfish, irradiation produced all haploid 105:13
Weatherfish, oriental, establishment and early dispersal in MI 89:376
Weeds
  burning of, effect on stream conditions 92:303
  submerged, decimated with anhydrous ammonia 102:74
Weighing, precision, use of spin drying of preserved fishes and macroinvertebrates 102:643
Weight
  bluegill, changes due to ABS 92:375
  calculated, lake trout 96:274
  changes, and quantitative feeding in guppies 97:22
  comparisons, cutthroat trout 86:358
  dressout, in channel catfish 105:267
  effect on, of
    formalin, preserved yellow perch 101:362
    freezing 103:136
    preservatives, macrobenthic invertebrates 101:743
    swimming performance, sea lamprey 103:355
    swimming speed
      bass, largemouth 103:357
      salmon, sockeye 103:357
  fish produced, multispecies ponds 97:713
  increases in carp at different densities 91:234
  initial, effect on growth
    bullhead, black 98:39
    catfish, channel 98:42
  loss, in American shad during freshwater migration 101:549
  mean, lake trout 86:177
  muskellunge, changes from handling 103:338
  percentage relationships, standing crop and biota 99:716
  ratio, transfer from *Daphnia* to *Poecilia* 97:26
  total, relationship to gizzard weight in shad 105:410
  winter flounder population 98:616
Weights
  average, walleyes in spring and fall 90:477
  blue marlin 97:131
  maximum, lake trout, 30 lakes 95:418
Weir, entrance pool elevation, effect on passage of alewives 102:398
Wescodyne, toxicity to rainbow trout eggs 103:73
Whale, blue, use of analog computer, catch forecasting 98:567
Whale, fin, use of analog computer, catch forecasting 98:567
Wheat middlings, in hatchery diet 98:773
Wheat shorts, in channel catfish diet 101:95
Whelk, predator on oyster 98:313
Whelk, waved, abundance on substrates 104:51
Whey, in hatchery diet 98:773
Whiff, bay
  food of juvenile red drum 104:38
  population variability 94:314
Whitefish
  disease of 83:303
  food, of
    inconnu 94:274
    walleye 86:26
  introduced in char waters, Scandinavia 92:276
  parasites in 85:272
  speared, MN lake 85:29
  taken by spearfishing 92:32
Whitefish, broad, food of inconnu 94:272
  Alaskan, age and growth 105:526
Whitefish, European, intraspecific variability 103:423
Whitefish, Humpback X inconnu 100:362
Whitefish, lake
  age and growth 89:323; 93:80
    Lake Michigan 87:190
  age composition of commercial catch 99:39
  bathymetric distribution, L. Superior 95:251
  body ratios normal and dwarfed 93:84
  body-scale relationship 93:80; 99:33
  catch, diurnal variation 86:31
  collapse in L. Huron 100:701
  commercial fishery, Red Lakes, MN 99:28
  comparison with pygmy 84:170
  DDT content 95:163
  disappearance, L. Erie 101:655
  effect of temperature on egg survival and embryonic development 104:555
  efficiency of gill nets 102:779
  eggs collected 98:8
  erythrocyte antigens 93:88
  estimate, of
    tag loss 95:57
    year-class strength 104:246
  evidence of subpopulations 93:77
  exploitation, L. Huron 91:223
  false annuli formation 99:366
  food and distribution, Lac la Ronge, SK 90:303
  food habits 88:200
  food, of lake trout 94:171; 95:415
  growth 99:33
  hybrid, with cisco and round whitefish 91:196
  in
    deeper waters, L. Michigan 93:156
    Fish R. Lakes, ME 92:193
    Lake Michigan 86:393
    Minnesota lakes 86:286; 87:53
    northern L. Huron and Georgian Bay 86:128
    Sebago L., ME 95:160

increase inserum globulin with age 94:397
infected by hemoflagellate 94:333
injected with lead arsenate 89:149
intraspecific variability 103:423
known-age 83:91
movement, of tagged 86:128
optimum incubation range 104:555
percent composition trawl catches 100:700
predator on lake trout eggs 86:241
production, Red Lakes, MN 83:132
reduced after alewife increase, L. Ontario 99:758
reduced stocks, Great Lakes 102:158
selectivity of gill net 88:198; 89:176; 90:413
size and age at maturity 93:78
spawning habits 93:92
tumor in 83:270
Whitefish, mountain, age, growth, and movement, N. Fork Clearwater R., ID 104:68
age, growth, reproduction and feeding 105:208
change in population following impoundment, Sagehen Creek, CA 102:628
effect on, of
DDT 90:239
highway construction 88:72
kraft paper waste 88:153
pesticide 97:400
estimating stomach capacity 100:572
food habits 88:200; 102:764
in
Columbia R., WA 86:116
Crooked Fork R., ID 102:746
Hebgen L., MT 90:269
Henry's L., ID 84:275
Lemhi R. drainage, ID 100:424
Little Salmon R., ID 84:203
Madison R. 101:352
Montana 98:209
stream 97:391
Priest Lakes, ID 90:27
Thompson Lakes, MT 84:241
upper and middle CO R. basins 104:221
infected by hemoflagellate 94:328
nematode infection 94:180
physical factors influencing population 98:15
production, two ID streams 100:768
selectivity of gill net 88:198
temperature of tissues 105:710
underwater census 92:147
Whitefish, ocean, molecular difference in eye protein 100:528
Whitefish, pygmy
abundance, L. Superior 84:174
age and growth, L. Superior 84:180
associated species, L. Superior 84:195
bathymetric distribution, L. Superior 84:178; 95:251
food of 84:192
food, of lake trout 94:171
in
Chignik L. system, AK 88:255
Lake Superior 84:161; 93:77
length-frequency distribution, L. Superior 84:186
percent composition, trawl catches 100:700
reproduction, L. Superior 84:188
selectivity of gill net 91:265
Whitefish, round
age and growth, L. Michigan 93:46
age at maturity, L. Michigan 93:51
bathymetric distribution, L. Superior 95:251
changes in population, AuSable R., MI, 1920-72 105:35
downstream migration 91:407
food, of lake trout 94:171
hybrid with cisco and lake whitefish 91:196
in
Chatanika R., AK 100:362
Lake Superior 84:48,170
length-weight relationship 93:48
life history and ecology 98:7
percent composition, trawl catches 100:700
predator on lake trout eggs 86:240
selectivity of gill net 90:413; 91:264
sex ratio, L. Mighigan 93:51
use of automatic brine shrimp feeder 98:533
Whiteworms, fed to goldfish 97:25
Willow, black, backwater areas, LA 88:8
Willow, water, in TN streams 86:146
Wind, effect on year-class strength 91:38
Windowpane, length-weight relationship 98:617
Winterkill
Iowa fish ponds 86:369
shallow lake management for pike 98:691
Wolf eel, catch in high seas, N. Pacific 93:288
Wood
fibers
minnow, fathead exposed to 95:60
trout, rainbow, exposed to 95:60
suspended, effect on eggs and alevins 94:252
food of Dolly Varden 88:256
Worm, annelid, effect of DDT on 94:155
Worm, hair, effect of fertilization on abundance 91:310
Worm, meal, bait for bluegills 85:36
Worm, polychaete, food of Dolly Varden 91:92
Worms, effects of rotenone on 98:542
Worm, sludge
effect of ABS on 92:152
uptake of isotopes 90:53
Wrasse, bluehead, daily aggregation 101:260
Wrasse, dwarf, population variability 94:314

X

Xanthochroic gar, from MS 101:362
Xanthophylls
for natural coloration in trout 95:408
in hatchery diet 86:313
X-ray, effect on mortality and growth of chinook salmon 100:267

Y

Year class
development of dominant, yellow perch

100:739
effect of yellow perch on walleye 85:191
factors influencing, northern pike 92:91
formation of, largemouth bass 91:29
method of estimation 85:137
strength
bass, smallmouth 85:137
estimating from abundance data, Green Bay, L. Michigan 104:245
sauger 97:164
factors influencing fluctuations 101:311
trout, cutthroat, Yellowstone L. 85:178
yield from, smallmouth bass 85:135
Yeast, brewer's
in hatchery diet 98:773
value in rainbow trout diet 86:161
Yeast, in hatchery diet 86:313
Yeasts
dried, comparison of, in rainbow trout diets 86:161
effect on food conversion ratios 86:166
Yeast, torula, value in rainbow trout diet 86:161
Yeast, wood, value in rainbow trout diet 86:161
Yield
bluegill, actual and estimated 97:247
Clearwater L., MO 87:254
effect of growth pattern and exploitation on pink salmon 95:39
equation, Beverton-Holt, and allometric growth 93:369
fish, in tropical lakes 105:575
maximum sustainable, Pacific ocean perch 101:71
optimum, estimation, American shad, Connecticut R. 92:436
per acre, AL public fishing lakes 85:210
per recruit, estimates, Atlantic yellowfin tuna 101:75
predicting, from brook trout population 103:353
shrimp, pink, in feeding experiments in concrete tanks 105:259
steady state per recruit, Atlantic menhaden 101:294
theoretical equilibrium, bluegill 97:242
trout, rainbow, Paul L., BC 88:36
various areas, Yellowstone L. 85:178
Yolk, energy, growth of Atlantic salmon 98:403
Yolk sac, absorption
effect on swimming, chinook salmon 98:406
energy expenditure in largemouth bass 98:398
Yttrium^{91}, uptake by fishes 95:150

Z

Zander, starvation of 96:22
Zebrafish
eggs, used in chromatographically separated components 97:204
toxicity, of zinc to immune response to viral and bacterial antigens 105:456
used for microinjecting eggs 96:57
Zectran
effect, on
aquatic insects 101:337
Dolly Varden 101:330
salmon, chinook 101:331
trout
cutthroat 101:331
rainbow 101:331
lethal to rainbow trout in laboratory 101:342
toxicity, to
cladocerans 95:167
fishes 99:22
Zinc
cause of fish mortality 98:174
effect, on osmolality of blood serum, channel catfish and golden shiner 100:639
stress, effect on mortality of bluegill 101:435
toxicity
immune response in zebrafish injected with viral and bacterial antigens 105:456
minnow, fathead 98:272
Zinc^{65}
accumulation by flounders 93:364
effect on salmon 102:317
exchange by brown bullhead 90:444
uptake, by
croaker, Atlantic 90:444
pinfish 90:444
Zirconium^{95}, uptake by fishes 95:150
Zone, barbel, bream, grayling, and trout, in west European streams 88:155
Zooplankton
DDE and lindane in 105:127
depth distribution 93:140
effect of artificial destratification 100:355
destroyed by anhydrous ammonia 102:75
differential digestion rate by alewife, effect on determination of selective feeding 105:89
effect on, of
artificial destratification 102:450
DDT 92:211
herbicides 98:438
nutritional enrichment 102:351
rotenone 92:17
farm pond, SC 91:220
food, of
bass
largemouth fry 105:624
yellow 99:733
bloater 92:248
bluegill 103:257
buffalo 96:71
catfish, channel, fry 101:614
crappie, white, young 100:309
herring, Atlantic, young 100:122
perch
Sacramento 99:702
yellow 102:758; 103:464
pike, northern, juvenile 92:101
salmon
coho 103:127
sockeye 98:245
shad, gizzard 87:80
smelt, American 98:644
sturgeon, shovelnose 98:516
sucker, longnose 103:427
trout 103:426
brown 92:278
food selectivity by coho salmon and cisco 105:608
in fertilization tubes 97:427

live, fed white bass 100:537
number per liter
Black Pond 100:328
in water treated with sodium arsenite 95:295
occurrence and utilization by chinook salmon 105:72
Oregon experimental ponds 91:307
population, in relation to growth of young yellow perch 104:731
recolonization, of lake cove treated with rotenone 104:390
sampled western L. Superior 100:699
selective predation by gizzard shad 99:320
standing crop, James R. 103:303
susceptibility to DDVP and Phosphamidon 98:436

PART 2: AUTHOR INDEX

Abbe, G. R. 103:643. Second terminal molt in an adult female blue crab, *Callinectes sapidus* Rathbun.

Abbott, R. R. 101:35. Induced aggregation of pond-reared rainbow trout *(Salmo gairdneri)* through acoustic conditioning.

Abramson, N. J. 92:310. Computer programs for fisheries problems.

Abramson, N. J. 94:195. Von Bertalanffy growth curve II, IBM 7094, UNIVAC 1107, Fortran IV.

Abramson, N. J., *see* Berude, C. L.

Acara, A. H. 97:201. A normal synchronous hermaphrodite Dolly Varden char.

Acheson, J. M. 104:653. Fisheries management and social context: The case of the Maine lobster fishery.

Adams, B. L., W. S. Zaugg, and L. R. McLain. 104:766. Inhibition of salt water survival and Na-K-ATPase elevation in steelhead trout *(Salmo gairdneri)* by moderate water temperatures.

Adams, C. A., *see* Carr, W. E. S.

Adams, E. S. 104:363. Effects of lead and hydrocarbons from snowmobile exhaust on brook trout *(Salvelinus fontinalis)*.

Adams, S. M. 105:514. Feeding ecology of eelgrass fish communities.

Adams, W. J., D. J. Behmer, and W. O. Weingarten. 101:552. Recovery of shocked common shiner, *Notropis cornutus*, related to electric energy.

Adelman, I. R., and L. L. Smith, Jr. 99:501. Effect of hydrogen sulfide on northern pike eggs and sac fry.

Albaugh, D. W. 98:35. Sources of growth variation among individual black bullheads, *Ictalurus melas*, and channel catfish, *Ictalurus punctatus*.

Alcorn, S. R. 105:294. Temperature tolerances and upper lethal limits of *Salmo apache*.

Aldrich, D. V., see Ragan, J. G.

Alexander, G. R., and D. S. Shetter. 96:257. Fishing and boating on portions of Au Sable River in Michigan.

Alexander, G. R., *see* Shetter, D. S.

Alexander, H. C., *see* Branson, D. R.

Allanson, B. R., and R. G. Noble. 93:323. The tolerance of *Tilapia mossambica* (Peters) to high temperatures.

Allen, G. H. 87:207. Survival through hatching of eggs from silver salmon *(Oncorhynchus kisutch)*.

Allen, G. H. 88:310. Growth of marked silver salmon *(Oncorhynchus kisutch)* of the 1950 brood in Puget Sound.

Allen, G. H. 94:319. Estimating error associated with ocean recoveries of fin-marked coho salmon.

Allen, G. H. 96:42. Contributions of Puget Sound coho salmon *(Oncorhynchus kisutch)*, to the 1953 Pacific Coast commercial troll fishery.

Allen, G. H. 98:599. Catch-to-escapement ratios of fin-marked 1950-brood Puget Sound coho salmon.

Allen, G. H. 101:577. Notes on sampling amphipods and euphausiids in the north Pacific Ocean.

Allen, G. H., and L. G. Claussen. 89:80. Selectivity of food by brook trout in a Wyoming beaver pond.

Allen, G. H., *see* Donaldson, L. R.

Allen, H. E., *see* Roberts, R. F.

Allen, J. F. 100:379. Definition of a fisheries scientist.

Allen, J. L., *see* Sills, J. B.

Allen, K. O., and K. Strawn. 100:665. Rate of acclimation of juvenile channel catfish, *Ictalurus punctatus*, to high temperatures.

Allen, K. R. 95:230. Determination of age distribution from age-length keys and length distributions, IBM 7090, 7094, Fortran IV.

Allen, K. R. 95:231. Fitting of von Bertalanffy growth-curves, IBM 709, 7094, Fortran IV.

Allen, K. R. 102:172. The application of research to the management of British Colombia sockeye salmon.

Allison, L. N. 83:221. Advances in prevention and treatment of parasitic diseases of fish.

Allison, L. N. 93:34. Cataract in hatchery lake trout.

Allison, T. C., *see* Lewis, D. H.

Alt, K. T. 94:272. Food habits of inconnu in Alaska.

Alt, K. T. 100:362. Occurrence of hybrids between inconnu, *Stenodus leucichthys nelma* Pallas), and humpback whitefish, *Coregonus pidschian* (Linnaeus) in Chatanika River, Alaska.

Alt, K. T. 105:526. Age and growth of Alaskan broad whitefish, *Coregonus nasus*.

Alvord, W. 83:91. Validity of age determinations from scales of brown trout, rainbow trout, and brook trout.

Amend, D. F. 103:73. Comparative toxicity of two iodophors to rainbow trout eggs.

Amend, D. F., and J. P. Pietsch. 101:267. An improved method for isolating viruses from asymptomatic carrier fish.

Amend, D. F., W. T. Yasutake, and R. W. Mead. 98:796. A hematopoietic virus disease of rainbow trout and sockeye salmon.

Amend, D. F., W. T. Yasutake, and R. Morgan. 98:419. Some factors influencing susceptibility of rainbow trout to the acute toxicity of an ethyl mercury phosphate formulation (Timsan).

Ames, W. E., R. M. Condie, and B. Pollara. 95:317. A method for intravascular injec-

tion and bleeding of fishes.
Amish, R. A., *see* Hickey, C. R., Jr.
Andersen, J. K., *see* Cooper, E. L.; McFadden, J. T.
Anderson, E. D., and L. L. Smith, Jr. 100: 691. Factors affecting abundance of lake herring, *(Coregonus artedii* Le Sueur), in western Lake Superior.
Anderson, R. B. 91:425. A comparison of returns from fall- and spring-stocked hatchery-reared lake trout in Maine.
Anderson, R. B., and W. H. Everhart. 95:160. Concentrations of DDT in landlocked salmon *(Salmo salar)* at Sebago Lake, Maine.
Anderson, R. D., and C. F. Bryan. 99:475. Age and growth of three surfperches (Embiotocidae) from Humboldt Bay, California.
Anderson, R. D., and K. K. Chew. 101:726. Preliminary study on transient species of fish in Big Beef Harbor.
Anderson, R. O. 101:149. Introduction to keynote session: challenges in management.
Anderson, R. O. 102:164. Application of theory and research to management of warmwater fish populations.
Anderson, R. O., and M. L. Heman. 98:317. Angling as a factor influencing catchability of largemouth bass.
Anderson, W. D., Jr., *see* Dias, R. K.
Andrews, A. K. 99:429. Squamation chronology of the fathead minnow, *Pimephales promelas.*
Andrews, A. K. 101:128. Survival and mark retention of small cyprinid marked with fluorescent pigments.
Andrews, A. K., C. C. Van Valin, and B. E. Stebbings. 95:297. Some effects of heptachlor on bluegills, *(Lepomis macrochirus).*
Andrews, A. K., *see* Bridges, W. R.; Van Valin, C. C.
Andrews, J. W., and Y. Matsuda. 104:322. The influence of various culture conditions on the oxygen consumption of channel catfish.
Andrews, J. W., T. Murai, and G. Gibbons. 102:835. The influence of dissolved oxygen on the growth of channel catfish.
Andrews, J. W., and J. W. Page. 104:317. The effects of frequency of feeding on culture of catfish.
Andrews, J. W., and R. R. Stickney. 101: 94. Interactions of feeding rates and environmental temperature on growth, food conversion, and body composition of channel catfish.
Andrews, J. W., *see* El-Ibiary, H. M.; Murai, T.
Andrews, P. S., *see* Havey, K. A.
Anthony, E. H., *see* Hayes, F. R.
Antipa, R. 103:811. Food habits of lacustrine salmonids in Washington State in relation to infections with larvae of the bass tapeworm *(Proteocephalus ambloplites).*
Applegate, R. L. 95:226. Pyloric caeca counts as a method for separating the advanced fry and fingerlings of largemouth and spotted basses.
Applegate, R. L., and J. E. Mullan. 96: 74. Food of young largemouth bass, *Micropterus salmoides,* in a new and old reservoir.
Applegate, R. L., *see* Hannon, M. R.; Mullan, J. W.; Starostka, V. J.
Applegate, V. C., and E. L. King, Jr. 91:342. Comparative toxicity of 3-trifluormethyl-4-nitrophenol (TFM) to larval lampreys and eleven species of fishes.
Arce, R. G., and C. E. Boyd. 104:308. Effects of agricultural limestone on water chemistry, phytoplankton productivity, and fish production in soft water ponds.
Armour, C. L. 103:379. Serum antigenic differences in spring chinook salmon *(Oncorhynchus tshawytscha)* from two separate rivers.
Armstrong, R. H. 100:302. Age, food, and migration of sea-run cutthroat trout, *Salmo clarki,* at Eva Lake, southeastern Alaska.
Armstrong, R. H., and R. F. Blackett. 95: 320. Use and evaluation of dart tags to study the migration habits of Dolly Varden, *Salvelinus malma* (Walbaum).
Armstrong, R. H., and R. F. Blackett. 95: 429. Digestion rate of the Dolly Varden.
Armstrong, R. H., and P. C. Winslow. 97: 202. An incidence of walleye pollock feeding on salmon young.
Armstrong, R. H., *see* Blackett, R. F.
Arnold, D. F. 95:432. Use of the jaw-injection technique for marking warmwater fish.
Arnold, J. C., *see* Dickson, K. L.
Arp, A. *see* Orcutt, D. R.
Ashley, L. M., and J. E. Halver. 92:365. Multiple metastasis of rainbow trout hepatoma.
Ashley, L. M., *see* Halver, J. E.
Atchison, G. J., and H. E. Johnson. 104: 782. The degradation of DDT in brook trout eggs and fry.
Atherton, L. M., *see* Wright, J. E., Jr.
Atton, F. M. 88:203. The invasion of Manitoba and Saskatchewan by carp.
Austin, H. M., A. D. Sosnow, and C. R. Hickey, Jr. 104:762. The effects of temperature on the development and survival of the eggs and larvae of the Atlantic silversides, *Menidia menidia.*
Avault, J. W., Jr., *see* Bass, R. J.; Bellinger, J. W.; Boothby, R. N.; Guest, W. C.; Huner, J. V.; Jaspers, E. J.

B

Babcock, W. H. 100:50. Effect of size limit regulation on the trout fishery in Trappers Lake, Colorado.
Bachen, B., *see* Elston, R.
Backiel, T., *see* Eisler, R.
Baglin, R. E., Jr., *see* Kilambi, R. V.
Bahner, L. H., and D. R. Nimmo. 104:388. A salinity controller for flow-through bioassays.
Bailey, J. E., *see* Ross, A. J.; Whitney, A. N.
Bailey, M. M. 93:382. Age, growth, maturity, and sex composition of the American smelt, *Osmerus mordax* (Mitchill), of

western Lake Superior.
Bailey, M. M. 101:667. Age, growth, reproduction, and food of the burbot, *Lota lota* (Linnaeus) in southwestern Lake Superior.
Bailey, R. M., *see* Eschmeyer, P. H.
Baker, A. M., and D. F. Fraser. 105:520. A method for securing the gut contents of small, live fish.
Baker, C. D., D. W. Martin, and E. H. Schmitz. 101:138. Separation of taxonomically identifiable organisms and detritus taken from shad foregut contents using density-gradient centrifugation.
Baker, C. D., W. H. Neill, Jr., and K. Strawn. 99:558. Sexual difference in heat resistence of Ozark minnow, *Dionda nubila* (Forbes).
Baldes, R. J., and R. E. Vincent. 98:230. Physical parameters of microhabitats occupied by brown trout in an experimental flume.
Baldwin, N. S. 86:323. Food consumption and growth of brook trout at different temperatures.
Baldwin, R. E., K. G. Sides, and J. W. Robinson. 98:533. Relationship of size and body area to the flavor and aroma in fish.
Baldwin, R. E., D. H. Strong, and J. H. Torrie. 90:175. Flavor and aroma of fish taken from four fresh-water sources.
Ball, O. P. 87:200. Management of sport fishing in San Diego's program of multiple use of water supply reservoirs.
Ball, R. C., *see* Bouck, G. R; Hamelink, J. J.; Hooper, F. E.
Balsano, J. S., and E. M. Rasch. 104:150. Modification of acrylamide electrophoresis for microspectrophotometric analysis of fish plasma proteins.
Banerjee, T. 102:448. Age and rate of growth of the white seaperch *(Phanerodon furcatus)* from Tomales Bay, California.
Banks, J. E., *see* Thomas, A. E.
Banner, A., and M. Hyatt. 102:134. Effects of noise on eggs and larvae of two estuarine fishes.
Baptist, J. P. 95:145. Uptake of mixed fission products by marine fishes.
Barber, W. E., and W. L. Minckley. 100: 283. Summer foods of the cyprinid fish *Semotilus atromaculatus*.
Bargel, D. *see* Pereyra, W. T.
Barnhart, R. A. 98:411. Effects of certain variables on hematological characteristics of rainbow trout.
Barr, L. 100:781. Methods of estimating the abundance of juvenile spot shrimp in a shallow nursery area.
Bartlett, M. R., and R. L. Haedrich. 95:99. Techniques in the radiography of fishes.
Barwick, D. H., and D. E. Holcomb. 105:244. Relation of largemouth bass reproduction to crowded sunfish populations in Florida ponds.
Bass, R. J., and J. W. Avault, Jr. 104:35. Food habits, length-weight relationship, condition factor and growth of juvenile red drum, *Sciaenops ocellata*, in Louisiana.
Bates, D. W., and S. G. Jewett, Jr. 90:336. Louver efficiency in deflecting downstream migrant steelhead.
Bates, D. W., and R. Vinsonhaler. 86:38. Use of louvers for guiding fish.
Batterman, A. R., *see* Drummond, R. A.
Batts, B. S. 101:626. Sexual maturity, fecundity, and sex ratios of skipjack tuna, *Katsuwonus pelamis* (Linnaeus), in North Carolina waters.
Baumann, P. C., and J. E. Kitchell. 103: 255. Diel patterns of distribution and feeding of bluegill *(Lepomis macrochirus)* in Lake Wingra, Wisconsin.
Baur, R. J., D. H. Buck, and C. R. Rose. 105:247. Three years experience with a channel catfish catchout pond in Illinois.
Baxter, K. N., *see* Fore, P. L.; Rigdon, R. H.
Beamish, F. W. H. 93:103. Influence of starvation on standard and routine oxygen consumption.
Beamish, F. W. H. 103:355. Swimming performance of adult sea lamprey, *Petromyzon marinus*, in realtion to weight and temperature.
Beamish, F. W. H., *see* Fraser, J. M.
Beamish, R. J. 101:355. Lethal pH for the white sucker, *Catostomus commersoni* (Lacépède).
Bearden, C. M., and M. D. McKenzie. 101: 358. Results of a pilot shrimp tagging project using internal anchor tags.
Beardsley, G. L., Jr. 98:589. Proposed migrations of albacore, *Thunnus alalunga*, in the Atlantic Ocean.
Beardsley, G. L., Jr. 99:401. Distribution of migrating juvenile pink shrimp, *Penaeus duorarum duorarum* Burkenroad, in Buttonwood Canal, Everglades National Park, Florida.
Beaumariage, D. S., *see* Moe, M. A., Jr.; Topp, R. W.
Becker, C. D. 101:723. Initial records of Monogenea from juvenile bass in central Columbia, River, Washington.
Becker, C. D., R. G. Genoway, and J. A. Merrill. 104:374. Resistance of a northwestern crayfish, *Pacifastacus leniusculus* (Dana), to elevated temperature.
Becker, C. D., and M. Katz. 94:327. Infections of the hemoflagellate, *Cryptobia salmositica* Katz, 1951, in freshwater teleosts of the Pacific Coast.
Becker, C. D., and M. Katz. 95:196. Host relationships of *Cryptobia salmositica* (Protozoa: Mastigophora) in a western Washington hatchery stream.
Becker, D. A., R. G. Heard, and P. D. Holmes. 95:23. A pre-impoundment survey of the helminth and copepod parasites of *Micropterus* spp. of Beaver Reservoir in northwest Arkansas.
Beckman, W. C. 92:259. Introduction to symposium on freshwater fishery problems in Europe.
Bedinger, C. A., Jr., *see* Hightower, G. M.
Beeton, A. M. 87:73. Relationship between secchi disc readings and light penetration in Lake Huron.
Beeton, A. M. 90:153. Environmental changes in Lake Erie.
Beeton, A. M., *see* Wells, L.
Behmer, D. J. 98:520. Schooling of river carpsuckers and a population estimate.
Behmer, D. J., *see* Adams, W. J.
Behnke, R. J. 99:237. The application of

cytogenetic and biochemical systematics to phylogenetic problems in the family Salmonidae.
Behnke, R. J., *see* Needham, P. R.; Trojnar, J. R.
Beil, J., *see* Dryer, W. R.
Beiningen, K. T., and W. J. Ebel. 99:664. Effect of John Day Dam on dissolved nitrogen concentrations and salmon in the Columbia River, 1968.
Béland, E. 103:353. On predicting the yield from brook trout populations.
Belcher, D. D. 87:368. Problems in commercial trout production.
Bell, R. 87:33. Cui-ui in Pyramid Lake, Nevada.
Bellinger, J. W., and J. W. Avault, Jr. 99: 353. Seasonal occurrence, growth, and length-weight relationship of juvenile pompano, *Trachinotus carolinus*, in Louisiana.
Bellinger, J. W., and J. W. Avault, Jr. 100:486. Food habits of juvenile pompano, *Trachinotus carolinus*, in Louisiana.
Bender, M. E., and R. A. Jordan. 99:607. Plastic enclosure versus open lake productivity measurements.
Bender, M. E., *see* Merna, J. W.
Bennett, D. H., and J. W. Gibbons. 101: 650. Food of largemouth bass *Micropterus salmoides)* from a South Carolina reservoir receiving heated effluent.
Bennett, D. H., and J. W. Gibbons. 104:77. Reproductive cycles of largemouth bass *(Micropterus salmoides)* in a cooling reservoir.
Benoit, D., R. Syrett, and J. Hale. 98: 532. Automatic live brine shrimp feeder.
Benoit, D. A., 103:144. Artificial laboratory spawning substrate for brook trout *(Salvelinus fontinalis)* Mitchell.
Benoit, D. A., 104:353. Chronic effects of copper on survival, growth, and reproduction of the bluegill, *(Lepomis macrochirus)*.
Benoit, D. A., E. N. Leonard, G. M. Christensen, and J. T. Fiandt. 105:550. Toxic effects of cadmium on three generations of brook trout (*Salvelinus fontinalis*).
Benoit, R. F., and N. A. Matlin. 95:430. Control of *Saprolegnia* on eggs of rainbow trout *(Salmo gairdneri)* with ozone.
Benson, A. *see* Klarberg, D. P.
Benson, N. G. 83:76. Seasonal fluctuations in the feeding of brook trout in the Pigeon River, Michigan.
Benson, N. G. 89:168. Factors influencing production of immature cutthroat trout in Arnica Creek, Yellowstone Park.
Benson, N. G., J. R. Greeley, M. I. Huish, and J. H. Kuehn. 90:218. Status of management of natural lakes.
Benson, N. G., and P. L. Hudson. 104: 526. Effects of a reduced fall drawdown on benthos abundance in Lake Francis Case.
Bentley, W. W., and H. L. Raymond. 97: 124. Collection of juvenile salmonids from turbine intake gatewells of major dams in the Columbia River system.
Bentley, W. W., and H. L. Raymond. 98: 723. Passage of juvenile fish through orifices in gatewells of turbine intakes at McNary Dam.
Bentley, W. W., and H. L. Raymond. 105: 422. Delayed migrations of yearling chinook salmon since completion of Lower Monumental and Little Goose Dams on the Snake River.
Benton, R. C., *see* Rigdon, R. H.
Berinati, D. J., *see* Crowley, G. J.
Berra, T. M., and G. E. Gunning. 99:776. Repopulation of experimentally decimated sections of streams by longear sunfish, *Lepomis megalotis megalotis* (Rafinesque).
Berra, T. M., *see* Gunning, G. E.
Berry, F. H., *see* Caldwell, D. K.
Berry, R. J., S. B. Saila, and D. B. Horton. 94:259. Growth studies of winter flounder, *Pseudopleuronectes americanus* (Walbaum), in Rhode Island.
Berst, A. H. 90:413. Selectivity and efficiency of experimental gill nets in South Bay and Georgian Bay of Lake Huron.
Berude, C. L. and N. J. Abramson. 101:133. Relative fishing power, CDC 6600, Fortran IV.
Beyerle, G. B. 100:69. A study of two northern pike-bluegill populations.
Beyerle, G. B., and E. L. Cooper. 89:225. Growth of brown trout in selected Pennsylvania streams.
Beyerle, G. B., and J. E. Williams. 97:28. Some observations of food selectivity by northern pike in aquaria.
Bidgood, B., *see* McCrimmon, H. R.
Bills, T. D., *see* Dawson, V. K.; Marking, L. L.
Bingham, C. R., *see* Ferguson, D. F.
Bishop, R. D., *see* Carroll, B. D.
Bjork, C. D., *see* Champ, M. A.
Bjornn, T. C. 90:27. Harvest, age structure, and growth of game fish populations from Priest and Upper Priest Lakes.
Bjornn, T. C. 100:423. Trout and salmon movements in two Idaho streams as related to temperature, food, stream flow, cover, and population density.
Bjornn, T. C., D. R. Craddock, and D. R. Cooley. 97:360. Migration and survival of Redfish Lake, Idaho, sockeye salmon, *Oncorhynchus nerka*.
Bjornn, T. C., and J. Mallet. 93:70. Movements of planted and wild trout in an Idaho river system.
Bjornn, T. C., *see* Goodnight, W. H.; Gordon, D.; Pollard, H. A.
Blackett, R. F., and R. H. Armstrong. 94: 408. Collection of two abnormal Dolly Varden: one with two dorsal fins, the other with incomplete pigmentation.
Blackett, R. F., *see* Armstrong, R. H.
Blackman, R. R., *see* Nimmo, D. R.
Blahm, T. H. 90:226. Effect of tricaine methanesulfonate on oxygen consumption of juvenile sockeye salmon.
Blahm, T. H. 92:301. Seasonal occurrence of *Brevoortia patronus* in the northern Gulf of Mexico.
Blahm, T. H., *see* Craddock, D. R.
Blair, A. A. 86:199. Count fence on netting.
Blau, G. E., *see* Branson, D. R.
Bliss, Q. P., *see* Hergenrader, G. L.
Bloom, K. S., *see* Ellgaard, E. G.
Boccardy, J. A., and E. L. Cooper. 92:307.

The use of rotenone and electrofishing in surveying small streams.
Bond, C. E., *see* Isaac, G. W.; McIntire, C. D.; Wilson, D. C.
Bond, L. H., *see* DeRoche, S. E.
Bonde, T., and J. E. Maloney. 89:374. Food habits of burbot.
Bonderson, N. *see* Moyle, P. B.
Bonham, K. 97:198. Growth inhibition by maxillary excision, size at start of jaw elongation, and regression of weight on length of precocious male chinook salmon.
Bonham, K. 105:351. Specific gravity of salmonid eggs.
Bonham, K., and L. R. Donaldson. 101:428. Sex ratios and retardation of gonadal development in chronically gamma-irradiated chinook salmon smolts.
Bonham, K. *see* Donaldson, L. R.
Bonn, E. W., and B. J. Follis. 96:31. Effects of hydrogen sulfide on channel catfish, *Ictalurus punctatus*.
Bonn, E. W., and L. R. Holbert. 90:287. Some effects of rotenone products on municipal water supplies.
Bonneau, D. L., J. W. McGuire, O. W. Tiemeier, and C. W. Deyoe. 101:613. Food habits and growth of channel catfish fry, *Ictalurus punctatus*.
Bonner, F. L. *see* Hyde, K. M.
Bonner, R. R. Jr., *see* Lewis, R. M.
Booke, H. E. 94:397. Increase in serum globulin levels with age in lake whitefish, *Coregonus clupeaformis*.
Booth, R. S., *see* Kitchell, J. F.
Boothby, R. N., and J. W. Avault, Jr. 100:290. Food habits, length-weight relationship, and condition factor of the red drum *Sciaenops ocellata*, in southeastern Louisiana.
Boreman, J. 103:637. Effects of stream improvements on juvenile rainbow trout in Cayuga Inlet, New York.
Borgeson, D. P. 92:434. A rapid method for food-habit studies.
Borovicka, R. L., and H. F. Horton. 87: 182. Oregon's aerial fish-planting program.
Borschung, h. T., Jr. 95:227. The occurrence of the common bonito, *Sarda sarda*, in the northern Gulf of Mexico.
Bortone, S. A. 100:366. Pugheadedness in the vermilion snapper, *Rhomboplites aurorubens*, in the northern Gulf of Mexico.
Bouck, G. R. 101:488. Effects of diurnal hypoxia on electrophoretic protein fractions and other health parameters of rock bass *(Ambloplites rupestris)*.
Bouck, G. R., and R. C. Ball. 94:363. Influence of a diurnal oxygen pulse on fish serum proteins.
Bouck, G. R., and R. C. Ball. 95:170. Influence of capture methods on blood characteristics and mortality in the rainbow trout *(Salmo gairdneri)*.
Bouck, G. R., G. A. Chapman, P. W. Schneider, Jr., and D. G. Stevens. 105:114. Observations on gas bubble disease among wild adult Columbia River fishes.
Bouck, G. R., and J. Jacobson. 105:534. Estimation of salmonid sperm concentration by microhematocrit technique.
Bouck, G. R., *see* Drongowski, R. A.; Nebeker, A. V.
Bowden, D. C., *see* Klein, W. D.
Bowes, A. L. *see* Powers, J. E.
Bowler, B. 104:474. Factors influencing genetic control in lakeward migrations of cutthroat trout fry.
Bowman, M. L. 99:546. Life history of the black redhorse *Moxostoma duquesnei* (LeSueur), in Missouri.
Boyar, H. C. 90:21. Swimming speed of immature Atlantic herring with reference to the Passamaquoddy tidal project.
Boyar, H. C., and R. A. Clifford. 96:361. An automatic device for counting dry fish eggs.
Boyd, C. E. 99:809. Nutrient content of offal and small fish from some freshwater cultures.
Boyd, C. E. 102:606. The chemical oxygen demand of waters and biological materials in ponds.
Boyd, C. E. 105:634. Water chemistry and plankton in unfertilized ponds in pastures and in woods.
Boyd, C. E., *see* Arce, R. G.; Dobbins, D. A.; Goodyear, C. P.
Bradley, W. G. *see* Deacon, J. E.
Brandt, T. M., and C. B. Schreck. 104: 446. Effects of harvesting aquatic bait species from a small West Virginia stream.
Brandt, T. M., and C. B. Schreck. 104:785. Bioconcentration of 2,2',4,4'-tetrachlorobiphenyl in rainbow trout as measured by an accelerated test.
Branson, D. R., G. E. Blau, H. C. Alexander, and W. B. Neely. 104:785. Bioconcentration of 2,2', 4,4'-tetrachlorobiphenyl in rainbow trout as measured by an accelerated test.
Brazo, D. D., P. I. Tack, and C. R. Liston. 104:726. Age, growth, and fecundity of yellow perch, *Perca flavescens*, in Lake Michigan, near Ludington, Michigan.
Breese, W. P., *see* Stewart, N. E.
Brenner, F. J., S. Corbett, and R. Shertzer. 105:450. Effect of ferric hydroxide suspension on blood chemistry in the common shiner, *Notropus cornutus*.
Bresnick, G. I., *see* Heins, D. C.
Bressler, J. I., *see* Kelts, L. I.
Bressler, V., *see* Parisot, T. J.
Brett, J. R., *see* Nebeker, A. V.
Bridges, C. H., *see* Dolan, T.
Bridges, D. W., J. J. Cech, Jr., and D. N. Pedro. 105:596. Seasonal hematological changes in winter flounder *Pseudopleuronectes americanus*.
Bridges, D. W., and M. P. Fahay. 97:208. Sexual dichromatism in the tautog, *Tautoga onitis* (Linnaeus), with an observation of possible courtship behavior.
Bridges, D. W., D. R. Pedro, and M. Laird. 104:284. The occurrence of *Haemogregarina* sp. in the goosefish *(Lophius americanus* Valenncciennes) from the Gulf of Maine.
Bridges, K. W., *see* Muir, B. S.
Bridges, W. L. *see* Lewis, W. M.
Bridges, W. R. 90:332. Disappearance of endrin from fish and other materials of a pond environment.
Bridges, W. R., B. J. Kallman, and A. K. Andrews. 92:421. Persistance of DDT and its metabolites in a farm pond.

Brigham, W. W. 103:387. Journal coverage by North American fishery biologists.
Brock, J. A., R. M. Nakamura, A. Y. Miyahara, and E. M. L. Chang. 105:564. Tuberculosis in Pacific green sea turtles, *Chelonia mydas*.
Brock, V. E., *see* Randall, J. E.
Brocksen, *see* Wurtsbaugh, W. A.
Brooke, L. T. 104: 555. Effect of different constant incubation temperatures on egg survival and embryonic development in lake whitefish *(Coregonus clupeaformis)*.
Bross, M. G., *see* Houser, A.
Brown, B. E. 90:80. Differential sex mortality associated with handling landlocked alewives.
Brown, B. E. 90:328. Behavior of splake and brook trout fingerlings.
Brown, B. E. 99:807. Exponential decrease in a population of fathead minnows.
Brown, B. E., I. Inman, and A. Jearld, Jr. 99:540. Schooling and shelter seeking tendencies in fingerling channel catfish.
Brown, B. E., and W. M. Tatum. 91:324. Growth and survival of young spotted bass in Lake Martin, Alabama.
Brown, C. J. D., and R. J. Graham. 83:38. Observations on the longnose sucker in Yellowstone Lake.
Brown, C. J. D., and S. M. Logan. 89:379. Age and growth of four species of warmwater game fish from three Montana ponds.
Brown, E. H., Jr. 90:449. Movement of native and hatchery-reared game fish in a warm-water stream.
Brown, E. H., Jr., *see* Clark, C. F.
Brungs, W. A. 98:272. Chronic toxicity of zinc to the fathead minnow *Pimephales promelas* Rafinesque.
Brungs, W. A. 100:659. Chronic effects of constant elevated temperature on the fathead minnow *(Pimephales promelas* Rafinesque).
Brungs, W. A.,and D. I. Mount. 96:55. A device for continuous treatment of fish in holding chambers.
Brungs, W. A., and D. I. Mount. 99:799. A water delivery system for small fish-holding tanks.
Brusven, M. A., and C. MacPhee. 103:362. An evaluation of squoxin on insect drift.
Bryan, C., *see* Hubbs, C.
Bryan, C. F., *see* Anderson, R. D.
Brynildson, C. L., *see* Brynildson, O. M.
Brynildson, O. M., and C. L. Brynildson. 96:353. The effect of pectoral and ventral fin removal on survival and growth of wild brown trout in a Wisconsin stream.
Brynildson, O. M., *see* Hunt, R. L.; Mason, J. W.
Bryson, W. T., R. T. Lackey, J. Cairns, Jr., and K. L. Dickson. 104:256. Restocking after fish kills as a fishery management strategy.
Bryson, W. T., *see* Hambrick, P. S.
Buck, D. H., *see* Baur, R. J.
Buck, H., C. F. Thoits, III, and C. R. Rose. 99:74. Variation in carp production in replicate ponds.
Buckholz, M. M., and K. D. Carlander. 92: 384. Failure of yellow bass, *Roccus mississippiensis*, to form annuli.
Buckridge, T. N., *see* Donaldson, L. R.
Budd, J. C. 86:128. Movements of tagged whitefish in northern Lake Huron and Georgian Bay.
Budd, J. C. 89:308. Survival and growth of tagged lake trout in South Bay, Lake Huron.
Budd, J. C., and D. Cucin. 91:223. Exploitation of Canadian Lake Huron whitefish.
Buettner, H. J. 90:404. Recoveries of tagged, hatchery-reared lake trout from Lake Superior.
Bulkley, R. V. 89:344. Use of branchiostegal rays to determine age of lake trout, *Salvelinus namaycush* (Walbaum).
Bulkley, R. V. 99:732. Feeding interaction between adult bass and their offspring.
Bulkley, R. V. 101:537. Diethylstilbestrol in catfish feed.
Bulkley, R. V., R. L. Kellogg, and L. R. Shannon. 105:301. Size-related factors associated with dieldrin concentration in muscle tissue of channel catfish *Ictalurus punctatus*.
Bulkley, R. V., V. L. Spykermann, and L. E. Inmon. 105:77. Food of the pelagic young of walleyes and five cohabiting fish species in Clear Lake, Iowa.
Bulkley, R. V., and G. L. Swihart. 102: 444. Effects of the anabolic steroid stanozolol on growth of channel catfish, *Ictalurus punctatus*, and goldfish, *Carassius auratus*.
Bulkley, R. V., *see* Dennison, S. G.
Bullard, E. B., *see* Jones, J. H.
Bullis, H. R., and R. Juhl. 96:122. Phalanx orientation in feeding behavior of the little tuna, *Euthynnus alletteratus*.
Bullock, G. L., and S. F. Snieszko. 98: 268. Bacteria in blood and kidney of apparently healthy hatchery trout.
Burbidge, R. G. 98:631. Age, growth, length-weight relationship, sex ratio, and food habits of the American smelt, *Osmerus mordax* (Mitchill), from Gull Lake, Michigan.
Burbidge, R. G. 103:297. Distribution, growth, selective feeding, and energy transformations of the young-of-the-year blueback herring, *Alosa aestivalis* (Mitchill), in James River, Virginia.
Burdick, G. E., E. J. Harris, H. J. Dean, T. M. Walker, J. Shea, and D. Colby. 93:127. The accumulation of DDT in lake trout and the effect on reproduction.
Burke, W. D., and D. E. Ferguson. 97:498. A simplified flow-through apparatus for maintaining fixed concentrations of toxicants in water.
Burke, W. D., *see* Phillips, P. J.; Ludke, J. L.
Burnett-Herkes, J. 103:101. Parasites of the gills and buccal cavity of the dolphin, *Coryphaena hippurus*, from the Straits of Florida.
Burns, J. W. 101:1. Some effects of logging and associated road construction

on northern California stream.
Burns, J. W. 101:595. The distribution and life history of South American freshwater crabs *(Aegla)* and their role in trout streams and lakes.
Burrell, V. G., *see* Kerby, J. H.
Burrows, R. E. 98:77. The influence of fingerling quality on adult salmon survivals.
Burton, D. T., E. L. Morgan, and J. Cairns, Jr. 101:435. Mortality curves of bluegills *(Lepomis macrochirus* Rafinesque) simultaneously exposed to temperature and zinc stress.
Burton, D. T., *see* Moore, C. J.
Buss, K. 88:75. Trout and trout hatcheries of the future.
Buss, K., and J. E. Wright. 87:172. Appearance and fertility in trout hybrids.
Butler, P. A., *see* Holland, H. T.
Butler, R. L. 94:339. Freshwater drum, *Aplodinotus grunniens*, in the navigational impoundments of the upper Mississippi River.
Butler, R. L., and V. M. Hawthorne. 97: 37. The reactions of dominant trout to changes in overhead artificial cover.
Buttner, J. K., and R. W. Hamilton. 105: 491. *Ergasilus* (Copepoda: Cyclopoida) infestation of coho and chinook salmon in Lake Michigan.
Buynak, G. L., *see* Lewis, W. M.
Byrd, I. B., and J. H. Crance. 94:129. Fourteen years of management and fishing success in Alabama's state-owned public fishing lakes.
Byrd, I. B., and D. D. Moss. 85:208. The production and management of Alabama's state-owned public fishing lakes.
Byrne, J. E. 100:792. A further contribution to using ultrasonic sensors for fish activity studies.

C

Cagle, J. B., *see* Wickham, D. A.
Caillouet, C. W., Jr. 100:139. Lactate acidosis as a cause of mortality in captured sharks: an hypothesis.
Caillouet, C. W., Jr., R. J. Dugas, and B. J. Fontenot, Jr. 97:127. Effects of radius and direction of semicircular tow near shoreline on catch of postlarval shrimp *(Peneaus* spp.)with the Renfro beam trawl.
Caillouet, C. W., Jr., and J. B. Higman. 102:466. Sample size in sport fishery surveys.
Caillouet, C. W., J. P. Norris, E. J. Heald, and D. C. Tabb. 105:259. Growth and yield of pink shrimp *(Penaeus duorarum duorarum)* in feeding experiments in concrete tanks.
Caillouet, C. W., *see* Marullo, F.
Cairns, J., Jr., and R. L. Kaesler. 100: 750. Cluster analysis of fish in a portion of the upper Potomac River.
Cairns, J., Jr., E. L. Morgan, and R. E. Sparks. 103:138. The response of bluegills *(Lepomis macrochirus* Rafinesque) in a pollution monitoring system to a diurnal temperature change.
Cairns, J., Jr., *see* Bryson, W. R.; Burton, D. T.; Cherry, D. S.; Dickson, K. L.; Foster, N. R.
Calbert, H. E., *see* Huh, H. T.
Caldwell, D. K., H. T. Odum, T. R. Hellier, Jr., and F. H. Berry. 85:120. Populations of spotted sunfish and Florida largemouth bass in a constant-temperature spring.
Campbell, G. C., *see* Esch, G. W.
Campbell, H. J., *see* Chapman, D. W.; Wagner, H. H.
Campbell, K. Perry. 100:353. Influence of light and dark periods on spatial distribution and activity of the white sucker, *Catostomus commersoni*.
Campbell, R. S., *see* Heman, M. L.; Lind, O. T.; Patriarche, M. H.; Witt, A., Jr.
Camper, J. E., *see* Snieszko, S. F.
Carlander, K. D. 87:34. Disturbance of the predator-prey balance as a management technique.
Carlander, K. D. 88:18. A survey of technical fishery personnel.
Carlander, K. D. 90:230. Variations on rereading walleye scales.
Carlander, K. D., and R. R. Whitney. 90: 130. Age and growth of walleyes in Clear Lake, Iowa, 1935-57.
Carlander, K. D., R. R. Whitney, E. B. Speaker, and K. Madden. 89:249. Evaluation of walleye fry stocking in Clear Lake, Iowa, by alternate-year plantings.
Carlander, K. D., *see* Buckholz, M. M.
Carline, R. F. 101:262. Biased harvest estimates from a postal survey of a sport fishery.
Carlson, A. R. 102:442. Induced spawning of largemouth bass *(Micropterus salmoides* (Lacepede)).
Carlson, A. R., and J. G. Hale. 101: 523. Successful spawning of largemouth bass, *Micropterus salmoides* (Lacepede) under laboratory conditions.
Carlson, A. R., R. E. Seifert, and L. J. Herman. 103:623. Effects of lowered dissolved oxygen concentrations on channel catfish *(Ictalurus punctatus)* embryos and larvae.
Carlson, C. A. 95:1. Effects of three organophosphorus insecticides on immature *Hexagenia* and *Hydropsyche* of the upper Mississippi River.
Carlson, H. R., and R. E. Haight. 105: 191. Juvenile life of Pacific Ocean perch, *Sebastes alutus*, in coastal fiords of southeastern Alaska: their environment, growth, food habits, and schooling behavior.
Carr, W. E. S., and C. A. Adams. 102: 511. Food habits of juvenile marine fishes occupying seagrass beds in the estuarine zone near Crystal River, Florida.
Carroll, B. *see* Plumb, J. A.
Carroll, B. B., G. E. Hall, and R. D. Bishop. 92:356. Three seasons of rough fish removal at Norris Reservoir, Tennessee.
Carter, B. T. 87:398. The states and federal aid in fisheries.
Carter, J. C., *see* Pope, G. F.
Casselman, J. M. 103:343. External sex

determination of northern pike, *Esox lucius* Linnaeus.
Casselman, J. M. 104:60. Sex ratios of northern pike, *Esox lucius* Linnaeus.
Casterlin, M. E., *see* Reynolds, W. W.
Cavanah, H. S., *see* Krumholz, L. A.
Cech, J. J., *see* Bridges, D. W.
Chadwick, G. G., *see* Katz, M.
Chadwick, H. K. 95:229. Age and growth program, Univac 1107, Fortran IV.
Chadwick, H. K. 96:327. Recent migrations of the Sacramento-San Joaquin river striped bass population.
Chadwick, H. K., *see* Turner, J. L.
Chakravarti, D., and T. Joyner. 89:312. Potassium as an index of naturally occurring radioactivity in tuna muscle.
Champ, M. A., J. T. Lock, C. D. Bjork, W. G. Klussman, and J. D. McCullough, Jr. 102:73. Effects of anhydrous ammonia on a central Texas pond, and a review of previous research with ammonia in fisheries management.
Chang, E. M. L., *see* Brock, J. A.
Chapman, D. G., and A. M. Johnson. 97:264. Estimation of fur seal pup populations by randomized sampling.
Chapman, D. G., *see* Robson, D. S.
Chapman, D. W. 94:40. Net production of juvenile coho salmon in three Oregon streams.
Chapman, D. W. 100:400. Scientific communications via meetings.
Chapman, D. W. 105:581. Acoustic estimates of pelagic ichthyomass in Lake Tanganyika with an inexpensive echo sounder.
Chapman, D. W., H. S. Campbell, and J. D. Fortune, Jr. 96:308. Summer distribution and food of kokanee and trout in Elk Lake, Oregon.
Chapman, D. W., *see* Gibson, H. R.; Gordon, D.; Raleigh, R. F.
Chapman, G. A., *see* Bouck, G. R.
Chapman, G. C., *see* Henderson, H. F.
Chapman, W., *see* Lewis, W. M.
Chapoton, R. B. 96:60. Scale development in the gulf menhaden, *Brevoortia patronus*.
Chapoton, R. B., and J. E. Sykes. 90:13. Atlantic coast migration of large striped bass as evidenced by fisheries and tagging.
Chapoton, R. B., *see* Huntsman, G. R.
Chappel, C., *see* Herr, F.
Chavig, A. J., *see* Miller, C. W.
Cheek, R. P. 94:97. Pugheadedness in an American shad.
Chen, T. R., *see* Ebeling, A. W.
Chernoff, B. 104:803. A method for wet digestion of fish tissue for heavy metal analyses.
Cherry, D. S., R. K. Guthrie, J. H. Rodgers, Jr., J. Cairns, Jr., and K. L. Dickson. 105:686. Responses of mosquitofish *(Gambusia affinis)* to ash effluent and thermal stress.
Chesney, E. J., Jr., and J. I. Estevez. 105:592. Energetics of winter flounder *(Pseudopleuronectes americanus)* fed the polychaete, *Nereis virens*, under experimental conditions.
Chevalier, J. R. 102:739. Cannibalism as a factor in first year survival of walleye in Oneida Lake.
Chew, K. K., *see* Anderson, R. D.
Childers, W. F., *see* Larimore, R. W.
Chin, E. 89:135. The bait shrimp fishery of Galveston Bay, Texas.
Chin, E., *see* VanDerwalker, J. G.
Chipman, G. G. *see* Henderson, H. F.
Choate, J. 93:309. Use of tetracycline drugs to mark advanced fry and fingerling brook trout *(Salvelinus fontinalis)*.
Choates, P. G., *see* Howe, A. B.
Christensen, G. M., *see* Benoit, D. A.
Christie, W. J., *see* Garside, E. T.
Christmas, J. Y., and G. Gunter. 89:338. Distribution of menhaden, genus *Brevoortia*, in the Gulf of Mexico.
Christy, F. T., Jr. 98:369. Fisheries goals and the rights of property.
Churchill, W. S. 92:298. The effect of fin removal on survival, growth, and vulnerability to capture of stocked walleye fingerlings.
Churchill, W. S., *see* Kempinger, J. J.
Clady, M., and B. Hutchison. 104:524. Effect of high winds on eggs of yellow perch, *Perca flavescens*, in Oneida Lake, New York.
Clady, M. D. 104:270. The effects of a simulated angler harvest on biomass and production in lightly exploited populations of smallmouth and largemouth bass.
Claire, E. W., *see* Phillips, R. W.
Clark, C. F., and E. H. Brown, Jr. 94:404. Length-weight relationship of northern pike, *Esox lucius*, from East Harbor, Ohio.
Clark, J. R. 88:212. Sexual maturity of haddock.
Clark, J. R. 97:320. Seasonal movements of striped bass contingents of Long Island Sound and the New York Bight.
Clark, J. R., *see* Deuel, D. G.
Clark, S. H. 103:777. A study of variation in trawl data collected in Everglades National Park, Florida.
Clark, S. H., *see* Marullo, F.
Claussen, L. G., *see* Allen, G. H.
Clemens, H. B., *see* Smith, A. C.
Clemens, H. P., and J. C. Finnell. 85:18. Biological conditions in a brine-polluted stream in Oklahoma.
Clemens, H. P., and T. Inslee. 97:18. The production of unisexual broods of *Tilapia mossambica* sex-reversed with methyl testerone.
Clemens, H. P., and W. H. Jones. 84:97. Toxicity of brine water from oil wells.
Clemens, H. P., *see* Randolph, K. N.
Clemmer, G. H., and F. J. Swartz. 93:197. Age, growth, and weight relationships of the striped killifish, *Fundulus majalis*, near Solomons, Maryland.
Clifford, R. A., *see* Boyar, H. C.; Cooper, R. A.
Clothier, W. D., *see* Moyle, J. B.
Cloutman, D. G. 104:277. Parasite community structure of largemouth bass, warmouth, and bluegill in Lake Fort Smith, Arkansas.
Cloutman, D. G., *see* Olmstead, L. L.
Clugston, J. P. 93:146. Growth of the Florida largemouth bass, *Micropterus salmoides floridanus* LeSueur, and the northern largemouth bass, *M. s. salmoides* (Lacepede), in subtropical Florida.

Coad, B. W., *see* O'Connor, J. F.
Coates, P. G., *see* Howe, A. B.
Coble, D. W. 90:469. Influence of water exchange and dissolved oxygen in redds on survival of steelhead trout embryos.
Coble, D. W. 99:363. False annuli formation in bluegill scales.
Coble, D. W. 100:460. Effects of finclipping and other factors on survival and growth of smallmouth bass.
Coble, D. W. 101:563. Vulnerability of fin-clipped bluegill to largemouth bass predation in tanks.
Coble, D. W. 102:155. Application of theory and research to freshwater and marine fisheries management.
Coble, D. W., *see* Hausle, D. A.
Coggins, J. R., *see* Esch, G. W.
Coke, M. 97:460. Depth distribution of fish on a bush-cleared area of Lake Kariba, Central Africa.
Colby, D., *see* Burdick, G. E.
Colby, P. J., and L. L. Smith, Jr. 96:278. Survival of walleye eggs and fry on paper fiber sludge deposits in Rainy River, Minnesota.
Colby, P. J., *see* Edsall, T. A.; Stanley, J. G.
Cole, C. F. 95:52. Virtual population estimations of largemouth bass in Lake Fort Smith, Arkansas, 1957-1960.
Coleman, J. R., *see* Power, G.
Coler, R. A., H. B. Gunner, and B. M. Zuckerman. 97:502. Tubificid sensitivity to streptomycin.
Collins, G. B., J. R. Gauley, and C. H. Elling. 91:1. Ability of salmonids to ascend high fishways.
Condie, R. M., *see* Ames, W. E.
Conley, J. M., and A. Witt, Jr. 95:433. The origin and development of the scales in the flier, *Centrarchus macropterus* (Lacepede).
Conners, R. E., *see* Esch, G. W.
Conte, F. S., and J. C. Parker. 104:793. Effect of aerially-applied malathion on juvenile brown and white shrimp *Penaeus aztecus* and *P. setiferus*.
Cook, D. W., and S. R. Lofton. 104:286. Pathogenicity studies with a *Streptococcus* sp. isolated from fishes in an Alabama-Florida fish kill.
Cook, H. L., and M. A. Murphy. 98:751. The culture of larval penaeid shrimp.
Cook, S. F., Jr., and R. L. Moore. 98: 104. The effects of a rotenone treatment on the insect fauna of a California stream.
Cook, S. F., Jr., and R. L. Moore. 99:70. Mississippi silversides, *Menidia audens*, (Atherinidae), established in California.
Cooke, P. H. 94:265. Head scale patterns as a characteristic for the identification of *Fundulus heteroclitus* and *Fundulus majalis*.
Cooley, D. R., *see* Bjornn, T. C.
Cooper, E. L. 90:424. Growth of wild and hatchery strains of brook trout.
Cooper, E. L. 96:383. Growth and longevity of brook trout *(Salvelinus fontinalis)* in populations subjected to light exploitation.
Cooper, E. L., and J. K. Andersen. 88:151. Variability of infection of black-spot parasite *(Neascus* spp.) in some cyprinid fishes.
Cooper, E. L., H. Hidu, and J. K. Andersen. 92:391. Growth and production of largemouth bass in a small pond.
Cooper, E. L., *see* Byerle, G. B.; Boccardy, J. A.; McFadden, J. T.; Probst, R. T.
Cooper, G. P., *see* McFadden, J. T.
Cooper, J. A. 100:570. Scale development as related to growth of juvenile black crappie, *Pomoxis nigromaculatus* LeSueur.
Cooper, R. A. 94:412. An unusually large menhaden, *Brevoortia tyrannus* (Latrobe) from Rhode Island.
Cooper, R. A. 95:239. Migration and population estimation of the tautog, *Tautoga onitis* (Linnaeus) from Rhode Island.
Cooper, R. A. 96:134. Age and growth of the tautog, *Tautoga onitis* (Linnaeus), from Rhode Island.
Cooper, R. A. 99:409. Retention of marks and their effects on growth, behavior, and migration of the American lobster, *Homarus americanus*.
Cooper, R. A., R. A. Clifford, and C. D. Newell. 104:669. Seasonal abundance of the American lobster, *Homarus americanus* in the Boothbay Region of Maine.
Coots, M., *see* Wales, J. H.
Cope, O. B. 85:160. Six years of catch statistics on Yellowstone Lake.
Cope, O. B. 90:239. Effects of DDT spraying for spruce budworm on fish in the Yellowstone River System.
Cope, O. B., E. M. Wood, and G. H. Wallen. 99:1. Some chronic effects of 2,4-D on the bluegill, *Lepomis macrochirus*.
Cope, O. B., *see* Kallman, B. K.; Sanders, H. O.; Stock, J. N.
Copeland, B. J. 99:826. Estuarine classification and responses to disturbances.
Coppage, D. L. 101:534. Organophosphate pesticides: specific level of brain AChE inhibition related to death in sheepshead minnow.
Coppage, D. L., *see* Holland, H. T.
Corbett, S., *see* Brenner, F. J.
Cordone, A. J., *see* Nicola, S. J.
Corley, D. R., *see* Bjornn, T. C.
Courtenay, W. R. Jr., and C. R. Robins. 102:1. Exotic aquatic organisms in Florida with emphasis on fishes: review and recommendations.
Courtright, R. C. 93:200. A method for making fish scale impressions in the field or laboratory
Cowell, B. C. 94:371. The effects of sodium arsenite and silvex on the plankton populations in farm ponds.
Cox, W. S., *see* Lauer, G. J.
Craddock, D. R., T. H. Blahm, and W. D. Parente. 105:72. Occurrence and utilization of zooplankton by juvenile chinook salmon in the lower Columbia River.
Craddock, D. R., *see* Bjornn, T. C.
Craddock, J. E., *see* Minckley, W. L.
Cramer, F. K., and R. C. Oligher. 93: 243. Passing fish through hydraulic turbines.
Cramer, J. D., and G. R. Marzolf. 99: 320. Selective predation on zooplankton by gizzard shad.
Crance, J. H., *see* Byrd, I. B.; Hooper, A. D.

Crawford, R. W., *see* Wilton, J. W.
Crittenden, E., *see* Parsons, J. W.
Crittenden, M. E., Jr. 101:123. Salinity tolerance of young blueback herring, *Alosa aestivalis*.
Crittenden, M. E., Jr. 101:680. Response of young American shad, *Alosa sapidissima* to low temperatures.
Crittenden, M. E., Jr., and W. A. VanEngel. 101:732. Effect of a tickler chain and tow duration on trawl catches of blue crab, *Callinectes sapidus*.
Croker, R. 86:383. Introduction to symposium on the Great Lakes.
Croker, R. A. 91:379. Growth and food of the gray snapper, *Lutjanus griseus*, in Everglades National Park.
Croker, R. A., and A. J. Wilson. 94:152 Kinetics and effects of DDT in a tidal marsh ditch.
Cross, J. N. 105:503. Status of the native fish fauna of the Moapa River (Clark County, Nevada).
Crossman, E. J., and P. A. Larkin. 88:36. Yearling liberations and change of food as effecting rainbow trout yield in Paul Lake, British Columbia.
Croston, C. B. 93:95. Differences among groups of salmon in the blood serum level of alkaline phosphatase.
Crowe, W. R. 84:125. Numerical abundance and use of a spawning run of walleyes in the Muskegon River, Michigan.
Crowe, W. R. 91:350. Homing behavior in walleyes.
Crowley, G. J., and D. J. Berinati. 101: 125. Effect of MS-222 on blood sugar and liver glycogen in rainbow trout.
Crowley, G. J., *see* Rahn, H.
Cruea, D. D. 98:785. Some chemical and physical characteristics of fish sperm.
Cruse, D. F., *see* McCann, J. A.
Crutchfield, J. A. 102:481. Economic and political objectives in fishery management.
Cucin, D., *see* Budd, J. C.; Fry, F. E. J.
Cumming, K. B., *see* Humphries, E. T.
Cummings, W. C. 90:462. Maturation and spawning of the pink shrimp, *Penaeus duorarum* Burkenroad.
Cummings, W. C. 92:178. Using the Doppler effect to detect movements of captive fish in behavior studies.
Cummins, J. M., A. C. Jones, and A. A. Stephens. 100:112. Occurrence of toxic bivalve molluscs during a *Gymnodinium breve* "red tide."
Cuplin, P. 98:772. Performance evaluation of chelated minerals in Idaho open-formulated diets.
Cushing, C. E., Jr. 92:216. Filter-feeding insect distribution and planktonic food in the Montreal River.
Cushing, C. E., Jr., and J. R. Olive. 86: 294. Effects of toxaphene and rotenone upon macroscopic bottom fauna of two northern Colorado reservoirs.
Cushing, C. E., Jr., and P. A. Olson. 92: 303. Effects of weed burning on stream condition.

D

Dahl, F. H., *see* McLain, A. L.
Dahl, J. 92:260. Transformation of iron and sulfur compounds in soil, and its relation to Danish inland fisheries.
Dahlberg, M. D. 98:111. Incidence of the isopod, *Olencira praegustator*, and copepod, *Lernaeenicus radiatus*, in three species and hybrid menhaden *(Brevoortia)* from the Florida coast, with five new host records.
Dahlberg, M. D. 99:95. Frequencies of abnormalities in Georgia estuarine fishes.
Dahlberg, M. D., *see* Sikora, W. B.
Dahlberg, M. L. 95:331. Length-frequency analysis, IBM 7090/7094, Fortran II or IV.
Dahlberg, M. L., *see* Narver, D. W.; Phinney, D. E.
Dammann, A. E., *see* Sylvester, J. R.
Darnell, R. M. 88:294. Studies of the life history of the blue crab, *(Callinectes sapidus* Rathbun) in Louisiana waters.
Darnell, R. M., and R. R. Meierotto. 91: 313. Determination of feeding chronology in fishes.
Darnell, R. M., and R. R. Meierotto. 94:1. Diurnal periodicity in the black bullhead, *Ictalurus melas* (Rafinesque).
Das, B. C. 90:1. Comparative study of the blood chemistry of three species of Indian carp.
Davies, R. W., *see* Thompson, G. E.
Davies, W. D., *see* Zolczynski, S. J., Jr.
Davis, C. C. 97:22. Quantitative feeding and weight changes in *Poecilia reticulata*.
Davis, G. E. 100:586. Aggregations of spiny sea urchin, *Diadema antillarum*, as shelter for young spiny lobsters, *Panulirus argus*.
Davis, G. E. 104:675. Minimum size of mature spiny lobsters, *Panulirus argus*, at Dry Tortugas, Florida.
Davis, G. E., J. Foster, C. F. Warren, and P. Doudoroff. 92:111. The influence of oxygen concentration on the swimming performance of juvenile Pacific salmon at various temperatures.
Davis, H. C. 98:743. Shellfish hatcheries -- present and future.
Davis, J. *see* McEachran, J. D.
Davis, J. R., and D. E. Louder. 98:466. Life history and ecology of *Menidia extensa*.
Davis, J. R., and D. E. Louder. 100:726. Life history and ecology of the cyprinid fish *Notorpis petersoni* in North Carolina waters.
Davis, K. B., *see* Norton. V. M.
Davis, R. M. 96:11. Parasitism by newly-transformed anadromous sea lampreys on landlocked salmon and other fishes in a coastal Maine lake.
Davis, R. M., *see* Havey, K. A.
Davis, W. S. 88:319. Field tests of Petersen, streamer, and spaghetti tags on striped bass, *Roccus saxatilis* (Walbaum).
Davis, W. S. 93:227. Graphic representation of confidence intervals for Peter-

sen population estimates.
Dawson, C. E. 91:89. Length-weight and standard length-total length relationships of South Carolina hogchokers, *Trinectes maculatus*.
Dawson, C. E. 92:310. Length and weight relationships of young red snappers from northern Gulf of Mexico.
Dawson, C. E. 94:279. Length-weight relationships of some Gulf of Mexico fishes.
Dawson, C. E. 96:117. Contribution to the biology of the cutlassfish *(Trichiurus lepturus)* in the northern Gulf of Mexico.
Dawson, C. E. 96:400. Three new records of partial albinism in American Heterosomata.
Dawson, C. E. 97:504. Contributions to the biology of Mexican flounder, *Cyclosetta chittendeni*, in the northern Gulf of Mexico.
Dawson, C. E. 98:106. Three unusual cases of abnormal coloration in northern Gulf of Mexico flatfishes.
Dawson, V. K., L. L. Marking, and T. D. Bills. 105:119. Removal of toxic chemicals from water with activated carbon.
Dawson, V. K., *see* Kawatski, J. A.; Marking, L. L.
Dawson, W. F., *see* Drummond, R. A.
Deacon, J. E., and W. G. Bradley. 101:408. Ecological distribution of fishes of Moapa (Muddy) River in Clark County, Nevada.
Deacon, J. E., *see* Espinosa, F. A., Jr.; Minckley, W. L.; Rinne, W. E.
Dean, H. J., *see* Burdick, G. E.
Dean, J. M. 105:709. Temperature of tissues in freshwater fishes.
DeFoe, D. L., *see* Nebeker, A. V.
Degraeve, G. M. 99:443. Three types of burrowing behavior of the brook stickleback, *Culaea inconstans*.
Degraeve, G. M., and J. B. Reynolds, 104: 394. Feeding behavior and temperature and light tolerance of *Mysis relicta* in the laboratory.
Degurse, P. E., *see* Mason, J. W.
DeLacy, A. C., *see* Hitz, C. R.
Dell, M. B. 97:57. A new fish tag and rapid, cartridge-fed applicator.
Dell, M. B. 103:250. Tag returns and movements of rainbow trout *(Salmo gairdneri)* and rainbow-steelhead trout released in the Lake Washington system.
DeLoach, H. L., *see* El-Ibiary, H. M.
Dendy, J. S., *see* Hester, F. E.
Dennison, S. G., and R. V. Bulkley. 101: 483. Reproductive potential of the black bullhead, *Ictalurus melas*, in Clear Lake, Iowa.
Derickson, W. K., and K. S. Price, Jr. 102:552. The fishes of the shore zone of Rehoboth and Indian River bays, Delaware.
DeRoche, S. E. 92:185. Slowed growth of lake trout following tagging.
DeRoche, S. E., and L. H. Bond. 85:257. The lake trout of Cold Stream Pond, Enfield, Maine.
DeRoche, S. E., *see* Rupp, R. S.
Derr, S. K., and M. J. Zabic. 101:323. Biologically active compounds in the aquatic environment: the uptake and distribution of (1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene), DDE by *Chironomus tentans* Fabricius (Diptera:Chironomidae).
Derse, P. H., *see* Lee, T. H.
deSylva, D. P. 98:151. Trends in marine sport fishes research.
Deuel, D. G., J. R. Clark, and A. J. Mansueti. 95:264. Description of embryonic and early larval stages of bluefish, *Pomatomus saltatrix*.
Deuel, D. G., *see* Mahoney, J. B.
Dewey, M. R., *see* Hickman, G. D.
Deyoe, C. W., *see* Bonneau, D. L.; Dove, G. R.
Dias, J. K., *see* Dias, R. K.
Dias, R. K., J. K. Dias, and W. D. Anderson, Jr. 101:503. Relationships of lengths (standard, fork, and total) and lengths to weight in the red porgy, *Pagrus sedecim* (Perciformes, Sparidae), caught off South Carolina.
Dickie, L. M. 88:73. Water temperature and survival of giant scallop.
Dickie, L. M. 102:470. Management of fisheries: ecological subsystems.
Dickson, K. L., J. Cairns, Jr., and J. C. Arnold. 100:553. An evaluation of the use of a basket-type artificial substrate for sampling macroinvertebrate organisms.
Dickson, K. L., *see* Bryson, W. T.; Cherry, D. S.
DiConstanzo, C. J., *see* Pierce, F.
Dixon, A., *see* Reimer, R. D.
Dizon, A. E., *see* Steffel, S.
Dobbins, D. A., and C. E. Boyd. 105:536 Phosphorus and potassium fertilization of sunfish ponds.
Dobie, J. 88:213. Note on food of northern logperch.
Dodge, D. P., and H. R. McCrimmon. 100: 312. Environmental influences on extended spawning of rainbow trout *(Salmo gairdneri)*.
Dolan, T., C. B. Wurtz, and C. H. Bridges. 88:45. Survey of multiple-use reservoir practices in the United States.
Dominy, C. L. 102:398. Effect on entrance-pool weir elevation and fish density on passage of alewives *(Alosa pseudoharengus)* in a pool and weir fishway.
Dominy, C. L., and G. L. Myatt. 102:633. Short-term effects of three different marks on the recapture and survival of the alewife, *Alosa pseudoharengus*.
Donaldson, J. R., *see* Donaldson, L. R.; Kiser, R. W.
Donaldson, L. R., and G. H. Allen. 87: 13. Return of siver salmon, *Oncorhynchus kisutch* (Walbaum) to a point of release.
Donaldson, L. R., and K. Bonham. 93:333. Effects of low-level chronic irradiation of chinook and coho salmon eggs and alevins.
Donaldson, L. R., and K. Bonham. 99:112. Effects of chronic exposure of chinook salmon eggs and alevins to gamma irradiation.
Donaldson, L. R., D. D. Hansler, and T. N. Buckridge. 86:350. Interracial hybridization of cutthroat trout, *Salmo clarki*, and its use in fisheries management.
Donaldson, L. R., and D. Menasveta. 90: 160. Selective breeding of chinook salmon.

Donaldson, L. R., and P. R. Olson. 85:93. Development of rainbow trout brood stock by selective breeding.
Donaldson, L. R., P. R. Olson, and J. R. Donaldson. 88:1. The Fern Lake trace mineral metabolism program.
Donaldson, L. R., *see* Bonham, K.
Donnelly, K. A., *see* Manzi, J. J.
Doudoroff, P., G. Leduc, and C. R. Schneider. 95:6. Acute toxicity to fish of solutions containing complex metal cyanides, in relation to concentrations of molecular hydrocyanic acid.
Doudoroff, P., *see* Davis, G. E.; Hermann, R. B.; Shumway, D. L.; Silver, S. J.; Whitmore, C. M.
Douglas, J., *see* Southward, G. M.; Uzmann, J. R.
Dove, G. R., O. W. Tiemier, and C. W. Deyoe. 105:481. Effects of three diets on growth and mineral retention of channel catfish fingerlings.
Dovel, W. L. 97:313. Predation by striped bass as a possible influence on population size of the Atlantic croaker.
Doxtater, G. D. 92:68. Use of ice water to prevent regurgitation of stomach contents of fish.
Dragovich, A. 99:726. The food of bluefin tuna *(Thunnus thynnus)* in the western north Atlantic Ocean.
Drongowski, R. A., J. S. Wood, and G. R. Bouck. 104:349. Thyroid activity in coho salmon from Oregon and Lake Michigan.
Drummond, R. A., and W. F. Dawson. 99:434. An inexpensive method of simulating diel patterns of lighting in the laboratory.
Drummond, R. A., and W. F. Dawson. 103: 391. An inexpensive solid state amplifier for detecting movements and electrical potential of fish.
Drummond, R. A., and T. D. McKinney. 94: 389. Predicting the recruitment of cutthroat trout fry in Trappers Lake, Colorado.
Drummond, R. A., G. F. Olson, and A. R. Batterman. 103:244. Cough response and uptake of mercury by brook trout, *Salvelinus fontinalis*, exposed to mercuric compounds at different hydrogen-ion concentrations.
Drummond, R. A., *see* Spoor, W. A.
Dryer, W. R. 95:248. Bathymetric distribution of fish in the Apostle Islands region, Lake Superior.
Dryer, W. R., and J. Beil. 97:146. Growth changes of the bloater *(Coregonus hoyi)* of the Apostle Islands region of Lake Superior.
Dryer, W. R., L. F. Erkkila, and C. L. Tetzloff. 94:169. Food of lake trout in Lake Superior.
Duchrow, R. M., and W. H. Everhart. 100: 682. Turbidity measurements.
Dudley, R. G. 103:281. Growth of *Tilapia* of the Kafue floodplain, Sambia: predicted effects of the Kafue Gorge Dam.
Dudley, R. G., and A. W. Eipper. 104:122. Survival of largemouth bass embryos at low dissolved oxygen concentrations.
Duever, M. J., *see* Larimore, R. W.
Dugas, R. J., *see* Caillouet, C. W.
Dunbar, C. E., *see* Wolf, K.
Dunn, J. E., *see* Houser, A.
Dupree, H. K., and J. E. Halver. 99:90. Amino acids essential for the growth of channel catfish, *Ictalurus punctatus*.
Dupree, H. K., *see* Legler, D. W.
Duronslet, M. J., J. M. Lyon, and F. Marullo. 101:748. Vertical distribution of postlarval brown, *Penaeus aztecus*, and white, *P. setiferus*, shrimp during immigration through a tidal pass.
Dutcher, B. W., *see* Schwartz, F. J.
Duttweiler, M. W. 105:232. Use of questionnaire surveys in forming fishery management policy.
Dwyer, W. P., and R. H. Kramer. 104:552. The influence of temperature on scope for activity in cutthroat trout, *Salmo clarki*.
Dymond, J. R. 86:384. Artificial propogation in the management of Great Lakes fisheries.

E

Earp, B. J., *see* Rucker, R. R.
Eaton, J. G. 103:729. Chronic cadmuim toxicity to the bluegill *(Lepomis mcarochirus* Rafinesque).
Eaton, J. G., *see* Grothe, D. R.
Ebel, W. J. 99:672. Effect of release location on survival of juvenile fall chinook salmon, *Oncorhynchus tshawytscha*.
Ebel, W. J., *see* Beiningen, K. T.
Ebeling, A. W., and T. R. Chen. 99:131. Heterogamety in teleostean fishes.
Echelle, A. A., and C. D. Riggs. 101:106. Aspects of the early life history of gars *(Lepisosteus)* in Lake Texoma.
Echelle, A. A., and G. D. Schnell. 105:17. Factor analysis of species association among fishes of the Kiamichi River, Oklahoma.
Echo, J. B. 84:239. Some ecological relationships between yellow perch and cutthroat trout in Thompson Lakes, Montana.
Eckblad, J. W., and M. H. Shealy, Jr. 101: 734. Predation on largemouth bass embryos by the pond snail, *Viviparus georgianus*.
Eckroat, L. R. 100:527. Lens protein polymorphisms in hatchery and natural populations of brook trout, *Salvelinus fontinalis* (Mitchill).
Eckroat, L. R. 102:335. Allele frequency analysis of five soluble protein loci in brook trout, *Salvelinus fontinalis* (Mitchill).
Ecobichon, D. J., *see* Kelso, J. R. M.
Economon, P. 89:240. Furunculosis in northern pike.
Economon, P. 92:180. Environmental treatment of infectious pancreatic necrosis of brook trout with polyvinylpyrrolidone-iodine.
Economon, P. P., and R. E. Schumacher. 89: 64. Uniformity of dispersion of sulfamerazine in pelleted trout food.
Eddy, S. *see* Schumacher, R. E.
Edmunds, P. H., *see* Eisler, R.

Edsall, T. A. 89:323. Age and growth of the whitefish, *Coregonus clupeaformis*, of Munising Bay, Lake Superior.
Edsall, T. A. 99:376. The effect of temperature on the rate of development and survival of alewife eggs and larvae.
Edsall, T. A. 99:611. A hermaphroditic coregonine from Lake Michigan.
Edsall, T. A., and P. J. Colby. 99:526. Temperature tolerance of young-of-the-year cisco, *Coregonus artedii*.
Edson, Q. A., *see* Hauck, F. R.
Efford, I. E., and K. Tsumura. 102:33. A comparison of the food of salamanders and fish in Marion Lake, British Columbia.
Eipper, A. W. 92:132. Effect of hatchery rearing conditions on stream survival of brown trout.
Eipper, A. W. 102:652. Present educational needs in fishery biology.
Eipper, A. W., *see* Dudley, R. G.; Galat, D. L.
Eiriksdottir, G., *see* Webster, D. A.
Eisele, P. J. 104:359. A simple dosing system for continuous stream dosing.
Eisele, P. J., and R. Hartung. 105:628. The effects of methoxychlor on riffle invertebrate populations and communities.
Eisler, R. 87:151. Some effects of artificial light on salmon eggs and larvae.
Eisler, R. 94:26. Some effects of a synthetic detergent on estuarine fishes.
Eisler, R., and T. Backiel. 89:164. Narcotization of chinook salmon fingerlings with Tricaine methanesulfonate (MS 222).
Eisler, R., and P. H. Edmunds. 95:153. Effects of endrin on blood and tissue chemistry of a marine fish.
Eisler, R., and G. W. Kissil. 104:571. Toxicities of crude oils and oil-dispersant mixtures to juvenile rabbitfish, *Siganus rivulatus*.
Eisler, R., and R. C. Simon. 90:329. Destruction of salmon larvae by *Hydra oligactis*.
El-Ibairy, H. M., J. W. Andrews, J. A. Joyce, J. W. Page, and H. L. DeLoach. 105:267. Sources of variations in body size traits, dress-out weight, and lipid content and their correlations in channel catfish, *Ictalurus punctatus*.
El-Kandelgy, S. M., *see* Smith, L. L., Jr.
Eller, L. L. 98:52. Pathology in redear sunfish exposed to Hydrothol 191.
Eller, L. L., *see* VanValin, C. C.
Ellgaard, E. G., K. S. Bloom, A. A. Milizia, Jr., G. E. Gunning, and R. E. Jensen. 104:752. The locomotor activity of fish: an analogy to the kinetics of an opposed first-order chemical reaction.
Elling, C. H., *see* Collins, G. B.
Elliott, G. V. 105:624. Diel activity and feeding of schooled largemouth bass fry.
Elliott, J. W., *see* Thomas, A. E.
Ellis, C. H. 87:132. Rearing methods and the return of fall-migrating chinook salmon.
Ellis, D. B., *see* O'Heeron, M. K., Jr.
Ellis, D. V., and M. A. Giles. 94:358. The spawning behavior of the walleye, *Stizostedion vitreum* (Mitchill).
Ellis, J. E. 103:620. The jumping ability and behavior of green sunfish *(Lepomis cyanellus)* at the outflow of a 1.6-ha pond.
Ellis, J. E., and E. N. Pickering. 102:116. The catching efficiencies of a 21.3-meter (headrope) standard wing trawl and a 21.3-meter electrical wing trawl in the Saginaw Bay area of Lake Huron.
Ellis, R. J. 99:677. *Alloperla* stonefly nymphs: predators or scavengers on salmon eggs and alevins?
Elrod, J. H. 100:757. Dynamics of fishes in an Alabama pond subject to intensive angling.
Elrod, J. H. 103:55. Abundance, growth, survival, and maturation of channel catfish in Lake Sharpe, South Dakota.
Elser, A. A. 97:389. Fish populations of a trout stream in relation to major habitat zones and channel alterations.
Elston, R., and B. Bachen. 105:84. Diel feeding cycle and some effects of light on feeding intensity of the Mississippi silverside, *Menidia audens*, in Clear Lake, California.
Elwood, J. W., and T. F. Waters. 98:253. Effects of floods on food consumption and production rates of a stream brook trout population.
Emiliani, D. A., *see* Marullo, F.
Engel, S. 103:136. Effects of formalin and freezing on length, weight, and condition factor of cisco and yellow perch.
Engel, S. 105:607. Food habits and prey selection of coho salmon *(Oncorhynchus kisutch)* and cisco *(Coregonus artedii)* in relation to zooplankton dynamics in Pallette Lake, Wisconsin.
Erdman, D. S., 91:225. The sport fishery for blue marlin off Puerto Rico.
Erdman, D. S. 97:131. Spawning cycle, sex ratio, and weights of blue marlin of Puerto Rico and the Virgin Islands.
Erkkila, L. F., *see* Dryer, W. R.
Erman, D. C. 101:352. A fisherman survey of the Madison-Firehole Rivers in Yellowstone National Park, 1969.
Erman, D. C. 102:626. Upstream changes in fish populations following impoundment of Sagehen Creek, California.
Erman, D. C., and V. M. Hawthorne. 105: 675. The quantitative importance of an intermittent stream in the spawning of rainbow trout.
Erman, D. C., and G. R. Leidy. 104:467. Downstream movement of rainbow trout fry in a tributary of Sagehen Creek, under permanent and intermittent flow.
Esch, G. W., G. C. Campbell, R. E. Conners, and J. R. Coggins. 105:486. Recruitment of helminth parasites by bluegills *(Lepomis macrochirus)* using a modified live-box technique.
Eschmeyer, P. H. 84:47. The reproduction of lake trout in southern Lake Superior.
Eschmeyer, P. H. 85:102. The near extinction of lake trout in Lake Michigan.
Eschmeyer, P. H., and R. M. Bailey. 84: 161. The pygmy whitefish, *Coregonus coulteri*, in Lake Superior.
Eschmeyer, P. H., and A. M. Phillips, Jr. 94:62. Fat content of flesh of siscowets and lake trout from Lake Superior.
Espinosa, F. A., Jr., and J. E. Deacon. 102:355. The preference of largemouth

bass *(Micropterus salmoides* Lacépède) for selected bait species under experimental conditions.
Essback, A. R., and R. Maxwell. 98:337. A collapsable fish holding cage.
Estes, R. D., *see* Novak, J. K.
Estevez, J. I., *see* Chesney, E. J.
Etnier, D. A. 97:466. Reproductive success of natural populations of hybrid sunfish in three Minnesota lakes.
Etnier, D. A. 100:124. Food of three species of sunfishes, *(Lepomis,* Centrarchidae) and their hybrids in three Minnesota lakes.
Etnier, D. A. 101:372. The effect of annual rechanneling on a stream fish population.
Evans, E. H., *see* Legler, D. W.
Everhart, W. H. 100:378. Introduction to the session of evolution of the fishery scientist.
Everhart, W. H., and R. S. Rupp. 89:241. Barb-type plastic fish tag.
Everhart, W. H., and C. A. Waters. 94:393. Life history of the blueback trout (Arctic char), *Salvelinus alpinus* (Linnaeus) in Maine.
Everhart, W. H., *see* Anderson, R. B.; Duchrow, R. M.; Freeman, R. A.; Schreck, C. B.

F

Faber, D. J. 97:61. A net for catching limnetic fry.
Fahay, M. P., *see* Bridges, D. W.
Fajen, O. F. 91:346. The influence of stream stability on homing behavior of two smallmouth bass populations.
Farley, J. L. 83:13. Policies and procedures of the U.S. Fish and Wildlife Service.
Farley, J. L. 86:424. The role of the Great Lakes Fishery Commission in the solution of Great Lakes problems.
Farr, W. E., *see* Park, D. L.
Fast, A. W. 96:230. Correlation-regression with scattergram, IBM 1620, Fortran II-D.
Fast, A. W. 100:355. Effects of artificial destratification on zooplankton depth distribution.
Fast, A. W. 102:715. Effects of artificial hypolimnion aeration on rainbow trout *(Salmo gairdneri* Richardson) depth distribution.
Fava, J. A., and C. Tsai. 105:430. Immediate behavioral reactions of blacknose dace, *Rhinichthys atratulus,* to domestic sewage and its toxic constituents.
Fenderson, O. C. 93:77. Evidence of subpopulations of lake whitefish, *Coregonus clupeaformis,* involving a dwarfed form.
Fenderson, O. C., *see* Warner, K.
Ferguson, D. E., and C. R. Bingham. 95:325. Endrin resistance in the yellow bullhead, *Ictalurus natalis.*
Ferguson, D. E., J. L. Ludke, and G. G. Murphy. 95:335. Dynamics of endrin uptake and release by resistant and susceptible strains of mosquitofish.
Ferguson, D. E., *see* Burke, W. D.; Ludke, J. L.; Naqvi, S. M.
Ferguson, R. G., and H. A. Regier. 92:125. Selectivity of four trawl cod ends toward smelt.
Fiandt, J. T., *see* Benoit, D. A.
Fickeisen, D. H., M. J. Schneider, and J. C. Montgomery. 104:816. A comparative evaluation of the Weiss saturometer.
Finnell, J. C., *see* Clemens, H. P.
Finnell, L. M., and E. B. Reed. 98:245. The diel vertical movements of kokanee salmon, *Oncorhynchus nerka,* in Granby Reservoir, Colorado.
Finucane, J. H. 98:288. Antimycin as a toxicant in a marine habitat.
Finucane, J. H. 98:478. Ecology of the pompano *(Trachinotus carolinus)* and the permit *(T. falcatus)* in Florida.
Finucane, J. H., *see* Springer, V. G.
Fischer, D. W. 99:849. An economic addendum.
Fischler, K. J. 94:287. The use of catch-effort, catch-sampling, and tagging data to estimate a population of blue crabs.
Fischler, K. J., and C. H. Walburg. 91: 275. Blue crab movement in coastal South Carolina, 1958-59.
Fish, G. R., and G. D. Ginnelly. 95:104. An adverse effect of coelomic fluid on unspawned ova in trout.
Fisk, D. M., *see* Gill, C. D.
Fleenar, G. G., *see* Funk, J. L.
Fletcher, M. R., *see* Starkey, E. E.
Flick, W. A., and D. A. Webster. 91:140. Problems in sampling wild and domestic stocks of brook trout, *(Salvelinus fontinalis).*
Flick, W. A., and D. A. Webster. 93:58. Comparative first year survival and production in wild and domestic strains of brook trout, *Salvelinus fontinalis.*
Flickinger, S. A. 98:526. Determination of sexes in the fathead minnow.
Flowers, J. M., *see* Saila, S. B.
Follis, B. J., *see* Bonn, E. W.
Foltz, J. W., *see* Windell, J. T.
Fontaine, C. T., and R. A. Neil. 100:584. Length-weight relations for three commercially important penaeid shrimp of the Gulf of Mexico.
Fontenot, B. J., Jr., *see* Caillouet, C. W.
Fore, P. L., and K. N. Baxter. 101:729. Diel fluctuations in the catch of larval gulf menhaden, *Brevoortia patronus,* at Galveston Entrance, Texas.
Forester, J., *see* Hansen, D. J.; Schlimmel, S. C.
Forney, J. L. 90:308. Year-class distribution of walleyes collected by five types of gear.
Forney, J. L. 92:47. Distribution and movement of marked walleyes in Oneida Lake, New York.
Forney, J. L. 100:739. Development of dominant year classes in a yellow perch population.
Forney, J. L. 103:15. Interactions between yellow perch abundances, walleye predation, and survival of alternate prey in Oneida Lake, New York.
Fortune, J. D., Jr., *see* Chapman, D. W.

Foster, J., *see* Davis, G. E.
Foster, N. R., A. Scheier, and J. Cairns, Jr. 95:109. Effects of ABS on feeding behavior of flagfish, *Jordanella floridae*.
Foster, R. F., *see* Henderson, C.; Olson, P. A.
Fowler, J. F. *see* Hyde, K. M.
Fox, A. C., *see* Hannon, M. R.; Rawson, M. V., Jr.
Fox, W. W., Jr. 99:80. An exponential surplus-yield model for optimizing exploited fish populations.
Foye, R. E., and M. Scott. 94:88. Effects of pressure on survival of six species of fish.
Frame, D. W. 102:423. Biology of young winter flounder *Pseudopleuronectes americanus* Walbaum; metabolism under simulated estuarine conditions.
Frame, D. W. 102:614. Conversion efficiency and survival of young winter flounder, *(Pseudopleuronectes americanus)* under experimental conditions.
Frame, D. W. 103:261. Feeding habits of young winter flounder *(Pseudopleuronectes americanus):* prey availability and diversity.
Frank, R., *see* Kelso, J. R. M.
Franklin, D. R., and L. L. Smith, Jr. 89: 83. Note on development of scale patterns in northern pike, *Esox lucius*.
Franklin, D. R., and L. L. Smith, Jr. 92: 91. Early life history of the northern pike, *Esox lucius* L., with special reference to the factors influencing the numerical strength of year-classes.
Franklin, D. R., *see* Moyle, J. B.; Smith, L. L., Jr.
Fraser, D. F., *see* Baker, A. M.
Fraser, J. M. 97:32. Differential recovery of brook trout planted by hand and by air drop.
Fraser, J. M. 103:815. An attempt to train hatchery-reared brook trout to avoid predation by the common loon.
Fraser, J. M., and F. W. H. Beamish. 98: 263. Blood lactate acid concentrations in brook trout, *Salvelinus fontinalis*, planted by air drop.
Freeman, R. A. 100:135. A constant flow delivery device for chronic bioassay.
Freeman, R. A. 102:152. Recovery of rainbow trout from aluminum poisoning.
Freeman, R. A., and W. H. Everhart. 100:644. Toxicity of aluminum hydroxide complexes in neutral and basic media to rainbow trout.
Fremling, C. R. 96:407. Methods of mass-rearing *Hexagenia* mayflies (Ephemeroptera: Ephemeridae).
Fremling, C. R. 97:278. Documentation of a mass emergence of *Hexagenia* mayflies from the upper Mississippi River.
French, R. R. 94:177. Visceral adhesions in high-seas salmon.
French, R. R., and W. B. McAlister. 99: 649. Winter distribution of salmon in relation to currents and water masses in the northeastern Pacific Ocean, and migrations of sockeye salmon.
Fribourgh, J. H. 94:399. The effects of potassium tellurite on goldfish spermatozoa activity.
Fried, S. M., *see* McCleave, J. D.
Fritz, R. L., *see* Jensen, A. C.
Fromm, P. O., *see* Gross, W. L.
Fry, F. E. J., D. Cucin, J. C. Kennedy, and A. Papson. 89:149. The use of lead arsenate to place a time mark on fish scales.
Fry, F. E. J., and K. E. F. Watt. 85:135. Yields of year classes of the smallmouth bass hatched in the decade of 1940 in Manitoulin Island waters.
Fry, F. E. J., *see* McCombie, A. M.
Fry, J. P., and W. D. Hanson. 97:138. Lake Taneycomo: a cold-water reservoir in Missouri.
Fuchs, E. H. 96:247. Life history of the emerald shiner, *Nortropis atherinoides*, in Lewis and Clark Lake, South Dakota.
Fujino, K. 99:152. Immunological and biochemical genetics of tunas.
Funk. J. L. 85:39. Movement of stream fishes in Missouri.
Funk, J. L., and G. G. Fleener. 103:757. The fishery of a Missouri Ozark stream, Big Piney River, and the effects of stocking fingerling smallmouth bass.
Fyock, O. L., *see* Imler, R. L.

G

Gaines, J. L., *see* Plumb, J. A.
Gakstatter, J. H., and C. M. Weiss. 96: 301. The eliminiation of DDT-C^{14}, dieldrin-C^{14}, and lindane-C^{14} from fish following a single sublethal exposure in aquaria.
Galat, D. L. 102:384. Normal embryonic development of the muskellunge *(Esox masquinongy)*.
Galat, D. L., and A.W. Eipper. 104:338. Presence of food organisms in the prolarval environment as a factor in the growth and mortality of larval muskellunge *(Esox masquinongy)*.
Galbraith, D., *see* Gibson, R. J.
Galbraith, M. G., Jr. 96:1. Size-selective predation on *Daphnia* by rainbow trout and yellow perch.
Gale, W. F., and J. D. Thompson. 104:398. A suction sampler for quantitatively sampling benthos on rocky substrates in rivers.
Gales, L. E., *see* Paulik, G. J.
Gall, G. A. E., E. L. McClendon, and W. E. Schafer. 101:345. Evidence on the influence of the copepod *(Salmincola californensis)* on the reproductive performance of a domesticated strain of rainbow trout *(Salmo gairdneri)*.
Gallepp, G. W., and J. J. Magnuson. 101: 507. Effects of negative buoyance on the behavior of the bluegill, *Lepomis macrochirus* Rafinesque.
Galligan, J. P. 88:150. An 8-year old sockeye salmon from Connecticut.
Gammon, J. R. 92:183. Conversion of food in young muskellunge.
Gannon, J. E. 105:89. The effects of differential digestion rates of zooplankton by alewife, *Alosa pseudoharengus*, on determinations of selective feeding.

Gard, R. 102:723. Travel time and influencing factors for migrating adult sockeye salmon in Karluk River, Alaska.
Gard, R., and D. W. Seegrist. 101:463. Abundance and harvest of trout in Sagehen Creek, California.
Gard, R., *see* Seegrist, D. W.
Gardella, E. S., and A. B. Stasko. 103: 635. A linear-array hydrophone for determining swimming depth of fish with ultrasonic transmitters.
Garlick, L. R., and J. E. Hamphill. 89:271. The development of sport fishery resources on Indian lands in the southwest.
Garrett, R. A., *see* Moore, R. H.
Garrett, R. L., *see* Li, H. W.
Garside, E. T., and W. J. Christie. 91: 196. Experimental hybridization among three coregonine fishes.
Gasaway, C. R. 91:8. Effects of cutting aquatic vegetation and treatment of resulting mats in ponds.
Gaufin, A. R., *see* Jensen, L. D.
Gauley, J. R., *see* Collins, G. B.
Geen, G. H., and T. G. Northcote. 97:281. Latex injection as a method of marking large catostomids for long-term study.
Gennings, R. M., *see* McSwain, L. E.
Genoway, R. G., *see* Becker, C. D.
Gerking, S. D. 87:220. The survival of fin-clipped and latex-injected redear sunfish.
Ghent, A. W. 95:437. Binomial corner-association assessment of contagion: a response to certain criticisms of the method.
Ghent, A. W., and B. Grinstead. 94:135. A new method of assessing contagion, applied to a distribution of redear sunfish.
Ghent, A. W. *see* Houser, A.
Gibbons, G., *see* Andrews, J. W.
Gibbons, J. W., *see* Bennett, D. H.
Gibson, H. R., and D. W. Chapman. 101: 330. Effects of zectran insecticide on aquatic organisms in Bear Valley Creek, Idaho.
Gibson, R. J., and D. Galbraith. 104:529. The relationships between invertebrate drift and salmonid populations in the Matamek River, Quebec, below a lake.
Giger, R. D., and D. A. Williams. 101: 133. A net-board for setting beach seines from small boats.
Gilderhus, P. A. 92:289. Some effects of sublethal concentrations of sodium arsenite on bluegills and the aquatic environment.
Giles, J. H., and G. Zamora. 102:144. Cover as a factor in habitat selection by juvenile brown *(Penaeus aztecus)* and white *(P. setiferus)* shrimp.
Giles, M. A., *see* Ellis, D. V.
Giles, R. H., Jr., and S. A. Huffman, Jr. 102:658. Heuristic teaching environments: a design document.
Gill, C. D., and D. M. Fisk. 95:177. Vertebral abnormalities in sockeye, pink, and chum salmon.
Ginnelly, G. D., *see* Fish, G. R.
Giudice, J. J., *see* Tackett, D. L.
Glude, J. B. 84:13. The effects of temperature and predators on the abundance of soft-shelled crab, *Mya arenaria*, in New England.
Glude, J. B. 95:260. Criteria of success and failure in the management of shellfisheries.
Goddard, C. I., M. H. Goodwin, and L. A. Greig. 104:50. The use of artificial substrata in sampling estuarine benthos.
Goldman, C. R., *see* Wurtsbaugh, W. A.
Gooding, R. M., *see* Iversen, R. T. B.
Goodnight, W. H., and T. C. Bjornn. 100: 769. Fish production in two Idaho streams.
Goodwin, M. H., *see* Goddard, C. I.
Goodwin, W. F., and T. L. Vaughn. 97:50. An adult pugheaded American shad, *Alosa sapidissima*.
Goodyear, C. P. 96:297. Feeding habits of three species of gar, *Lepisosteus*, along the Mississippi Gulf coast.
Goodyear, C. P. 101:367. A simple technique for detecting effects of toxicants or other stresses on a predator-prey interaction.
Goodyear, C. P, and C. E. Boyd. 101:545. Elemental composition of largemouth bass *(Micropterus salmoides)*.
Goodyear, C. P., *see* Huckabee, J. W.
Goodyear, R. H., *see* Minckley, W. L.
Gordon, D., D. W. Chapman, and T. C. Bjornn. 102:293. Economic evaluation of sport fisheries--what do they mean?
Gordon, M. 83:229. The genetics of fish diseases.
Gordon, W. G. 90:439. Food of the American smelt in Saginaw Bay, Lake Huron.
Graasl, E. F. 86:307. Pelleted dry rations for trout production in Michigan hatcheries.
Graff, D. R., *see* Raleigh, R. F.
Graham, R. J. 90:269. Biology of the Utah chub in Hebgen Lake, Montana.
Graham, R. J., *see* Brown, C. J. D.
Grande, M., *see* Skulberg, A.
Graves, J. B., *see* Hyde, K. M.
Gray, G. B., *see* Morgan, R. P., II
Gray, G. W., Jr. 93:303. Tag loss during ecdysis by the king crab, *Paralithodes camtschatica* (Tilesius).
Gray, G. W., Jr., *see* Oviatt, C.
Greeley, J. R., *see* Benson, N. G.
Green, D. M., Jr. 93:96. A comparison of stamina of brook trout from wild and domestic parents.
Green, D. M., Jr, *see* Menzel, B. W.
Green, O. L., *see* Plumb, J. A.
Green, R. E. 96:126. Relationship of the thermocline to success of purse seining for tuna.
Greenbank, J. 83:115. Deplorable presentation of results of fishery research.
Greene, A. F. C. 87:365. Some state problems associated with the commercial trout industry.
Greene, A. F. C., *see* Harbeck, G. E.
Greene, G. N. 91:326. White bass feeding: scent or sight?
Greene, G. N. 100:580. An experiment on the effect of pond soil on calcium in pond water.
Greenland, D. C., and A. E. Thomas. 101: 696. Swimming speed of fall chinook salmon *(Oncorhynchus tshawytscha)* fry.
Greenland, D. C., *see* Thomas, A. E.
Gregory, R. W. 97:203. Occurrence of fructose in trout seminal plasma.

Gregory, R. W. 99:518. Physical and chemical properties of walleye sperm and seminal plasma.
Gregory, R. W., *see* McCarraher, D. B.; Trotsky, H. M.
Greichus, Y. A., *see* Hannon, M. R.
Greig, L. A., *see* Goddard, C. I.
Greselin, E., *see* Herr, F.
Grice, F. 87:108. Effect of removal of panfish and trashfish by fyke nets upon fish populations of some Massachusetts' ponds.
Grice, F. 88:332. Elasticity of growth of yellow perch, chain pickerel, and largemouth bass in some reclaimed Massachusetts waters.
Griffin, P. J. 83:241. The nature of bacteria pathogenic to fish.
Griffith, J. Q., Jr. 95:214. Relation between serum protein and total serum cholesterol levels in certain fish.
Griffith, J. S., Jr. 103:440. Utilization of invertebrate drift by brook trout *(Salvelinus fontinalis)* and cutthroat trout *(Salmo clarki)* in small streams in Idaho.
Griffith, J. S., Jr. 104:499. Annulus formation and growth of tigerfish, *Hydrocynus vittatus*, in Lake Bangweulu, Zambia.
Griffith, N. A., *see* Huckabee, J. W.
Grinstead, B., *see* Ghent, A. W.
Griswold, B. L., and L. L. Smith, Jr. 101: 350. Early survival and growth of the ninespine stickleback, *Pungitius pungitius*.
Gross, W. L., P. O. Fromm, and E. W. Roelofs. 92:401. Relationship between thyroid and growth in green sunfish, *Lepomis cyanellus*(Rafinesque).
Grothe, D. R., and J. W. Eaton. 104:800. Chlorine-induced mortality in fish.
Grover, J. H. 97:48. Hemosiderin in bluegill spleens.
Groves, A. B. 89:218. Swimming performance of juvenile sockeye salmon in salt and fresh water.
Groves, A. B., and I. W. Jones. 98:334. Permanent thermal branding of coho salmon, *Oncorhynchus kisutch*.
Groves, A. B., and A. J. Novotny. 94:386. A thermal marking technique for juvenile salmonids.
Grzenda, A. R., G. J. Lauer, and H. P. Nicholson. 91:217. Insecticide contamination in a farm pond -- part II. Biological effects.
Grzenda, A. R., D. F. Paris, and W. J. Taylor. 99:385. The uptake, metabolism, and elimination of chlorinated residues by goldfish *(Carassius auratus)* fed a ^{14}C-DDT contaminated diet.
Grzenda, A. R., W. J. Taylor, and D. F. Paris. 100:215. The uptake and distribution of chlorinated residues by goldfish *(Carassius auratus)* fed a ^{14}C-dieldrin contaminated diet.
Grzenda, A. R., W. J. Taylor, and D. F. Paris. 101:686. The elimination and turnover of ^{14}C-dieldrin by different goldfish tissues.
Grzenda, A. R., *see* Hooper, F. F.; Nicholson, H. P.
Guerrero, R. D., III. 104:342. Use of androgens for production of all-male *Tilapia aurea* (Steindachner).
Guest, W. C., J. W. Avault, Jr., and J. D. Roussel. 105:463. A spermatology study of channel catfish, *Ictalurus punctatus*.
Guest, W. C., J. W. Avault, Jr., and J. D. Roussel. 105:469. Preservation of channel catfish sperm.
Gunner, H. B., *see* Coler, R. A.
Gunning, G. E. 100:396. American Fisheries Society publications archives.
Gunning, G. E., and T. M. Berra. 98:305. Fish repopulation of experimentally decimated segments in the headwaters of two streams.
Gunning, G. E., *see* Berra, T. M.; Ellgaard, E. G.; Lews, W. M.
Gunstrom, G. K. 96:214. The occurrence of a katadidymus chinook salmon alevin.
Gunstrom, G. K. 102:438. Gross physical anomalies in F_1 progeny of irradiated and unirradiated coho salmon.
Gunter, G. *see* Christmas, J. Y.
Guthrie, J. F., *see* Kroger, R. L.
Guthrie, R. K., *see* Cherry, D. S.

H

Hacker, V. A. 86:71. Biology and management of lake trout in Green Lake, Wisconsin.
Hackney, P. A., and C. K. Minns, 103:215. A computer model of biomass dynamics and food competition with implications for its use in fishery management.
Haedrich, R. L., *see* Bartlett, M. R.
Haight, R. E., *see* Carlson, H. R.
Haines, T. A. 102:346. Effects of nutrient enrichment and a rough fish population (carp) on a game fish population (smallmouth bass).
Halden, M. C., *see* Stark, A. E.
Hale, J. G. 97:299. Observations on brook trout, *Salvelinus fontinalis*, spawning in 10-gallon aquaria.
Hale, J. G., and D. A. Hilden. 98:473. Spawning and some aspects of early life history of brook trout, *Salvelinus fontinalis* (Mitchill), in the laboratory.
Hale, J. G., and D. A. Hilden. 99:595. The influence of flow on spawning of brook trout in the laboratory.
Hale, J. G., *see* Benoit, D; Carlson, A. R.; Schumacher, R.
Haley, A. J. 83:84. Microsporidian parasite, *Glugea hertwigi*, in American smelt from the Great Bay region, New Hampshire.
Haley, A. J., and H. E. Winn. 88:128. Observation on a lernaean parasite of freshwater fishes.
Hall, G. E., *see* Carroll, B. B.
Hall, J. D., *see* Ringler, N. H.
Halver, J. E. 83:254. Fish diseases and nutrition.
Halver, J. E., L. M. Ashley, and R. R. Smith. 98:762. Ascorbic acid requirements of coho salmon and rainbow trout.
Halver, J. E., *see* Ashley, L. M.; Dupree, H. K.; Wood, E. M.

Hambrick, P. S., W. T. Bryson, and C. H. Hocutt. 103:642. New anomalies in three cyprinid genera from southwest Virginia.
Hamelink, J. L., and R. C. Waybrant. 105: 124. DDE and lindane in a large-scale model lentic ecosystem.
Hamelink, J. L., R. C. Waybrant, and R. C. Ball. 100:207. A proposal: exchange equilibria control the degree chlorinated hydrocarbons are biologically magnified in lentic environments.
Hamilton, R. W., *see* Buttner, J. K.
Hammond, D. E., and R. T. Lackey. 105:48. Analysis of catchable trout fisheries management by computer simulation.
Hannon, M. R., Y. A. Greichus, R. L. Applegate, and A. C. Fox. 99:496. Ecological distribution of pesticides in Lake Poinsett, South Dakota.
Hansen, D. F. 94:182. Further observations on nesting of the white crappie, *Pomoxis annularis*.
Hansen, D. J. 98:426. Avoidance of pesticides by untrained sheepshead minnows.
Hansen, D. J. 100:55. Evaluation of stocking cutthroat trout, *Salmo clarki*, in Munsel Lake, Oregon.
Hansen, D. J. 101:346. DDT and malathion: effect on salinity selection by mosquitofish.
Hansen, D. J., S. C. Schimmel, and J. Forester. 104:584. Effects of Aroclor R 1016 on embryos, fry, juveniles, and adults of sheepshead minnows *(Cyprinodon variegatus)*.
Hansen, D. J., *see* Schimmel, S. C.
Hansen, E. A. 104:100. Some effects of groundwater on brown trout redds.
Hansen, M. J., and T. M. Stauffer. 93:21. Cadmium sulfide and mercuric sulfide for marking sea lamprey larvae.
Hansen, M. J., and T. M. Stauffer. 100:336. Comparative recovery to the creel, movement and growth of rainbow trout stocked in the Great Lakes.
Hansen, M. J., *see* Stauffer, T. M.
Hansen, R. G. 103:386. Effect of different filament diameters on the selective action of monofilament gill nets.
Hansler, D. D., *see* Donaldson, L. R.
Hanson, C. H., *see* Stober, Q. J.
Hanson, D. L., and T. F. Waters. 103: 431. Recovery of standing crop and production rate of a brook trout population in a flood-damaged stream.
Hanson, W. D., *see* Fry, J. P.
Harbeck, G. E., Jr., and A. F. C. Greene. 90:494. A method of estimating maximum temperatures to be expected in ponds and small lakes.
Hare, G. M., *see* Pippey, J. H. C.
Harima, H., and P. R. Mundy. 103:457. Diversity indices applied to the fish biofacies of a small stream.
Harkness, W. J. K., J. W. Leonard, and P. R. Needham. 83:212. Fishery research at mid-century.
Harris, A. H., and C. D. Rose. 97:503. Shrimp predation by sea catfish, *Geleichthys felis*.
Harris, A. H., *see* Rose, C. D.
Harris, E. J., *see* Burdick, G. E.
Hart, L. G., and R. C. Summerfelt. 104:56. Surgical procedures for implanting ultrasonic transmitters into flathead catfish *(Pylodictis olivaris)*.
Hartman, G. F. 91:224. Use of gill-net rollers in fishery investigations.
Hartman, G. F. 94:274. An aquarium with simulated stream flow.
Hartman, W. L., C. W. Strickland, and D. T. Hoopes. 91:133. Survival and behavior of sockeye salmon fry migrating into Brooks Lake, Alaska.
Hartung, R., *see* Eisele, P. J.
Harvey, H. H. 96:194. Supersaturation of lake water with a precaution to hatchery usage.
Hasler, A. D. 102:213. Poisons, phosphates, preservation, people, and politics -- a fish eye's view of ecology.
Hasler, A. D., *see* Henderson, H. F.; Hergenrader, G. L.; Kaya, C. M.; Stasko, A. B.; Wissing, T. E.
Hassler, T. J. 99:369. Environmental influences on early development and year-class strength of northern pike in Lakes Oahe and Sharpe, South Dakota.
Hassler, W. W., *see* Rose, C. D.
Hatch, R. W. 90:6. Regular occurrence of false annuli in four brook trout populations.
Hatch, R. W., *see* Mears, H. C.
Hauck, F. R., and Q. A. Edson. 105:158 Pumped storage: its significance as an energy source and some biological ramifications.
Hauser, W. J. 98:209. Life history of the mountain sucker, *Catostomus platyrhynchus*, in Montana.
Hausle, D. A., and D. W. Coble. 105:57. Influence of sand in redds on survival and emergence of brook trout *(Salvelinus fontinalis)*.
Havey, K. A. 88:193. Validity of the scale method for aging hatchery-reared Atlantic salmon.
Havey, K. A. 89:212. Recovery, growth, and movement of hatchery-reared lake Atlantic salmon at Long Pond, Maine.
Havey, K. A. 90:281. Restoration of anadromous alewives at Long Pond, Maine.
Havey, K. A. 102:121. Relative recoveries of hatchery-reared landlocked salmon planted at different ages at Schoodic Lake, Maine.
Havey, K. A. 102:392. Effects of a smelt introduction on growth of landlocked salmon at Schoodic Lake, Maine.
Havey, K. A. 102:434. Production of juvenile alewives, *Alosa pseudoharengus*, at Love Lake, Washington County, Maine.
Havey, K. A. 103:1. Effects of regulated flows on standing crops of juvenile salmon and other fishes at Barrows Stream, Maine.
Havey, K. A. 103:448. Population dynamics of landlocked salmon, *Salmo salar*, in Love Lake, Maine.
Havey, K. A., and P. S. Andrews. 102:728. Population dynamics of hatchery-reared landlocked salmon, *Salmo salar*, in Schoodic Lake, Maine.

Havey, K. A., and R. M. Davis. 99:297. Factors influencing standing crops and survival of juvenile salmon at Barrows Stream, Maine.
Havey, K. A., *see* Locke, D. O.; Warner, K.
Haw, F., and S. B. Mathews. 98:487. Recreational use of surplus hatchery coho salmon.
Hawthorne, V. M., *see* Butler, R. L.; Erman, D. C.
Hayduk, S. H., *see* Uzmann, J. R.
Hayes, F. R., and E. H. Anthony. 93:53. Productive capacity of North American lakes as related to quantity and the trophic level of fish, the lake dimensions, and the water chemistry.
Haynes, E. B., and R. L. Wigley. 98:60. Biology of the northern shrimp, *Pandulus borealis*, in the Gulf of Maine.
Heald, E. J. 99:847. The Everglades estuary: an example of seriously reduced inflow of freshwater.
Heald, E. J., *see* Caillouet, C. W.
Healey, M. C. 100:520. Gonad development and fecundity of the sand goby, *Gobius minutus* Pallas.
Heard, R. G., *see* Becker, D. A.
Heard, R. W., *see* Sikora, W. B.
Heard, W. R. 91:263. The use and selectivity of small-meshed gill nets at Brooks Lake, Alaska.
Heard, W. R. 94:191. Limnetic cottid larvae and their utilization as food by juvenile sockeye salmon.
Heard, W. R. 101:276. Spawning behavior of pink salmon on an artificial redd.
Heard, W. R., and L. E. Vogele. 97:55. A flag tag for underwater recognition of individual fish by divers.
Heaton, J. R., *see* Ross, A. J.
Heaton, L. H., and I. B. McElwain. 96:351. Complement in *Salmo gairdneri* and *Salmo trutta*.
Heckman, J. R. 98:669. Embryology comparison of *Lepomis macrochirus* X *macrochirus* and *Lepomis macrochirus* X *gibbosus*.
Heckrotte, C., *see* Larimore, R. W.
Heidinger, R., *see* Lewis, W. M.
Heidinger, R. C. 104:333. Growth of hybrid sunfishes and channel catfish at low temperatures.
Heins, D. C., and G. I. Bresnick. 104:516. The ecological life history of the cherryfin shiner, *Notropis roseipinnis*.
Held, J. W. 98:514. Some early summer foods of the shovelnose sturgeon in the Missouri River.
Held, J. W., and J. J. Peterka. 103:743. Age, growth, and food habits of the fathead minnow, *Pimephales promelas*, in North Dakota saline lakes.
Helle, J. H. 95:188. Behavior of displaced adult pink salmon.
Hellier, T. R., Jr., *see* Caldwell, D. K.
Helm, W. T. 88:356. A simple method for increasing contrast in scale reading.
Helm, W. T., *see* Kimball, D. C.
Helms, D. R., *see* Lewis, W. M.
Heman, M. L., *see* Anderson, R. O.
Heman, M. L., R. S. Campbell, and L. C. Raymond. 98:293. Manipulation of fish populations through reservoir drawdown.
Hemphill, J. E., *see* Garlick, L. R.
Henderson, C., and R. F. Foster. 86:112. Studies of smallmouth black bass *(Micropterus dolomieu)* in the Columbia River near Richland, Washington.
Henderson, C., and Q. H. Pickering. 87:39. Toxicity of organic phosphorus insecticides to fish.
Henderson, C., Q. H. Pickering, and C. M. Tarzwell. 88:23. Relative toxicity of ten chlorinated hydrocarbon insecticides to four species of fish.
Henderson, C., *see* Pickering, Q. H.; Tarzwell, C. M.
Henderson, H. F., A. D. Hasler, and G. G. Chipman. 95:350. An ultrasonic transmitter for use in studies of movements of fishes.
Henderson, H. F., *see* Regier, H. A.
Hendricks, J. D., and S. L. Leek. 104:805. Kidney disease postorbital lesions in spring chinook salmon *(Oncorhynchus tshawytscha)*.
Hennick, D. P., and R. W. Tyler. 99:397. Experimental marking of emergent pink salmon *(Oncorhynchus gorbuscha)* fry with sprayed fluorescent pigment.
Hergenrader, G. L., and Q. P. Bliss. 100: 734. The white perch in Nebraska.
Hergenrader, G. L., and A. D. Hasler. 96: 373. Seasonal changes in swimming rates of yellow perch in Lake Mendota as measured by sonar.
Herke, W. H. 102:643. Spin-drying of preserved fishes and macroinvertebrates.
Herman, L. J., *see* Carlson, A. R.
Herman, R. L. 97:221. Fish furunculosis-1952-1966.
Herr, F., E. Greselin, and C. Chappel. 96: 320. Toxicology studies of antimycin, a fish eradicant.
Herrmann, R. B., C. E. Warren, and P. Doudoroff. 91:155. Influence of oxygen concentrations on the growth of juvenile coho salmon.
Hershberger, W. K. 99:207. Some physicochemical properties of transferrins in brook trout.
Herting, G. E., and A. Witt, Jr. 96:427. The role of physical fitness of forage fishes in relation to their vulnerability to predation by bowfin *(Amia calva)*.
Hess, K. W., *see* Saila, S. B.
Hess, P. W., and R. A. Smith. 96:131. Electrophoresis of elasmobranch serum proteins with cellulose acetate.
Hester, F. E. 99:100. Phylogenetic relationships of sunfishes as demonstrated by hybridization.
Hester, F. E., and J. S. Dendy. 91:420. A multiple-plate sampler for aquatic macroinvertebrates.
Hester, F. E., *see* Smitherman, R. O.; West, J. L.
Hettler, W. F., Jr. 97:119. Artificial fertilization among yellowfin and gulf menhaden *(Brevoortia)* and their hybrid.
Hettler, W. F., Jr., *see* Lewis, R. M.
Hickey, C. R., Jr., and R. A. Amish. 104: 410. Stunted growth of a jawless striped bass, *Morone saxatilis*.
Hickey, C. R., Jr. *see* Austin, H. M.

Hickman, G. D., and M. R. Dewey. 102:838. Notes on the upper lethal temperature of the duskystripe shiner, *Notropis pilsbryi*, and the bluegill, *Lepomis macrochirus*.
Hidu, H., *see* Cooper, E. L.
Higgins, B. E. 99:60. Juvenile tunas collected by midwater trawling in Hawaiian waters, July-September, 1967.
Hightower, F., Jr., *see* Wickham, D. A.
Hightower, G. M., K. T. Kimball, and C. A. Bedinger, Jr. 105:509. A water-powered mechanical device for accurately subsampling large numbers of nektonic organisms.
Higman, J. B., *see* Caillouet, C. W., Jr.
Hildebrand, S. G. 100:61. The effect of coho spawning on the benthic invertebrates of the Platte River, Benzie County, Michigan.
Hilden, D. A., *see* Hale, J. G.
Hile, R. 99:468. Body-scale relationships and calculation of growth in fishes.
Hile, R. 100:394. No read-no write.
Hill, L. C. 97:448. Oxygen preference in the spring cavefish, *Chologaster agassizi*.
Hill, T. K., and E. W. Shell. 104:441. Some effects of a sanctuary on an exploited fish population.
Hilsenhoff, W. L. 94:210. The effect of toxaphene on the benthos in a thermally-stratified lake.
Hiltibran, R. C. 96:414. Effects of some herbicides on fertilized fish eggs and fry.
Hiner, L. E. 90:298. Propogation of northern pike.
Hirschhorn, C. 95:39. Effect of growth pattern and exploitation features on yields of pink salmon in the northwestern north Pacific.
Hitz, C. R. 91:231. Seasons of birth of rockfish *(Sebastodes* spp.) in Oregon waters.
Hitz, C. R., and A. C. DeLacy. 94:194. Clearing of yolk in eggs of rockfishes, *Sebastodes caurinus* and *S. auriculatus*.
Hnath, J. G. 98:332. Transfer of an adult acanthocephalan from one fish to another.
Hoagman, W. J., *see* Walter, G.
Hoberman, J. M., and A. C. Jensen. 91:227. The growth rate of New England pollock.
Hocutt, C. H., *see* Hambrick, P. S.
Hodder, V. M. 95:228. Two further records of the American shad in Newfoundland waters.
Hodgins, H. O., *see* Utter, F. M.
Hoff, J. G. 97:278. Occurrence of *Liparis atlanticus* in *Aequipecten irradians* in Buzzards Bay, Massachusetts.
Hoff, J. G., *see* Musick, J. A.
Hoffman, G. L. 88:96. Studies on the life cycle of *Apatemon gracilis pellucidus* (Yamag.).
Hoffman, G. L. 103:541. Disinfection of contaminated water by ultraviolet irradiation, with emphasis on whirling disease *(Myxosoma cerebralis)* and its effect on fish.
Hoffman, G. L., and R. E. Putz. 94:143. The black-spot *(Uvulifer ambloplites:* Trematoda: Strigeoides) of centrarchid fishes.
Hogan, J. W. 100:672. Brain acetylcholinesterase from cutthroat trout.
Hogan, J. W., *see* Macek, K. J.
Hogman, W. J. 99:426. A computer program for stock analysis in Fortran IV, Univac 1108.
Hogman, W. J. 102:778. The relative efficiency of nylon gill nets after transition from cotton nets in a multispecies fishery.
Hokanson, K. E. F., J. H. McCormick, and B. R. Jones. 102:89. Temperature requirements for embryos and larvae of the northern pike, *Esox lucius* (Linnaeus).
Hokanson, K. E. F., and L. L. Smith, Jr. 100:1. Some factors influencing toxicity of linear alkylate sulfonate (AFS) to the bluegill.
Holbert, L. R., *see* Bonn, E. W.
Holcomb, D. E., *see* Barwick, D. H.
Holden, P. B., and C. B. Stalnaker. 104: 217. Distribution and abundance of mainstream fishes of the middle and upper Colorado River Basins, 1967-1973.
Holder, D. R., and J. S. Ramsey. 101:566. A case of albinism in the tadpole madtom, *Noturus gyrinus*.
Holland, H. T., D. L. Coppage, and P. A. Butler, 95:110. Increased sensitivity to pesticides in sheepshead minnows.
Holmes, P. D. *see* Becker, D. A.
Holz, D. D., *see* Macek, K. J.
Hooper, A. D., and J. H. Crance. 89:351. Use of rotenone in restoring balance to overcrowded fish populations in Alabama lakes.
Hooper, F. F., and R. C. Ball. 93:164. Responses of a marl lake to fertilization.
Hooper, F. F., and A. R. Grzenda. 85:180. The use of toxaphene as a fish poison.
Hooper, F. F., H. A. Podoliak, and S. F. Snieszko. 90:49. Use of radioisotopes in hydrobiology and fish culture.
Hoopes, D. T. 88:73. Dolly Varden trout with two adipose fins.
Hoopes, D. T. 89:32. Utilization of mayflies and caddis flies by some Mississippi River fishes.
Hoopes, D. T., *see* Hartman, W. L.
Hoopes, R. L. 104:96. Flooding as the result of Hurricane Agnes, and its effect on a native brook trout population in an infertile headwater stream in central Pennsylvania.
Hopwood, M. L., *see* Schreck, C. B.
Horak, D. L. 95:318. A densitometric method for determining body-fat concentration in fish.
Horak, D. L., and W. D. Klein. 96:220. Influence of capture methods on fishing success, stamina, and mortality of rainbow trout *(Salmo gairdneri)* in Colorado.
Horak, D. L., and H. A. Tanner. 93:137. The use of vertical gill nets in studying fish depth distribution, Horsetooth Reservoir, Colorado.
Horkell, J. D., and W. D. Pearson. 105:107. Effects of turbidity on ventilation rates and oxygen consumption of green sunfish, *Lepomis cyanellus*.
Horrall, R. M., *see* Stasko, A. B.
Horton, D. B., *see* Berry, R. J.
Horton, H. F., and R. L. Borovicka. 87: 182. Oregon's serial fish-planting program.

Hoss, D. E. 93:364. Accumulation of zinc-65 by flounder of the genus *Paralichthys*.
Hoss, D. E. 96:151. Marking post-larval paralichthid flounders with radioactive elements.
Hoss, D. E., *see* Peters, D. S.
Houde, E. D. 93:304. The strigeid trematode, *Crassiphiala bulboglossa*, from the blacknose dace, *Rhinichthys stratulus*.
Houde, E. D. 96:17. Food of pelagic young of the walleye, *Stizostedion vitreum vitreum*, in Oneida Lake, New York.
Houde, E. D., *see* Saksena, V. P.
Hourston, W. R., and D. MacKinnon. 86: 220. Use of an artificial spawning channel by salmon.
Houser, A. 94:91. Growth of paddlefish in Fort Gibson Reservoir, Oklahoma.
Houser, A., and M. G. Bross. 88:50. Observations on growth and reproduction of the paddlefish.
Houser, A., and J. E. Dunn. 96:176. Estimating the size of the threadfin shad population in Bull Shoals Reservoir from midwater trawl catches.
Houser, A., and A. W. Ghent. 93:233. An experimental gill net based on the principle of the Latin square.
Howard, W. C., *see* Katz, M.
Howe, A. B., P. G. Coates. 104:13. Winter flounder movements, growth, and mortality off Massachusetts.
Howe, A. B., P. G. Coates, and D. E. Pierce. 105:647. Winter flounder estuarine year-class abundance, mortality, and recruitment.
Howell, J. H., and P. M. Thomas. 93:206. Anesthetic effect of 4-styrylpyridine on lamprey and fish.
Howmiller, R. P. 100:560. A comparison of the effectiveness of Ekman and Ponar grabs.
Howmiller, R. P. 101:743. Effects of preservatives on weights on some common macrobenthic invertebrates.
Hoyt, R. D. 100:510. The reproductive biology of the silverjaw minnow, *Ericymba buccata* Cope, in Kentucky.
Hubbs, C. 97:197. An opinion on the effects of cichlid releases in North America.
Hubbs, C. 99:98. Introduction to symposium on fish cytogenetics.
Hubbs, C., and C. Bryan. 103:369. Maximum incubation temperature of the threadfin shad, *Dorosoma petenense*.
Hubbs, C., H. B. Sharp, and J. F. Schneider. 100:603. Development rates of *Menidia audens* with notes on salt tolerance.
Hubley, R. C., Jr. 90:83. Incidence of lamprey scarring on fish in the upper Mississippi River, 1956-58.
Hubley, R. C., Jr. 92:165. Movement of tagged channel catfish in the upper Mississippi River.
Huckabee, J. W., C. P. Goodyear, and R. D. Jones. 104:677. Acid rock in the Great Smokies: unanticipated impact on aquatic biota of road construction in regions of sulfide mineralization.
Huckabee, J. W., and N. A. Griffith. 103: 822. Toxicity of mercury and selenium to the eggs of carp *(Cyprinus carpio)*.
Hudson, P. L. 99:603. Quantitative sampling with three benthic dredges.
Hudson, P. L., *see* Benson, N. G.
Huet, M. 88:155. Profiles and biology of western European streams as related to fish management.
Huffman, S. A., Jr., *see* Giles, R. H., Jr.
Hughes, J. T., *see* Saila, S. B.
Huh, H. T., H. E. Calbert, and D. A. Stuiber. 105:254. Effects of temperature and light on growth of yellow perch and walleye using formulated feed.
Huish, M. T. 83:176. Life history of the black crappie of Lake George, Florida.
Huish, M. T., *see* Benson, N. G.; Lorio, W. J.
Hull, M., *see* Welch, E. B.
Humphries, E. T., and K. B. Cummings. 102:13. An evaluation of striped bass fingerling culture.
Huner, J. V., and J. W. Avault, Jr. 105: 637. Sequential pond flooding: a prospective management technique for extended production of bait-size crawfish.
Hunn, J. B. 98:20. Chemical composition of rainbow trout urine following acute hypoxic stress.
Hunsaker, D., II, *see* Marnell, L. F.; Wilton, J. W.
Hunt, B. P. 89:206. Digestion rate and food consumption of Florida gar, warmouth, and largemouth bass.
Hunt, R. L. 94:95. Food of northern pike in a Wisconsin trout stream.
Hunt, R. L. 94:186. Dispersal of wild brook trout during their first summer of life.
Hunt, R. L. 105:361. A long-term evaluation of trout habitat development and its relation to improving management-related research.
Hunt, R. L., and O. M. Brynildson. 93: 194. A five-year study of a headwaters trout refuge.
Huntsman, G. R., and R. B. Chapoton. 102: 452. Biostatistical data acquisition in the menhaden fisheries.
Huntsman, G. R., *see* Schaaf, W. E.
Hurd, C. L., *see* Powell, G. C.
Hurley, D. A. 102:369. The commercial fishery for American eel, *Anguilla rostrata* (LeSeuer), in Lake Ontario.
Hutchinson, B. *see* Clady, M.
Hutchinson, B. P. 100:325. The effect of fish predation on the zooplankton of ten Adirondack Lakes, with particular reference to the alewife, *Alosa pseudoharengus*.
Hutton, R. F., *see* Lux, F. E.
Hyatt, M., *see* Banner, A.
Hyde, K. M., S. Stokes, J. F. Fowler, J. B. Graves, and F. L. Bonner. 103:366. The effect of mirex on channel catfish production.

I

Ide, F. P. 86:208. Effect of forest spraying with DDT on aquatic insects of salmon streams.
Idyll, C. P. 87:282. Contribution of

biology and oceanography to increased harvest of marine fishes.
Idyll, C. P., *see* Iverson, E. S.; Tabb, D. C.
Ilie, E., *see* Radulescu, I.
Imler, R. L., D. T. Weber, and O. L. Fyock. 104:232. Survival, reproduction, age, growth, and food habits of Sacramento perch, *Archoplites interruptus* (Girard), in Colorado.
Incerpi, A., and K. Warner. 98:720. Fecundity of land-locked salmon, *Salmo salar*.
Incerpi, A., *see* Warner, K.
Inman, I., *see* Brown, B. E.
Inmon, L. E., *see* Bulkley, R. V.
Inslee, T., *see* Clemens, H. P.
Irving, R. B. 84:275. Ecology of the cutthroat trout in Henry's Lake, Idaho.
Irwin, W. H., *see* Whitworth, W. R.
Isaac, G. W., and C. E. Bond. 92:25. Standing crops of fish in Oregon farm ponds.
Isaacson, D. M., *see* Isaacson, P. A.
Isaacson, P. A. 93:302. Length-weight relationship of the white croaker.
Isaacson, P. A. 94:98. Pugheadedness in the black perch, *Embiotoca jacksoni*.
Isaacson, P. A., and D. M. Isaacson. 95: 107. Note on the life history of the black perch, *Embiotoca jacksoni*, Agassiz.
Islam, B. N., and G. B. Talbot. 97:350. Fluvial migration, spawning, and fecundity of Indus River hilsa, *Hilsa hilsa*.
Itzkowitz, M. *see* Minckley, W. L.
Iversen, E. S., and C. P. Idyll. 89:1. Aspects of the biology of the Tortugas pink shrimp, *Penaeus duorarum*.
Iversen, E. S., and R. B. Manning. 88:130. A new microsporidan parasite from pink shrimp *(Penaeus duorarum)*.
Iversen, E. S., and A. W. Moffett. 91: 395. Estimation of abundance and mortality of a spotted seatrout population.
Iversen, E. S., *see* Roth, J. H.; Tabb, D. C.; Villella, J. B.
Iversen, R. T. B., E. L. Nakamura, and R. M. Gooding. 99:93. Courting behavior in skipjack tuna, *Katsuwonus pelamis*.

J

Jackson, U. T., *see* McConnell, W. J.
Jacobi, G. Z. 100:136. A quantitative artificial substrate sampler for benthic macroinvertebrates.
Jacobson, J., *see* Bouck, G. R.
Jacobson, P. M., *see* Marcy, B. C., Jr.
Jager, H. E., *see* Peterson, D. H.
Jahn, L. A. 101:284. Development of the olfactory apparatus of the cutthroat trout.
Jasper, R. L., *see* McCann, J. A.
Jaspers, E. J., J. W. Avault, Jr., and J. D. Roussel. 105:475. Spermatozoal morphology and ultrastructure of channel catfish, *Ictalurus punctatus*.
Jearld, A., Jr., *see* Brown, B. E.
Jenkins, J. H., *see* Lorio, W. J.
Jenkins, R. M. 85:58. The effect of gizzard shad on the fish population of a small Oklahoma lake.
Jenkins, R. M. 98:357. Discussion: special session.
Jenkins, T. M., Jr. 98:517. Observations on color changes of brown and rainbow trout *(Salmo trutta* and *S. gairdneri)* in stream habitats, with description of an unusual color pattern in brown trout.
Jenkins, T. M., Jr., and A. Klain. 98: 338. A regulated-temperature electric tool for fish marking.
Jensen, A. C. 96:37. Effects of tagging on the growth of cod.
Jensen, A. C. 99:359. Validation of ages determined from otoliths of Gulf of Maine cod.
Jensen, A. C., and R. L. Fritz. 89:239. Observations on the stomach contents of the silver hake.
Jensen, A. C., and J. P. Wise. 90:489. Movement of tagged halibut off New England-II.
Jensen, A. C., *see* Hoberman, J. M.; Wise, J. P.
Jensen, A. L. 100:456. The effect of increased mortality on the young in a population of brook trout, a theoretical analysis.
Jensen, A. L. 101:403. Variation in results of identical bioassays of minnows subjected to instant temperature increase.
Jensen, L. D., and A. R. Gaufin. 93:27. Effect of ten organic insecticides on two species of stonefly naiads.
Jensen, L. D., and A. R. Gaufin. 93:257. Long-term effects of organic insecticides on two species of stonefly naiads.
Jensen, R. E., *see* Ellgaard, E. G.
Jeppson, P. W., and W. S. Platts. 88:197. Ecology and control of the Columbia squawfish in northern Idaho lakes.
Jernejcic, F. 98:698. Use of emetics to collect stomach contents of walleye and largemouth bass.
Jester, D. B. 102:109. Variations in catchability of fishes with color of gillnets.
Jester, D. B. 105:222. Production of rough or commercial fishes, in Elephant Butte Lake, New Mexico.
Jewett, S. G., Jr., *see* Bates, D. W.
Joeris, L. S. 86:169. Structure and growth of scales of yellow perch of Green Bay.
Johnsen, R. C., and C. W. Sims. 102:341. Purse seining for juvenile salmon and trout in the Columbia River estuary.
Johnson, A. M., *see* Chapman, D. C.
Johnson, D., *see* Lewis, W. M.
Johnson, D. W. 97:398. Pesticides and fishes--a review of selected literature.
Johnson, F. H. 86:285. Northern pike year-class strength and spring water levels.
Johnson, F. H. 90:312. Walleye egg survival during incubation on several types of bottom in Lake Winnibigoshish, Minnesota, and connecting waters.
Johnson, F. H., and J. B. Moyle. 98:691. Management of a large shallow winterkill lake in Minnesota for production of pike *(Esox lucius)*.
Johnson, F. H., *see* Maloney, J. E.
Johnson, G. N., *see* Kjelson, M. A.

Johnson, H. E., *see* Atchison, G. J.
Johnson, J. E. 97:209. Albinistic carp, *Cyprinus carpio*, from Roosevelt Lake, Arizona.
Johnson, J. E. 99:739. Age, growth, and population dynamics of threadfin shad, *Dorosoma petenense* (Gunther), in central Arizona reservoirs.
Johnson, J. E. 100:74. Maturity and fecundity of the threadfin shad, *Dorosoma petenense* (Gunther), in central Arizona reservoirs.
Johnson, J. E., *see* Minckley, W. L.
Johnson, J. H. 91:269. Sea temperatures and the availability of albacore off Oregon and Washington.
Johnson, M. G. 94:350. Estimates of fish populations in warm water streams by the removal method.
Johnson, M. W., and L. Wroblewski. 91:201. Errors associated with a systematic sampling creel census.
Jones, A. C., *see* Cummins, J. M.
Jones, A. C., *see* Tabb, D. C.
Jones, B. F., 95:323. Two new tools for applying disk tags to fish.
Jones, B. J., and W. D. Pearson. 105:291. Variations in hematocrit values of successive blood samples from bluegill.
Jones, B. R., and J. B. Moyle. 92:211. Populations of plankton animals and residual chlorinated hydrocarbons in soils of six Minnesota ponds treated for control of mosquito larvae.
Jones, B. R., *see* Hokanson, K. E. F.
Jones, I. W., *see* Groves, A. B.
Jones, J. H., E. B. Bullard, and A. Rodriquez. 100:676. The essential nature of vitamin A in the diet of goldfish (*Carassius auratus*).
Jones, R. D., *see* Huckabee, J. W.
Jones, W. H., *see* Clemens, H. P.
Jordan, R. A., *see* Bendar, M. E.
Joseph, E. B., *see* Norcross, J. J.
Joseph, J. 99:629. Management of tropical tunas in the eastern Pacific Ocean.
Joyce, J. A., *see* El-Ibiary, H. M.
Joyner, T. 90:444. Exchange of zinc with environmental solutions by the brown bullhead.
Joyner, T., *see* Chakravarti, D.
Jude, D. J. 102:378. Food and feeding habits of gizzard shad in Pool 19, Mississippi River.
Judy, M. H., *see* Kroger, R. L.
Juhl, R., *see* Bullis, H. R.
Junge, C. O., Jr., *see* Schoeneman, D. E.

K

Kaesler, R. L., *see* Cairns, J., Jr.
Kaiser, C. E. 102:101. Gonadal maturation and fecundity of horse mackerel, *Trachurus murphyi* (Nichols), off the coast of Chile.
Kaiser, C. E. 102:591. Age and growth of horse mackerel, *Trachurus murphyi*, off Chile.
Kallman, B. J., O. B. Cope, and R. J. Navarre. 91:14. Distribution and detoxification of toxaphene in Clayton Lake, New Mexico.
Kallman, B. J., *see* Bridges, W. R.
Kania, H. J., and J. O'Hara. 103:134. Behavioral alterations in a simple predator-prey system due to sublethal exposure to mercury.
Karlsson, J., and R. Sisson. 102:847. A technique for detection of brushed lobsters by staining of cement of swimmerets.
Katz, H. M., *see* Olla, B. L.
Katz, M. 90:264. Acute toxicity of some organic insecticides to three species of salmonids and the threespine stickleback.
Katz, M., and G. G. Chadwick. 90:394. Toxicity of endrin to some Pacific northwest fishes.
Katz, M., and W. C. Howard. 84:228. The length and growth of 0-year class creek chubs in relation to domestic pollution.
Katz, M., A. Pritchard, and C. E. Warren. 88:88. Ability of some salmonids and a centrarchid to swim in water of reduced oxygen content.
Katz, M., *see* Becker, C. D.; Welch, E. B.
Kawatski, J. A. 102:829. Acute toxicity of antimycin A, Bayer 73, and TFM to the ostracod, *Cypretta kawatai*.
Kawatski, J. A., V. K. Dawson, and M. L. Reuvers. 103:551. Effect of TFM and Bayer 73 on in vivo oxygen consumption of the aquatic midge *Chironomus tentans*.
Kawatski, J. A., and J. C. Schmulbach. 100:565. Accumulation of insecticide in freshwater ostracods exposed continuously to sublethal concentrations of aldrin and dieldrin.
Kaya, C. M., and A. D. Hasler. 101:270. Photoperiod and temperature effects on the gonads of green sunfish, *Lepomis cyanellus* (Rafinesque), during the quiescent winter phase of its annual sexual cycle.
Kazmierski, J. A., *see* Starkey, E. E.
Keating, T. P. 100:389. Communicating with the public.
Keck, R., *see* Maurer, D.
Keener, E. J., *see* Phillips, P. J.
Keeton, D. 94:93. Application of Stoeltzner's method to determine growth of fish scales.
Kelley, J. W. 91:23. Sexual maturity and fecundity of largemouth bass, *Micropterus salmoides* (Lacepede), in Maine.
Kelley, W. H. 96:163. Marking freshwater and a marine fish by injected dyes.
Kellogg, R. L., *see* Bulkley, R. V.
Kelso, J. R. M. 102:363. Seasonal energy changes in walleye and their diet in West Blue Lake, Manitoba.
Kelso, J. R. M., and R. Frank. 103:577. Organochlorine residues, mercury, copper, and cadmium in yellow perch, white bass, and smallmouth bass, Long Point Bay, Lake Erie.
Kelso, J. R. M., H. R. McCrimmon, and D. J. Ecobichon. 99:423. Seasonal insecticide residue changes in tissues of fish from the Grand River, Ontario.
Kelts, L. I., and J. I. Bressler. 100:403. Fish and fisheries literature resources: an annotated bibliography.
Kemmerer, A. J. 97:425. A method to determine fertilization requirements of a small sport fishing lake.

Kemmerer, A. J. 99: 612. Rebuttal to J. Verduin's critique of research methods involving plastic bags in aquatic environments.
Kempinger, J. J., and W. S. Churchill. 101:644. Contribution of native and stocked walleye fingerlings to the anglers' catch, Escanaba Lake, Wisconsin.
Kendle, E. R., and L. A. Morris. 94:193. A device for holding objects in the stomachs of fish.
Kennedy, G. J. A., and T. J. Pitcher. 104: 454. Experiments on homing in shoals of European minnow, *Phoxinus phoxinus* (L.).
Kennedy, J. C., *see* Fry, F. E. J.
Kennedy, V. S., *see* McErlean, A. J.
Kennedy, W. A. 86:419. Current fisheries research by Canadians on the Great Lakes.
Kerby, J. H., V. G. Burrell, Jr., and C. E. Richards. 100:787. Occurrence and growth of striped bass X white bass hybrids in the Rappahannock River, Virginia.
Ketola, H. G. 104:548. Requirement of Atlantic salmon for dietary phosphorus.
Kevern, N. R. 95:363. Feeding rate of carp estimated by a radioisotopic method.
Khandker, N. A. 93:204. Sponge as shelter for young spiny lobsters.
Kilambi, R. V., and R. E. Baglin, Jr. 98: 320. Fecundity of the threadfin shad, *Dorosoma petenense*, in Beaver and Bull Shoals reservoirs.
Kilambi, R. V., and S. H. Newton. 102:446. Fecundity of the white bass, *Morone chrysops* (Rafinesque), in Beaver Reservoir, Arkansas.
Kimball, D. C., and W. T. Helm. 100:572. A method of estimating fish stomach capacity.
Kimball, G. L., *see* Smith, L. L., Jr.
Kimball, K. T., *see* Hightower, G. M.
Kimsey, J. B. 87:319. Fisheries problems in impounded waters of California and the lower Colorado River.
Kimura, D. K. 105:664. Estimating the total number of marked fish present in a catch.
Kincaid, H. L. 105:273. Effects of inbreeding on rainbow trout populations.
King, E. L., Jr., *see* Applegate, V. C.; Rye, R. P., Jr.
Kinney, E. C. 86:58. The otter trawl as a fish sampling device in western Lake Erie.
Kionka, B. C., and J. T. Windel.. 101:112. Differential movement of digestible and indigestible food fractions in rainbow trout, *Salmo gairdneri*.
Kircheis, F. W. 105:615. Reproductive biology and early life history of the sunapee trout of Floods Pond, Maine.
Kirk, W., *see* Lewis, W. M.
Kirk, W. L. 103:593. The effects of hypoxia on certain blood and tissue electrolytes of channel catfish, *Ictalurus punctatus* (Rafinesque).
Kiser, R. W., J. R. Donaldson, and P. R. Olson. 92:17. The effect of rotenone on zooplankton populations in freshwater lakes.
Kissil, G. W. 103:312. Spawning of the anadromous alewife, *Alosa pseudoharengus*, in Bride Lake, Connecticut.
Kissil, G. W., *see* Eisler, R.
Kitchel, M. A., *see* Otto, R. G.
Kitchell, J. F., J. F. Koonce, R. V. O'Neill, H. H. Shugart, Jr., J. J. Magnuson, and R. S. Booth. 103:786. Model of fish biomass dynamics.
Kitchell, J. F., and J. T. Windel. 97: 489. Rate of gastric digestion in pumpkinseed sunfish, *Lepomis gibbosus*.
Kitchell, J. F., *see* Bauman, P. C.; Windell, J. T.
Kjelson, M. A., W. A. Turner, and G. N. Johnson. 104:46. Description of a stationary drop-net for estimating nekton abundance in shallow waters.
Klassen, H. E., and K. L. Morgan. 103:402. Age and growth of longnose gar in Tuttle Creek Reservoir, Kansas.
Klassen, H. E., *see* Minckley, C. O.; Stucky, N. P.
Klain, A., *see* Jenkins, T. M., Jr.
Klarberg, D. P., and A. Benson. 104:541. Food habits of *Ictalurus nebulosus* in acid polluted water of northern West Virginia.
Kleerekoper, H., G. Taylor, and R. Wilton. 90:73. Diurnal periodicity in the activity of *Petromyzon marinus* and the effects of chemical stimulation.
Kleerekoper, H., *see* Timms, A. M.
Klein, W. D. 95:326. Mortality of trout caught on artificial lures and released by fishermen.
Klein, W. D., O. W. Olsen, and D. C. Bowden. 98:1. Effects of intestinal fluke, *Crepidostomum farionis* on rainbow trout,
Klein, W. D., *see* Horak, D. L.
Klima, E. F. 103:107. A white shrimp mark-recapture study.
Klima, E. F., and D. A. Wickham. 100:86. Attraction of coastal pelagic fishes with artificial structures.
Klima, E. F., *see* Zein-Eldin, Z. P.
Kloppel, T. M., *see* Post, G.
Klussmans, W. G., *see* Champ, M. A.
Knapp, R. J., *see* Waters, T. F.
Knight, A. E. 92:344. The embryonic and larval development of rainbow trout.
Koch, D. L. 102:145. Reproductive characteristics of the Cui-ui lake sucker (*Chasmistes cujus* Cope) and its spawning behavior in Pyramid Lake, Nevada.
Koehn, R. K. 99:219. Functional and evolutionary dynamics of polymorphic esterases in catostomid fishes.
Kolehmainen, S., *see* Takatalo, S.
Konar, S. K. 98:430. Laboratory studies on two organophosphorus insecticides DDVP and phosphamidon, as selective toxicants.
Konikoff, M., *see* Lewis, W. M.
Koo, T. S. Y., and J. S. Wilson. 101:453. Sonic tracking striped bass in the Chesapeake and Delaware Canal.
Koo, T. S. Y., *see* Morgan, R. P., II.
Koonce, J. F., *see* Kitchell, J. F.
Korn, S. 102:137. The uptake and persistence of carbaryl in channel catfish.
Korn, S., *see* Macek, K. J.
Kottcamp, G. M., and P. B. Moyle. 101:566. Use of disposable beverage cans by fish in the San Joaquin Valley.
Kramer, R. H., and L. L. Smith, Jr. 89: 222. First-year growth of largemouth bass, *Micropterus salmoides* (Lacepede).

Kramer, R. H., and L. L. Smith, Jr. 91:29. Formation of year classes in largemouth bass.
Kramer, R. H., and L. L. Smith, Jr. 92:220. Survival of walleye eggs in relation to wood fiber and *Sphaerotilus natans* in the Rainy River, Minnesota.
Kramer, R. H., and L. L. Smith, Jr. 94: 252. Effects of suspended wood fiber on brown and rainbow trout eggs and alevins.
Kramer, R. H., *see* Dwyer, W. P.; Smith, L. L., Jr.; Vanicek, C. D.
Krantz, G. E., *see* Morgan, R. P., II.
Krefting, L. W., *see* Smith, L. L., Jr.
Kristiansson, A. C., and J. D. McIntyre. 105:620. Genetic variation in chinook salmon *(Oncorhynchus tshawytscha)* from the Columbia River and three Oregon coastal rivers.
Kroger, R. L., and J. F. Guthrie. 101: 559. Occurrence of the parasitic branchiuran, *Argulus alosae*, on dying Atlantic menhaden, *Brevoortia tyrannus*, in the Connecticut River.
Kroger, R. L., and J. F. Guthrie. 102: 417. Migrations of tagged juvenile Atlantic menhaden.
Kroger, R. L., J. F. Guthrie, and M. H. Judy. 103:292. Growth and first annulus formation of tagged and untagged Atlantic menhaden.
Krumholz, L. A., and H. S. Cavanah. 97: 429. Comparative morphometry of freshwater drum from two midwestern localities.
Krumholz, L. A., and W. L. Minckley. 93: 1. Changes in the fish population in the upper Ohio River following temporary pollution abatement.
Kuehn, J. H., *see* Benson, N. G.
Kuester, D. R., *see* Poole, R. L.
Kushlan, J. A. 103:235. Effects of a natural fish kill on the water quality, plankton, and fish population of a pond in the Big Cypress Swamp, Florida.
Kushlan, J. A. 103:348. Quantitative sampling of fish populations in shallow, freshwater environments.
Kutkuhn, J. H. 87:80. Utilization of plankton by juvenile gizzard shad in a shallow prarie lake.
Kutty, M. N., and N. Sukumaran. 104:755. Influence of upper and lower temperature extremes on the swimming performance of *Tilapia mossambica*.
Kynard, B. 103:557. Avoidance behavior of insecticide susceptible and resistant populations of mosquitofish to four insecticides.

L

Laarman, P. W. 98:393. Effects of a limited food supply on growth rates of coho salmon and steelhead trout.
Laarman, P. W. 100:360. Seasonal variation in protein content of bluegill pituitary glands.
Laarman, P. W., W. A. Willford, and J. R. Olson. 105:296. Retention of mercury in the muscle of yellow perch *(Perca flavescens)* and rock bass *(Ambloplites rupestris)*.
LaBar, G. W. 100:41. Movement and homing of cutthroat trout *(Salmo clarki)* in Clear and Bridges creeks, Yellowstone National Park.
LaBar, G. W., *see* McCleave, J. D.
Lackey, R. T. 97:296. Vertical gill nets for studying depth distribution of small fish.
Lackey, R. T. 98:641. Food interrelationships of salmon, trout, alewives, and smelt in a Maine Lake.
Lackey, R. T. 102:450. Effects of artificial destratification on zooplankton in Parvin Lake, Colorado.
Lackey, R. T. 102:647. Innovative teaching in fisheries science.
Lackey, R. T. 104:589. Computer applications in fisheries science.
Lackey, R. T., and B. E. May. 100:794. Use of sugar flotation and dye to sort benthic samples.
Lackey, R. T., *see* Bryson, W. T.; Hammond, D. E.; Powers, J. E.; Titlow, F. B.
Lagios, M. D., *see* McCosker, J. E.
Lagler, K. G., and A. T. Wright. 91:90 Predation of Dolly Varden, *Salvelinus malma*, on young salmons, *Oncorhynchus* spp., in an estuary of southeastern Alaska.
Laird, M., *see* Bridges, D. W.
Lambou, V. W. 88:7. Fish populations of backwater lakes in Louisiana.
Lambou, V. W. 92:435. Distribution of sex ratios of bluegill and redear sunfish.
Lambou, V. W. 94:385. Observations on size distribution and spawning behavior of threadfin shad.
Lander, R. H. 92:305. Girth-length relationships in sockeye and chum salmon.
Lander, R. H., *see* Maxfield, G. H.
Landry, A. M., Jr., and K. Strawn. 102: 573. Annual cycle of sport fishing activity at warmwater discharge into Galveston Bay, Texas.
Lane, C. E., and R. J. Livingston. 99:489. Some acute and chronic effects of dieldrin on the sailfin molly, *Poecilia latipinna*.
Lane, J. P., *see* Wales, J. H.
Lange, E. L., *see* Ludwig, G. M.
Langemeier, R. L., *see* Morris, L. A.
Lantz, R. L., *see* Phillips, R. W.
LaPointe, D. F. 87:139. Age and growth of the American shad from three Atlantic coast streams.
Larimore, R. W. 84:110. Minnow productivity in a small Illinois stream.
Larimore, R. W. 103:507. Stream drift as an indication of water quality.
Larimore, R. W., W. F. Childers, and C. Heckrotte. 88:261. Destruction and reestablishment of stream fish and invertebrates affected by drought.
Larimore, R. W., and M. J. Duever. 97:175. Effects of temperature acclimation on the swimming ability of smallmouth bass fry.
Larkin, P. A., and S. B. Smith. 83:161. Some effects of introduction of redside shiner on the Kamloops trout in Paul Lake, British Columbia.

Larkin, P. A., J. G. Terpenning, and R. R. Parker. 86:84. Size as a determinant of growth rate in rainbow trout, *Salmo gairdneri*.
Larkin, P. A., *see* Crossman, E. J.; Maher, F. P.
Larkins, H. A. 93:286. Some epipelagic fishes of the north Pacific Ocean, Bering Sea, and Gulf of Alaska.
Larsen, H. N., and S. F. Snieszko. 90:139. Modification of the microhematocrit technique with trout blood.
Larson, R. W., and J. M. Ward. 84:261. Management of steelhead trout in the State of Washington.
Latta, W. C. 91:408. Periodicity of mortality of brook trout during first summer of life.
Latta, W. C. 92:53. Semiannual estimates of natural mortality of hatchery brook trout in lakes.
Latta, W. C. 94:32. Relationship of young-of-the-year trout to mature trout and groundwater.
Latta, W. C., and G. F. Meyers. 90:81. Night use of a direct-current electric shocker to collect trout in lakes.
Lauer, G. J., H. P. Nicholson, W. S. Cox, and J. I. Teasley. 95:310. Pesticide contamination of surface waters by sugar cane farming in Louisiana.
Lauer, G. J., *see* Grzenda, A. R.; Nicholson, H. P.
Laurence, G. C. 98:398. The energy expenditure of largemouth bass larvae, *Micropterus salmoides*, during yolk absorption.
Lawrie, A. H. 99:766. The sea lamprey in the Great Lakes.
Lay, B. A. 100:813. Applications for potassium permanganate in fish culture.
Leary, D. F., and R. T. Lovell. 104: 328. Value of fibers in production-type diets for channel catfish.
Leary, D. F., and G. I. Murphy. 104:53. A successful method for tagging the small, fragile engraulid, *Stolephorus purpureus*.
Leduc, G., *see* Doudoroff, P.
Lee, T. H., P. H. Dense, and S. D. Morton. 100:13. Effects of physical and chemical conditions on detoxification of antimycin.
Leek, S. L., *see* Hendricks, J. D.
Leggett, W. C. 101:549. Weight loss in American shad (*Alosa sapidissima* Wilson) during the freshwater migration.
Legler, D. W., E. E. Evans, and H. K. Dupree. 96:237. Comparative immunology: serum complement of freshwater fishes.
Leidy, G. R., *see* Erman, D. C.
Leman, B., and G. J. Paulik. 95:397. Spill-pattern manipulation to guide migrant salmon upstream.
Lemke, A. E., and D. I. Mount. 92:372. Some effects of alkyl benzene sulfonate on the bluegill, *Lepomis macrochirus*.
Lemke, A. E., *see* Pickering, Q. H.
Lennon, R. E., and P. S. Parker. 85:234. Electric shocker developments on southeastern trout streams.
Lennon, R. E., and P. S. Parker. 89:263. The stoneroller, *Campostoma anomalum* (Rafinesque), in Great Smoky Mountains National Park
Leonard, E. N., *see* Benoit, D. A.
Leonard, J. W., *see* Harkness, W. G. K.
Levi, E. J. 102:848. Juvenile yellowfin menhaden from the Bahama Islands.
Levings, C. D. 103:828. Seasonal changes in feeding and particle selection by winter flounder (*Pseudopleuronectes americanus*).
Lewis, D. H., and T. C. Allison. 100:575. An immunofluorescent technique for detecting *Aeromonas liquefaciens* in fish utilized in lunar exposure studies.
Lewis, R. D., *see* Ridgeway, G. J.
Lewis, R. M. 91:279. Sexual maturity as determined from ovum diameters in striped bass from North Carolina.
Lewis, R. M. 94:409. The effect of minimum temperatures on the survival of larval Atlantic menhaden, *Brevoortia tyrannus*.
Lewis, R. M. 95:423. Effects of salinity and temperature on survival and development of larval Atlantic menhaden, *Brevoortia tyrannus*.
Lewis, R. M., and R. R. Bonner, Jr. 95: 328. Fecundity of the striped bass, *Roccus saxatilis* (Walbaum).
Lewis, R. M., and W. F. Hettler, Jr. 97:344. Effect of temperature and salinity on the survival of young Atlantic menhaden, *Brevoortis tyrannus*.
Lewis, R. M., and W. C. Mann. 100:296. Occurrence and abundance of larval Atlantic menhaden, *Brevoortia tyrannus*, at two North Carolina inlets with notes on associated species.
Lewis, S. D., and W. M. Lewis. 100:639. The effect of zinc and copper on the osmolality of blood serum of the channel catfish, *Ictalurus punctatus* Rafinesque, and golden shiner, *Notemigonus crysoleucas* Mitchill.
Lewis, S. D., *see* Lewis, W. M.
Lewis, S. L. 98:14. Physical factors influencing fish populations in pools of a trout stream.
Lewis, W. M., and G. L. Buynak. 105:704 Evaluation of a revolving plate type biofilter for use in recirculated fish production and holding units.
Lewis, W. M., G. E. Gunning, E. Lyles, and W. L. Bridges. 90:277. Food choice of largemouth bass as a function of availability and vulnerability of food items.
Lewis, W. M., and R. Heidinger. 100:619. Supplemental feeding of hybrid sunfish populations.
Lewis, W. M., R. Heidinger, W. Kirk, W. Chapman, and D. Johnson. 103:277. Food intake of the largemouth bass.
Lewis, W. M., R. Heidinger, and M. Konikoff. 97:492. Loss of fishes over the drop box spillway of a lake.
Lewis, W. M., and D. R. Helms. 93:315. Vulnerability of forage organisms to largemouth bass.
Lewis, W. M., and S. D. Lewis. 92:60. Control of epizootics of *Gyrodactylus elegans* in golden shiner populations.
Lewis, W. M., and C. Peters. 84:117. Physico-chemical characterisitics of ponds in the Pyatt, Desoto, and Elksville strip mined areas of southern Illinois.

Lewis, W. M., R. C. Summerfelt, and A. Lopinot. 92:235. Results of stocking catchable-sized warmwater fishes in a lake with an established fish population.
Lewis, W. M., *see* Lewis, S. D.; Summerfelt, R. C.
Li, H. W., P. B. Moyle, and R. L. Garrett. 105:404. Effects of the introduction of the Mississippi silverside *(Menidia audens)* on the growth of black crappie *(Pomoxis nigromaculatus)* and white crappie *(P. annularis)* in Clear Lake, California.
Lightner, D. V., and D. A. Meineke. 104: 138. A thyroid tumor in a sheephead minnow *(Cyprinodon variegatus)* from the Gulf of Mexico.
Lincer, J. L., J. M. Solon, and J. H. Nair, III. 99:13. DDT and endrin fish toxicity under static versus dynamic bioassay conditions.
Lincer, J. L., *see* Solon, J. M.
Lind, O. T., and R. S. Campbell. 99:577. Community metabolism in acid and alkaline strip-mine lakes.
Lind, O. T., *see* Smith, E. N.
Lindenberg, J. G. 105:395. Seasonal depth distribution of landlocked alewives, *Alosa pseudoharengus* (Wilson), in a shallow eutrophic lake.
Lindroth, A. 92:286. Salmon conservation in Sweden.
Lindsay, J. A., and R. L. Moran. 105:327. Relationships of parasitic isopods *Lironeca ovalis* and *Olencira praegustator* to marine fish hosts in Delaware Bay.
Lindsey, R. D., *see* Wellborn, T. L., Jr.
Liscom, K. L. 100:319. Orifice placement in gatewells of turbine intakes for bypassing juvenile fish around dams.
Liscom, K. L., *see* Maxfield, G. H.
Liston, C. R., *see* Brazo, D. C.
Livingston, R. J., *see* Lane, C. E.
Lock, J. T., *see* Champ, M. A.
Locke, D. O., and K. A. Havey. 101:638. Effects of DDT upon salmon from Schoodic Lake, Maine.
Lockhart, W. B., *see* Sikstrom, C. B.
Loehner, S. M., *see* Miles, H. M.
Lofton, S. R., *see* Cook, D. W.
Loftus, K. H. 87:259. Studies on river-spawning populations of lake trout in eastern Lake Superior.
Logan, S. M. 92:140. Winter observations on bottom organisms and trout in Bridger Creek, Montana.
Logan, S. M., *see* Brown, C. J. D.
Long, C. W., *see* Marquette, W. H.
Lopinot, A., *see* Lewis, W. M.
Lorio, W. J., J. H. Jenkins, and M. T. Huish. 105:695. Deposition of dieldrin in four components of two artificial aquatic systems and a farm pond.
Lorio, W. J., *see* Warden, R. L., Jr.
Lotrich, V. A., and W. H. Meredith. 103: 140. A technique and the effectiveness of various acrylic colors for subcutaneous marking of fish.
Louder, D. E., *see* Davis, J. R.
Lound, R., *see* Moyle, J. B.
Lovell, R. T., and L. A. Lackey. 102:774. Absorption by channel catfish of earthy-musty flavor compounds synthesized by cultures of blue-green algae.
Lovell, R. T., *see* Leary, D. F.; Smith, B. W.
Lowe, J. I. 93:396. Chronic exposure of spot, *Leiostomus xanthurus*, to sublethal concentrations of toxaphene in sea water.
Lowry, G. R. 94:334. Movement of cutthroat trout, *Salmo clarki clarki* (Richardson), in three Oregon coastal streams.
Loyacano, H. A., Jr., *see* Theiling, D. L.
Ludke, J. L., D. E. Ferguson, and W. D. Burke. 97:260. Some endrin relationships in resistant and susceptible populations of golden shiners, *Notemigonus crysoleucas*.
Ludke, J. L., *see* Ferguson, D. E.
Ludwig, G. M., and E. L. Lange. 104:64. The relationship of length, age, and age-length interaction to the fecundity of the northern mottled sculpin, *Cottus b. bairdi*.
Lund, W. A., Jr., and G. C. Maltezos. 99: 719. Movements and migrations of the bluefish, *Pomatomus saltatrix*, tagged in waters of New York and southern New England.
Lund, W. A., Jr., *see* Webster, D. A.
Lux, F. E. 89:373. Length shrinkage of yellowtail flounder between live and landed condition.
Lux, F. E. 98:617. Length-weight relationships of six New England flatfishes.
Lux, F. E. 102:83. White spotting in the 1959 year-class of Georges Bank winter flounder, *Pseudopleuronectes americanus* (Walbaum).
Lux, F. E., A. E. Peterson, Jr., and R. F. Hutton. 99:483. Geographical variation in fin ray number in winter flounder, *Psuedopleuronectes americanus* (Walbaum), off Massachusetts.
Lux, F. E., and L. L. Smith, Jr. 89:67. Some factors influencing seasonal changes in angler catch in a Minnesota lake.
Lyford, J. H., Jr., *see* Pasch, R. W.
Lyles, E., *see* Lewis, W. M.
Lyon, J. M., *see* Duronslet, M. J.

M

Macek, K. J., and W. A. McAllister. 99:20. Insecticide susceptibility of some common fish family representatives.
Macek, K. J., C. R. Rodgers, D. L. Stalling, and S. Korn. 99:689. The uptake, distribution and elimination of dietary ^{14}C-DDT and ^{14}C-dieldrin in rainbow trout.
Macek, K. J., and H. O. Sanders. 99:89. Biological variation in the susceptibility of fish and aquatic invertebrates to DDT.
Macek, K. J., D. F. Walsh, J. E. Hogan, and D. D. Holz. 101:420. Toxicity of the insecticide Dursban to fish and aquatic invertebrates in ponds.
MacKinnon, D., *see* Hourston, W. R.
MacLeod, J. C., and L. L. Smith, Jr. 95: 71. Effect of pulpwood fiber on oxygen consumption and swimming endurance of the fathead minnow, *Pimephales promelas*.

MacPhee, C. 95:381. Influence of differential angling mortality and stream gradient on fish abundance in a trout-sculpin biotope.
MacPhee, C., and R. Ruelle. 98:676. A chemical selectively lethal to squawfish *(Ptychocheilus oregonensis* and *P. umpquae).*
MacPhee, C., *see* Brusven, M. A.
Madden, K., *see* Carlander, K. D.
Madsen, M. L. 100:132. The presence of nuptial tubercles on female quillback *(Carpiodes cyprinus).*
Magnuson, J. J. 98:379. Digestion and food consumption by skipjack tuna.
Magnuson, J. J. 102:194. Application of theory and research in freshwater and marine fisheries management programs -- a discusssion of the papers given by S. H. Smith, R. O. Anderson, K. R. Allen, and G. B. Talbot.
Magnuson, J. J. 105:1. Managing with exotics -- a game of chance.
Magnuson, J. J., *see* Gallepp, G. W.; Kitchell, J. F.; Neill, W. H.; Steffel, S.
Maher, F. P., and P. A. Larkin. 84:27. Life history of the steelhead trout of Chilliwack River, British Columbia.
Mahoney, J. B., F. H. Midlige, and D. G. Deuel. 102:596. A fin rot disease of marine and euryhaline fishes in the New York Bight.
Mahoney, J. B., *see* Umminger, B. L.
Maki, A. W., K. W. Stuart, and J. K. G. Silvey. 102:806. The effects of Dibrom on respiratory activity of the stonefly, *Hydroperla crosbyi,* hellgrammite, *Corydalus cornutus,* and the golden shiner, *Notemigonus crysoleucas.*
Malizia, A. A., Jr., *see* Ellgaard, E. G.
Mallet, J., *see* Bjornn, T. C.
Maloney, J. E., and F. H. Johnson. 85:191. Life histories and inter-relationships of walleye and yellow perch, especially during their first summer, in two Minnesota lakes.
Maloney, J. E., D. R. Schupp, and W. J. Skidmore. 91:42. Largemouth bass population and harvest, Gladstone Lake, Crow Wing County, Minnesota.
Maloney, J. E., *see* Bonde, T.
Maltezos, G. C., *see* Lund, W. A., Jr.
Manion, P. J. 96:224. Diatoms as food of larval sea lampreys in a small tributary of northern Lake Michigan.
Manion, P. J. 97:484. Production of sea lamprey larvae from nests in two Lake Superior streams.
Manion, P. J. 101:662. Variations in melanophores among lampreys in the upper Great Lakes.
Manion, P. J. 101:718. Fecundity of the sea lamprey *(Petromyzon marinus)* in Lake Superior.
Mann, W. C., *see* Lewis, R. M.
Manning, R. B., *see* Iversen, E. S.
Mansueti, A. J., *see* Deuel, D. G.
Manz, J. V. 93:204. A pumping device used to collect walleye eggs from offshore spawning areas in western Lake Erie.
Manzi, J. J., and K. A. Donnelly. 100:588. Staining large populations of bivalve larvae.
Marak, R. R. 96:227. Eggs and early larval stages of the offshore hake, *Merluccius albidus.*
Marcellow, R. A., Jr., *see* Matlock, G. C.
Marchioni, W. W., *see* Olla, B. L.
Marcy, B. C., Jr. 98:622. Age determinations from scales of *Alosa pseudoharengus* (Wilson) and *Alosa aestivalis* (Mitchill) in Connecticut waters.
Marcy, B. C., Jr., P. M. Jacobson, and R. L. Nankee. 101:740. Observations on the reactions of young American shad to a heated effluent.
Marcy, B. C., Jr., and F. P. Richards. 103:117. Age and growth of the white perch *Morone americana* in the lower Connecticut River.
Marking, L. L. 99:510. Juglone (5-hydroxy-1, 4-naphthoquinone) as a fish toxicant.
Marking, L. L. 101:526. Salicylanilide I, an effective non-persistent candidate piscicide.
Marking, L. L. 103:736. Toxicity of 2-(digeranylamino)-ethanol, a candidate selective fish toxicant.
Marking, L. L., and T. D. Bills. 104:579. Toxicity of potassium permanganate to fish and its effectiveness for detoxifying antimycin.
Marking, L. L., and V. K. Dawson. 101:100. The half-life of biological activity of antimycin determined by fish assay.
Marking, L. L., *see* Dawson, V. K.
Marnell, L. F., and D. Hunsaker II. 99:684. Hooking mortality of lure-caught cutthroat trout *(Salmo clarki)* in relation to water temperature, fatigue, and reproductive maturity of released fish.
Marquette, W. M., and C. W. Long. 100:439. Laboratory studies of screens for diverting juvenile salmon and trout from turbine intakes.
Martin, D. W., *see* Baker, C. D.
Martin, F. D. 101:89. Factors influencing local distribution of *Cyprinodon variegatus* (Pisces: Cyprinodontidae).
Martin, J. R., and R. L. Shipp. 100:131. Occurrence of juvenile snook, *Centropomus undecimalis,* in North Carolina waters.
Martin, N. V. 86:231. Reproduction of lake trout in Algonquin Park, Ontario.
Martin, N. V. 95:415. The significance of food habits in the biology, exploitation, and management of Algonquin Park, Ontario, lake trout.
Marullo, F., D. A. Emiliani, C. W. Caillouet, and S. H. Clark. 105:658. A vinyl streamer tag for shrimp *(Penaeus* spp.).
Marullo, F., *see* Duronslet, M J.
Marzolf, G. R., *see* Cramer, J. D.
Mason, J. W., O. M. Brynildson, and P. E. Degurse. 96:313. Comparative survival of wild and domestic strains of brook trout in streams.
Massmann, W. H., and A. L. Pacheco. 89:154. Disappearance of young Atlantic croakers from the York River, Virginia.
Massmann, W. H., *see* Norcross, J. J.
Mathews, S. B., *see* Haw, F.; Moyle, P. B.
Mathur, D. 102:48. Food habits and feeding chronology of the blackbanded darter, *Percina nigrofasciata* (Agassiz), in Halawakee Creek, Alabama.

Mathur, D., and J. S. Ramsey. 103:88. Reproductive biology of the rough shiner, *Notropis baileyi*, in Halawakee Creek, Alabama.
Mathur, D., and T. W. Robbins. 100:307. Food habits and feeding chronology of young white crappie, *Pomoxis annularis* Rafinesque, in Conowingo Reservoir.
Mathur, D., *see* Robbins, T. W.
Mathur, G. B., and B. D. Shrivastava. 99: 602. An improved activity meter for the determination of standard metabolism in fish.
Matlin, N. A., *see* Benoit, R. F.
Matlock, G. C., R. A. Marcello, Jr., and K. Strawn. 104:408. Standard length-total length relationships of gulf menhaden, *Brevoortia patronus* Goode, bay anchovy, *Anchoa mitchilli* (Valenciennes), and Atlantic croaker, *Micropogon undulatus* (Linnaeus), from Galveston Bay.
Matson, M. L., *see* Swenson, W. A.
Matsuda, Y., *see* Andrews, J. W.
Mauck, W. L., *see* McAllister, W. A., Jr.
Maughan, O. E., *see* Starkey, E. E.
Maurer, D., L. Watling, and R. Keck. 100: 100. The Delaware oyster industry: a reality?
Maxfield, G.H., R. H. Lander, and K. L. Liscom. 100:546. Survival, growth, and fecundity of hatchery-reared rainbow trout after exposure to pulsating direct current.
Maxwell, R., *see* Essbach, A. R.
May, B. E., *see* Lackey, R. T.
Mayer, F. L., Jr., *see* McAllister, W. A., Jr.
Mayhew, J. K. 98:118. Age and growth of flathead catfish in the Des Moines River, Iowa.
McAllister, W. A., *see* Macek, K. J.
McAllister, W. A., Jr., W. L. Mauck, and E. L. Mayer, Jr. 101:555. A simplified device for metering chemicals in intermittent-flow bioassays.
McAllister, W. B., *see* French, R. R.
McBean, A. M., *see* Richards, S. W.
McCaig, R. S., and J. W. Mullan. 89:27. Growth of eight species of fishes in Quabbin Reservoir, Massachusetts, in relation to age of reservoir and introduction of smelt.
McCann, J. A. 88:336. Life history studies of the spottail shiner of Clear Lake, Iowa, with particular reference to some sampling problems.
McCann, J. A., and D. F. Cruse. 98:332. Computer program for mark and recovery population estimates (CDC 3600 computer).
McCann, J. A., and R. L. Jasper. 101:317 Vertebral damage to bluegills exposed to acutely toxic levels of pesticides.
McCann, J. A., *see* Reed, R. J.
McCarraher, D. B. 89:82. Pike hybrids *Esox lucius* X *E. vermiculatus)* in a sandhill lake, Nebraska.
McCarraher, D. B. 90:227. Extension of the ranges of northern pike *(Esox lucius)*.
McCarraher, D. B. 91:326. Northern pike, *Esox lucius*, in alkaline lakes in Nebraska.
McCarraher, D. B., and R. W. Gregory. 99: 700. Adaptability and current status of introductions of Sacramento perch, *Archoplites interruptus*, in North America.
McCarraher, D. B., and R. Thomas. 97:52. Some ecological observations on the fathead minnow, *Pimephales promelas* in the alkaline waters of Nebraska.
McCarraher, D. B., and R. Thomas. 101: 560. Ecological significance of vegetation to northern pike, *Esox lucius*, spawning.
McCaskill, M. L., J. E. Thomerson, and P. R. Mills. 101:375. Food of the northern studfish, *Fundulus caetenatus*, in the Missouri Ozarks.
McCleave, J. D., and S.M. Fried. 104:30 Nighttime catches of fishes in a tidal cove in Montsweag Bay, near Wiscaset, Maine.
McCleave, J. D., and G. W. LaBar. 101:44 Further ultrasonic tracking and tagging studies of homing cutthroat trout *(Salmo clarki)* in Yellowstone Lake.
McCleave, J. D., *see* Recksiek, C. W.; Targett, T. E.
McClendon, E. L., *see* Gall, G. A. E.
McCombie, A. M. 90:337. Gill-net selectivity of lake whitefish from Goderich-Bayfield area, Lake Huron.
McCombie, A. M., and F. E. J. Fry. 89:176. Selectivity of gill nets for lake whitefish *Coregonus clupeaformis*.
McComish, T. S. 96:70. Food habits of bigmouth and smallmouth buffalo in Lewis and Clark lake and the Missouri River.
McConnell, R. J., *see* Monan, G. E.
McConnell, W. J. 92:1. Primary productivity and fish harvest in a small desert impoundment.
McConnell, W. J., and U. T. Jackson. 105: 343. A method of precalibrating reoxygenation rates in experimental containers.
McCormick, J. H., *see* Hokanson, K. E. F.
McCosker, J. E., M. D. Lagios, and T. Tucker. 105:333. Ultrastructure of lymphocystis virus in the quillback rockfish, *Sebastes maliger*, with records of infection in other aquarium-held fishes.
McCrimmon, H. R. 92:315. The recovery of tagged lake trout, *Salvelinus namaycush*, from Lake Simcoe, Ontario.
McCrimmon, H. R., and B. Bidgood. 94:84. Abnormal vertebrae in the rainbow trout with particular reference to electrofishing.
McCrimmon, H. R., *see* Dodge, D. P.; Kelso, J. R. M.; Swee, V. B.
McCullough, J. D., Jr., *see* Champ, M. A.
McDowall, R. M. 97:1. Interactions of the native and alien faunas of New Zealand and the problem of fish introductions.
McEachran, J. D., and J. Davis. 99:343. Age and growth of the striped searobin.
McElwain, I. B., *see* Heaton, L. H.
McErlean, A. J., and V. S. Kennedy. 97: 496. Comparison of some anesthetic properties of Benzocaine and MS-222.
McErlean, A. J., and R. C. Phillips. 90: 500. A technique for direct photography of translucent objects.
McErlean, A. J., and C. L. Smith. 93:301. The age of sexual succession in the protogynous hermaphrodite, *Mycteroperca microlepis*.

McErlean, A. J., *see* Springer, V. G.
McFadden, J. T. 88:176. Relationship of size and age to time of annulus formation in brook trout.
McFadden, J. T. 98:136. Trends in freshwater sport fisheries of North America.
McFadden, J. T., and E. L. Cooper. 91:53. An ecological comparison of six populations of brown trout *(Salmo trutta)*.
McFadden, J. T., E. L. Cooper, and J. K. Anderson. 91:94. Sex ratio in wild populations of brown trout.
McFadden, J. T., J. R. Ryckman, and G. P. Cooper. 93:183. A survey of some opinions of Michigan sport fishermen.
McGuire, J. W., *see* Bonneau, D. L.
McHugh, J. L. 88:105. Can we manage our Atlantic coastal fishery resources?
McIlwain, T. D. 99:439. Stomach contents and length-weight relationships of chain pickerel, *(Esox niger)*, in south Mississippi waters.
McIlwain, T. D., and R. Waller. 101:362. A xanthochroic gar, *Lepisosteus oculatus*, from Mississippi.
McIntire, C. D., and C. E. Bond. 91:303. Effects of artificial fertilization on plankton and benthos abundance in four experimental ponds.
McIntyre, J. D., *see* Kristiansson, A. C.
McKenzie, M. D., *see* Bearden, C. M.
McKernan, D. L. 88:169. Present status of commercial fisheries in the United States.
McKernan, D. L., and W. Van Campen. 99:621. An approach to solving international fishery disputes.
McKinney, T. C., *see* Drummond, R. A.
McKnight, T. C., and S. L. Serns. 103:126. Food habits of coho salmon *(Oncorhynchus kisutch)* in an inland Wisconsin lake.
McLain, A. L. 86:269. The control of the upstream movement of fish with pulsated direct current.
McLain, A. L., and F. H. Dahl. 97:289. An electric beam trawl for capture of larval lampreys.
McLain, L. R., *see* Adams, B. L.
McLaren, J. B., *see* Raleigh, R. F. F
McLarney, W. O. 97:46. Spawning habits and morphological variation in the coast-range sculpin, *Cottus aleuticus*, and the prickly sculpin, *Cottus asper*.
McMullen, J. C., and H. T. Yoshihara. 100: 583. Deposition of mature eggs in unmated King Crab, *Paralithodes camtschatica* (Tilesius).
McNeely, D. L., and W. D. Pearson. 103: 518. Distribution and condition of fishes in a small reservoir receiving heated waters.
McSwain, L. E., and R. M. Gennings. 101: 738. Spawning behavior of the spotted sucker *Minytrema melanops* (Rafinesque).
Meachum, C. H. 100:385. The complete fishery scientist.
Mead, R., *see* Amend, D. F.
Mearns, A. J., and M. Sherwood. 103:799. Environmental aspects of fin erosion and tumors in southern California Dover sole.
Mearns, A. J., *see* Sherwood, M. J.
Mears, H. C., and R. W. Hatch. 105:669. Overwinter survival of fingerling brook trout with single and multiple fin clips.
Meehan, W. R. 90:490. Use of a fishwheel in salmon research and management.
Meehan, W. R., and D. B. Siniff. 91:399. A study of the downstream migrations of anadromous fishes in the Taku River, Alaska.
Meffert, P. 97:12. Ultrasonic recorder for locomotor activity studies.
Meierotto, R. R., *see* Darnell, R. M.
Meineke, D. A., *see* Lightner, D. V.
Meister, A. L. 91:208. Atlantic salmon production in Cove Brook, Maine.
Melack, J. M. 105:575. Primary productivity and fish yields in tropical lakes.
Menesveta, D., *see* Donaldson, L. R.
Mense, J. B. 104:688. Relation of density to brown trout movement in a Michigan stream.
Menzel, B. W. 103:142. A mouthless carp from Texas.
Menzel, B. W., and D. M. Green, Jr. 101: 370. A color mutant of the chain pickerel, *Esox niger* LeSueur.
Meredith, W. H., *see* Lotrich, V. A.
Merna, J. W., M. Bender, and J. R. Novy. 101:298. The effects of methoxychlor on fishes. I. Acute toxicity and breakdown studies.
Merrill, J. A., *see* Becker, C. D.
Merriner, J. V. 100:29. Egg size as a factor in intergeneric hybrid success of centrarchids.
Merriner, J. V. 100:611. Development of intergeneric centrarchid hybrid embryos.
Merriner, J. V., *see* Otwell, W. S.; Meyer, H. L.
Messieh, S. N. 104:770. Growth of the otoliths of young herring in the Bay of Fundy.
Messieh, S. N. 105:384. Fecundity studies on Atlantic herring from the southern Gulf of St. Lawrence and along the Nova Scotia coast.
Metner, D. A., *see* Sikstrom, C. B.
Meyer, F. P. 94:203. The experimental use of Guthion^{R} as a selective fish eradicator.
Meyer, H. L., and J. V. Merriner. 105:370. Retention and escapement characteristics of pound nets as a function of pound-head mesh size.
Meyer, W. H. 91:412. Life history of three species of redhorse *(Moxostoma)* in the Des Moines River, Iowa.
Meyers, G. F., *see* Latta, W. C.
Michaud, D. T., *see* Miles, H. M.
Middleman, S., *see* Stira, R. J.
Midlige, F. H., *see* Mahoney, J. B.
Miettinen, J. K., *see* Takatalo, S.
Miles, H. M., S. M. Loehner, D. T. Michaud, and S. L. Salivar. 103:336. Physiological response of hatchery reared muskellunge *(Esox masquinongy)* to handling.
Millemann, R. E., *see* Stewart, N. E.
Miller, B. S., and S. R. Wellings. 100: 247. Epizootiology of tumors on flathead sole *(Hippoglossoides elassodon)* in East Sound, Orcas Island, Washington.
Miller, C. W., B. M. Zuckerman, and A. J. Charig. 95:345. Water translocation of diazinon-C^{14} and parathion -S^{35} off a model cranberry bog and subsequent occurrence in fish and mussels.
Miller, D. M., *see* Phinney, D. E.

Miller, J. G. 91:323. Occurrence of ripe chain pickerel in the fall.
Miller, J. M. 103:130. The food of brook trout *Salvelinus fontinalis* (Mitchill) fry from different subsections of Lawrence Creek, Wisconsin.
Miller, R. B. 83:120. Comparative survival of wild and hatchery-reared cutthroat trout in a stream.
Miller, R. B., and R. C. Thomas. 86:261. Alberta's "pothole" trout fisheries.
Miller, R. R. 86:97. Origin and dispersal of the alewife, *Alosa pseudoharengus*, and the gizzard shad, *Dorosoma cepedianum*, in the Great Lakes.
Miller, R. R. 101:239. Threatened freshwater fishes of the United States.
Miller, R. R., and E. P. Pister. 100:502. Management of the Owens pupfish, *Cyprinodon radiosus*, in Moro County, California.
Miller, R. V. 96:243. Food of the threadfin shad, *Dorosoma petenense*, in Lake Chicot, Arkansas.
Mills, P. R., *see* McCaskill, M. L.
Minckley, C. O., and H. E. Klaassen. 98:460. Life history of the plains killifish, *Fundulus kansae* (Garman), in the Smoky Hill River, Kansas.
Minckley, C. O., and L. J. Paulson. 105:409. Use of gizzard weights to determine total length and weight of threadfin shad eaten by predators.
Minckley, C. O., *see* Summerfelt, R. C.
Minckley, W. L. 91:95. Spring foods of juvenile blue catfish from the Ohio River.
Minckley, W. L., and J. E. Deacon. 88:344. Biology of the flathead catfish in Kansas.
Minckley, W. L., R. H. Goodyear, and J. E. Craddock. 93:202. Incidence of aberrant scalation in catostomid fishes from Doe Run, Meade County, Kentucky.
Minckley, W. L., and M. Itzkowitz. 96:216. Ecology and effects of intestinal gas accumulation in a pupfish (genus *Cyprinodon*).
Minckley, W. L., J. E. Johnson, J. N. Rinne, and S. E. Willoughby. 99:333. Food of buffalofishes, genus *Ictiobus*, in central Arizona reservoirs.
Minckley, W. L., *see* Barber, W. E.; Krumholz, L. A.
Minns, C. K., *see* Hackney, P. A.
Miyahara, A. Y., *see* Brock, J. A.
Moe, M. A., Jr. 96:228. Prolonged survival and migration of three tagged reef fishes in the Gulf of Mexico.
Moe, M. A., Jr., D. S. Beaumariage, and R. W. Topp. 99:428. Return of tagged gag, *Mycteroperca microlepis*, and Caribbean red snapper, *Lutjanus campechanus*, after six years of freedom.
Moen, T. 88:149. Sexing of channel catfish.
Moffett, A. W., *see* Iversen, E. S.
Moffett, J. W. 86:393. Recent changes in the deep-water fish populations of Lake Michigan.
Momot, W. T. 94:188. Food habits of brook trout in West Lost Lake.
Momot, W. T. 96:202. Effects of brook trout predation on a crayfish population.
Monan, G. E., R. J. McConnell, J. R. Pugh, and J. R. Smith. 98:239. Distribution of debris and downstream migrating salmon in the Snake River above Brownlee Reservoir.
Monan, G. E., J. R. Pugh, and J. R. Smith. 96:422. Efficiency of a combined electrode and louver array in guiding juvenile steelhead trout *(Salmo gairdneri)*.
Montgomery, J. C., *see* Fickeisen, D. H.
Moody, H. L. 89:295. Recaptures of adult largemouth bass from St. Johns River, Florida.
Moore, C. J., and D. T. Burton. 104:703. Movements of striped bass, *Morone saxatilis*, tagged in Maryland waters of Chesapeake Bay.
Moore, R. H., R. A. Garrett, and R. J. Wingate. 105:220. Occurrence of the red shiner, *Notropis lutrensis*, in North Carolina: a probable aquarium release.
Moore, R. L., *see* Cook, S. F., Jr.
Moorman, R. B. 86:361. Some factors related to success of fish populations in Iowa farm ponds.
Moran, R. L., *see* Lindsay, J. A.
Morgan, E. L., *see* Burton, D. T.; Cairns, J., Jr.
Morgan, K. L., *see* Klaassen, H. E.
Morgan, R., *see* Amend, D. F.
Morgan, R. P., II., T. S. Y. Koo, and G. E. Krantz. 102:21. Electrophoretic determination of populations of striped bass, *Morone saxatilis*, in upper Chesapeake Bay.
Morgan, R. P., II, R. E. Ulanowicz, V. J. Rasin, Jr., L. A. Noe, and G. B. Gray. 105:149. Effects of shear on eggs and larvae of striped bass, *Morone saxatilis*, and white perch, *M. americanus*.
Moring, J. R. 99:802. Use of the anesthetic quinaldine for handling pacific coast intertidal fishes.
Moring, J. R., *see* Phillips, R. W.
Morris, L. A., R. L. Langemeier, T. L. Russell, and A. Witt, Jr. 97:380. Effects of main stem impoundments and channelization upon the limnology of the Missouri River, Nebraska.
Morris, L. A., *see* Kendle, E. R.
Morrisey, T. D. 100:117. Movements of tagged American lobsters, *Homarus americanus*, liberated off Cape Cod, Massachusetts.
Morrison, W. J. 99:193. Nonrandom segration of two lactate dehydrogenase subunit loci in trout.
Morton, S. D., *see* Lee, T. H.
Moss, D. D., and D. C. Scott. 90:377. Dissolved oxygen requirements of three species of fish.
Moss, D. D., *see* Byrd, I. B.
Moss, S. 99:381. The response of young American shad to rapid temperature changes.
Motl, L. F. 86:135. Experimental spiral raceway for trout.
Moulton, L. L. 103:46. Abundance, growth, and spawning of the longfin smelt in Lake Washington.
Mount, D. I. 90:323. Development of a system for controlling dissolved oxygen content of water.

Mount, D. I. 93:100. Additional information on a system for controlling the dissolved oxygen content of water.
Mount, D. I. 93:174. An autopsy technique for zinc-caused fish mortality.
Mount, D. I., and C. E. Stephan. 96:185. A method for establishing acceptable toxicant limits for fish -- malathion and the butoxyethanol ester of 2,4-D.
Mount, D. I., *see* Brungs, W. A.; Lemke, A. E.
Moyle, J. B. 88:211. Legal status of fish impaling devices.
Moyle, J. B., and W. D. Clothier, 88:178. Effects of management and winter oxygen levels on the fish population of a prairie lake.
Moyle, J. B., and D. R. Franklin. 85:28. Quantitative creel census of 12 Minnesota lakes.
Moyle, J. B., and R. Lound. 89:53. Confidence limits associated with means and medians of series of net catches.
Moyle, J. B., *see* Johnson, F. H.; Jones, B. R.; Seaburg, K. G.
Moyle, P. B. 102:794. Ecological segregation among three species of minnows (Cyprinidae) in a Minnesota lake.
Moyle, P. B., S. B. Mathews, and N. Bonderson. 103:399. Feeding habits of the Sacramento perch, *Archoplites interruptus*.
Moyle, P. B., *see* Kottcamp, G. M.; Li, H. W.
Mraz, D. 93:46. Age and growth of the round whitefish in Lake Michigan.
Mraz, D., and C. W. Threinen. 85:241. Angler's harvest, growth rate and population estimate of the largemouth bass of Brown's Lake, Wisconsin.
Mueller, J. W., and L. C. Rockett, 91:63. Effect of harvest, migration, and stocking on rainbow trout spawning potential in a Wyoming lake.
Muir, B. S., G. J. Nelson, and K. W. Bridges. 94:378. A method for measuring swimming speed in oxygen consumption studies on the aholehole, *Kuhlia sandvicensis*.
Mullan, J. W., R. L. Applegate, and W. C. Rainwater. 97:300. Food of logperch *(Percina caprodes)*, and brook silverside *(Labidesthes sicculus)* in a new and old Ozark reservoir.
Mullan, J. W., *see* Applegate, R. L.; McCaig, R. S.
Muncy, R. J., and A. D. Oliver, Jr. 92: 428. Toxicity of ten insecticides to the red crawfish, *Procambarus clarki* (Girard).
Mundy, P. R., *see* Harima, H.
Munther, G. L. 99:44. Movement and distribution of smallmouth bass in the Middle Snake River.
Murai, T., and J. W. Andrews. 104:313. Pantothenic acid supplementation of diets for catfish fry.
Murai, T., *see* Andrews, J. W.
Murphy, A. M., *see* Cook, H. L.
Murphy, B. D., *see* Smith, R. J. F.
Murphy, G. G., *see* Ferguson, D. E.
Murphy, G. I. 91:69. Effect of mixing depth and turbidity on the productivity of freshwater impoundments.
Murphy, G. I., *see* Leary, D. F.
Murphy, L. W. 84:200. Two-year creel census of the Little Salmon River, Idaho.
Murray, A. R. 97:282. Estuarine net counting fence for trapping Atlantic salmon.
Musick, J. A., and J. G. Hoff. 97:277. Vertebral anomalies in humpbacked specimens of menhaden, *Brevoortia tyrannus*.
Myatt, G. L., *see* Dominy, C. L.

N

Naiman, R. J. 104:536. Food habits of the Amargosa pupfish in a thermal stream.
Nair, J. H., *see* Lincer, J. L.; Solon, J. M.
Nakamura, E. L. 94:236. Food and feeding habits of skipjack tuna *(Katsuwonus pelamis)* from the Marquesas and Tuamotu Islands.
Nakamura, E. L., and H. S. H. Yuen. 90: 419. Incidence of the giant trematode, *Hirudinella marina* Garcin, in skipjack tuna, *Euthynnus pelamis* (Linnaeus), from the Marquesan and Hawaiian waters.
Nakamura, E. L., *see* Iversen, R. T. B.
Nakamura, R. M., *see* Brock, J. A.
Nankee, R. L., *see* Marcy, B. C., Jr.
Naqvi, S. M., and D. E. Ferguson. 99:696. Levels of insecticide resistance in freshwater shrimp, *Palaemonetes kadiakensis*.
Narver, D. W., and M. L. Dahlberg. 94:405. Estuarine food of Dolly Varden at Chignik, Alaska.
Nash, C. E., *see* Sylvester, J. R.
Navarre, R. J. 91:228. A new stream habitat improvement structure in New Mexico.
Navarre, R. J., *see* Kallman, B. J.
Nebeker, A. V. 101:675. Effect of low oxygen concentration on survival and emergence of aquatic insects.
Nebeker, A. V., G. R. Bouck, and D. G. Stevens. 105:425. Carbon dioxide and oxygen-nitrogen ratios as factors affecting salmon survival in air-supersaturated water.
Nebeker, A. V., and J. R. Brett. 105:338. Effects of air-supersaturated water on survival of Pacific salmon and steelhead smolts.
Nebeker, A. V., and F. L. Puglisi, 103: 722. Effect of polychlorinated biphenyls (PCB's) on survival and reproduction of *Daphnia*, *Gammarus*, and *Tanytarsus*.
Needham, P. R., and R. J. Behnke. 94:184. The effect of nematode *(Philonema)* and cestode *(Diphyllobothrium)* parasites in rainbow trout of Tebay Lake, Alaska.
Needham, P. R., *see* Harkness, W. J. K.
Neely, W. B., *see* Branson, D. R.
Neiheisel, T. W., *see* Spoor, W. A.
Neil, R. A., *see* Fontaine, C. T.
Neill, W. H., and J. J. Magnuson. 103:663. Distributional ecology and behavioral thermoregulation of fishes in relation to heated effluent from a power plant at Lake Monona, Wisconsin.
Neill, W. H., *see* Steffel, S.
Neill, W. H., Jr., *see* Baker, C. D.

Nelson, G. J., *see* Muir, B. S.
Nelson, J. S. 97:293. Life history of brook silverside, *Labidesthes sicculus*, in Crooked Lake, Indiana.
Nelson, N. C., *see* Wydoski, R. S.
Nelson, W. R. 97:159. Reproduction and early life history of sauger, *Stizostedion canadense*, in Lewis and Clark Lake.
Nelson, W. R. 97:167. Embryo and larval characteristics of sauger, walleye, and their reciprocal hybrids.
Netsch, N. F., and A. Witt, Jr. 91:251. Contributions to the life history of the longnose gar *(Lepisosteus osseus)* in Missouri.
Neuhold, J. M. 85:217. Age and growth of the Utah chub, *Gila atraris* (Girard), in Panguitch Lake and Navaho Lake, Utah, from seales and opercular bones.
Neuhold, J. M., and W. F. Sigler. 85:358. Effects of sodium fluoride on carp and rainbow trout.
Neumann, D. A., J. M. O'Connor, J. A. Shark, and K. V. Wood. 104:775. Respiratory and hematological responses of oyster toadfish, *(Opsanus tau)* to suspended solids.
Neves, R. J. 104:83. Factors effecting fry production of smallmouth bass *Micropterus dolomieui)* in South Branch Lake, Maine.
Neves, R. J. 104:390. Zooplankton recolonization of a lake cove treated with rotenone.
Newell, C. D., *see* Cooper, R. A.
Newman, S. M., *see* Schoor, W. P.
Newton, S. H., and R. V. Kilambi. 102: 446. Fecundity of the white bass, *Morone chrysops* (Rafinesque), in Beaver Reservoir, Arkansas.
Ney, J. J., and L. L. Smith, Jr. 104:718. First-year growth of the yellow perch, *Perca falvescens*, in the Red Lakes, Minnesota.
Ney, J. J., and L. L. Smith, Jr. 105:281. Serum protein variability in geographically-defined bluegill *(Lepomis macrochirus)* populations.
Nicholson, H. P., H. J. Webb, G. J. Lauer, R. E. O'Brien, A. R. Grzenda, and D. W. Shanklin. 91:213. Insecticide contamination in a farm pond -- part I. Origin and duration.
Nicholson, H. P., *see* Grzenda, A. R.; Lauer, G. J.
Nicholson, W. R. 100:708. Coastal movements of Atlantic menhaden as inferred from changes in age and length distributions.
Nicola, S. J., and A. J. Cordone. 102: 753. Effects of fin removal on survival and growth of rainbow trout *(Salmo gairdneri)* in a natural environment.
Niggol, K. 98:331. Thermal marking of adult chinook salmon, *Oncorhynchus tshawytscha*.
Nigrelli, R. F. 83:262. Tumors and other atypical cell growths in temperate freshwater fishes of North America.
Nilsson, N. A. 92:276. Interaction between trout and char in Scandinavia.
Nimmo, D. R., and R. R. Blackman. 101:547. Effects of DDT on cations in the hepatopancreas of penaeid shrimp.
Nimmo, D. R., *see* Bahner, L. H.
Nishimura, H., *see* Norton, V. M.
Noble, R. E., *see* Simon, R. C.
Noble, R. G., *see* Allanson, B. R.
Noble, R. L. 101:720. Mortality rates of walleye fry in a bay of Oneida Lake, New York.
Noble, R. L. 102:759. Evacuation rates of young yellow perch *Perca flavescens* (Mitchill).
Noble, R. L. 104:731. Growth of young yellow perch *(Perca flavescens)* in relation to zooplankton populations.
Noe, L. A., *see* Morgan, R. P., II.
Norcross, J. J., S. L. Richardson, W. H. Massmann, and E. B. Joseph. 103:477. Development of young bluefish *(Pomatomus saltatrix)* and distribution of eggs and young in Virginian coastal waters.
Nord, R. C. 88:210. Fisheries survey of upper Mississippi River.
Norden, C. R. 96:387. Age, growth and fecundity of the alewife, *Alosa pseudoharengus* (Wilson), in Lake Michigan.
Nordstrom, P. R., *see* Ross, A. J.
Normandeau, D. A. 98:7. Life history and ecology of the round whitefish, *Prosopium cylindraceum* (Pallas), of Newfound Lake, Bristol, New Hampshire.
Norris, D. O. 98:104. Depression of growth following readiothyroidectomy of larval chinook salmon and steelhead trout.
Norris, D. O., *see* Windell, J. T.
Norris, J. P., *see* Caillouet, C. W.
Norris, J. S., *see* Windell, J. T.
Northcote, T. G., and D. W. Wilkie. 92: 146. Underwater census of stream fish populations.
Northcote, T. G., *see* Geen, G. H.
Norton, V. M., J. Nishimura, and K. B. Davis. 105:460. A technique for sexing channel catfish.
Novak, J. K., and R. D. Estes. 103:270. Summer food habits of the black sculpin, *Cottus baileyi*, in the upper South Fork Holston River drainage.
Novotny, A. J., *see* Groves, A. B.
Novy, J. R., *see* Merna, J. W.
Nugent, R. 99:848. Elevated temperature and electric power plants.
Nyman, O. L. 99:229. Electrophoretic analysis of hybrids between salmon *(Salmo salar* L.) and trout *(Salmo trutta)*.

O

O'Brien, R. E., *see* Nicholson, H. P.
O'Connor, J. F., and B. W. Coad. 104:414 Anomalies of the adipose and pelvic fins of a brook trout, *Salvelinus fontinalis*.
O'Connor, J. M., *see* Neumann, D. A.
O'Connor, J. S., and S. B. Saila. 91:151. A developing aquatic sciences information retrieval system.
Odum, H. T., *see* Caldwell, D. K.
Odum, W. E. 99:836. Insidious alteration of the estuarine environment.
Ogden, J. C. 99:54. Relative abundance, food habits, and age of the American eel,

Anguilla rostrata (LeSueur), in central New Jersey streams.
Oglesby, R. T., and C. M. Weiss. 92:168. Some biochemical constituents of fish tissue, with special reference to brains.
Ogren, L. H., *see* Wickham, D. A.
O'Hara, J. O., *see* Kania, H. J.
O'Heeron, M. K., Jr., and D. B. Ellis. 104:591. A comprehensive time series model for studying the effects of reservoir management on fish populations.
Ohno, S. 99:120. The enormous diversity in genome sizes of fish as a reflection of nature's extensive experiments with gene duplication.
Oligher, R. C., *see* Cramer, F. K.
Olive, J. R., *see* Cushing, C. E., Jr.
Oliver, A. D., Jr., *see* Muncy, R. J.
Olla, B. L., W. W. Marchioni, and H. M. Katz. 96:143. A large experimental aquarium system for marine pelagic fishes.
Olla, B. L., R. Wicklund, and S. Wilk. 98:717. Behavior of winter flounder in a natural habitat.
Olmstead, L. L., and D. G. Cloutman. 103:79. Repopulation after a fish kill in Mud Creek, Washington County, Arkansas following pesticide pollution.
Olsen, O. W., *see* Klein, W. D.
Olson, D. E. 87:52. Statistics of a walleye sport fishery in a Minnesota lake.
Olson, D. E., and W. J. Skidmore. 91:355. Homing behavior of spawning walleyes.
Olson, E. E., and W. J. Skidmore. 92:13. Homing instinct of spawning white suckers in Many Point Lake, Minnesota.
Olson, G. F., *see* Drummond, R. A.
Olson, J. R., *see* Laarman, P. W.
Olson, P. A., and R. F. Foster, 85:203. Temperature tolerance of eggs and young of Columbia River chinook salmon.
Olson, P. A., *see* Cushing, C. E., Jr.
Olson, P. R., *see* Donaldson, L. R., Kiser, R. W.
Olson, R. E., and I. Pratt. 102:405. Parasites as indicators of English sole (*Parophrys vetulus*) nursery grounds.
O'Neill, R. V., *see* Kitchell, J. F.
Orcutt, D. R., B. R. Pulliam, and A. Arp. 97:42. Characteristics of steelhead trout redds in Idaho streams.
Ordal, E. J., *see* Rucker, R. R.
Oseid, D., and L. L. Smith, Jr. 101:620. Swimming endurance and resistance to copper and malathion of bluegills treated by long-term exposure to sublethal levels of hydorgen sulfide.
Oseid, D., and L. L. Smith, Jr. 103:819. Chronic toxicity of hydrogen sulfide to *Gammarus pseudolimnaeus*.
Oseid, D. M., *see* Smith, L. L., Jr.
Otto, R. G. 103:331. The effects of acclimation to cyclic thermal regimes on heat tolerance of the western mosquitofish.
Otto, R. G., M. A. Kitchell, and J. O. Rice. 105:96. Lethal and preferred temperatures of the alewife (*Alosa pseudoharengus*) in Lake Michigan.
Otwell, W. S., and J. V. Merriner. 104: 560. Survival and growth of juvenile striped bass, *Morone saxatilis*, in a factorial experiment with temperature, salinity, and age.
Oviatt, C., and G. W. Gray, Jr. 97:64. Juvenile lookdowns, *Selene vomer*, in Wickford Cove, Narragansett Bay, Rhode Island.

P

Pacheco, A. L., *see* Massmann, W. H.
Packer, P. E. 87:392. Management of forest watersheds and improvement of fish habitat.
Page, J. W., *see* Andrews, J. W.; El-Ibiary, H. M.
Page, L. M., *see* Smith, P. W.
Palko, B. J., *see* Richards, W. J.
Papson, A., *see* Fry, F. E. J.
Pardue, G. B. 102:622. Production response of the bluegill sunfish, *Lepomis macrochirus* Rafinesque, to added attachment surface for fish-food organisms.
Pardue, G. B., *see* Plumb, J. A.
Parente, W. D., *see* Craddock, D. R.
Paris, D. F. 99:94. Separation of fish brain protein on acrylamide gel.
Paris, D. F., *see* Grzenda, A. R.
Parisot, T. J., W. T. Yasutake, and V. Bressler. 92:63. A new geographic and host record for infectious pancreatic necrosis.
Park, D. L. 98:315. Seasonal changes in downstream migration of age-group O chinook salmon in the upper Columbia River.
Park, D. L., and W. E. Farr. 101:381. Collection of juvenile salmon and steelhead trout passing through orifices in gatewells of turbine intakes at Ice Harbor Dam.
Parker, F. R., Jr. 102:125. Reduced metabolic rates in fishes as a result of induced schooling.
Parker, J. C., *see* Conte, F. S.
Parker, M., *see* Pontius, R. W.; Wagner, J. F.
Parker, P. S., *see* Lennon, R. E.
Parker, R. O., Jr. 99:805. Surfacing of dead fish following application of rotenone.
Parker, R. R., *see* Larkin, P. A.
Parsons, J. W. 83:202. Growth and habits of the redeye bass.
Parsons, J. W. 85:75. The trout fishery of the tailwater below Dale Hollow Reservoir.
Parsons, J. W. 87:333. Fishery management probelms and possibilities on large southeastern reservoirs.
Parsons, J. W. 88:136. Muskellunge in Tennessee streams.
Parsons, J. W. 100:474. Selective food preferences of walleyes of the 1959 year class in Lake Erie.
Parsons, J. W. 101:655. Life history and production of walleyes of the 1959 year-class in western Lake Erie, 1959-62.
Parsons, J. W., and E. Crittenden. 88:191. Growth of the redeye bass in Chipola River, Florida.
Pasch, R. W., and J. H. Lyford, Jr. 101: 377. The food habits of two species of *Cottus* occupying the same habitat.

Patriarche, M. H. 97:59. Rate of escape of fish from trapnets.
Patriarche, M. H. 97:242. Production and theoretical equilibrium yields for bluegill *(Lepomis macrochirus)* in two Michigan lakes.
Patriarche, M. H., and R. S. Campbell. 87: 240. The development of the fish population in a new flood-control reservoir in Missouri, 1948-1954.
Patten, B. C. 98:570. Ecological systems analysis and fisheries science.
Patten, B. C. 104:596. A reservoir cove ecosystem model.
Patten, B. G. 91:427. Cottid predation upon salmon fry in a Washington stream.
Patten, B. G. 102:412. Biological information on copper rockfish in Puget Sound, Washington.
Patten, B. G., and D. T. Rodman. 98:108. Reproductive behavior of northern squawfish, *Ptychocheilus oregonensis*.
Paulik, G. J. 91:95. Use of the Chapman-Robson survival estimate for single- and multirelease tagging experiments.
Paulik, G. J. 98:551. Computer simulation models for fisheries research, management and teaching.
Paulik, G. J., and L. E. Gales. 93:369. Allometric growth and the Beverton and Holt yield equation.
Paulik, G. J., and L. E. Gales. 94:196. Weighted linear regression for two variables, IBM 709, Fortran II.
Paulik, G. J., *see* Leman, B.; Uzmann, J. R.
Paulson, L. J., *see* Minckley, C. O.
Payne, W. R., Jr., *see* Stober, Q. J.
Pearcy, W. G. 91:233. A tail-less flounder.
Pearson, W. D., *see* Horkell, J. D.; Jones, B. J.; McNeely, D. L.
Peck, J. W. 99:591. Straying and reproduction of coho salmon, *Oncorhynchus kisuth*, planted in a Lake Superior tributary.
Peck, J. W. 103:10. Migration, food habits, and predation of yearling coho salmon in a Lake Michigan tributary and bay.
Pedro, D. R., *see* Bridges, D. W.
Pelnar, J., *see* Ross, A. J.
Peltier, W., *see* Plumb, J. A.
Penrose, W. R., and W. R. Squires. 105:116. Two devices for removing supersaturating gases in aquarian systems.
Pereyra, W. T. 94:269. Carapace length-width relationship for male and female Tanner crab.
Pereyra, W. T., and D. Barzel. 96:363. Trawl catch summarization program, IBM 7090/7094, Fortran IV.
Perkins, H. C., *see* Sherman, K.
Perlmutter, A., M. L. Yu, and R. E. Servis. 97:204. Use of fish eggs for direct assay of chromotographically separated components on silica gel plates.
Perlmutter, A., *see* Roales, R. R.; Sarot, D. A.; Weis, J. S.
Peterka, J. J., and L. L. Smith, Jr. 99: 28. Lake whitefish in the commercial fishery of Red Lakes, Minnesota.
Peterka, J. J., *see* Held, J. W.
Peters, C., *see* Lewis, W. M.
Peters, D. S., and D. E. Hoss. 103:626. A radioisotope method of measuring food evacuation time in fish.
Peterson, A. E., Jr., *see* Lux, F. E.
Peterson, D. H., H. K. Jager, G. M. Savage, G. N. Washburn, and H. Westers. 95:408. Natural coloration of trout using xanthophylls.
Petrosky, C. E., and T. F. Waters. 104: 237. Annual production by the slimy sculpin population in a small Minnesota trout stream.
Pettijohn, L. L., *see* Snieszko, S. F.
Pettit, S. W., and R. L. Wallace, 104:68. Age, growth, and movement of mountain whitefish, *Prosopium williamsoni* (Girard), in the North Fork Clearwater River, Idaho.
Phillips, A. M., Jr. 88:133. The known and possible roles of minerals in trout nutrition and physiology.
Phillips, A. M., Jr., *see* Eschmeyer, P. H.
Phillips, G. L. 98:523. A method of estimating fecundity; with data on river carpsuckers, *Carpiodes carpio*.
Phillips, P. J., W. D. Burke, and E. J. Keener. 98:703. Observations on the trophic significance of jellyfishes in Mississippi Sound with quantitative data on associative behavior of small fishes with medusae.
Phillips, R. C., *see* McErlean, A. J.
Phillips, R. W., and E. W. Claire. 95: 210. Intergravel movement of the reticulate sculpin, *Cottus perplexus*, and its potential as a predator on salmonid embryos.
Phillips, R. W., and E. W. Claire. 97:50. The stonefly, *Acroneuria pacifica*, as a potential predator on salmonid embryos.
Phillips, R. W., R. L. Lantz, E. W. Claire, and J. R. Moring. 104:461. Some effects of gravel mixtures on emergence of coho salmon and steelhead trout fry.
Phinney, D. E. 104:685. Repopulation of an eradicated stream section by brook trout.
Phinney, D. E., D. M. Miller, and M. L. Dahlberg. 96:157. Mass-marking young salmonids with fluorescent pigment.
Pierce, D. E., *see* Howe, A. B.
Pierce, F., and C. J. DiConstanzo. 96: 366. Instantaneous mortality and maturation schedules IBM 1620, Fortran IV.
Pierce, R. J., and T. E. Wissing. 103:38. Energy cost of food utilization in the bluegill *(Lepomis macrochirus)*.
Pietsch, J. P., *see* Amend, D. F.
Pippey, J. H. C., and G. M. Hare. 98:685. Relationship of river pollution to bacterial infection in salmon *(Salmo salar)* and suckers *(Catoatomus commersoni)*.
Pister, E. P. 103:531. Desert fishes and their habitats.
Pister, E. P., *see* Miller, R. R.
Pitcher, T. J. 102:840. Some field measurements on minnow schools.
Pitcher, T. J., *see* Kennedy, G. J. A.
Platts, W. S., *see* Jeppson, P. W.
Pickering, E. N., *see* Ellis, J. E.
Pickering, Q. H., C. Henderson, and A. E. Lemke. 91:175. The toxicity of organic phosphorus insecticides to different species of warmwater fishes.
Pickering, Q. H., *see* Henderson, C.

Plumb, J. A. 101:121. A virus-caused epizootic of rainbow trout *(Salmo gairdneri)* in Minnesota.
Plumb, J. A., O. L. Green, R. O. Smitherman, and G. B. Pardue. 104:140. Channel catfish virus experiments with different strains of channel catfish.
Plumb, J. A., J. H. Schachte, J. L. Gaines, W. Peltier, and B. Carroll. 103:358. *Streptococcus* sp. from marine fishes along the Alabama and northwest Florida coast of the Gulf of Mexico.
Podoliak, H. A. 90:398. Relation between water temperature and metabolism of dietary phosphorus by fingerling brook trout.
Podoliak, H. A., *see* Hooper, F. F.
Polgar, T. T., *see* Saila, S. B.
Pollara, B., *see* Ames, W. E.
Pollard, H. A., and T. C. Bjornn. 102:745. The effects of angling and hatchery trout on the abundance of juvenile steelhead trout.
Pollock, R. D., *see* Shelton, J. M.
Pontius, R. W., and M. Parker. 102:764. Food habits of the mountain whitefish, *Prosopium williamsoni* (Girard).
Poole, J. C. 98:611. A study of winter flounder mortality rates in Great South Bay, New York.
Poole, R. L., D. R. Kuester, and A. Witt, Jr. 92:30. The status of spearfishing and the use of Scuba in fish management programs in the freshwaters of the United States.
Pope, G. F., J. C. H. Carter, and G. Power. 102:707. The influence of fish on the distribution of *Chaoborus* spp. (Diptera) and density of larvae in the Matamek River system, Quebec.
Porter, I. R., *see* Warner, K.
Post, G., D. V. Power, and T. M. Kloppel. 103:711. Survival of rainbow trout eggs after receiving physical shocks of known magnitude.
Powell, D. E. 87:309. The role of exploration and gear research in the future expansion of our commercial fisheries.
Powell, G. C. 93:295. Fishing mortality and movements of adult male king crabs, *Paralithodes camtschatica* (Tilesius), released seaward from Kodiak Island, Alaska.
Powell, G. C. 94:95. Tagged king crab reaptured six years after release in the North Pacific.
Powell, G. C., and C. L. Hurd. 101:557. Observations of initial king crab egg attachment.
Power, D. V., *see* Post, G.
Power, G. 93:201. A technique for preparing scale smears.
Power, G., and J. R. Coleman. 96:222. Winter rotenoning as a means of collecting and studying trout in an ice and snow covered Canadian stream.
Power, G., *see* Pope, G. F.; Sheri, A. N.
Powers, J. E. 103:772. Competition for food: an evalution on Ivlev's models.
Powers, J. E., and A. L. Bowes. 96:210. Elimination of fish in the Giant Grebe Refuge, Lake Atitlan, Guatemala, using the fish toxicant antimycin.
Powers, J. E., R. T. Lackey, and J. R. Zuboy. 104:630. Decision-making in recreational fisheries management: an analysis.
Pratt, I., *see* Olson, R. E.
Pratt, V. S. 84:93. Fish mortality caused by electrical shockers.
Pressey, R. T., *see* Schoeneman, D. E.
Prevost, G. 86:258. Use of artificial and natural spawning beds by lake trout.
Price, K. S., Jr., and W. K. Derickson. 102:552. The fishes of the shore zone of Rehoboth and Indian River Bays, Delaware.
Priegel, G. R. 92:178. Dispersal of the shortnose gar, *Lepisosteus platostomus*, into the Great Lakes drainage.
Priegel, G. R. 92:312. Food of walleye and sauger in Lake Winnebago, Wisconsin.
Priegel, G. R. 93:199. Early scale development in the walleye.
Priegel, G. R. 96:218. Food of the freshwater drum, *Apoldinotus grunniens*, in Lake Winnebago, Wisconsin.
Priegel, G. R. 98:116. Age and rate of growth of the freshwater drum in Lake Winnebago, Wisconsin.
Priegel, G. R. 98:121. Food and growth of young walleyes in Lake Winnebago, Wisconsin.
Priegel, G. R. 99:440. Food of the white bass, *Roccus chrysops*, in Lake Winnebago, Wisconsin.
Priegel, G. R. 100:567. Age and rate of growth of the white bass in Lake Winnebago, Wisconsin.
Priegel, G. R. 104:513. Age and growth of the yellow bass in Lake Poygan, Wisconsin.
Prince, E. D. 104:539. Pinnixid crabs in the diet of young-of-the-year copper rockfish, *(Sebastes caurinus)*.
Prinslow, T. E., *see* Watters, K. W.
Pritchard, A., *see* Katz, M.
Probst, R. T., and E. L. Cooper. 84:207. Age, growth, and production of the lake sturgeon *(Acipenser fulvescens)* in the Lake Winnebago region, Wisconsin.
Pugh, J. R., *see* Monan, G. E.
Puglisi, F. A., *see* Nebeker, A. V.
Pullen, E. J., and W. L. Trent. 99:795. Carapace width-total weight relation of blue crabs from Galveston Bay, Texas.
Pulliam, B. R., *see* Orcutt, D. R.
Purkett, C. A., Jr. 87:116. Growth of the fishes in the Salt River, Missouri.
Purkett, C. A., Jr. 90:125. Reproduction and early development of the paddlefish.
Purkett, C. A., Jr. 92:239. The paddlefish fishery of the Osage River and Lake of the Ozarks, Missouri.
Putz, R. E., *see* Hoffman, G. L.
Pycha, R. L. 90:475. Recent changes in the walleye fishery of northern Green Bay and history of the 1943 year class.
Pycha, R. L., and L. L. Smith, Jr. 84:249. Early life history of the yellow perch, *Perca flavescens* (Mitchill), in the Red Lakes, Minnesota.
Pycha, R. L., *see* Smith, L. L., Jr.

Q

Qadri, S. V. 90:303. Food and distribution of lake whitefish in Lac la Ronge, Saskatchewan.
Quast, J. C. 101:64. Reduction in stocks of the Pacific Ocean perch, an important demersal fish off Alaska.
Quertermus, C. J., Jr. 104:742. Prior experience as a factor in habitat selection by the cichlid fish *Tilapia mossambica*.

R

Radford, D. S. 102:641. A comparison between actual and reported angling times.
Radtke, L. D., and J. L. Turner, 96:405. High concentrations of total dissolved solids block spawning migration of striped bass, *Roccus saxatilis*, in the San Joaquin River, California.
Radulescu, I., D. G. Vasilu, E. Ilie, and S. F. Snieszko. 97:486. Thyroid hyperplasia of the eastern brook trout, *Salvelinus fontinalis*, in Roumania.
Ragan, J. G., and D. V. Aldrich. 101:226. Infection of brown shrimp, *Penaeus aztecus* Ives, by *Prochristianella penaei* Kruse (Cestoda:Trypanorhyncha) in southeastern Louisiana Bays.
Rahn, H., O. D. Wangensteen, G. J. Crowley. 102:132. Tissue O_2 and CO_2 tensions of trout in high altitude lakes.
Rahrer, J. F. 94:75. Age, growth, maturity and fecundity of "humper" lake trout, Isle Royale, Lake Superior.
Rahrer, J. F. 96:268. Growth of the lake trout in Lake Superior before the maximum abundance of sea lampreys.
Rahrer, J. R. 97:481. Movements of adult lake trout in Lake Superior.
Raible, R. W., *see* Tackett, D. L.
Rainwater, W. C., *see* Mullan, J. W.; Vogele, L. E.
Raleigh, R. F., and D. W. Chapman. 100:33. Genetic control in lakeward migrations of cutthroat trout fry.
Raleigh, R. F., J. B. McLaren, and D. R. Graff. 102:637. Effects of topical location, branding techniques, and changes in hue on recognition of cold brands in centrarchid and salmonid fish.
Ramsey, J. S., *see* Holder, D. R.; Mathur, D.
Randall, J. E., and V. E. Brock. 89:9 Observations on the ecology of epinepheline and lutjanid fishes of the Society Islands, with emphasis on food habits.
Randolph, K. N., and H. P. Clemens. 105: 718. Some factors influencing the feeding behavior of channel catfish in culture ponds.
Randolph, K. N., and H. P. Clemens. 105: 725. Home areas and swimways in channel catfish culture ponds.
Rasch, E. M., *see* Balsano, J. S.
Rasin, V. J., Jr., *see* Morgan, R. P., II.
Rawson, D. S. 86:15. The life history and ecology of the yellow walleye, *Stizostedion vitreum*, in Lac la Ronge, Saskatchewan.
Rawson, M. V., Jr., and A. C. Fox. 103: 618. An evaluation of antimycin A as a parasiticide.
Raymond, H. L. 97:356. Migration rates of yearling chinook salmon in relation to flows and impoundments in the Columbia and Snake Rivers.
Raymond, H. L. 98:513. Effect of John Day Reservoir on the migration rate of juvenile chinook salmon in the Columbia River.
Raymond, H. L., *see* Bentley, W. W.
Raymond, L. C., *see* Heman, M. L.
Recksiek, C. W., and J. D. McCleave. 102: 541. Distribution of pelagic fishes in the Sheepscot River-Back River estuary, Wiscasset, Maine.
Reed, E. B., *see* Finnell, L. M.
Reed, J. R. 98:664. Alarm substances and fright reaction in some fishes from the southeastern United States.
Reed, R. J. 96:62. Observations of fishes associated with spawning salmon.
Reed, R. J. 96:223. Age and growth of Prince of Wales, Alaska, Dolly Varden, *Salvelinus malma* (Walbaum), and rainbow trout, *Salmo gairdneri* Richardson.
Reed, R. J. 100:350. Underwater observations of the population density and behavior of pumpkinseed, *Lepomis gibbosus* (Linnaeus), in Cranberry Pond, Massachusetts.
Reed, R. J. 100:717. Biology of the fallfish, *Semotilus corporalis* (Pisces, Cyprinidae).
Reed, R. J., and J. A. McCann. 100:358. Total length-weight relationship and condition factors for the Arctic grayling, *Thymallus arcticus* (Pallas), in Alaska.
Reed, R. J., *see* Stira, R. J.
Regier, H. A. 91:283. On estimating mortality coefficients in exploited fish populations, given two censuses.
Regier, H. A. 91:362. Validation of the scale method for estimating age and growth of bluegills.
Regier, H. A. 100:495. A mark-recovery method for estimating anglers' catch, with an example from Lake Opeongo, Ontario.
Regier, H. A. 100:804. Mary, Mephistopheles, Machiavelli, and menhaden.
Regier, H. A. 103:406. Ends and beginnings.
Regier, H. A., and H. F. Henderson. 102:56. Towards a broad ecological model of fish communities and fisheries.
Regier, H. A., *see* Ferguson, R. G.; Robson, D. S.
Reid, W. F., Jr. 101:608. Utilization of the crayfish, *Orconectes limosus*, as forage by white perch *(Morone americanus)* in a Maine lake.
Reimer, R. D., K. Strawn, and A. Dixon. 103:120. Notes on the river shrimp, *Macrobrachium ohione* (Smith) 1874, in the Galveston Bay system of Texas.
Reimers, N. 92:39. Body condition, water temperature, and over-winter survival of hatchery-reared trout in Convict Creek, California.

Reingold, M. 104:458. Effects of displaying, hooking, and releasing on migrating adult steelhead trout.
Renfro, W. C. 92:320. Gas-bubble mortality of fishes in Galveston Bay, Texas.
Renfro. W. C., *see* Romberg, G. P.
Reuvers, M. L., *see* Kawatski, J. A.
Reynolds, J. B., *see* DeGraeve, G. M.
Reynolds, W. W., and M. E. Casterlin. 105: 400. Activity rhythms and light intensity preferences of *Micropterus salmoides* and *M. dolomieui*.
Rice, J. O., *see* Otto, R. G.
Richards, C. E. 96:343. Age, growth and fecundity of cobia, *Rachycentron canadum*, from Chesapeake Bay and adjacent mid-Atlantic waters.
Richards, C. E. 102:584. Age, growth, and distribution of the black drum *(Pogonias cromis)* in Virginia.
Richards, C. E., *see* Kerby, J. H.
Richards, F. P., *see* Marcy, B. C., Jr.
Richards, J. S. 105:32. Changes in fish species composition in the Au Sable River, Michigan from the 1920's to 1972.
Richards, S. W. 105:523. Age, growth, and food of bluefish *(Pomatomus saltatrix)* from east-central Long Island Sound from July through November 1975.
Richards, S. W., and A. M. McBean. 95: 218. Comparison of postlarvae and juveniles of *Fundulus heterocilitus* and *Fundulus majalis* (Pisces: Cyprinodontidae).
Richards, W. J., and B. J. Palko. 98:527. Methods used to rear thread herring, *Opisthonema oglinum*, from fertilized eggs.
Richards, W. J., B. J. Palko, and E. L. Scott. 97:286. A research aquarium suitable for shipboard use.
Richardson, S. L., *see* Norcross, J. J.
Richkus, W. A. 104:483. Migratory behavior and growth of juvenile anadromous alewives, *Alosa pseudoharengus*, in a Rhode Island drainage.
Richkus, W. A. 104:494. The response of juvenile alewives to water currents in an experimental chamber.
Ricker, W. E. 91:98. Connecticut River shad.
Ricker, W. E. 101:150. Research and management.
Rickey, R., and W. L. Sheridan. 92:318. Carapace length-weight relationship for the king crab.
Ridenhour, R. L. 89:185. Development of a program to sample young fish in a lake.
Ridgway, G. J., S. W. Sherburne, and R. D. Lewis. 99:147. Polymorphism in the esterases of Atlantic herring.
Rigdon, R. H., and K. N. Baxter. 99:583. Spontaneous necroses in muscles of brown shrimp, *Penaeus aztecus* Ives.
Rigdon, R. H., K. N. Baxter, and R. C. Benton. 104:292. Hermaphroditic white shrimp, *Penaeus setiferus*, parasitized by *Thelohania* sp.
Riggs, C. D. 87:299. Unexploited potentials of our fresh-water commercial fisheries.
Riggs, C. D., and K. E. Sneed. 88:53. The effects of controlled spawning and genetic selection on the fish culture of the future.
Riggs, C. D., *see* Echelle, A. A.
Ringler, N. H., and J. D. Hall. 104:111. Effects of logging on water temperature and dissolved oxygen in spawning beds.
Rinne, J. N., *see* Minckley, W. L.
Rinne, W. E., and J. E. Deacon. 102:459. Fluorescent pigment and immersion stain marking techniques for *Lepidomeda mollispinis* and *Cyprinodon nevadensis*.
Roales, R. R., and A. Perlmutter. 104:289. The immune response of the blue gourami, *Trichogaster trichopterus*, to *Proteus vulgaris*.
Robbins, T. W., and D. Mathur. 105:165. The Muddy Run pumped storage project: a case history.
Robbins, T. W., *see* Mathur, D.
Robel, R. J. 91:234. Weight increase of carp in populations of different densities.
Roberson, K. 96:423. An occurrence of chinook salmon beach spawning in Lake Washington.
Roberts, F. L. 99:105. Atlantic salmon *(Salmo salar)* chromosomes and speciation.
Roberts, R. F., and H. E. Allen. 101:752. The control of pH and total alkalinity or total carbonate in aquatic bioassays.
Robins, C. R., *see* Courtenay, W. R., Jr.
Robinson, J. W., *see* Baldwin, R. E.
Robson, D. S., and D. G. Chapman. 90:181. Catch curves and mortality rates.
Robson, D. S., and H. A. Regier. 93:215. Sample size in Peterson mark-recapture experiments.
Robson, D. S., and H. A. Regier. 95:56. Estimates of tag loss from recoveries of fish tagged and permanently marked.
Rockett, L. C., *see* Mueller, J. W.
Rode, R. 102:645. An automated device for feeding aquatic organisms.
Rodgers, C. R., *see* Macek, K. J.
Rodgers, J. H., Jr., *see* Cherry, D. S.
Rodman, D. T., *see* Patten, B. G.
Rodriguez, A., *see* Jones, J. H.
Roe, R. B. 95:92. Potentially commercial nephropsids from the western Atlantic.
Roe, R. B., *see* Turner, W. R.
Roedel, P. M. 101:158. Toward a national fisheries policy.
Roelofs, E. W. 87:190. Age and growth of whitefish, *Coregonus clupeaformis* (Mitchill), in Big Bay de Noc and northern Lake Michigan.
Roelofs, E. W., *see* Gross, W. L.
Roessler, M. 94:311. An analysis of the variability of fish populations taken by otter trawls in Biscayne Bay, Florida.
Rolan, R. G. 97:455. Electrophoretic comparison of human and catfish plasma proteins.
Romberg, G. P., and W. C. Renfro. 102:317. Radioactivity in juvenile Columbia River salmon: a model to distinguish differences in movement and feeding habits.
Romberg, G. P., *see* Spigarelli, S. A.
Roochvarg, A. C., *see* Voigtlander, C. W.
Roos, J. F. 88:253. Feeding habits of the Dolly Varden, *Salvelinus malma* (Walbaum), at Chignik, Alaska.
Roos, J. F. 89:377. Predation of young coho salmon on sockeye salmon fry at Chignik, Alaska.

Ropes, J. W. 90:79. Longevity of the horseshoe crab, *Limulus polyphenus* (L.)
Rose, C. D., A. H. Harris, and B. Wilson. 104:296. Extensive culture of penaeid shrimp in Louisiana salt-marsh impoundments.
Rose, C. D., and W. W. Hassler. 97:271. Age and growth of the dolphin, *Coryphaena hippurus* (Linnaeus), in North Carolina waters.
Rose, C. D., and W. W. Hassler. 98:94. Application of survey techniques to the dolphin, *Coryphaena hippurus*, fishery of North Carolina.
Rose, C. D., and W. W. Hassler. 103:94. Food habits and sex ratios of dolphin, *Coryphaena hippurus*, captured in the western Atlantic Ocean off Hatteras, North Carolina.
Rose, C. D., *see* Harris, A. H.
Rose, C. R., *see* Baur, R. J.; Buck, D. H.
Ross, A. J., P. R. Nordstrom, J. E. Bailey, and J. R. Heaton. 89:310. A bacterial disease in yellow perch *(Perca flavescens)*.
Ross, A. J., J. Pelnar, and R. R. Rucker. 89:160. A virus-like disease of chinook salmon.
Ross, A. J., W. T. Yasutake, and G. R. White. 92:313. Hermaphroditism in rainbow trout.
Roth, J. N., and E. S. Iversen. 100:369. Attempts to transmit experimentally the microsporidan, *Thelohania duorara*, parasitizing the pink shrimp, *Penaeus duorarum*.
Rothchild, B. J. 90:42. Production and survival of eggs of American smelt, *Osmerus mordax* (Mitchill), in Maine.
Rothchild, B. J. 92:409. A critique of the scale method for determining the age of the alewife, *Alosa pseudoharengus* (Wilson).
Roussel, J. D., *see* Guest, W. C.; Jaspers, E. J.
Royce, W. F. 102:649. An undergraduate fisheries curriculum.
Rucker, R. R. 87:374. Some problems of private trout hatchery operators.
Rucker, R. R., B. J. Earp, and E. J. Ordal. 83:297. Infectious diseases of Pacific salmon.
Rucker, R. R., *see* Ross, A. J.
Ruelle, R., *see* MacPhee, C.
Ruesink, R. G., and L. L. Smith, Jr. 104:567. The relationship of the 96-hour LC_{50} to the lethal threshold concentration of hexavalent chromium, phenol, and sodium pentachlorophenate for fathead minnows *(Pimephales promelas* Rafinesque).
Ruggles, C. P. 88:186. Salmon populations and bottom fauna in the Wenatchee River, Washington.
Ruhr, C. E. 86:144. Effect of stream impoundment in Tennessee on the fish populations of tributary streams.
Rupp, R. S. 84:75. Beaver-trout relationship in the headwaters of Sunkhaze stream, Maine.
Rupp, R. S. 88:241. Variation in the life history of the American smelt in inland waters of Maine.
Rupp, R. S. 90:165. Measurement of potential fishing quality.
Rupp, R. S. 94:160. Shore-spawning and survival of eggs of the American smelt.
Rupp, R. S., and S. E. DeRoche. 94:9. Standing crops of fishes in three small lakes compared with C^{14} estimates of net primary productivity.
Rupp, R. S., *see* Everhart, W. H.
Russell, T. R., *see* Morris, L. A.
Ryckman, J. R., *see* McFadden, J. T.
Ryder, R. A. 93:260. Chemical characteristics of Ontario lakes as related to glacial history.
Ryder, R. A. 94:214. A method for estimating the potential fish production of north-temperate lakes.
Rye, R. P., Jr., and E. L. King, Jr. 105: 322. Acute toxic effects of two lampricides to twenty-one freshwater invertebrates.

S

Sackey, L. A., *see* Lovell, R. T.
Saila, S. B. 83:104. Bio-assay procedures for evaluation of fish toxicants with particular reference to rotenone.
Saila, S. B. 87:229. Size limits in largemouth black bass management.
Saila, S. B. 91:189. Proposed hurricane barriers related to winter flounder movements in Narragansett Bay.
Saila, S. B., and J. M. Flowers. 98:582. Toward a generalized model of fish migration.
Saila, S. B., J. M. Flowers, and J. T. Hughes. 98:537. Fecundity of the American lobster, *Homarus americanus*.
Saila, S. B., and K. W. Hess. 104:620. Some applications of optimal control theory to fisheries management.
Saila, S. B., T. T. Polgar, D. J. Sheehy, and J. M. Flowers. 101:583. Correlations between alewife activity and environmental variables at a fishway.
Saila, S. B., *see* Barry, R. J.; O'Connor, J. S.; Sissenwine, M. P.; Vaughn, D. S.
Saksena, V. P., C. Steinmetz, Jr., and E. D. Houde. 101:691. Effects of temperature on growth and survival of laboratory-reared larvae of the scaled sardine, *Harengula pensacolae* Goode and Bean.
Sakuda, H. M. 95:216. Reproductive cycle of American oyster, *Crassostrea virginica*, in West Lock, Pearl Harbor, Hawaii.
Sakuda, H. M. 95:426. Condition of American oyster, *Crassostrea virginica*, in West Lock, Pearl Harbor, Hawaii.
Salivar, S. L., *see* Miles, H. M.
Salli, A. J. 102:456. A portable observation chamber for the study of fish behavior.
Sand, R. F. 86:158. Application of underwater television to fishing gear research.
Sanders, B. G., *see* Thomas, P. M.
Sanders, H. O., and O. B. Cope. 95:165. Toxicities of several pesticides to two species of cladocerans.
Sanders. H. O., *see* Macek, K. J.
Sarot, D. A., and A. Perlmutter, 105:456. The toxicity of zinc to the immune response of the zebrafish, *Brachydania rerio*, injected with viral and bacterial antigens.

Saunders, J. W., and M. W. Smith. 91:185. Physical alteration of stream habitat to improve brook trout production.
Saunders, J. W., and M. W. Smith. 91:388. Transplantation of brook trout *(Salvelinus fontinalis* (Mitchill)) within a small stream system.
Savage, G. M., *see* Peterson, D. H.
Savitz, J. 100:18. Effects of starvation on body protein utilization of bluegill sunfish *(Lepomis macrochirus* Rafinesque) with a calculation of caloric requirements.
Savitz, J. 102:629. Influence of low level handling stress on nitrogen excretion of bluegill sunfish *(Lepomis macrochirus* Rafinesque).
Sawyer, P. J. 88:305. Effects of certain chemicals on mucus-producing cells in *Petromyzon marinus*.
Scattergood, L. W. 83:20. Biographic sources for fishery students and biologists.
Scattergood, L. W., C. J. Sindermann, and B. E. Skud. 88:164. Spawning of North American herring.
Schaaf, W. E., and G. R. Huntsman. 101: 290. Effects of fishing on the Atlantic menhaden stock: 1955-1969.
Schachte, J. H., *see* Plumb, J. A.
Schaefer, M. B. 88:100. Biological and economic aspects of the management of commercial marine fisheries.
Schaefer, M. B. 94:123. The potential harvest of the sea.
Schaefer, M. B. 97:231. Methods of estimating effects of fishing on fish populations.
Schaefer, M. B. 99:461. Men, birds and anchovies in the Peru current--dynamic interactions.
Schafer, W. E., *see* Gall, G. A. E.
Scheier, A., *see* Foster, N. R.
Schiewe, M. H. 103:717. Influence of dissolved atmospheric gas on swimming performance of juvenile chinook salmon.
Schimmel, S. C., D. J. Hansen, and J. Forester. 103:582. Effects of Aroclor^{R} 1254 on laboratory-reared embryos and fry of sheepshead minnows *(Cyprinodon variegatus)*.
Schimmel, S. C., *see* Hansen, D. J.
Schmittou, H. R. 96:420. Sex ratio in bluegill in four populations.
Schmitz, E. H., *see* Baker, C. D.
Schmulbach, J. C., *see* Kawatski, J. A.
Schneider, C. R., *see* Doudoroff, P.
Schneider, J. F., *see* Hubbs, C.
Schneider, M. J., *see* Fickeisen, D. H.
Schneider, P. W., Jr., *see* Bouck, G. R.
Schnell, G. D., *see* Echelle, A. A.
Schoeneman, D. E., R. T. Pressey, and C. O. Junge, Jr. 90:58. Mortalities of downstream migrant salmon at McNary Dam.
Schofield, C. L., Jr. 94:227. Water quality in relation to survival of brook trout, *Salvelinus fontinalis* (Mitchill).
Scholl, R. L. 97:210. A rapid decalcifying method for sectioning channel catfish pectoral spines.
Schoor, W. P., and S. M. Newman. 105:700. The effect of mirex on the burrowing activity of the lugworm *(Arenicola cristata)*.
Schoumacher, R. 94:270. Movement of walleye and sauger in the upper Mississippi River.
Schoumacher, R. 97:65. Some observations on flathead catfish in the Mississippi River bordering Iowa.
Schoumacher, R. 105:155. Introductory remarks.
Schreck, C. B., and W. H. Everhart. 102: 656. Computer teaching exercises in fisheries science.
Schreck, C. B., and M. L. Hopwood. 103: 375. Seasonal androgen and estrogen patterns in the goldfish, *Carassius auratus*.
Schreck, C. B., *see* Brandt, T. M.
Schultz, E. E. 89:376. Establishment and early dispersal of a loach, *Misgurnus anguillicaudatus* (Cantor), in Michigan.
Schumacher, R. E. 95:216. Successful introduction of *Mysis relicta* (Loven) into a Minnesota lake.
Schumacher, R. E., and S. Eddy. 89:371. The appearance of pink salmon, *Oncorhynchus gorbuscha* (Walbaum), in Lake Superior.
Schumacher, R. E., and J. G. Hale. 91:421. Third generation pink salmon, *Oncorhynchus gorbuscha* (Walbaum), in Lake Superior.
Schumacher, R. E., *see* Economon, P. P.
Schupp, D. R., *see* Maloney, J. E.
Schwartz, F. J. 91:229. Artificial pike hybrids, *Esox americanus vermiculatus* X *E. lucius*.
Schwartz, F. J., and B. W. Dutcher. 92:170. Age, growth, and food of the oyster toadfish near Solomons, Maryland.
Schwartz, F. J., *see* Clemmer, G. H.
Schwartz, J. J. 103:114. Prevalence of pathogenic pseudomonad bacteria isolated from fish in a warmwater lake.
Scott, D. C., *see* Moss, D. D.
Scott, E. C., *see* Richards, W. J.
Scott, M., *see* Foye, R. E.
Scruggs, G. D., Jr. 85:144. Reproduction of resident striped bass in Santee-Cooper Reservoir, South Carolina.
Seaburg, K. G., and J. B. Moyle. 93:269. Feeding habits, digestive rates, and growth of some Minnesota warmwater fishes.
Seal, H. L. 95:436. Testing for contagion in animal populations.
Seegrist, D. W., and R. Gard. 101:478. Effects of floods on trout in Sagehen Creek, California.
Seegrist, D. W., *see* Gard, R.
Seguin, L. R. 86:136. Scientific fish culture in Quebec since 1945.
Seifert, R. E. 101:219. First food of larvae yellow perch, white sucker, bluegill, emerald shiner, and rainbow smelt.
Sekavec, G. B. 103:472. Summer foods, length-weight relationship, and condition factor of juvenile ladyfish, *Elops saurus* Linnaeus, from Louisiana coastal streams.
Selgeby, J. H. 100:590. A basket for washing benthological samples.
Serns, S. L., and K. Strawn. 104:506. Age and growth of bluegill, *Lepomis macrochirus*, in two heated Texas reservoirs.
Serns, S. L., *see* McKnight, T. C.
Servis, R. E., *see* Perlmutter, A.

Setzer, P. Y. 99:139. An analysis of a natural hybrid swarm by means of chromosome morphology.
Seymour, A. 88:58. Effects of temperature upon the formation of vertebrae and fin rays in young salmon.
Shanklin, D. W., *see* Nicholson, H. P.
Shannon, L. R., *see* Bulkley, R. V.
Sharp, H. B., *see* Hubbs, C.
Shaw, W. N. 98:309. Oyster setting in two adjacent tributaries of Chesapeake Bay.
Shaw, W. N. 98:755. The past and present status of off-bottom oyster culture in North America.
Shea, J., *see* Burdick, G. E.
Shealy, M. H., Jr., *see* Eckblad, J. W.
Sheehy, D. J., *see* Saila, S. B.
Sheldon, A. L. 97:495. Drift, growth, and mortality of juvenile sculpins in Sagehen Creek, California.
Shell, E. W. 92:432. Effects of changed diets on the growth of channel catfish.
Shell, E. W., *see* Hill, T. K.
Shelton, J. M., and R. D. Pollock, 95:183. Siltation and egg survival in incubation channels.
Sherburne, S. W., *see* Ridgway, G. J.
Sheri, A. N., and G. Power. 98:322. Annulus formation on scales of the white perch, *Morone americanus* (Gmelin), in the Bay of Quinte, Lake Ontario.
Sheridan, W. L., *see* Rickey, R.
Sherk, J. A., *see* Neumann, D. A.
Sherman, K., and H. C. Perkins. 100:121. Seasonal variations in the food of juvenile herring in coastal waters of Maine.
Shertzer, R., *see* Brenner, F. J.
Sherwood, M. J., and A. J. Mearns. 105:561. Occurrence of tumor-bearing dover sole *(Microstomus pacificus)* off Point Arguello, California and off Baja California, Mexico.
Sherwood, M., *see* Mearns, A. J.
Shetter, D. S. 89:290. The relative effectiveness of salmon eggs and earthworms as bait for trout in the Sturgeon River, Michigan.
Shetter, D. S. 90:252. Survival of brook trout from egg to fingerling stage in two Michigan trout streams.
Shetter, D. S. 91:145. Recoveries by anglers of legal-sized trout stocked during different seasons of the year in Michigan streams.
Shetter, D. S. 96:394. Effects of jaw tags and fin excision upon the growth, survival, and exploitation of hatchery rainbow trout fingerlings in Michigan.
Shetter, D. S. 97:472. Observation on movements of wild trout in two Michigan stream drainages.
Shetter, D. S., and G. R. Alexander. 91: 295. Effect of a flies-only restriction on angling and on fall trout populations in Hunt Creek, Montmorency County, Michigan.
Shetter, D. S., and G. R. Alexander. 94: 219. Results of angling under special and normal trout fishery regulations in a Michigan trout stream.
Shetter, D. S., and G. R. Alexander. 95: 85. Angling and trout populations on the north branch of the Au Sable River, Crawford and Otsego counties, Michigan, under special and normal regulations, 1958-63.
Shetter, D. S., and G. R. Alexander. 99: 312. Results of predator reduction on brook trout and brown trout in 4.2 miles (6.76 km) of the north branch of the Au Sable River.
Shetter, D. S., *see* Alexander, G. R.; Whalls, M. J.
Shields, J. T. 87:23. Experimental control of carp reproduction through water drawdowns in Fort Randall Reservoir, South Dakota.
Shields, J. T. 87:356. Fish management problems of large impoundments on the Missouri River.
Shipp, R. L., *see* Martin, J. R.
Shireman, J. V. 103:630. Serum protein variability in bluegills, *Lepomis macrochirus* Rafinesque, from Iowa farm ponds.
Shomura, R. S. 93:291. Effectiveness of tilapia as live bait for skipjack tuna fishing.
Shrivastava, B. D., *see* Mathur, G. B.
Shugart, H. H., Jr., *see* Kitchell, J. F.
Shumway, D. L., C. E. Warren, and P. Doudoroff. 93:342. Influence of oxygen concentration and water movement on the growth of steelhead trout and coho salman embryos.
Sides, K. G., *see* Baldwin, R. E.
Siefert, R. E. 94:182. Early scale development in white crappie.
Siefert, R. E. 97:252. Reproductive behavior, incubation and mortality of eggs, and postlarval food selection in the white crappie.
Siefert, R. E. 98:326. Characteristics for separation of white and black crappie larvae.
Siefert, R. E. 101:219. First food of larvae yellow perch, white sucker, bluegill, emerald shiner, and rainbow smelt.
Siefert, R. E., *see* Carlson, A. R.
Sigler, W. F., *see* Neuhold, J. M.
Sikora, W. B., R. W. Heard, and M. D. Dahlberg. 101:513. The occurrence and food habits of two species of hake, *Urophycis regius* and *U. floridanus* in Georgia estuaries.
Sikstrom, C. B., D. A. Metner, and W. L. Lockhart. 100:413. Hermaphroditism in a white sucker *(Catostomus commersoni)* from the Atabasca River, Alberta.
Silliman, R. P. 98:560. Analog computer simulation and catch forecasting in commercially fished populations.
Sills, J. B., and J. L. Allen. 100:544. The influence of pH on the efficacy and residues of quinaldine.
Silver, S. J., C. E. Warren, and P. Doudoroff. 92:327. Dissolved oxygen requirements of developing steelhead trout and chinook salmon embryos at different water velocities.
Silverman, M. J. 104:773. Scale development in the bluefish, *Pomatomus saltatrix*.
Silvey, J. K. G., *see* Maki, A. W.
Simco, B. A., *see* Stickney, R. R.
Simmons, G. M., Jr. 101:701. A preliminary report on the use of the sequential comparison index to evaluate acid mine

drainage on the macrobenthos in a pre-impoundment basin.
Simmons, G. M., Jr. 105:173. The Smith Mountain-Leesville project: a case history.
Simon, R. C., and R. E. Noble. 97:109. Hybridization in *Oncorhynchus* (Salmonidae). I. Viability and inheritance in artificial crosses of chum and pink salmon.
Simon, R. C., *see* Eisler, R.
Sims, C. W., *see* Johnsen, R. C.
Sindermann, C. J., *see* Scattergood, L. W.; Villella, J. B.
Siniff, D. B., *see* Meehan, W. R.
Sissenwine, M. P., and S. B. Saila. 103: 498. Rhode Island Sound dredge spoil disposal and trends in the floating trap fishery.
Sisson, R., *see* Karlsson, J.
Skidmore, W. J., *see* Maloney, J. E.; Olson, D. E.
Skud, B. E., *see* Scattergood, L. W.
Skulberg, A., and M. Grande. 96:67. Susceptibility of rainbow trout, *Salmo gairdneri* Richardson, to *Clostridium botulinum* toxins.
Slater, D. W. 101:163. Review of the 1970 national survey.
Slatick, E. 100:448. Passage of adult salmon and trout through an inclined pipe.
Smith, A. C., and H. B. Clemens. 102:578. A population study by proteins from the nucleus of bluefin tuna eye lens.
Smith, A. J. 96:410. The effect of the lamprey larvicide, 3-trifluoromethyl-4-nitrophenol, on selected aquatic invertebrates.
Smith, A. K. 102:312. Development and application of spawning velocity and depth criteria for Oregon salmonids.
Smith, B. W., and R. T. Lovell. 102:831. Determination of apparent protein digestibility in feeds for channel catfish.
Smith, C. E., and W. G. Williams. 103: 389. Experimental nitrite toxicity in rainbow trout and chinook salmon.
Smith, C. L. 101:257. A spawning aggregation of Nassau grouper, *Epinephalus striatus* (Bloch).
Smith, C. L., *see* McErlean, A. J.
Smith, E. J., and J. L. Sykora. 105:308. Early developmental effects of lime-neutralized iron hydroxide suspensions on brook trout and coho salmon.
Smith, E. N., B. J. Venables, and O. T. Lind. 102:468. A versatile and inexpensive variable voltage pulsator for electrofishing.
Smith, J. R., *see* Monan, G. E.
Smith, L. L., Jr. D. R. Franklin, and R. H. Kramer. 88:41. Electro-fishing for small fish in lakes.
Smith, L. L., Jr., and R. H. Kramer. 92: 220. Survival of walleye eggs in relation to wood fibers and *Sphaerotilus natans* in the Rainy River, Minnesota.
Smith, L. L., Jr., and R. H. Kramer. 93: 35. The spottail shiner in Lower Red Lake, Minnesota.
Smith, L. L., Jr., and R. H. Kramer. 94: 402. Survival of walleye fingerlings in conifer groundwood fiber.
Smith, L. L., Jr., R. H. Kramer, and D. M. Oseid. 95:60. Long-term effects of conifer groundwood paper fiber on walleyes.
Smith, L. L., Jr., and L. W. Krefting. 83: 131. Fluctuations in production and abundance of commercial species in the Red Lakes, Minnesota, with special reference to changes in the walleye population.
Smith, L. L., Jr., D. M. Oseid, G. L. Kimball, and S. M. El-Kandelgy. 105:442. Toxicity of hydrogen sulfide in various life history stages of bluegill *(Lepomis macrochirus)*.
Smith, L. L., Jr., and R. L. Pycha. 90:190. Factors related to commercial production of the walleye in Red Lakes, Minnesota.
Smith, L. L., Jr., *see* Adelman, I. R.; Anderson, E. D., Colby, P. J.; Franklin, D. R.; Griswold, B. L.; Hokanson, K. E. F.; Kramer, R. H.; Lux, F. E.; MacLeod, J. C.; Ney, J. J.; Oseid, D.; Peterka, J. J.; Pycha, R. L.; Ruesink, R. G.
Smith, M. W., *see* Saunders, J. W.
Smith, P. W., and L. M. Page. 98:647. The food of spotted bass in streams of the Wabash River drainage.
Smith, R. A., *see* Hess, P. W.
Smith, R. J. F., and B. D. Murphy. 103: 65. Functional morphology of the dorsal pad in the fathead minnows (*Pimephales promelas* Rafinesque).
Smith, R. R., *see* Halver, J. E.
Smith, S. B., *see* Larkin, P. A.
Smith, S. H. 86:409. Limnological surveys of the Great Lakes -- early and recent.
Smith, S. H. 93:155. Status of the deepwater cisco population of Lake Michigan.
Smith, S. H. 99:754. Species interactions of the alewife in the Great Lakes.
Smith, S. H. 102:156. Application of theory and research in fishery management of the Laurentian Great Lakes.
Smith, S. L. 105:682. Behavorial suppression of spawning in largemouth bass by interspecific competition for space within spawning areas.
Smith, W. E. 99:418. Tolerance of *Mysis relicta* to thermal shock and light.
Smith, W. E. 101:253. Culture, reproduction, and temperature tolerance of *Pontoporeia affinis* in the laboratory.
Smith, W. E. 102:431. Thermal tolerance of two species of *Gammarus*.
Smitherman, R. O., and F. E. Hester. 91: 333. Artificial propagation of sunfishes, with meristic comparisons of three species of *Lepomis* and five of their hybrids.
Smitherman, R. O., *see* Plumb, J. A.
Sneed, K. E., *see* Riggs, C. D.
Snieszko, S. F. 83:219. Introduction to symposium on research on fish diseases: a review of progress during the past 10 years.
Sneiszko, S. F. 83:313. Therapy of bacterial fish diseases.
Sneiszko, S. F. 87:380. Suggestions for reduction of natural mortality in fish populations.
Snieszko, S. F., K. Wolf, J. E. Camper, and L. L. Pettijohn. 88:289. Infectious nature of pancreatic necrosis.
Snieszko, S. F., and E. M. Wood. 84:86. The effect of sulfonamides on the growth

of brook trout, brown trout, and rainbow trout.
Snieszko, S. F., *see* Bullock, G. L.; Hooper, F. F.; Larsen, H. N.; Radulescu, I.; Wood, E. M.
Sokoloski, A. A. 98:360. Some elements of an evaluation of the effects of legal factors on the utilization of fishery resources.
Solon, J. M., J. H. Nair, III, and J. L. Lincer. 97:501. A continuous flow, automatic device for short-term toxicity experiments.
Solon, J. M., *see* Lincer, J. L.
Sosnow, A. D., *see* Austin, H. M.
Southward, G. M., and J. Douglas. 101:29. Evaluation of a winter steelhead fishery on a western Washington River.
Spall, R. D. 99:599. Possible cases of cleaning symbiosis among freshwater fishes.
Sparks, R. E., *see* Cairns, J., Jr.
Speaker, E. B., *see* Carlander, K. D.
Speece, R. E. 98:789. U-tube oxygenation for economical saturation of fish hatchery water.
Speece, R. E. 102:323. Trout metabolism characteristics and the rational use of nitrification facilities for water reuse in hatcheries.
Speirs, G. D. 103:396. Food habits of landlocked salmon and brook trout in a Maine lake after introduction of landlocked alewives.
Spigarelli, S. A., G. P. Romberg, and R. E. Thorne. 102:462. A technique for simultaneous echo location of fish and thermal plume mapping.
Spindler, J. C., *see* Whitney, A. N.
Spivey, W. A. 102:492. Optimization in complex management systems.
Spoor, W. A., and R. A. Drummond. 101:714. An electrode for detecting movement in gradient tanks.
Spoor, W. A., T. W. Neiheisel, and R. A. Drummond. 100:22. An electrode chamber for recording respiratory and other movements of free-swimming animals.
Springer, S. 85:13. Tuna resources of the tropical and sub-tropical western Atlantic.
Springer, V. G., and J. H. Finucane. 92:317. The African cichlid, *Tilapia heudeloti* Dumeril, in the commercial fish catch of Florida.
Springer, V. G., and A. J. McEarlean. 90:497. Tagging of great barracuda, *Sphyraena barracuda* (Walbaum).
Sprugel, G., Jr. 83:58. Growth of bluegills in a new lake, with particular reference to false annuli.
Spykermann, V. L., *see* Bulkley, R. V.
Squires, W. R., *see* Penrose, W. R.
Stalling, D. L., *see* Macek, K. J.
Stalnaker, C. B., *see* Holden, P. B.
Stanley, J. G. 103:587. Nitrogen and phosphorus balance of grass carp, *Ctenopharyngodon idella,* fed elodea, *Egeria densa.*
Stanley, J. G. 105:10. Production of hybrid, androgenetic, and gynogenetic grass carp and carp.
Stanley, J. G., and P. J. Colby. 100:624. Effects of temperature on electrolyte balance and osmoregulation in the alewife *(Alosa pseudoharengus)* in fresh and sea water.
Stark, A. E., and M. C. Halden. 96:230. Estimation of catch composition from sample surveys by stepwise application of raising factors, CDC 3200, Fortran IV.
Starkey, E. E., J. A. Kazmierski, M. R. Fletcher, and O. E. Maughan. 101:715. The effect of photoperiod of thermal resistance of speckled dace.
Starostka, V. J., and R. L. Applegate. 99:571. Food selectivity of bigmouth buffalo, *Ictiobus cyprinellus,* in Lake Poinsett, South Dakota.
Stasko, A. B., R. M. Horrall, and A. D. Hasler. 105:64. Coastal movements of adult Fraser River sockeye salmon *(Oncorhynchus nerka)* observed by ultrasonic tracking.
Stasko, A. B., *see* Gardella, E. S.
Stauffer, T. M. 91:422. Duration of larval life of sea lampreys in Carp lake River, Michigan.
Stauffer, T. M. 101:18. Age, growth, and downstream migration of juvenile rainbow trout in a Lake Michigan tributary.
Stauffer, T. M., and M. J. Hansen. 98:225. Mark retension, survival, and growth of jaw-tagged and fin-clipped rainbow trout.
Stauffer, T. M., *see* Hansen, M.J.; Wagner, W. C.
Stebbings, B. E., *see* Andrews, A. K.
Steffel, S., A. E. Dizon, J. J. Magnuson, and W. H. Neill. 105:588. Temperature discrimination by captive free-swimming tuna, *Euthynnus affinis.*
Steinmetz, C., Jr., *see* Saksena, V. P.
Stephan, C. E., *see* Mount, D. I.
Stephens, A. A., *see* Cummins, J. M.
Stephens, R. R. 102:846. Twinning in *Porichthys notatus* Girard.
Stern, J. A. 87:293. Influence of technological advancements on utilization of fisheries in the future.
Stevens, D. G., *see* Bouck, G. R.; Nebeker, A. V.
Stevens, J. B. 95:357. Angler success as a quality determinant of sport fishery recreational values.
Stevens, J. B. 98:352. Measurement of economic values in sport fishing: an economist's views on validity, usefulness, and propriety.
Stevens, R. I., and J. R. Truog. 86:161. Comparison of dried yeasts, *Candida utilia* and *Saccharomyces cerevisiae,* as supplements in a diet for rainbow trout.
Stevenson, J. C. 100:398. Communication between scientists through primary journals.
Stewart, K. W. 104:821. An improved elutriator for separating stream insects from stony substrates.
Stewart, N. E., R. E. Millemann, and W. P. Breese. 96:25. Acute toxicity of the insecticide Sevin R and its hydrolytic product 1-napthol to some marine organisms.
Stickney, A. P. 96:359. Aquarium susceptibility of tagged and untagged Atlantic herring to predation.

Stickney, R. R. 105:202. Food habits of Georgia estuarine fishes II. *Symphurus plagiusa* (Pleuronectiformes: cynoglossidae).
Stickney, R. R., and B. A. Simco. 100: 790. Salinity tolerance of catfish hybrids.
Stickney, R. R., and D. B. White. 104:158. Ambicoloration in tank cultured flounder, *Paralichthys dentatus*.
Stickney, R. R., *see* Andrews, J. W.
Stira, R. J., R. J. Reed, and S. Middleman. 105:349. A method for making artificial fish eggs.
Stober, Q. J. 98:652. Underwater noise spectra, fish sounds and response to low frequencies of cutthroat trout *(Salmo Clarki)* with reference to orientation and homing in Yellowstone Lake.
Stober, Q. J., and C. H. Hanson. 103:569. Toxicity of chlorine and heat to pink *(Oncorhynchus gorbuscha)* and chinook salmon *(O. tshawytscha)*.
Stober, Q. J., and W. R. Payne, Jr. 95: 212. A method for preparation of pesticide-free fish food from commercial fish food pellets.
Stobo, W. T. 101:362. Effects of formalin on length and weight of yellow perch.
Stobo, W. T. 101:365. The effects of dart tags on yellow perch.
Stock, J. N., and O. B. Cope. 98:280. Some effects of TEPA, and insect chemosterilant, on the guppy, *Poecilia reticulata*.
Stoeckeler, J. H., and G. J. Voskuil. 88: 286. Water temperature reduction in shortened spring channels of southwestern Wisconsin trout streams.
Stokes, S., *see* Hyde, K. M.
Strawn, K. 90:334. Growth of largemouth bass fry at various temperatures.
Strawn, K., *see* Allen, K. O.; Baker, C. D.; Landry, A. M., Jr.; Matlock, G. C.; Reimer, R. D.; Serns, S. L.
Strickland, C. W. *see* Hartman, W. L.
Strong, D. H., *see* Baldwin, R. E.
Stroud, R. H. 102:188. Application of theory and research in freshwater and marine fisheries management programs -- a discussion of the papers given by S. H. Smith, R. O. Anderson, K. R. Allen, and G. B. Talbot.
Stuart, K. W., *see* Maki, A. W.
Stucky, N. P., and H. E. Klaassen. 100: 276. Growth and condition of the carp and the river carpsucker in an altered environment in western Kansas.
Stuiber, D. A., *see* Huh, H. T.
Sukumaran, N., *see* Kutty, M. N.
Summerfelt, R. C. 93:6. A new microsporidian parasite from the golden shiner, *Notemigonus crysoleucas*.
Summerfelt, R. C. 95:272. Homology of serum proteins of golden shiner *(Notemigonus crysoleucas)* and man.
Summerfelt, R. C., and W. M. Lewis. 97: 287. A water sampler employing a solenoid trapping mechanism.
Summerfelt, R. C., and C. O. Minckley. 98: 444. Aspects of the life history of the sand shiner, *Notropis stramineus* (Cope), in the Smoky Hill River, Kansas.
Summerfelt, R. C., *see* Hart, L. G.; Lewis, W. M.
Sumner, F. H. 91:77. Migration and growth of the coastal cutthroat trout in Tillamook County, Oregon.
Sundararaj, B. I., and R. D. Suttkus. 91: 84. Fecundity of the spotted seatrout, *Cynoscion nebulosus* (Cuvier), from Lake Borgne area, Louisiana.
Surber, E. W. 88:111. *Cricotopus bicinctus*, a midgefly resistant to electroplating wastes.
Surber, E. W., and T. O. Thatcher. 92:152. Laboratory studies of the effects of alkyl benzene sulfonate (ABS) on aquatic invertebrates.
Suttkus, R. D., *see* Sundararaj, B. I.
Swanson, G. A., and W. H. Thornberry. 104: 406. A circular chamber for counting benthic invertebrates.
Swarts, W. 98:328. Blood studies of some marine teleosts.
Swedberg, D.V. 97:442. Food and growth of the freshwater drum in Lewis and Clark Lake, South Dakota.
Swedberg, D. V., and C. H. Walburg. 99: 560. Spawning and early life history of the freshwater drum in Lewis and Clark Lake, Missouri River.
Swee, U. B., and H. R. McCrimmon. 95:372. Reproductive biology of the carp, *Cyprinus carpio* L., in Lake St. Lawrence, Ontario.
Swenson, W. A., and M. L. Matson. 105:541. Influence of turbidity of survival, growth, and distribution of larval lake herring *(Coregonus artedii)*.
Swift, D. R. 92:300. Influence of oxygen concentration on growth of brown trout, *Salmo trutta* L.
Swihart, G. L., *see* Bulkley, R. V.
Swingle, H. S. 83:47. Fish populations in Alabama rivers and impoundments.
Swingle, H. S. 88:16. Careers in fisheries.
Swingle, H. S. 89:142. Comparative evaluation of two tilapias as pondfishes in Alabama.
Swingle, H. S., *see* Swingle, W. E.
Swingle, W. E. 93:313. Length-weight relationships, I, IBM 1620, Fortran/ Format.
Swingle, W. E. 93:314. Length-weight relationships, II, IBM 1620, Fortran/ Format.
Swingle, W. E., and H. S. Swingle. 95:232. Population analysis programs, IBM 1620, Fortran/Format.
Sykes, J. E. 87:104. A method of determining the sex of the striped bass, *Roccus saxatilus* (Walbaum).
Sykes, J. E., *see* Chapoton, R. B.
Sykora, J. L., *see* Smith, E. J.
Sylvester, J. R. 102:139. Effect of light on vulnerability of heat-stressed sockeye salmon to predation by coho salmon.
Sylvester, J. R., and A. E. Dammann. 102: 843. Contribution to the biology of the silk snapper, *Lutjanus vivanus*, from the Virgin Islands.
Sylvester, J. R., and C. E. Nash. 104:144. Thermal tolerance of eggs and larvae of Hawaiian striped mullet, *Mugil cephalus* L.
Syrett, R., *see* Benoit, D.
Szluha, A. T. 103:226. Potamological effects of fish hatchery discharge.

T

Tabb, D. C., and A. C. Jones. 91:375. Effect of Hurricane Donna on the aquatic fauna of north Florida Bay.
Tabb, D. C., W. T. Yang, C. P. Idyll, and E. S. Iversen. 98:738. Research in marine aquaculture at the Institute of Marine Science, University of Miami.
Tabb, D. C., *see* Caillouet, C. W.
Tack, P. I., *see* Brazo, D. C.; Zeitoun, I. H.
Tackett, D. L., J. J. Giudice, and R. W. Raible. 103:825. A respirometer with controllable oxygen levels.
Tagatz, M. E. 98:713. Some relations of temperature acclimation and salinity to thermal tolerance of the blue crab, *Callinectes sapidus*.
Tagatz, M. E. 105:546. Effects of mirex on predator-prey interaction in an experimental estuarine ecosystem.
Takatalo, S., S. Kolehmainen, and J. K. Miettinen. 99:515. Excretion of iodine by perch, *(Perca fluviatilis)*.
Talbot, G. B. 93:205. Drift bottle modifications for air drops.
Talbot, G. B. 96:355. Urinary calculi in striped marlin.
Talbot, G. B. 102:178. The California sardine-anchovy fisheries.
Talbot, G. B., and P. G. Wares. 104:1. Fishery for Pacific billfish off southern California and Mexico.
Talbot, G. B., *see* Islam, B. N.
Tang, Y. A. 99:708. Evaluation of balance between fishes and available fish foods in multispecies fish culture ponds in Taiwan.
Tanner, H. A. 87:386. Place of game and fish in multiple use of watersheds.
Tanner, H. A. 89:198. Some consequences of adding fertilizer to five Michigan trout lakes.
Tanner, H. A., *see* Horak, D. L.
Tarby, M. J. 103:462. Characteristics of yellow perch cannibalism in Oneida Lake and the relation to first year survival.
Targett, T. E., and J. D. McCleave. 103: 325. Summer abundance of fishes in a Maine tidal cove, with special reference to temperature.
Tarrant, R. M., Jr. 93:399. Rate of extinction of a conditioned response in juvenile sockeye salmon.
Tarrant, R. M., Jr. 95:112. Threshold of perception of eugenol in juvenile sockeye salmon.
Tarrant, R. M., Jr. 100:237. Seasonal variation in the accumulation and loss of ^{131}I by tissues of adult female channel catfish, *Ictalurus punctatus* (Rafinesque).
Tarter, D. C. 98:454. Some aspects of reproduction in the western blacknose dace, *Rhinichthys atratulus meleagris* Agassiz, in Doe Run, Meade County, Kentucky.
Tarzwell, C. M., and C. Henderson. 86: 245. Toxicity of dieldrin to fish.
Tarzwell, C. M., *see* Henderson, C.
Tatum, W. M. 102:826. Brackish water cage culture of rainbow trout *(Salmo gairdneri)* in south Alabama.
Tatum, W. M., *see* Brown, B. E.
Taub, S. H. 92:432. Recovery of a marked lake trout after 21 years.
Taube, C. M. 105:529. Sexual maturity and fecundity in brown trout of the Platte River, Michigan.
Taylor, G., *see* Kleerekoper, H.
Taylor, W. J., *see* Grzenda, A. R.
Teasley, J. I., *see* Lauer, G. J.
Terpenning, J. G., *see* Larkin, P. A.
Teter, H. E. 89:193. The bottom fauna of Lake Huron.
Tetzloff, C. L., *see* Dryer, W. R.
Tharratt, R. C. 88:330. Food of yellow perch, *Perca flavescens* (Mitchill) in Saginaw Bay, Lake Huron.
Thatcher, T. O., *see* Surber, E. W.
Theiling, D. L., and H. A. Loyacano, Jr., 105:41. Age and growth of red drum from a saltwater marsh impoundment in South Carolina.
Theroux, R. B., *see* Wigley, R. L.
Thoits, C. F. III., *see* Buck, D. H.
Thomas, A. E. 102:620. Spawning migration and intragravel movement of the torrent sculpin, *Cottus rhotheus*.
Thomas, A. E. 104:335. Effect of egg concentration in an incubation channel on survival of chinook salmon fry.
Thomas, A. E., J. E. Banks, and D. C. Greenland. 98:406. Effect of yolk sac absorption on the swimming ability of fall chinook salmon.
Thomas, A. E., J. W. Elliott, and J. L. Banks. 98:23. Hematological and chemical characteristics associated with precocious male chinook salmon fingerlings.
Thomas, A. E., *see* Greenland, D. C.
Thomas, P. M., B. G. Sanders, and K. L. Wiley. 101:115. Immune response to bacteriophage antigens in the thornback *(Platyrhinoides triseriata)*.
Thomas, P. M., *see* Howell, J. H.
Thomas, R., *see* McCarraher, D. B.
Thomas, R. C., *see* Miller, R. B.
Thomerson, J. E., *see* McCaskill, M. L.
Thompson, G. E., and R. W. Davies. 105: 208. Observations on the age, growth, reproduction, and feeding of mountain whitefish, *(Prosopium williamsoni)* in the Sheep River, Alberta.
Thompson, J. D., *see* Gale, W. F.
Thompson, R. B., and D. F. Tufts. 96:424. Predation by Dolly Varden and northern squawfish on hatchery-reared sockeye salmon in Lake Wenatchee, Washington.
Thompson, W. F. 88:206. An approach to population dynamics of the Pacific red salmon.
Thompson, W. H. 84:39. Problems of reservoir management.
Thornberry, W. H., *see* Swanson, G. A.
Thorne, R. E., *see* Spigarelli, S. A.
Thorson, T. B. 102:612. Sexual dimorphism in number of rostral teeth of the sawfish, *Pristis perotteti* Muller and Henle, 1841.
Thorsteinson, F. V. 91:321. Herring predation on pink salmon fry in a southeastern Alaska estuary.

Threinen, C. W., *see* Mraz, D.
Tiemeier, O. W., *see* Bonneau, D. L.; Dove, G. R.
Timms, A. M., and H. Kleerekoper. 101:302. The locomotor responses of male *Ictalurus punctatus,* the channel catfish, to a pheromone released by the ripe female of the species.
Titlow, F. B., and R. T. Lackey. 103:601. DAM: A computer-implemented water resource teaching game.
Tompkins, J. A., and C. Tsai. 105:313. Survival time and lethal exposure time for the blacknose dace exposed to free chlorine and chloramines.
Topp, R. W., and D. S. Beaumariage. 100: 579. Two unusual striped mullet, *Mugil cephalus,* from the Florida west coast.
Topp, R. W., *see* Moe, M. A., Jr.
Torrie, J. H., *see* Baldwin, R. E.
Trent, W. L., *see* Pullen, E. J.
Trojnar, J. R., and R. J. Behnke. 103: 423. Management implications of ecological segregation between two introduced populations of cutthroat trout in a small Colorado lake.
Trotsky, H. M., and R. W. Gregory. 103: 318. The effects of water flow manipulation below a hydroelectric power dam on the bottom fauna of the upper Kennebec River, Maine.
Truog, J. R., *see* Stevens, R. I.
Tsai, C. 101:80. Life history of the eastern johnny darter, *Etheostoma olmsteadi* Storer, in cold tailwater and sewage-polluted water.
Tsai, C. 102:281. Water quality and fish life below sewage outfalls.
Tsai, C., *see* Fava, J. A.; Tompkins, J. A.
Tsumura, K., *see* Efford, I. E.
Tucker, T., *see* McCosker, J. E.
Tufts, D. F., *see* Thompson, R. B.
Turner, J. L., and H. K. Chadwick. 101: 442. Distribution and abundance of young-of-the-year striped bass, *Morone saxatilis,* in relation to river flow in the Sacramento-San Joaquin estuary.
Turner, J. L., *see* Radtke, L. D.
Turner, W. R. 89:333. Standing crops of fishes in Kentucky farm ponds.
Turner, W. R. 98:216. Life history of menhadens in the eastern Gulf of Mexico.
Turner, W. R., and R. B. Roe. 96:357. Occurrence of the parasitic isopod, *Olencira praegustator,* in the yellowfin menhaden, *Brevoortia smithi.*
Turner, W. R., *see* Kjelson, M. A.
Tyler, R. W., *see* Hennick, D. P.
Tyrus, H. M. 103:392. Movements and spawning of anadromous alewives, *Alosa pseudoharengus* (Wilson), at Lake Mattamuskeet, North Carolina.

U

Ulanowicz, R. E., *see* Morgan, R. P., II.
Umminger, B. L., and J. B. Mahoney. 101: 746. Seasonal changes in the serum chemistry of the winter flounder, *Pseudopleuronectes americanus.*
Utter, F. M., and H. O. Hodgins. 101:494. Biochemical genetic variation at six loci in four stocks of rainbow trout.
Uzmann, J. R., and J. Douglas. 95:35. *Clinostomum marginatum* in steelhead trout *(Salmo gairdneri)* and cutthroat trout *(Salmo clarki)* in a western Washington lake
Uzmann, J. R., G. J. Paulik, and S. H. Hayduk. 94:53. Experimental hexamitiasis in juvenile coho salmon *(Oncorhynchus kisutch)* and steelhead trout *(Salmo gairdneri).*

V

Valdez, R. A. 103:632. Two parasites of threespine stickleback from Amchitka, Aleutian Islands, Alaska.
VanCampen, W., *see* McKernan, D. L.
VanDerwalker, J. G. 99:532. Responses of fingerling coho and chinook salmon to modified flows in a simulated turbine intake.
VanDerwalker, J. G., and E. Chin. 91:230. A device for feeding brine shrimp to fishes.
VanEngel, W. A., *see* Crittenden, M. E., Jr.
Vanicek, C. D., and R. H. Kramer. 98:193. Life history of the Colorado squawfish, *Ptychocheilus lucius,* and the Colorado chub, *Gila robusta,* in the Green River, in Dinosaur National Monument, 1964-66.
VanMeir, L. W. 98:347. An economical evaluation of alternative management systems for commercial fisheries.
VanOosten, J. 90:170. Records, ages, and growth of the mooneye, *Hiodon tergisus,* of the Great Lakes.
VanValin, C. C., A. K. Andrews, and L. L. Eller. 97:185. Some effects of mirex on two warm-water fishes.
VanValin, C. C., *see* Andrews, A. K.
VanVelson, R. C. 103:59. Self-sustaining rainbow trout *(Salmo gairdneri)* population in McConaughy Reservoir, Nebraska.
Vasilu, D. G., *see* Radulescu, I.
Vaughan, D. S., and S. B. Saila. 105:380. A method for determining mortality rates using the Leslie matrix.
Vaughn, T. L., *see* Goodwin, W. F.
Venables, B. J., *see* Smith, E. N.
Verduin, J. 98:335. Critique of research methods involving plastic bags in aquatic environments.
Verhoven, L. A., *see* Ward, F. J.
Vibert, R. 83:194. Effect of solar radiation and of gravel cover on developement, growth, and loss by predation in salmon and trout.
Vibert, R. 92:265. Neurophysiology of electric fishing.
Villella, J. B., E. S. Iversen, and C. J. Sindermann. 99:789. Comparison of the parasites of pond-reared and wild pink shrimp *(Penaeus duorarum* Burkenroad) in south Florida.
Vincent, R. E. 89:35. Some influences of domestication upon three stocks of brook trout *Salvelinus fontinalis* (Mitchill).

Vincent, R. E., *see* Baldes, R. J.; Walters, C. J.
Vinsonhaler, R., *see* Bates, D. W.
Vladykov, V. D. 86:345. Fish tags and tagging in Quebec waters.
Vogele, L. E., and W. C. Rainwater. 104: 264. Use of brush shelters as cover by spawning black basses *(Micropterus)* in Bull Shoals Reservoir.
Vogele, L. E., *see* Heard, W. R.
Voigtlander, C. W., and A. C. Roochvarg. 96:364. Age and growth program, Control Data 3600, Fortran 63-Fortran IV.
Voigtlander, C. W., and T. E. Wissing. 103:25. Food habits of young and yearling white bass, *Morone chrysops* (Rafinesque), in Lake Mendota, Wisconsin.
Vondett, J. E., *see* Whalls, M. J.
vonGeldern, C. E., Jr. 90:259. Application of the DeLury method in determining the angler harvest of stocked catchable-sized trout.
Voskuil, G. J., *see* Stoeckeler, J. H.
Voyer, R. A. 104:129. Effect of dissolved oxygen concentration on the acute toxicity of cadmium to the mummichog, *Fundulus heteroclitus* (L.) at various salinities.

W

Wadley, G. W., and A. D. Welander. 100: 267. X-rays and temperature: combined effects on mortality and growth of salmon embryos.
Wagner, C. C. 98:115. Incidence of leech infestation on blacknose dace.
Wagner, H. H. 97:374. Effect of stocking time on survival of steelhead trout, *Samo gairdneri*, in Oregon.
Wagner, H. H. 98:27. Effect of stocking location of juvenile steelhead trout, *Salmo gairdneri*, on adult catch.
Wagner, H. H., R. L. Wallace, and H. J. Campbell. 92:202. The seaward migration and return of hatchery-reared steelhead trout, *Salmo gairdneri* Richardson, in the Alsea River, Oregon.
Wagner, J. F., and M. Parker. 102:698. Primary productivity and limiting nutrients in a small, subalpine Wyoming lake.
Wagner, W. C. 101:55. Utilization of alewives by inshore piscivorous fishes in Lake Michigan.
Wagner, W. C., and T. M. Stauffer. 91:384. Sea lamprey larvae in lentic environments.
Wahl, R. W., *see* Webster, D. A.
Walburg, C. H. 86:302. Observations on the food and growth of juvenile American shad, *Alosa sapidissima*.
Walburg, C. H. 90:228. Natural mortality of American shad.
Walburg, C. H. 92:436. Parent-progeny relation and estimation of optimum yield for American shad in the Connecticut River.
Walburg, C. H. 101:311. Some factors associated with fluctuation in year-class strength of sauger, Lewis and Clark Lake, South Dakota.
Walburg, C. H., *see* Fischler, K. J.; Swedberg, D. V.
Wales, J. H., and M. Coots. 84:137. Efficiency of chinook salmon spawning in Fall Creek, California.
Wales, J. H., and J. P. Lane. 87:163. Public opinion analysis in trout fishery management.
Walker, T. M., *see* Burdick, G. E.
Wallace, C. R. 102:142. Effects of temperature on developing meristic structures of smallmouth bass, *Micropterus dolomieui* Lacépède.
Wallace, D. C. 102:786. Reproduction of the silverjaw minnow, *Ericymba buccata* Cope.
Wallace, D. H. 98:367. Discussion.
Wallace, D. N. 104:710. A critical comparison of the biological assumptions of Hudson River striped bass models and field survey data.
Wallace, R. L., *see* Pettit, S. W.; Wagner, H. H.
Wallen, G. H., *see* Cope, O. B.
Waller, R., *see* McIlwain, T. D.
Wallis, O. L. 89:234. Management of sport fishing in national parks.
Walsh, D. F., *see* Macek, K. J.
Waltemyer, D. L. 104:808. The effect of tannin on the mortality of walleye *(Stizostedion vitreum)* spermatosoa.
Waltemyer, D. L. 105:731. Tannin as an agent to eliminate adhesiveness of walleye eggs during artificial propagation.
Walter, G., and W. J. Hoagman. 104:245. A method for estimating year-class strength from abundance data, with application to the fishery of Green Bay, Lake Michigan.
Walters, C. J. 98:505. A generalized computer simulation model for fish population studies.
Walters, C. J. 100:365. Manipulation of fish populations with respect to food production: a cautionary note.
Walters, C. J., and R. E. Vincent. 102:675. Potential productivity of an alpine lake as indicated by removal and reintroduction of fish.
Wangensteen, O. D., *see* Rahn, H.
Ward, F. J., and L. A. Verhoeven. 92:379. Two biological stains as markers for sockeye salmon fry.
Ward, J. M., *see* Larson, R. W.
Warden, R. L., Jr., and W. J. Lorio. 104: 696. Movements of largemouth bass *(Micropterus salmoides)* in impounded waters as determined by underwater telemetry.
Wares, P. G., *see* Talbot, G. B.
Warner, K. 91:99. Contribution of hatchery-reared salmon to the fishery of the Fish River, Lakes, Maine.
Warner, K. 92:161. Natural spawning success of landlocked salmon, *Salmo salar*.
Warner, K. 102:149. Spring food of chain pickerel *(Esox niger)* in Maine lakes.
Warner, K. 105:365. Hooking mortality of landlocked Atlantic salmon, *Salmo salar*, in a hatchery environment.
Warner, K., and O. C. Fenderson. 92:193. The salmon and trout fishery of the Fish River Lakes, Maine.
Warner, K., and K. A. Havey. 90:457. Body-scale relationship in landlocked salmon, *Salmo salar*.

Warner, K., and A. Incerpi. 98:45. Current status of the salmon, *Salmo salar*, fisheries of Two Fish River Lakes, Maine.
Warner, K., and I. R. Porter. 89:59. Experimental improvement of a bulldozed trout stream in northern Maine.
Warner, K., *see* Incerpi, A.
Warren, C. E., *see* Davis, G. E.; Herrmann, R. B.; Katz, M.; Shumway, D. L.; Siler, S. J.; Whitmore, C. M.
Washburn, G. N., *see* Peterson, D. H.
Watarai, L. T. 102:617. Growth rates of a carangid fish, the omaka, *Caranx mate*, in Hawaii.
Waters, C. A., *see* Everhart, W. H.
Waters, T. F. 86:329. The effects of lime application to acid bog lakes in northern Michigan.
Waters, T. F. 89:287. The development of population estimate procedures in small trout lakes.
Waters, T. F. 91:243. A method to estimate the production rate of a stream bottom invertebrate.
Waters, T. F. 93:311. Recolonization of denuded stream bottom areas by drift.
Waters, T. F., and R. J. Knapp. 90:225. An improved stream bottom fauna sampler.
Waters, T. F., *see* Elwood, J. W.; Hanson, D. L.; Petrosky, C. E.; Wojtalik, T. A.
Watling, L., *see* Maurer, D.
Watson, J. E. 93:11. Determining the age of young herring from their otoliths.
Watson, J. E. 94:267. A technique for mounting and storing herring otoliths.
Watson, J. F. 99:600. Marking juvenile American shad by immersion in Bismarck brown Y and neutral red.
Watson, J. W., Jr. 105:135. Electrical shrimp trawl catch efficiency for *Penaeus duorarum* and *Penaeus aztecus*.
Watson, J. W., Jr., *see* Wickham, D. A.
Watson, S. W. 83:331. Virus diseases of fish.
Watt, K. E. F., *see* Fry, E. J.
Watters, K. W., and T. E. Prinslow. 105: 347. An emergency water supply for small aquarium systems.
Waybrant, R. C., *see* Hamelink, J. L.
Weaver, C. R. 94:382. Observations on the swimming ability of adult American shad *(Alosa sapidissima)*.
Weaver, J. E. 103:382. Temporal trends in fatty acid composition of juvenile Atlantic menhaden fed brine shrimp nauplii.
Webb, H. J., *see* Nicholson, H. P.
Weber, D. T., *see* Imler, R. L.
Webster, D. A. 91:168. Artificial spawning facilities for brook trout *(Salvelinus fontinalis)*.
Webster, D. A., and G. Eiriksdottir. 105: 416. Upwelling water as a factor influencing choice of spawning sites by brook trout *(Salvelinus fontinalis)*.
Webster, D. A., W. A. Lund, Jr., R. W. Wahl, and W. D. Youngs. 89:274. Observed and calculated lengths of lake trout *(Salvelinus namaycush)* in Cayuga Lake, New York.
Webster, D. A., *see* Flick, W. A.
Wedemeyer, G. A., *see* Wydoski, R. S.
Weingarten, W. O., *see* Adams, W. J.
Weis, J., and P. Weis. 104:135. Retardation of fin regeneration in *Fundulus* by several insecticides.
Weis, J. S., and A. Perlmutter. 96:57. Technique for microinjecting materials into the eggs of fishes.
Weis, P., *see* Weis, J.
Weiss, C. M. 90:143. Physiological effect of organic phosphorus insecticides on several species of fish.
Weiss, C. M., *see* Gakstatter, J. H.; Oglesby, R. T.; Wilkes, F. G.
Welander, A. D., *see* Wadley, G. W.
Welch, E. B., M. Hull, and M. Katz. 92:67. A trout with two dorsal fins.
Welker, B. 96:351. Movements of marked channel catfish in the Little Sioux River, Iowa.
Wellborn, T. L., Jr., and R. D. Lindsey. 99:443. Occurrence of anchor parasites *(Lernaea cyprinacea* L.) on adult bullfrogs *(Rana catesbeiana* Shaw).
Wellings, S. R., *see* Miller, B. S.
Wells, L. 95:388. Seasonal and depth distribution of larval bloaters *(Coregonus hoyi)* in southeastern Lake Michigan.
Wells, L., and A. M. Beeton. 92:245. Food of the bloater, *Coregonus hoyi*, in Lake Michigan.
Werner, R. G. 96:416. Intralacustrine movements of bluegill fry in Crane Lake, Indiana.
West, J. L., and F. E. Hester. 95:280. Intergeneric hybridization of centrarchids.
Westers, H., *see* Peterson, D. H.
Westgard, R. L. 93:306. Physical and biological aspects of gas-bubble disease in impounded adult chinook salmon at McNary spawning channel.
Whalls, M. J., D. S. Shetter, and J. E. Vondett. 86:371. A simplified rotary fish screen and an automatic water gate.
White, C. E., Jr. 88:81. Selectivity and effectiveness of certain types of commercial nets in the T.V.A. lakes of Alabama.
White, D. B., *see* Stickney, R. R.
White, G. R., *see* Ross, A. J.
Whiteleather, R. T. 86:195. Some interesting aspects of fisheries exploration--1956.
Whiteleather, R. T. 87:281. Introduction to symposium on commercial fisheries.
Whitmore, C. M., C. E. Warren, and P. Doudoroff. 89:17. Avoidance reactions of salmonid and centrarchid fishes to low oxygen concentrations.
Whitney, A. N., and J. E. Bailey. 88:72. Detrimental effects of highway construction on a Montana stream.
Whitney, A. N., and J. C. Spindler. 88:153. Effects of kraft paper waste on a Montana stream.
Whitney, E. W., *see* Wilbur, R. L.
Whitney, R. R. 98:77. Inferences on tuna behavior from data in fishermens' logbooks.
Whitney, R. R. 98:497. Schooling of fishes relative to available light.
Whitney, R. R., *see* Carlander, K. D.
Whitworth, W. R., and W. H. Irwin. 93:209. Oxygen requirements of fishes in relation to exercise.
Wickham, D. A. 102:816. Attracting and controlling coastal fish with nightlights.
Wickham, D. A., J. B. Cagle, and F. Hightower, Jr. 100:128. Apparatus for controlling ambient light cycles in experimental environments.

Wickham, D. A., J. W. Watson, Jr., and L. H. Ogren. 102:563. The efficacy of midwater artificial structures for attracting pelagic sport fishes.
Wickham, D. A., *see* Klima, E. P.
Wicklund, R., *see* Olla, B. L.
Wigley, R. L., and R. B. Theroux. 94:243. Seasonal food habits of Highlands Ground haddock.
Wigley, R. L., *see* Haynes, E. B.
Wilbur, C. G. 84:150. Lipids in northern pike.
Wilbur, R. L., and E. W. Whitney. 102:630. Toxicity of the herbicide Kuron^{R} (silvex) to bluegill eggs and fry.
Wiley, K. L., *see* Thomas, P. M.
Wilimovsky, N. J. 98:350. Discussion.
Wilk, R., *see* Olla, B. L.
Wilkes, F. G., and C. M. Weiss. 100:222. The accumulation of DDT by the dragonfly nymph, *Tetragoneuria*.
Wilkie, D. W., *see* Northcote, T. G.
Willford, W. A., *see* Laarman, P. W.
Williams, D. A., *see* Giger, R. D.
Williams, E. H., Jr. 103:610. Two new species of *Monobothrium* (Cestoda: Carophyllaeidae) from catostomid fishes of southeastern United States.
Williams, J. E., *see* Beyerle, G. B.
Williams, W. E. 88:125. Food conversion and growth rates for largemouth and small mouth bass in laboratory aquaris.
Williams, W. E. 99:597. Summer food of juvenile black bullheads, *(Ictalurus m. melas)* of Mitchell Lake, Wexford County, Michigan.
Williams, W. G., *see* Smith, C. E.
Willoughby, S. E., *see* Minckley, W. L.
Wilson, A. J., *see* Croker, R. A.
Wilson, B., *see* Rose, C. D.
Wilson, D. C., and C. E. Bond. 98:438. The effects of herbicides Diquat and Dichobenil (Casoron^{R}) on pond invertebrates, part 1. Acute toxicity.
Wilson, J. L. 104:148. Hemoglobin comparisons of green sunfish *(Lepomis cyanellus* Rafinesque) X bluegill *(L. macrochirus* Rafinesque) hybrids to the parental species.
Wilson, J. S., *see* Koo, T. S. Y.
Wilton, J. W., R. W. Crawford, and D. Hunsaker II. 91:424. Effect of copper sulfate on angling success.
Wilton, R., *see* Kleerekoper, H.
Windell, J. T., J. F. Kitchell, D. O. Norris, J. S. Norris, and J. W. Foltz. 105:712. Temperature and rate of gastric evacuation by rainbow trout, *Salmo gairdneri*.
Windell, J. T., *see* Kionka, B. C.; Kitchell, J. F.
Wingate, P. J., *see* Moore, R. H.
Winn, H. E., *see* Haley, A. J.
Winslow, P. C., *see* Armstrong, R. H.
Winther, J. K. 95:101. Journal account of trout angling in Michigan, 1903-05.
Wise, J. P. 101:75. Yield-per-recruit estimates for eastern tropical Atlantic yellow fin tuna.
Wise, J. P., and A. C. Jensen. 88:357. Movement of tagged halibut off New England.
Wise, J. P., *see* Jensen, A. C.
Wissing, T. E. 103:32. Energy transformations by young-of-the-year white bass, *Morone chrysops* (Rafinesque), in Lake Mendota, Wisconsin.
Wissing, T. E., and A. D. Hasler. 100:537. Effects of swimming activity and food intake on the respiration of young-of-the year white bass, *Morone chrysops*.
Wissing, T. E., *see* Pierce, R. J.; Voigtlander, C. W.; Woodward, R. L.
Witt, A., Jr. 85:271. Seasonal variation in the incidence of lymphocystis in the white crappie from the Niangua arm of the Lake of the Ozarks, Missouri.
Witt, A., Jr., and R. S. Campbell. 88:33. Refinements of equipment and procedures in electro-fishing.
Witt, A., Jr., *see* Conley, J. M.; Herting, G. E.; Morris, L. A.; Netsch, N. F.; Poole, R. L.
Wojtalik, T. A., and T. F. Waters. 99:782. Some effects of heated water on the drift of two species of stream invertebrates.
Wolf, K. 86:81. Experimental induction of blue-sac disease.
Wolf, K., and C. E. Dunbar. 88:117. Test of 34 therapeutic agents for control of kidney disease in trout.
Wolf, K., *see* Snieszko, S. F.
Wolf, L. E. 83:342. Development of disease-resistant strains of fish.
Wolfert, D. R. 92:414. The movements of walleyes tagged as yearlings in Lake Erie.
Wood, E. M., W. T. Yasutake, J. E. Halver, and A. N. Woodall. 89:301. Chemical and histological studies of wild and hatchery salmon in fresh water.
Wood, E. M., W. T. Yasutake, and S. F. Snieszko. 84:155. Sulfonamide toxicity in brook trout.
Wood, E. M., *see* Cope, O. B.; Sneiszko, S. F.
Wood, J. S., *see* Drongowski, R. A.
Wood, K. V., *see* Neumann, D. A.
Woodall, A. N., *see* Wood, E. M.
Woods, C. S. 98:529. A fish measuring board with double vernier.
Woodward, R. L., and T. E. Wissing 105: 411. Age, growth, and fecundity of the quillback *(Carpiodes cyprinus)* and highfin *(C. velifer)* carpsuckers in an Ohio stream.
Worsham, R. L. 104:811. Nitrogen and phosphorus levels in water associated with a channel catfish *(Ictalurus punctatus)* feeding operation.
Wright, A. T., *see* Lagler, K. F.
Wright, J. E., *see* Buss, K.
Wright, J. E., Jr., and L. M. Atherton. 99:179. Polymorphisms for LDH and transferrin loci in brook trout populations.
Wroblewski, L., *see* Johnson, M. W.
Wurtsbaugh, W. A., R. W. Brocksen, and C. R. Goldman. 104:88. Food and distribution of underyearling brook and rainbow trout in Castle Lake, California.
Wurtz, C. B., *see* Dolan, T.
Wydoski, R. S., G. A. Wedemeyer, and N. C. Nelson. 105:601. Physiological response to hooking stress in hatchery and wild rainbow trout *(Salmo gairdneri)*.

Y

Yang, W. T., *see* Tabb, D. C.
Yashouv, A. 92:292. Increasing fish production in ponds.
Yasutake, W. T., *see* Amend, D. F.; Parisot, T. J.; Ross, A. J.; Wood, E. M.
Yoshihara, H. T., *see* McMullen, J. C.
Youngs, W. D. 101:542. Estimation of natural and fishing mortality rates from tag recaptures.
Youngs, W. D. 103:616. Estimation of the fraction of anglers returning tags.
Youngs, W. D. 105:45. An analysis of the effect of seasonal variability of harvest on the estimate of exploitation rate.
Youngs, W. D., *see* Webster, D. A.
Yu, M. L., *see* Perlmutter, A.
Yuen, H. S. H. 95:202. Swimming speeds of yellowfin and skipjack tuna.
Yuen, H. S. H., *see* Nakamura, E. L.

Z

Zabic, M. J., *see* Derr, S. K.
Zamora, G., *see* Giles, J. H.
Zaugg, W. S. 99:811. Comments on the relationships between gill ATPase activities, migration, and salt water adaption of coho salmon.
Zaugg, W. S., *see* Adams, B. L.
Zein-Eldin, Z. P. 90:32. Plankton pigments in East Lagoon, Galveston, Texas.
Zein-Eldin, Z. P., and E. F. Klima. 94:277. Effects of injected biological stains on oxygen uptake by shrimp.
Zeitoun, I. H., and P. I. Tack. 103:371. The embryology of the coho salmon, *Oncorhynchus kisutch* (Walbaum).
Zimmerman, C. J. 99:435. Growth and food of the brook silverside, *Labidesthes sicculus*, in Indiana.
Zolczynski, S. J., Jr., and W. D. Davies. 105:240. Growth characteristics of the Northern and Florida subspecies of largemouth bass and their hybrid, and a comparison of catchability between the subspecies.
Zuboy, J. R., *see* Powers, J. E.
Zuckerman, B. M., *see* Coler, R. A.; Miller, C. W.
Zurbuch, P. E. 92:173. Dissolving limestone from revolving drums in flowing water.

PART 3: SPECIES INDEX

Abies balsamea 94:252; 95:60,72
Ablabesmyia monilis 102:37
Abramis brama 88:155; 91:39; 97:27; 99:469
Abudefduf saxatilis 92:179
Acanthocephala 95:24
Acanthocybium solanderi 90:419; 103:487
Acanthogobius flavimanus 102:6
Acanthomysis spp. 105:198
Acanthuridae 91:227; 94:238,314
Acanthurus sp. 91:226
  bahienus 94:314
  gahhm 89:14
  pomotis 98:468
  triostegus 89:12
Acari 97:301; 102:768
Acartia sp. 104:37
Acellus militaris 96:289
Acetes americanus 103:474
Achirus lineatus 94:279; 96:299; 103:780; 104:301
Achnanthes spp. 87:95; 96:226
Achromobacter ichthyodermis 83:246
Achtheres micropteri 95:24; 104:279
Acipenser brevirostrum 102:599
  fulvescens 83:138; 84:207; 86:348; 87:336; 96:219
  guldenstadti 84:220; 105:13
  oxyrhynchus 86:348
  stellatus 84:220
  sturio 84:219
  transmontanus 86:116; 96:238; 105:710
Acolpenteron ureterocoetes 104:279
Acquipecten irradians 99:792
Acrocheilus alutaceus 86:116
Acroneuria sp. 86:215; 88:348; 99:677; 101:710; 103:321
  californica 97:51
  lycorias 101:675
  pacifica 93:27,357; 97:50
Acroperus harpae 92:22; 101:222; 104:532
Actinocleidus fergusoni 104:279
  flagellatus 104:279
  fusiformis 95:24; 101:724; 104:279
Acyrtops beryllinus 94:314
Adinia xenica 94:153
Aedes sp. 90:52,143
  aegypti 91:180
  argenteus 92:156
Aegathoa sp. 98:483
Aegla spp. 101:595
Aequipecten irradians 97:278; 103:265
Aerobacter aerogenes 99:393
  liquefaciens 83:247
Aeromonas sp. 83:314; 93:306; 102:596; 105:169
  hydrophila 83:247
  liquefaciens 83:246,314; 87:381; 97:226; 98:270,685; 100:575; 103:114
  salmonicida 83:242,314; 89:241; 97:221; 98:270; 103:114,542
Aeschnidae 94:189; 104:401
Aeshna constricta 88:348
Aetididae 105:198
Agabus semivittatus 88:279
Agraylia sp. 102:352
Agrion maculatum 101:710
Agrostis stolonifera 101:561
Ahlia egmontis 99:728
Alepisaurus ferox 99:729
  richardsoni 93:288
Alestes macrophthalmus 104:503
Alisma sp. 94:374; 101:560
  subcordatum 86:368
Allocapnia sp. 88:278; 105:631
Allocreadiidae 95:24
Allocyttus verrucosus 93:288
Alloglossidium corti 98:43
Alloperla sp. 86:215; 97:51; 99:677; 102:767; 103:321
  borealis 99:678
  oregonensis 99:678
Alona sp. 84:258; 85:24; 88:330; 90:440; 93:41; 97:301; 98:122; 100:308; 101:223,615; 104:722; 105:75,78,91
  affinis 92:21
  costata 92:22
Alonella excisa 92:21
Alosa spp. 93:89
  aestivalis 85:148; 96:2; 98:622; 99:381, 571; 101:123,651,740; 102:543,555,599; 103:312,327; 104:31
  alabamae 88:191; 98:222
  chrysochloris 84:371; 87:336; 88:10,83; 93:180; 98:222
  mediocris 85:148; 102:543
  pseudoharengus 86:97; 88:105,331; 89:38, 212; 90:80,170; 92:409; 95:251; 96:2, 11,387; 97:63,292,297,317; 98:622,641; 99:298,320,376,381,392,571,754; 100:325, 474,700; 101:583,673,740; 102:156,396, 398,434,543,633,779; 103:127,308,312, 327,392,593; 104:31,483; 105:6,89,96, 395,525
  sapidissima 86:40,98,302,348; 87:81,139, 286,325; 88:105; 90:228,281; 92:410, 436; 94:97,382; 95:228; 97:50,126,350; 98:270; 99:55,600,670,754; 101:124,455, 549,680,740; 102:344,543; 103:642; 104:696; 105:115,350,491
Alpheus armillatus 101:519
  heterochaelis 91:378; 101:519
  normanni 101:519
Alternanthera philoxeroides 102:607,631
Aluterus schoepfi 83:333; 103:96
  scriptus 103:96
Amblema costata 88:281
Ambloplites ariommus 83:204
  rupestris 83:204,275; 85:42,192; 86:147, 279; 87:53,242,335; 88:55,137,149,191, 266; 89:28,151; 90:312,449; 91:63; 92:312; 93:181; 94:143,351; 97:61,63,292, 296; 98:632; 99:55,101,470; 101:56, 488; 102:289,638,795; 103:10,83,127,670, 761; 104:447,518; 105:35,296
Ambystoma gracile 102:33
  tigrinum 93:316; 102:355; 103:744

Ameletus 88:348; 97:386; 98:516; 102:677, 103:321
Amia calva 85:311; 86:155; 87:53; 88:10; 89:68,206,223; 90:84; 91:42; 96:238, 427; 98:467; 100:342; 101:55; 103:10, 239
Ammodytes hexapterus 91:92; 94:407
tobianus 88:256
Ammodytidae 94:238
Amnicola sp. 88:115; 100:125
Amoeba proteus 103:543
Ampelisca sp. 104:37
vadorum 101:518; 105:204
Ampeliscidae 105:198
Amphiagrion sp. 103:27; 104:823
Amphicelomermis 88:278
Amphineura 94:247
Amphiodon alosoides 99:28
Amphipholis squamata 103:264
Amphipleura sp. 96:226
Amphipnous cuchia 98:431
Amphipoda 84:81,193,291; 89:195; 90:272, 441; 91:93; 94:238,247; 97:301; 98:122; 99:554,598,729; 100:122,291; 102:50; 104:38,401
Amphiprion sp. 102:7
Amphistichus argenteus 94:98; 99:475; 102:448
Amphizoidae 103:442
Amphora sp. 93:41; 96:226
Anabaena sp. 86:262; 90:295; 96:244; 101:614; 104:536,598
circinalis 87:89; 102:607
cylindrica 87:96
flos-aquae 84:277; 102:607
sirceneria 102:777
spiroides 87:96
variabilis 105:539
Anabaenopsis sp. 104:598
elenkini 87:91
Anabas testudineus 98:431; 102:4
Anacharis canadensis 84:277; 101:562; 105:695
Anachis avara 103:265
Anacystis sp. 99:572; 102:75
cyanea 93:41
Anarrhichthys ocellatus 93:288
Anatopynia sp. 88:280; 101:745
Anchoa sp. 91:383; 95:227; 96:298; 100:291, 493; 102:181; 103:96; 104:38; 105:515
hepsetus 94:279; 98:290; 100:301; 102:511, 555,818; 103:474
mitchilli 92:321; 94:279; 97:317; 98:290; 99:96; 100:301,520,693; 102:511,554, 599; 103:308,474; 104:47,301,408; 105:327,512,525
Anchoradiscus triangularis 104:279
Anchova sp. 86:304
Anchytarsus bicolor 101:711
Ancinus depressus 105:204
Ancylidae 104:403
Ancylus sp. 101:597
Andropogon hallii 101:561
scoparius 101:561
Angelichthys isabelita 83:333
Anguilla anguilla 83:199,268; 92:265; 99:58, 147; 102:21; 105:281
australis schmidti 97:7
bostoniensis 83:50; 85:258
dieffenbachi 97:7; 99:58
rostrata 86:348; 87:108; 88:10,128,249; 89:212; 90:292; 91:425; 94:10,27; 95:155,160; 96:11; 97:64,317; 98:468, 642; 99:54,298,780; 101:609; 102:121, 289,369,555; 103:396; 104:31,301,534; 105:167,616
Anguilliformes 100:291
Anisocentropus pyraloides 101:711
Anisogrammarus confervicolus 91:157; 103:772
Anisoptera 100:126; 104:544
Anisotremus virginicus 94:314
Ankistrodesmus falcatus 102:607
Annelida 83:79; 88:348; 91:218; 98:298; 100:122; 101:710
Anomalocardia 98:291
Anomalocera patersoni 100:123
Anomia sp. 98:291
simplex 103:265
Anomura 101:519
Anopheles sp. 101:711
Anoplarchus purpurescens 99:803; 101:500
Anoplopoma fimbria 93:288; 97:223
Anotopterus pharao 93:288
Anthias sp. 89:14
Antocha sp. 100:63; 103:272
saxicola 101:711
Anuraeopsis fissa 87:92
Apatemon gracilis fuligulae 88:96
gracilis gracilis 88:96
gracilis pellucidus 88:96
Apeltes spp. 101:184
quadracus 97:317; 99:136; 101:270; 102:555; 103:327; 104:31,534,775
Aphanizomenon sp. 86:262; 102:74; 104:598
flos-aquae 84:277; 99:578; 102:607
Aphanocapsa delicatissima 87:80
Aphredoderus sayanus 90:292; 98:468; 100:728; 102:77; 105:20
Aphrodita hastata 94:248
Aplodinotus grunniens 83:50,133; 84:45; 85:42; 86:59,144; 87:118,336,360; 88:10,35,83,149,348; 89:32; 90:84, 292; 92:312,357; 94:339; 95:434; 97:140,164,429,442; 98:116,122,534; 99:28,429,441,560; 100:474; 101:110; 103:522,670; 104:600; 105:20
Apodichthys flavidus 99:803
Apogon alutus 94:314
exostigma 89:12
snyderi 89:12
Apogonidae 94:314
Appendicularia 100:123
Aprionodon sp. 101:91
Arachna 93:41
Arachnida 83:78; 89:80; 93:41; 104:92
Arachnoidea 83:40; 90:272; 91:218; 98:515; 103:442
Arachnoides 88:341
Araneae 98:204; 100:493; 101:110,597; 103:128
Araneida 86:304; 87:100
Arapaima sp. 90:330
gigas 100:184; 102:6
Arbacia sp. 95:265
Archoplites interruptus 87:324; 99:700; 103:399; 104:232
Archosargus probatocephalus 91:377; 98:290; 101:91; 102:574; 103:780; 104:301; 105:42
Arctia clausi 100:122
longermis 100:122
Arctocorixa sp. 102:677
Arctopsyche sp. 97:386; 102:767
Ardea herodias 95:37; 96:217; 98:226,464
Arenaeus cribrarius 103:96
Arenicola cristata 105:700
Argia sp. 91:95; 101:710; 104:823

Argonauta sp. 99:729
argo 103:97
Argopecten irradians 105:515
Argulus sp. 83:224; 98:483; 99:599; 103:360
alosae 101:559
foliaceus 83:248
mississippiensis 104:279
Aristichthys nobilis 99:708; 100:184
Aristichthys nobilis X *Cyprinus carpio* 105:12
Arius felis 102:574; 103:359; 104:286
Artedius lateralis 99:803
Artemia sp. 97:23,345; 98:752; 100:693; 102:646
gracilis 88:290
salina 91:230; 93:364; 96:153; 98:529; 100:625; 102:15,135; 104:339
Arthropoda 92:172; 104:403
Ascaridídea 95:24
Aschnea sp. 101:710
Asellus 88:115; 89:195; 92:100,153; 96:411; 98:643; 100:63
brevicaudus 88:280; 99:89
intermedius 85:182
militarus 101:113; 105:324
racovitzai racovitzai 103:397
Asilidae 83:78
Asplanchna sp. 91:220; 99:322; 100:328, 699; 104:599
priedonta 87:93; 93:41
Astacidae 88:348; 101:710
Astacus astacus 83:199; 99:409; 104:374
Astarte sp. 94:248
Asterias forbesi 98:313
vulgaris 104:51
Asterionella sp. 86:116; 99:336
Asteroidea 94:247
Asteropteryx semipunctatus 89:12
Astronotus ocellatus 98:664;102:4
Astroscopus y-graecum 100:301; 103:474
Astyanax sp. 101:91
fasciatus 100:184
mexicanus 85:311; 92:406
Atheresthes stomias 93:288
Atherinidae 98:290; 100:493; 102:2
Atherinops affinis 100:606
Atherinopsis californiensis 95:357
Atherix sp. 96:411; 103:363; 105:324
variegata 100:63; 103:272
Aulostomus maculatus 98:329
Aurelia sp. 90:329
Auxis sp. 94:241; 99:60,729
thazard 91:226; 103:96,487
Axius serratus 94:249
Axolotl sp. 96:57
Azotobacter sp. 91:12
Azygiidae 95:24

B

Bacillariophycae 87:100; 92:217; 99:336
Bacillus columnaris 83:242,303
hydrophilus fuscus 83:247
ranicida 83:247
subtilis 103:542
Bacterium munchen 83:248
salmonicida 83:300,314; 84:294; 85:308
Baetidae 84:99; 88:348; 91:218; 94:189; 95:298; 97:384; 98:515; 100:63; 101:337, 379, 424; 103:442; 104:401
Baetis sp. 86:215; 92:217; 97:164; 100:137, 285; 101:381; 102:767; 103:272,363; 104:242,823
intercalaris 105:631
levitans 105:631
vagans 90:225; 91:243; 93:311; 98:254; 99:782
Baetisca laurentina 101:675
Bagre marinus 91:337; 102:574
Bairdiella chrysura 94:97,314; 96:299; 98:290; 102:511,555,574,599; 103:780; 104:302; 105:328,516
icistius 96:245
Balaenoptera musculus 98:567
physalus 98:567
Balanus 98:289,483
eburneus 91:377; 103:265
improvisus 103:265
Balistapus undulatus 89:13
Balistes sp. 96:297; 99:729; 103:96
vetula 98:329
Balistidae 91:227; 94:238,314; 98:290; 100:301
Barbus sp. 102:4
barbus 88:155
conchonius 102:4
fasciatus 99:127
fluviatilis 83:275; 93:8
gelius 102:4
tetrazona 99:127
Batea catharinensis 101:518
Bathycotyl branchialis 103:102
Bathylagus milleri 99:133
ochotensis 99:133
stilbius 99:133
wesethi 99:133
Bathymermis sp. 88:278
Bathystoma rimator 99:542
Batrachoididae 94:314
Belone belone 100:238
Belonesox belizanus 100:184; 102:4
Belonidae 94:238; 98:290
Belostoma indica 98:431
Belostomidae 100:125
Beroe cucumis 98:712
Berosus sp. 88:279; 101:711
Betta splendens 102:4
Betula fontinalis 84:242
Bittium sp. 105:516
alternatum 103:264
Blasturus sp. 102:365
Blennidae 94:238
Blepharicéridae 98:542; 99:437; 101:337; 103:272
Blepharocera sp. 103:321
Blepsias cirrhosus 94:407
Bodianus mesothorax 105:333
Boleosoma nigrum 85:199
Bolinopsis sp. 98:712
Boreogadus saida 94:274
Bosmina sp. 84:258; 85:200; 88:341; 90:440; 91:220,307; 94:394; 96:9,19,72,245,308; 97:162,257,300; 98:122,203,635; 99:338, 733; 100:308; 101:110,614; 103:304,532; 104:599,722; 105:75,78,625
coregoni 100:699; 101:219
longirostris 87:93; 92:20,248; 93:41; 96:76; 99:322,572,735; 100:326; 101:223; 103:258,309; 104:734; 105:87, 90,609
Botaurus lentiginosus 88:96; 98:226
Bothidae 94:314; 96:403; 98:290; 100:291, 301
Bothriocephalus cuspidatus 104:279

Bothus ocellatus 94:314
Bouteloua curtipendula 101:561
Boyeria sp. 96:411
  vinosa 101:710; 105:631
Brachionus sp. 85:24; 91:220; 96:71,245, 254; 98:436; 99:322; 104:599
  angularis 87:92
  caudatus 87:92
  plicatiles 102:646
  quadridentata 87:101
Brachiopoda 94:247
Brachycentridae 86:215; 100:285; 103:442
Brachycentrus sp. 100:137; 103:272,363
  americanus 100:63
  numerosus 101:711
Brachycercus sp. 97:384; 101:710
Brachydanio rerio 96:57; 97:204; 102:4; 105:456
Brachyistius frenatus 99:475
Brachyscelus sp. 99:729
Brachyura 91:93; 99:729; 100:122; 101:519; 105:198
Brama rayi 87:311; 91:226; 93:288
Bramidae 94:238
Branchiomina sp. 98:291
Branchiomyces sp. 83:320
Branchiostoma caribaeum 98:289
Brasenia schreberi 91:32; 102:80
Brevoortia sp. 93:89; 100:291; 104:302
  gunteri 89:339; 97:119; 98:216
  menhaden 95:423
  patronus 89:338; 92:301,321; 96:60,298, 357; 97:119,349; 98:111,216; 99:439; 101:729; 102:452,574; 103:359; 104:38, 286,408; 105:328,512
  smithi 89:341; 97:119,349; 98:111,216, 290; 102:848; 105:328
  tyrannus 94:409,412; 96:357; 97:64,119, 277,317,344,400; 98:111; 99:95; 100:296, 708; 101:290,559,691; 102:417,452,543, 555; 103:292,382,472,500; 104:31; 105:42,328,370,525
Brevoortia smithi X *Brevoortia patronus* 87:119; 98:112,218
Brevoortia smithi X *Brevoortia tyrannus* 98:112
Brevoortia tyrannus X *Brevoortia smithi* 98:220
Bromus secalinus 84:120
Bryozoa 94:247
Buccinum undatum 103:265; 104:51
Bucephalidae 95:24; 104:279
Bucephalus 100:104
Bufo americanus 97:458
  bufo 100:369
  woodhousei 97:458
  woodhousei fowleri 90:278; 105:696
Busycon sp. 98:291
  canaliculatum 98:313; 103:265
  carica 98:313; 103:265
Butomus umbellatus 95:373

C

Cabomba sp. 102:622
Caenidae 104:401
Caenis sp. 88:348; 91:218; 92:312; 96:289; 97:384; 98:516; 101:710; 103:27,33, 272,510; 104:527,823
Calamagrostis canadensis 101:561
Calamus arctifrons 94:314
  pennatula 98:329
  proridens 98:329
Calanoida 97:301; 99:574
Calanus cristatus 105:198
  finmarchicus 100:122; 105:198
  tonsus 105:198
Caligus belones 103:102
  bonito 103:102
  chelifer 101:559
  coryphaenae 103:102
  patulus 103:102
  productus 103:102
  quadratus 103:102
Callibaetis sp. 98:1,438
Callinanassa sp. 105:204
  californiensis 96:26
Callinectes sapidus 88:294; 91:275; 92:172, 430; 94:155,287; 96:28,299; 98:289,291, 310,703,713; 99:795; 100:291,492; 101:519,732; 103:643; 104:37,47; 105:42,511
Callionymidae 94:314
Callionymus calliurus 94:314
Callyspongya sp. 93:204
Calopsectra sp. 89:195; 91:218; 93:41
  exiguus 88:115
  nigripilius 102:677
  viridiventris 102:677
Calyptocephalla sp. 101:597
Camallanidae 95:24
Camallanus oxycephalus 95:24; 104:279
Cambaridae 104:544
Cambarus sp. 85:24; 88:213; 96:411; 99:57; 102:80
  bartoni 104:447; 105:696
  diogenes 88:280
  montanus acuminatus 101:710
  propinquus sanborni 88:115
Campeloma sp. 88:115,280; 96:289; 101:710
Campostoma anomalum 84:114; 86:147; 88:266; 89:256,263; 90:292; 91:54; 93:3,210; 96:414; 99:549; 101:373; 102:76,289; 103:82,141,271,460,642,761; 104:447; 105:20
Camptocercus rectirostris 92:22; 101:222
Cancer sp. 104:540
  borealis 84:247
  irroratus 94:247; 95:243; 101:519
  magister 96:26
  productus 102:415
Candacia columbiae 105:198
Candida albicans 87:383
  utilis 86:161
Cantherines pullus 91:226
Canthidermis sufflamen 103:96
Canthigaster sp. 89:12
Canthocamptus sp. 83:40
  robertocokeri 103:304
Capitella capitata 105:592
Caprella equilibra 101:519
  laeviuscula 104:540
Carabidae 88:279; 105:608
Carangidae 94:238
Caranx sp. 96:298
  crysos 91:226; 100:87; 102:569,818; 103:96
  hippos 91:377; 98:291; 102:555,574,599; 103:96; 104:301; 105:327
  latus 103:96
  mate 102:617
  ruber 97:287; 98:291,329; 102:569; 103:96

Carassius sp. 83:272
auratus 83:266; 84:103; 86:350,363; 88:25; 89:165,306; 90:143,256,278,334; 91:176; 92:111,168; 93:3,180; 94:149, 333,399; 95:207,289; 96:238,301,373; 97:7,25,185,223,348,400; 98:714; 99:21,55,94,511,516,689; 100:13,184, 215,238,474,576,643,670,676; 101:101, 526,537,686,717; 102:4,355,444; 103:366, 375,738; 104:342,383,580; 105:12,442, 521
carassius 83:275; 97:7
Carassius X *Cyprinus* 93:3
Carcharhinus sp. 100:184
leucas 102:612
maculipinnis 97:15
milberti 96:131
obscurus 97:15
Carcharias taurus 95:215; 96:131; 97:15
Carcinus maenas 84:13; 103:265
Cardiocladus sp. 88:280
Cardium sp. 104:539
Carex sp. 92:92; 95:373; 101:560; 104:599
obnupta 92:20
Carinogammarus sp. 92:153; 104:37
Carpiodes sp. 83:50,138; 84:45; 88:83; 91:413; 93:180; 94:94
carpio 87:118,255,360; 88:348; 90:84, 292; 91:258; 93:202; 97:164; 98:520, 523; 100:132,276; 102:77,111; 103:520; 104:600; 105:222,411
cyprinus 88:266; 92:357; 98:122; 99:29, 806; 100:132; 105:168,411
velifer 92:357; 97:140; 100:132; 104:600; 105:411
Carunculina parva 88:281
Casmerodius sp. 101:597
Castor canadensis 84:75
Catla catla 90:1
Catostomus sp. 83:303; 86:116; 87:190; 99:670; 100:506; 101:384; 102:778; 104:246
catostomus 83:38; 84:196,241; 85:161; 86:279,393; 88:153,198; 90:223,239,270; 91:63; 92:13; 93:137,156; 94:273; 95:160,251; 97:281,391,400; 98:15,209; 100:700; 101:18; 103:425; 104:226,685
clarki 99:219; 101:500; 102:22; 105:288
columbianus 90:27; 95:36; 99:219
commersoni 83:40,133,206,250,264; 84:77, 196; 85:191; 86:26,258,279,286,393; 87:53,108,118; 88:128,178,249,266,331; 89:28,151,212,256,375; 90:84,256,321, 413; 91:42,54,63,328,342,408,425; 92:13,307; 93:3,103,137,156,180,202; 94:2,10,150,333,350,401; 95:160,175,251; 96:2,11; 97:61,63,281,292,391,400,493; 98:15,116,122,209,533,632,695; 99:28, 55,298,392,423,499,511; 100:326,353, 700,720; 101:18,56,81,219,355,373,528, 609; 102:121,289,779,795; 103:82,115, 141,670,738; 104:226,413,447,534,580, 682,685,800; 105:35,287,521,616
discobolus 99:219; 102:355; 104:225
insignis 99:219
latipinnis 98:196; 104:217
macrocheilus 84:241; 88:153,198; 90:27; 92:27,147; 94:330; 98:213,683; 102:344; 104:69
platyrhynchus 91:63; 98:209; 99:219; 102:627; 104:228
plebeius 99:219
santaanae 99:219
snyderi 94:327
tahoensis 102:627; 103:401
Catostomus discobolus X *Catostomus commersoni* 104:228
Catostomus latipinnis X *Catostomus commersoni* 104:228
Catostomus latipinnis X *Xyrauchen texanus* 104:228
Caulerpa paspaloides 102:513
prolifera 102:513
Caulolatilus princeps 84:370; 100:528
Cavolinia tridentata 99:729
uncinata 99:729
Centengraulis mysticetus 99:802; 102:181; 104:54
Centrarchidae 85:273; 102:2
Centrarchus macropterus 95:433; 98:468; 99:101,429
Centropages hamatus 100:122
typicus 100:122
Centropomidae 102:2
Centropomus undecimalis 91:377; 98:291; 100:131
Centropristis striata 93:301; 95:215; 101:358; 102:555
Centroptilium 88:348; 101:710; 103:272,363
Cephalanthus occidentalis 88:8
Cephalodella sp. 85:24
Cephalolobus penaeus 99:790
Cephalopholis argus 89:11
fulvus 98:329
leopardus 89:11
miniatus 89:11
urodelis 89:11
Cephalopoda 94:247; 99:729
Ceramium sp. 103:264
Cerapaus tubularis 101:519; 105:204
Cerastoderma pinnalatum 94:247
Ceratacanthus schoepfi 83:333
Ceratium sp. 85:24; 102:75; 104:598
Ceratomyxa shasta 83:299; 103:542
Ceratophyllum sp. 88:8; 90:332; 94:2; 95:373; 96:73
demersum 91:32; 92:92; 101:562
Ceratopogonidae 89:75; 91:218; 93:41; 95:294; 96:254; 98:203,542; 100:125; 101:110,376; 103:272; 104:544
Ceriodaphnia sp. 92:100; 97:163,300; 98:436; 101:110,223,614; 104:599,722; 105:75,87
lacustris 93:41; 100:328
megalops 93:41
quadrangula 87:100; 103:258
reticulata 92:22; 93:41; 86:76
Cerithidea sp. 103:265
Cerithium sp. 98:291
Ceryle alcyon 93:305
Cestoda 88:348; 95:24
Cetorhinus maximus 93:288
Chaetodipterus faber 98:290; 102:574; 104:302
Chaetodon auriga 105:333
lunulatus 105:333
miliaris 105:333
Chaetodontidae 94:238,314
Chaetognatha 100:122
Channa asiatica 100:184
punctatus 98:431
Channallabes sp. 100:184
Chanos chanos 89:143
Chaoboridae 100:125
Chaoborinae 89:75; 95:294
Chaoborus sp. 85:183; 86:294; 91:218; 94:189, 211; 96:244,308; 97:303; 98:634; 100:796; 101:616; 102:75,720; 103:513; 104:531

americanus 102:708
astictopus 100:603; 105:84
flavicans 102:708
punctipennis 102:708; 105:608
trivittatus 102:708
Chara sp. 84:242; 85:59; 91:234,328; 92:421; 94:374; 96:210; 97:54; 98:298; 99:3; 102:75,622; 104:598; 105:538
contraria 102:796
fragilis 84:123
sejuncta 99:578
Charopinopsis quarternius 103:102
Chasmistes cujus 87:33; 102:145
Chasmodes bosquianus 102:555
saburrae 102:511
Chauliodes sp. 88:115; 100:63; 103:272
Chauliodus macouni 105:198
Cheimarrichthys fosteri 97:7
Chelmon rostratus 105:333
Chelone corticata 105:564
Chelonia mydar 98:582
Chelydra serpentina 104:600
Cheumatopsyche sp. 88:115,279,348; 92:157; 96:411; 97:384; 100:63; 101:711; 103:272,321,512; 105:629
campyla 89:32; 92:217; 104:823
lasia 104:823
Chilina sp. 101:597
Chilodon cyprini 83:222
Chilodonella sp. 83:223,275
cyprini 103:543
Chilomycterus antennatus 94:314
schoepfi 94:314; 98:290; 102:555; 103:96; 105:515
Chilopoda 98:515; 104:544
Chimarra sp. 103:272,321; 104:823
obscura 101:711
Chionecetes tanneri 94:269
Chironomidae 84:225,258; 85:24,83; 86:212; 89:71; 91:33,95,218; 92:278; 93:41; 94:210; 99:437,566; 100:63; 101:424; 102:767; 103:272; 104:92,401,544,823
Chironomus sp. 84:80; 86:296; 90:53; 91:218; 92:153; 94:210; 95:366; 96:308; 100:562; 102:37,352; 105:87
attenuatus 101:711
decorus 94:213
plumosus 94:213; 96:218; 99:606
staegeri 94:213
tentans 101:323; 103:551
Chlamydomonas sp. 91:307; 92:320; 98:745; 102:607; 104:597
polypyrenoideum 99:578
reinhardi 97:26
Chlamydotheca arcuata 100:565
Chlorella sp. 98:745; 102:646
pyrenoidosa 102:607
Chlorococcus sp. 99:578
Chloroperla sp. 96:411; 102:767
Chloroperlidae 101:337; 103:442
Chlorophyceae 92:217
Chlorophyta 87:80; 88:341; 91:307; 96:71, 244; 99:335,572; 101:614; 103:264;
Chloroscombrus chrysurus 94:279,280; 98:703
Chologaster agassizi 97:448
Chondrococcus sp. 83:304
columnaris 83:297,320; 89:311
Chondrostoma nasus 88:156
Choristoneura fumiferana 86:208
Chroococcus sp. 102:79
limneticus 87:91
Chrysaora quinquecirrha 98:703
Chrysemys picta 101:717
Chrysomelidae 89:71
Chrysophyta 86:340; 87:86; 88:341; 91:308; 96:244; 99:336; 101:614
Chrysops sp. 86:300; 88:115
Chydorus sp. 84:258; 81:307; 92:249; 94:394; 96:7,71; 97:163,257,301; 98:122; 101:110; 104:92,722; 105:75,78
piger 92:22
sphaericus 92:21; 93:41; 99:572; 100:327; 101:220; 102:677; 104:734; 105:91,609
Cichla sp. 102:3
ocellaris 100:184; 102:6
Cichlasoma 96:211
bimaculatum 102:4
cyanoguttatum 97:198
macrocanthus 96:211
meeki 102:4
octofasciatum 102:4
severum 98:664
synspilum 105:333
Cinygmula sp. 103:363
Cirrhina mrigala 90:1
Cirripectus variolosus 89:13
Cirripedia 100:122
Citharichthys sp. 100:250
spilopterus 94:279,314; 104:38,301
stigmaeus 99:803; 102:428
Claassenia sabulosa 102:768
Cladocera 84:194,258,291; 86:304; 88:341, 89:75; 90:272,301,440; 91:33,220; 92:100,212; 94:210; 95:298; 96:71,244; 97:162,386; 98:515,643; 99:554,572; 100:122,126; 101:110; 103:128; 104:92
Cladophora sp. 92:156; 94:373; 96:73 100:283; 101:596; 104:598,823
crispa 85:83
Clarias sp. 100:184
batrachus 99:291; 100:184; 102:4
mossambicus 97:462
Clavunculus bursatus 95:26; 101:724; 104:279
okeechobiensis 104:279
unguis 101:724
Cleidodiscus pricei 103:618
Cletocamptus sp. 104:536
Clinidae 94:314
Clinocardium sp. 104:539
nuttali 95:357; 96:26
Clinocottus acuticeps 99:803
globiceps 99:803
Clinostomatidae 95:24,35
Clinostomum elongatus 89:256; 92:307; 94:350
funduloides 101:81; 102:289
marginatum 94:147; 95:24,35; 104:279
Clinotanypus sp. 89:195; 101:711; 102:38
Closterium sp. 90:293; 91:307; 98:436; 99:578
Clostridium sp. 91:12
botulinum 96:67
Clupea harengus 88:164; 89:239; 93:89; 96:359,361; 97:458; 98:398; 99:179, 468,746; 101:511,691; 102:22,543; 104:31
harengus harengus 90:21; 93:11; 94:267; 99:147,518; 100:121; 102:335,555,596; 103:327; 104:770; 105:351,384
harengus pallasi 83:309; 88:164; 91:92, 321; 93:288; 95:357; 97:84; 101:727, 740; 102:181,344,415
sprattus 99:726
Clupeidae 98:290; 99:729; 100:493
Clupeiformes 100:291
Clytia sp. 90:329
Cnemidophorus tigris 97:458

Coccidia sp. 83:267
Cocconeis sp. 96:225
Coelastrum cambricum 87:91
microporum 102:607
Coelenterata 94:247
Coelosphaerium maegelianum 87:96
Coenagrionidae 84:98; 89:71; 93:41; 95:298; 97:386; 104:401
Coleoptera 84:81,194,258; 86:304; 88:279, 341,348; 89:34,71,80; 90:272; 92:143, 249; 93:41,173,273; 95:294,298; 97:301; 98:203,214,515,542; 99:56; 100:125, 492; 101:376,379,597,673; 102:50; 103:128; 104:92,402,544,722
Colisa lalia 102:4
Collembola 88:281; 97:301,386; 98:516
Collybus drachme 99:729
Coloabis saira 87:311; 93:288; 101:496
Columba livia 97:5
Columella edentula 88:280
Columnaris psychrophila 83:297
Colus pygmaeus 94:249
Conchiloides sp. 104:599
unicornus 105:610
Conchostraca 94:175
Conger oceanicus 103:96
Conochilus sp. 91:220; 96:245; 100:328; 104:391
Contracaecum sp. 95:24
habena 92:173; 99:790
spiculigerum 104:279
Copepoda 84:194,258; 86:304; 88:281; 89:75; 90:272,440; 91:220; 92:212; 94:210,247; 95:298; 96:71,244; 97:162,301; 98:643; 99:554,598,733; 100:122; 101:110,376; 102:52; 104:38,92,544
Coptomus 88:279
Corallobothrium fimbriatum 98:43
Corbicula sp. 99:338; 103:738
manilliensis 99:333
Corduligaster maculatus 101:710
Coregonus sp. 84:165; 85:102; 87:190; 92:276; 94:216; 102:158; 105:351
albula 99:243
alpenae 86:396; 92:246; 93:156; 95:251; 99:243
artedii 84:196; 85:191; 86:97,286,393; 87:53; 89:375; 90:153,413; 91:196; 92:246; 93:156; 94:171; 95:251,415; 96:1,269; 97:7; 98:533,632; 99:243, 470,526,571; 100:691; 101:655; 102:778; 103:15,136; 104:246,555; 105:233,541, 607
autumnalis 99:243
baunti 99:243
chadary 99:243
clupeaformis 83:91,132,226; 84:170; 86:128,241,393; 87:53,190; 88:198; 89:149,176,323; 90:303,337,413; 91:196,223; 92:193; 93:77,156; 94:171, 333,397; 95:57,160,251,415; 98:8,28, 243,366,758; 100:700; 101:655; 102:158, 778; 103:423; 104:246,555
exiguus albellus 99:127
hoyi 84:172; 86:396; 90:413; 92:36,245; 93:156; 94:171; 95:251,388; 97:146; 99:243,611,759; 100:697; 101:673; 105:492
johannae 86:396; 93:156; 99:243
kiyi 84:196; 86:396; 90:170; 92:246; 93:156; 95:251; 99:243; 100:700
laurettae 99:243
lavaretus 94:274; 99:127,243; 103:423; 105:13
migratorius 99:243
muksun 94:274; 99:243
nasus 94:272; 99:243; 105:526
nigripinnus 86:396; 93:156; 97:146; 99:243; 100:700
nipigon 99:243
peled 99:243
pidschian 99:243
pollan 97:223; 99:243
reighardi 84:196; 86:396; 92:246; 93:156 94:171; 95:251; 97:146; 99:243; 100:700
sardinella 94:273; 99:243; 100:362
tugun 94:274; 99:243
ussuriensis 99:243
williamsoni 88:198
zenithicus 84:172; 86:396; 92:246; 93:156; 94:171; 95:251; 97:146; 99:243; 100:700
Coregonus autumnalis X *Stenodus leucichthys nelma* 101:363
Coregonus laurettae X *Stenodus leucichthys nelma* 100:363
Coregonus muksun X *Stenodus leucichthys nelma* 100:363
Coregonus pidschian X *Stenodus leucichthys nelma* 100:362
Corethra sp. 92:18
Corixidae 84:258; 93:41; 94:189; 96:411; 97:384; 99:598; 100:126; 102:35,352, 768; 104:722; 105:324
Corophium lacustre 101:518
simile 101:518
tuberculatum 101:518; 105:204
Corydalidae 104:401
Corydalus sp. 105:324
cornutus 88:115,276,281,348; 101:711; 102:806; 104:823
Corynebacterium sp. 87:431; 88:117; 104:806
Coryphaena equisetis 84:371; 91:226; 103:92
hippurus 84:371; 91:226; 93:292; 94:240; 97:271; 98:94; 102:563; 103:94,101
Coryphaenidae 94:238
Coryphopterus glaucofraenum 94:314
Corythoichthys albirostris 94:314
falvofasciatus 89:12
Cosmarium sp. 88:341; 91:307; 104:598
Costia sp. 83:223,298,321
necatrix 83:222; 103:542
Cottidae 84:196
Cottus sp. 83:78; 86:123; 89:241,375; 91: 93,244,407; 97:63; 100:424,769; 101:2; 104:69
aleuticus 89:378; 91:138,264,427; 94;191,329; 95:210; 97:46,496
asper 91:427; 94:191,329; 96:62; 97:46, 496; 100:55; 101:378,566
baileyi 103:270
bairdi 86:279; 89:256; 90:256,270; 92:307; 94:150,171,329,351; 97:292, 391; 98:209; 99:593; 100:62,700; 101:378; 102:289,621,746,795; 103:15, 130,270,670; 104:227,447,685; 105:35
bairdi bairdi 104:64
bairdi semiscaber 84:275
beldingi 94:329; 95:210; 97:495; 101:378, 463; 102:627; 103:270; 104:467
carolinae 89:265; 101:373; 103:271
cognatus 84:195; 85:258; 86:279; 89:256; 90:252; 91:264; 94:171,192,273,330; 95:160,251; 97:292; 99:593,763; 100:700; 101:18,673; 103:637; 104:237; 105:35
confusus 95:381
gobio 88:156; 104:242

gulosus 94:329
klamathensis 84:147; 94:330
nozawae 95:210
perplexus 91:427; 94:40,191,329,335; 95:210; 96:66; 101:378
petensis 94:330
ricei 84:196; 94:171; 95:251; 100:700
rotheus 91:427; 94:191,329; 95:196,381; 101:378; 102:620
Couesius plumbeus 85:258; 94:273; 98:209; 100:700; 101:270
Cragon nigromaculata 104:540
Crangon sp. 102:415
septemspinosus 103:264
Crassiphiala bulboglossa 93:304; 94:143
Crassostrea sp. 98:291
gigas 98:309,759
virginica 91:377; 95:216,426; 96:29; 98:289,310,743,759; 100:112,588; 103:265; 104:584
Crenella glandula 94:249
Crenichthys baileyi 100:507; 101:408; 105:505
Crenicichla sp. 102:3
Crepidostomum cornutum 95:24; 104:279
farionis 98:1
Crepidula sp. 98:291; 102:530
convexa 103:265
fornicula 103:265
plana 103:265
Cricotopus bicinctus 88:111
exilis 88:280
tricinctus 102:37
Crucibulum striatum 103:264
Crucigenia quadrata 87:95
Crustacea 84:193,245; 87:86; 88:341; 90:440; 91:220; 93:41; 95:24; 97:384; 99:56, 572; 100:291; 101:110,652; 104:401
Cryptobia borreli 94:332; 95:201
gurneyorum 94:333
lynchi 94:327
salmositica 94:327; 95:196
Cryptochironomus sp. 84:194; 89:195; 91:218; 93:41; 102:37
Cryptocotyl sp. 96:134
Cryptomonas sp. 91:308
Cryptophyceae 91:308
Ctenochaetus striatus 89:12
Ctenopharyngodon idella 99:291,708; 100:184; 101:528; 102:8; 103:587,740; 105:241
Ctenopharyngodon idella X *Cyprinus carpio* 105:10
Ctenophora 104:38
Ctenopoma nigropannosum 102:4
Cucumaria frondosa 104:51
Culaea inconstans 88:96,126; 94:149; 97:53, 292; 99:443,704; 100:700; 102:365; 103:670,744; 105:35
Culex sp. 103:513
quinquefasciatus 91:180
Culicidae 91:218; 94:189,211; 95:161; 97:386; 101:376
Culicoides 101:616
Cumacea 94:247; 101:518; 104:38
Cumingia tellinoides 103:265
Curculionidae 105:608
Cyaena capillata versiocolor 98:703
Cyanophyta 86:338; 87:80; 88:341; 96:244; 99:335,572; 101:614
Cyathura burbancki 101:518
Cybister sp. 98:431
Cycleptus elongatus 92:357
Cyclochaeta sp. 83:223
Cyclopoida 97:301; 99:574
Cyclops sp. 84:194,258; 85:24; 88:331; 90:440; 91:307; 92:18; 96:19,71,76, 219,245,253,308; 97:162,257,300,443; 98:122,436,635; 99:440,566,733; 100:308; 101:614; 102:75,677; 104:92, 532,722; 105:78,87
bicuspidatus 83:226; 87:92; 92:248; 93:41; 99:322; 100:699; 101:219; 103:258,812; 104:734
bicuspidatus thomasi 105:90
bicuspidatus thompsoni 105:609
navus 84:277
scutifer 100:332
vernalis 100:328; 101:222; 103:304; 104:355,392; 105:75,92
Cyclopsetta chittendeni 97:504
Cyclotella sp. 86:116; 90:295; 96:226
antigua 99:578
meneghiniana 87:95
nana 98:752
Cylichna oryza 103:265
Cymatogaster aggregata 94:98; 96:26; 99:475; 100:674; 101:727; 102:344,415; 104:577
Cymbella sp. 88:341; 96:73,226; 102:79
Cymbiodyta blanchardi 88:279
Cynodon dactylon 87:329
Cynoglossidae 94:314; 98:290
Cynoscion sp. 103:474
arenarius 94:279; 96:298; 102:574; 104:302; 105:512
mobilis 84:152
nebulosus 91:84,377,395; 92:320; 102:467,511,574; 103:582; 104:302
nothus 103:359
regalis 88:105; 96:355; 97:503; 99:95; 102:555,599; 105:328,370
Cyperus strigosus 92:92
Cyphocaris challengeri 105:198
Cypretta kawatai 102:829
Cypria turneri 98:635
Cypridopsis vidua 99:89
Cyprinidae 89:151; 94:94; 102:150; 103:128
Cypriniformes 100:291
Cyprinodon sp. 103:531
diabolis 103:535
eximius 96:217
macularius 95:138; 96:217; 97:27; 100:502; 103:334,531
nevadensis 102:459
nevadensis amargosae 104:536
nevadensis shoshone 103:531
radiosus 100:502
variegatus 95:111; 96:216; 97:400; 98:291,426,706; 101:89,534; 102:127, 135,555; 103:474,582; 104:138,300,584
Cyprinodontidae 98:290; 102:2
Cyprinodontiformes 100:291
Cyprinus sp. 101:111
carpio 83:50,206,247,268,331; 84:45; 85:42,60; 86:116,144,296; 87:23,118, 202,243,335; 88:10,83,128,137,156,178, 191,203,266; 89:142,151,241,358; 90:84, 175,291,332; 91:63,234,413; 92:67,292, 357; 93:3,180,316; 94:2,94,213,333, 339; 95:363,372; 96:135,168; 97:7,209, 400; 98:196,468,533,762,785; 99:21,74, 87,392,423,429,499,511,670,704,810; 100:184,238,276,503,675,758; 101:384, 412,528,561; 102:4,111,289,344,346, 607,762; 103:29,142,522,642,670,738, 761,822; 104:132,224,234,580,600; 105:6, 20,81,168,176,222,273,505,578,596,710

Cyprinus carpio X *Ctenopharyngodon idella* 105:10
Cypris sp. 98:436
Cypselurus sp. 97:287; 103:96
cyanopterus 91:226
Cyrtopleura costata 103:264
Cytobranchus verrilli 95:24
Cytophaga sp. 83:308
columnaris 83:304; 96:428
psychrophila 83:297

D

Dactylogyridae 95:24
Dactylogyrus sp. 83:222; 96:428; 103:543; 104:567
Dactylopteridae 94:238
Dactylopterus volitans 99:730; 103:96
Dallia pectoralis 88:225; 91:263
Daphnia sp. 83:41; 84:102,194,245,258, 277; 85:24,183,200; 88:199,330; 90:53, 271,301,440; 91:220; 92:18,100,152, 312; 94:394; 96:19,71,187,218,253; 97:162,257,300,443; 98:122,436,516, 635; 99:338,550,566,733; 100:226,308, 537; 101:614; 102:74,381,698,759; 103:26,33,426,463; 104:313,532,722; 105:75,78,127,608,625
ambigua 99:322; 100:328
carinata 95:165
catawba 99:320; 100:326; 104:392
dubia 103:309; 104:392
galeata 96:76; 100:330; 101:222; 103:258; 104:732
longiremis 98:250; 100:332; 105:92,609
longispina 87:92; 92:20; 93:41; 100:699
magna 84:103; 85:182; 92:428; 95:165; 98:438; 99:89; 103:562,722,738
mendotae 92:248; 94:189; 96:1; 98:250; 99:571; 102:451; 105:90,609
middendorffiana 102:677
pervula 99:322
pulex 84:102,194,245,258; 87:92; 93:41; 95:165; 96:1; 97:22; 98:251,438,462; 99:322,571,735; 102:720,797; 103:813; 104:338,732; 105:87,324
retrocurva 92:248; 96:7; 100:330; 103:258; 104:732; 105:90,92,609
rosea 102:677; 104:89
schodleri 99:322; 102:450
siciloides 104:599; 105:92
Daphnidae 97:386
Darwinula stevensoni 89:195
Dasyatidae 94:314; 98:290
Dasyatos sp. 103:359
americana 91:377
centroura 96:131
sabina 98:290; 99:96
sayi 98:290
Decapoda 88:280,348; 91:93; 94:238,247; 99:729; 100:122,291; 104:38,401
Decapterus sp. 91:226; 97:287
pinnulatus 89:13
punctatus 86:160; 100:87; 102:565
Desmida 95:298
Diadema antillarum 100:586
Diaphanosoma sp. 84:259; 91:307; 97:162, 300; 99:322,441; 100:332; 104:599,722, 105:75
brachyurum 87:100; 92:21; 93:41; 99:572; 101:223; 103:304; 105:87
leuchtenbergianum 104:392,733; 105:90, 610
Diaptomus sp. 84:102,194,258; 85:200; 88:331; 90:440; 96:19,71,76; 97:162, 257; 98:122,436,635; 99:338,440,566, 733; 100:308,699; 102:75,381,451; 104:532,722; 105:78
ashlandi 92:249; 105:90
claviceps 84:98; 96:254; 99:322
forbesi 96:254
leptopus 84:277; 100:332
minutus 92:248; 99:320; 100:326;101:221; 104:392; 105:89,610
novamexicanus 104:89
oregonensis 87:100; 92:21,248; 99:322; 103:813; 105:89
pallidus 99:322
reighardi 93:41
shoshone 102:677
sicilis 92:248; 105:90
siciloides 99:322
Diastylis quadrispinosa 94:247
Diatoma sp. 90:295; 96:226
Dibothriocephalus latus 86:26
Dichelopandalus leptocercus 94:247
Dicrateria sp. 98:747
Difflugia sp. 85:24; 97:92; 102:75
Digenea 95:24
Digitaria sp. 99:3
Dineutes discolor 101:711
nuttalus 101:711
Dinobryon sp. 91:308
sertularia 86:329
Dinocardium sp. 98:291
Diodon sp. 99:729
holocanthus 94:314; 99:730
hystrix 103:96
Diodontidae 94:238; 98:290
Dionda nubila 99:588; 103:82,761
Diopatra sp. 98:291
cuprea 101:518
Diphyllobothrium sp. 94:184
latum 94:185
Diplanthera wrighti 102:513
Diplectrona sp. 101:711; 103:272
Diplectrum bivittatum 94:314
formosum 94:314
Diplodus holbrooki 102:511
Diploneis sp. 96:226
Diplopoda 104:544
Diplostomulum scheuringi 104:279
Diplostomum baeri eucaliae 94:149
flexicaudum 83:221; 94:149
spathaceum 94:149
Diptera 84:81,194,245,258; 86:304; 88:115, 256,280,341,348; 89:33,80,195; 90:246, 272; 91:95; 92:143,249; 93:41; 94:173, 211,273; 95:298; 97:162,384,444; 98:298, 515,542; 99:56,554,598; 100:125,284, 326,492; 101:12,110,222,379,424,652, 673; 102:50; 103:128; 104:92,402
Distichodus mossambicus 97:462
schenga 97:462
Dixidae 99:437
Dolophilus sp. 103:272
Donacia sp. 100:125
Donax variabilis 98:483; 100:113,492
Doratonotus megalepis 94:314
Dormitator maculatus 104:301
Dorosoma sp. 101:111
cepedianum 83:50; 85:58,77; 86:97,144; 87:80,118,243,331,336,360; 88:10, 35,83,137,149; 90:170,221,362; 93:3, 180,316; 94:385; 96:76,246; 97:140,164,

260,400; 98:467,650; 99:320,392; 100:138,474; 101:373; 102:111,127,164, 378,607; 103:277,308,519,761; 104:600; 105:20,176,223,409
petenense 87:202,331,336; 88:10,83; 90:291; 92:2; 93:180,291; 94:385; 96:176,243; 97:209; 98:270,320; 99:338, 439,571,739; 100:138,355; 102:607; 103:369,460,474,519,593; 104:600; 105:241,404,409,511
Dosinia discus 100:492
Drepanothrix dentata 92:22
Dromogomphus spinosus 101:710
Drusinus sp. 101:711
Dryopidae 103:272
Dubiraphia sp. 101:711; 104:823
quadrinota 88:279; 103:510
Dugesia sp. 88:115; 101:597
tigrina 105:324
Dulichum arundnaceum 92:92
Dunaliella sp. 98:745,752
salina 102:646
Dystylidae 105:198
Dytiscidae 88:279,348; 93:41; 97:384; 100:125; 101:616; 103:442
Dytiscus sp. 98:431

E

Echeneis naucrates 98:291,329
Echinarachnius parma 94:248
Echinodermata 100:123
Echinoidea 94:247
Echinorhynchidae 95:226
Echinorhynchus lageniformis 102:405
salmonis 98:332
Ectoprocta 100:125
Edotea montosa 101:518; 105:204
Egtved virus 98:184
Eichhornia crassipes 102:2,607
Elagatis bipinnulatus 100:87
Elassoma evergladei 103:239
zonatum 98:468
Electrophorus electricus 100:184
Eleocharis sp. 101:561; 104:599; 105:538
acicularis 91:32; 102:607
ovata 92:92
Elliptio complanata 95:345; 101:709
dilatatus 105:324
Elmidae 88:279,348; 100:63; 101:379; 103:272,321,442; 104:401
Elodea sp. 92:421; 94:2,183; 98:52; 101:560,596
canadense 100:283; 102:796
densa 102:607
Elophila sp. 100:63; 104:823
Elopidae 98:290; 102:2
Elops saurus 98:290; 99:96; 100:301; 103:472; 104:300; 105:42
Embiotoca jacksoni 94:98; 95:107
lateralis 95:357; 99:475; 101:727; 102:415
Emerita sp. 100:113
talpoida 98:715
Emmelichthyidae 94:238
Empetrichthys latos concavus 103:531
latos pahrump 103:531
merriami 103:531
Empididae 92:278; 99:437; 103:272,442; 104:403; 105:608
Enallagma sp. 88:115; 94:207; 98:438; 104:823
Enchytraeidae 88:278
Enchytraeus albidus 97:25
Encyonema sp. 99:337
Endochironomus sp. 102:37
Engraulidae 98:290; 100:493
Engraulis anchoita 101:694
encrasicholus 99:726
eurystole 100:301
mordax 97:84; 98:569; 99:124; 101:691, 727; 102:178,344; 103:772; 104:54;
ringens 94:128; 99:461; 102:591
Enneacanthus gloriosus 98:468; 99:101; 101:81; 103:239
obesus 94:143; 97:258; 98:468; 101:270; 102:442
Enochrus sp. 88:279
Ensis sp. 98:291
Enteromorpha sp. 103:264
Entomostraca 84:258; 92:217; 96:75
Entosphenus lamottei lamottei 94:273
tridentatus 101:727; 104:69
Epeorus sp. 101:710; 103:272
longimanus 103:363
Ephemera sp. 90:441; 93:41; 97:278; 100:126; 103:272
danica 97:2; 98:1
simulans 85:182; 96:289; 101:675
Ephemerella sp. 83:78; 86:215; 88:348; 92:217,312; 95:298; 96:411; 100:125, 285; 101:381; 103:272,321
deficiens 101:710
flavilinea 103:363
grandis 102:767
hecuba 102:767
inermis 100:137; 102:767
invaria 100:63
lata 100:63
needhami 100:63
subvaria 101:675
tibialis 103:363
Ephemerellidae 104:401
Ephemeridae 86:304; 91:218; 95:1; 97:384; 101:424; 104:401
Ephemeroptera 83:40,79; 84:81,225; 85:185; 86:212; 88:348; 89:71,80,195; 90:246, 272,441; 91:33,95,407,418; 92:100,143, 216,254,276; 93:41; 94:273; 95:1,294, 298; 96:289; 97:162,301,384,444; 98:203,214,298,515; 99:56,554; 100:125, 284,327; 101:376,379,597,652; 102:34, 50; 103:258; 104:92,403,722
Ephippidae 98:290
Ephoron sp. 97:384
album 96:409
leukon 88:279; 101:710
Epinephelinae 89:9
Epinephelus elongatus 89:11
fasciatus 89:11
fulvus 101:259
fuscoguttatus 89:11
guttatus 97:26; 98:329
hexagonatus 89:11
merra 89:10
morio 90:501; 94:314; 96:228; 101:260
striatus 98:329; 101:257
Epinnula sp. 91:226
Epiphanes sp. 85:24
Epischura sp. 84:194,259; 96:19,308; 104:722
agilis 105:610
lacustris 92:248; 93:41; 100:326; 104:392,734; 105:90
nevadensis 92:20
Epistylis sp. 83:222

Epitomium sp. 105:204
rupicola 103:265
Eptatretus stouti 99:125
Equetus pulcher 94:314
Equisetum sp. 91:8; 95:373
Eragrostis trichodes 101:561
Ergasilidae 95:24
Ergasilus sp. 103:560; 104:599,734
caeruleus 95:24
centrarchidarum 104:279
cyprinaceus 103:752
luciopercarum 105:491
nerkae 105:491
Erichthonius brasiliensis 101:519
Ericymba buccata 84:114; 88:266; 93:3; 100:510; 102:54,289,786; 103:141
Erilepis zonifer 93:288
Erimystax dissimilis 87:256
Erimyzon oblongus 88:128,266; 95:433; 98:468; 102:289; 103:460; 105:20
sucetta 88:10; 96:414; 97:28; 98:468
tenuis 98:305; 99:439,776; 104:256,518
Eristalis sp. 88:276
Erpetogomphus sp. 104:823
Erpobdella punctata 88:281
Erpobdellidae 96:411; 105:324
Erythemis simplicicollis 100:225
Escherichia coli 99:393; 101:117
Esomus danrica 98:431
Esox sp. 101:128
americanus 88:191; 98:468; 99:780; 101:317; 102:289; 105:20
americanus americanus 91:261; 99:55
americanus vermiculatus 87:243; 91:229; 94:2; 102:99
lucius 83:132,226,246,266; 84:150; 85:191; 86:279,285; 87:34,52; 88:156, 178; 89:67,83,223,240; 90:84,175,221, 298,312; 91:39,42,229,326; 92:91,184; 93:199,269; 94:2,94,95,150,175,212, 273,368,404; 95:434; 97:28,292; 98:122, 533,691,785; 99:28,368,392,423,429, 439,499,501,511,758; 100:69,238,276, 342,739; 101:55,528,560; 102:89,169,384; 103:10,115,128,343,670,744; 104:60, 338; 105:635,169,223,233,300,442
masquinongy 83:280; 85:193; 87:335; 88:136; 89:151; 90:221,312; 92:183; 100:739; 102:89,169,384; 103:115,336
masquinongy ohiensis 83:206
niger 83:50; 85:258; 87:108; 88:10,128, 249,332; 89:27,212; 90:221; 91:323, 425; 94:10,89,150; 95:160; 96:11; 97:246; 98:468,664; 99:55,298,392,439; 100:350; 101:370,609,651; 102:121,149, 384; 104:518; 105:395
reicherti 100:184
Esox lucius X *Esox americanus vermiculatus* 89:82; 91:229
Esox lucius X *Esox niger* 89:82; 101:370
Esox niger X *Esox americanus* 89:82
Esox niger X *Esox lucius* 89:82; 101:370
Etheostoma sp. 94:2
blennioides 87:256; 88:266; 89:256; 101:373; 102:289; 104:447
caeruleum 88:266; 94:351; 103:141; 105:35
chlorosomum 90:292; 103:522
exile 88:179; 89:223; 97:295; 102:795 103:670,744
flabellare 88:266; 92:307; 94:150,351; 102:289; 103:84,141,270; 104:447
fusiforme 98:468; 101:652
gracile 90:292; 101:84; 102:52; 105:20
kennicotti 101:373
microperca 97:296; 105:35
nigrum 88:266; 89:28,256,375; 90:321; 91:54; 92:108; 94:351; 95:251; 97:292, 296; 98:650; 99:55; 100:700,728; 101:56; 102:795; 103:10,128,141,670; 105:35
olmstedi 89:256; 101:80; 102:289; 103:15
parvipinne 103:460
perlongum 98:468; 100:728
punctulatum 103:84
radiosum 105:20
rufilineatum 101:373
sagitta 103:141
simoterum 101:373; 103:271
spectable 88:266; 103:84
stigmaeum jessiae 101:373
swaini 104:518
vitreum 102:289
whipplei 103:460
zonale 101:373; 103:84
Etropus crossotus 99:95
crossotus atlanticus 94:279
maculatus 102:428
Etrumeus sadina 94:248
teres 98:222; 103:96; 105:525
Eubosmina sp. 104:392
coregoni 105:91
Eubranchipus oregonensis 90:330
Eucalia sp. 100:184
inconstans 86:262
Euchaeta norvegica 100:122
Euchlanis dilatata 87:101
Eucinostomus argenteus 94:314; 98:290,329
gula 94:314; 98:290; 100:301; 102:511; 103:780; 105:515
Eucopepoda 95:24; 97:386
Eucyclops agilis 104:536
Eudontomyzon danfordi 96:224
Eudorella hispida 94:247
Eudorina sp. 91:307; 96:244
Euglena sp. 85:24; 91:307; 102:607; 104:597
gracilis 87:92
oxyuris 87:97
Euglenophyta 91:307; 99:336
Euleptorhamphus velox 103:96
Eumalacostraca 91:93
Eumotia sp. 96:226
Euphausia pacifica 101:577; 105:198
Euphausiacea 94:238,247,407; 100:123
Euphausiidae 91:93
Euplotes sp. 102:646
Eurycercus sp. 84:259; 88:341; 92:278; 100:329; 104:92,722
lamellatus 92:249; 93:41; 105:91
Eurypanopeus depressus 92:172
Euryphorus nordmanni 103:102
Eurytemora affinis 101:450; 103:304; 105:92
birdmani 100:122
Eustrongloides sp. 84:294
Euthynnus sp. 94:241; 103:487
affinis 98:385; 99:60; 105:588
alletteratus 85:14; 90:420; 91:226; 96:122; 97:287; 102:563
lineatus 99:93
pelamis 90:419; 91:226; 93:291; 95:203; 96:128; 97:84; 98:566; 100:527; 101:371; 104:53
yaito 96:122
Eutreptia sp. 92:321
Evorthodus lyricus 99:439
Exocoetidae 94:238
Exoglossum maxillingua 89:256; 91:54; 98:115; 99:55; 102:289

Exposhaeroma oregonensis 96:65
Exuviella sp. 98:752

F

Ferrissia sp. 88:115,280
Filinia sp. 91:220; 102:451
  longiseta 87:92
Fissidens fontanus 98:454
Fistularia tabacaria 99:729
Fistularidae 94:238
Fontigens nickliniana 102:379
Fontinalis sp. 95:373; 101:561
Foraminifera 104:38
Formicidae 94:173; 98:203; 101:616; 103:442; 105:608
Fossaria exigua 88:280
  obrussa 88:280
  parva 88:280
Fragilaria sp. 86:116; 96:73,225
  crotonensis 93:41
Franceia droescheri 87:94
Frustulia sp. 104:597
Fundulus sp. 88:54; 92:405; 95:177,408; 100:291,672; 101:128
  catenatus 87:256; 101:373,375; 103:83, 761
  chrysotus 103:239
  diaphanus 85:258; 91:34; 92:108; 93:3; 94:149; 97:295; 98:642; 99:134; 101:528,609; 102:289; 103:396,670,738; 105:520
  grandis 94:153; 96:299; 97:400; 101:91; 102:127; 103:474; 104:300
  heteroclitus 83:279,304,325,333; 94:27, 87,265; 95:109,155,218,345; 97:64; 98:329,463; 99:134,392; 100:301,360; 101:270,511; 102:554,599,846; 103:141, 327; 104:31,129,135,576,804; 105:327, 520
  kansae 84:98; 85:24; 98:460; 99:704; 104:234,600
  majalis 93:197; 94:265; 95:155,218; 97:64; 98:280; 99:134; 102:554; 104:780; 105:520
  notatus 88:266; 90:292; 97:296; 99:139; 101:373; 102:77; 103:522; 105:20
  notti 104:518
  ocellaris 91:181
  olivaceous 87:256; 98:664; 99:139,439; 103:83,460,518; 105:20
  parvipinnis 87:202; 89:38; 90:391; 99:134
  similis 94:153; 96:29; 97:400; 98:290, 706; 102:127,135
  waccamensis 98:468; 100:728
  zebrinus 104:227
Fundulus sp. X *Menidia* sp. 97:109
Fundulus majalis X *Fundulus diaphanus* 95:286
Fundulus majalis X *Fundulus heteroclitus* 85:286
Fusigobius neophytus 89:12

G

Gadus sp. 94:97
  callarias 84:152; 102:596
  macrocephalus 91:93; 101:727
  merlangus 84:150
  morhua 93:18; 96:37,359; 98:564; 102:21, 762; 103:500; 104:762; 105:281,598
Gadusia chapra 87:84
Galaxias anomalus 97:7
  argenteus 97:7
  brevipinnis 97:7
  burrowsius 97:7
  divergens 97:7
  fasciatus 97:7
  gracilis 97:7
  koaro 97:7
  lynx 97:7
  maculatus 97:7
  paucispondylus 97:7
  postvestis 97:7
  prognathus 97:7
  usitatus 97:7
  vulgaris 97:7
Galeichthys felis 91:377; 94:279; 96:297; 97:456,503; 98:291; 99:95; 100:291; 104:301
Gallinula chlorpus 96:213
Gambusia sp. 91:181
  affinis 83:104; 84:98; 85:24,60; 87:202, 256; 89:207,363; 90:292,394; 94:153; 95:325,335; 96:299; 97:4,7,197,400; 98:468,664; 99:134; 100:506,671,728; 101:110,346,367,373,411,651; 102:76, 127; 103:85,134,239,460,474,522,577; 104:518,536,600; 105:20,301,505,684
Gammaridae 91:93; 100:291; 105:198
Gammarus sp. 84:245; 86:26; 88:186; 89:195; 90:271,303,441; 92:276; 94:407; 96:411; 100:25,63; 101:710; 104:242; 105:324
  fasciatus 84:103; 85:182; 92:156; 99:89; 102:431
  lacustris 84:290; 96:289; 102:364
  limnaeus 90:225; 91:244; 93:311
  mucronatus 101:518
  pseudolimnaeus 96:293; 98:254; 99:501, 782; 102:431; 103:562,722,819; 105:629
  pulex 92:153
Gardonus rutilus 88:156
Gasterosteiformes 100:291
Gasterosteus sp. 100:184
  aculeatus 83:273; 88:4; 89:378; 90:264; 91:263,401; 92:18; 93:288; 94:330; 95:155; 96:26; 97:208; 99:541; 100:304; 101:2,566,727; 102:344,708; 103:327, 632; 104:534; 105:616
  pungitius 83:276
  wheatlandi 99:136; 103:327; 104:31
Gastropoda 87:101; 88:280; 89:71,195; 92:143; 93:41; 94:211,247; 95:298, 97:384; 99:56; 100:122,284; 101:376; 104:92,401,544,823
Gastrotrica sp. 98:436
Gavia immer 103:815
Gelotrichia sp. 84:227
  echinulata 93:41
Gemma gemma 92:172
Gempylidae 94:238
Gempylus serpens 91:226; 99:729
Genyonemus lineatus 93:302
Geophagus brasiliensis 83:331; 102:4
Gerridae 88:276,348; 94:314; 95:298; 98:290; 99:437; 100:125; 102:2
Gerris cinereus 91:377
  conformis 101:711
Gila sp. 100:506
  atraria 85:217; 90:223,269; 104:221
  bicolor 103:401

bicolor obesus 102:148
crassicauda 87:324; 103:531
cypha 104:217
elegans 104:217
robusta 87:324; 98:193; 101:412; 104:217; 105:505
Gillichthys mirabilis 87:202; 102:355
Ginglymostoma cirratum 94:314
Girella nigricans 98:330; 100:670
Glenodinum quadrigens 87:92
Glossiphonia sp. 89:195
Glossiphoniidae 96:411
Glossoma sp. 83:78; 100:63; 102:767; 103:272; 104:242
intermedium 91:244
Glossosomatidae 102:767
Glugea sp. 102:405
anomala 83:276
hertwigi 83:84; 85:272
Glycera sp. 94:248; 95:373; 105:204
americana 101:518
Glyptocephalus cynoglossus 98:617
zachirus 100:250; 105:196
Glyptotendipes sp. 89:195; 93:41; 103:29
Gnathia sp. 105:198
Gnathodentex aureolineatus 89:11
Gnatholepis knighti 89:13
Gobiesocidae 94:314
Gobiesox maeandricus 99:804
strumosus 92:172
Gobiidae 94:314; 98:290; 100:291,301
Gobio gobio 104:454
Gobiomorphus alpinus 97:7
basalis 97:7
gobioides 97:7
huttoni 97:7
Gobionellus boleosoma 94:153; 104:38
hastatus 104:301
Gobiosoma bosci 92:172; 98:290; 102:555
ginsburgi 101:520
longum 94:314
robustum 98:290; 103:780
Gobius minutus 100:520
Goerna sp. 103:272
Golenkinia paucispina 87:95
radiata 87:91
Gomphidae 97:384
Gomphonema sp. 96:225
Gomphosus varius 89:14
Gomphus sp. 91:95; 97:384; 100:287
Goniada maculata 94:248
Goniobasis sp. 92:157
virginica 101:710
Gordius sp. 91:310; 101:597
Gramma loreto 102:7
Grapsidae 99:729
Graptemys pseudogeographica 104:600
Grubia compta 92:172
Gryllidae 88:348
Gymnallabes sp. 100:184
Gymnodinium sp. 91:308; 92:322; 104:598
breve 100:112
splendens 98:752; 102:646
Gymnothorax gracilicauda 89:12
moringa 98:329
Gymnura micrura 98:290; 99:95
Gyraulus sp. 100:125; 103:587
Gyrinidae 100:125; 101:616; 104:401
Gyrinus sp. 102:75
Gyrodactylus sp. 83:222,298; 87:377; 99:600; 104:567
elegans 92:60
Gyrosigma sp. 96:73; 104:598

H

Habrophlebiodes sp. 103:272
Haemogregarina catostomi 94:330
platessae 104:284
Haemopsis sp. 102:365
Haemulon aurolineatum 94:314
melanurum 98:329
parrai 94:314; 98:329
plumeri 94:314; 96:228; 102:511
sciurus 98:329; 102:599
Hagenius brevistylus 101:710
Halichoeres trimaculatus 89:12
Haliplidae 100:125; 101:616
Haliplus sp. 101:711; 103:363
Halisidota argentata 89:303
Hantzschia sp. 96:226
Haplochromis mellandi 93:323
Haplotaxis sp. 88:278
Harengula sp. 100:493
pensacolae 95:227; 96:298; 98:219,290,483; 100:87; 101:691; 102:511,818
vittata 93:291; 94:236
Harnischia amachaerus 102:37
potamogeti 102:37
Harpactacoida 105:198
Harpacticus uniremis 100:122
Hastaperla sp. 103:272
Heleidae 98:515; 104:92
Helichus sp. 88:115; 101:711
Helicopsyche sp. 100:125; 105:324
borealis 88:115; 100:63
Helicopsychidae 86:215; 100:125,285
Helisoma sp. 88:115; 95:35; 102:34
anceps 88:98
subcrenatum 84:292
trivolvus 93:305; 94:143; 101:710
Helobdella sp. 92:312; 96:218; 99:441; 101:597
stagnalis 84:292
Helostoma temmincki 102:4
Hemerodromia sp. 103:272; 105:631
Hemiarthus abdominalis 98:72
Hemicaranx amblyrhynchus 98:703; 103:96
Hemichromis bimaculatus 83:275; 102:4
Hemigrapsis nudis 98:715; 102:415
oregonensis 96:26; 98:715
Hemiptera 83:78; 84:194; 86:304; 88:281, 341,348; 89:33,80; 93:41; 94:173,273; 95:294,298; 97:162,384; 98:203,298; 99:56,598; 100:125,327,492; 101:597; 103:128,258; 104:92,544
Hemiramphus sp. 91:226; 97:287
brasiliensis 103:96
piscium 83:245,300,313
Henneguya ameiurensis 83:265
exilis 83:266
ocellata 98:740
Hepsitia stipes 99:542
Heptacarpus stimpsoni 102:415
tridens 105:198
Heptagenia sp. 86:215; 88:348; 103:272,321; 104:823
elegantula 100:137
Heptageniidae 91:95; 94:189; 97:386; 98:515; 101:337,379,424; 102:767; 103:442; 104:401
Herpticyprus sp. 90:52
Hesperocorixa brimleyi 101:711
Hesperoleucas symmetricus 87:324
venustus 87:324

Heteroandria formosa 103:239
Heterobranchus sp. 100:184
Heterocheilidae 95:24
Heteropneustes sp. 100:184
  fossilis 91:87; 98:431; 101:274
Heteropoda 94:238
Heterosomata 96:400
Heterotilapia tuasensis sp. 102:38
Heterotrissocladius sp. 102:37
Heterozonia fuscescens 104:577
Hexagenia sp. 84:99; 88:331,348; 89:32,193, [illegible]
    384,443; 98:514; 99:566,605; 100:285; [illegible]
  bilineata 96:407
  limbata 84:225; 96:289,407; 101:675; 103:38,510
Hexagrammos decagrammus 91:93; 95:357; 99:805
  stelleri 94:407
  superciliosus 91:93
Hexamita salmonis 94:53
Hexanchus griseus 93:288
Hexapanopeus angustifrons 101:519
Hexastylis sp. 91:220; 99:322; 102:75
Hexatoma sp. 100:63; 101:711; 103:272
Hilsa ilisha 97:350
Hiodon alosoides 83:132; 87:336,360; 89:32; 90:170,190
  tergisus 83:50; 87:243,336; 89:32; 90:170; 92:312,362; 104:600
Hippocampus sp. 103:96
  erectus 94:314; 98:290; 99:729
  kuda 94:314
Hippoglossina oblonga 96:403
Hippoglossoides elassodon 100:247; 105:196
  platessoides 94:248; 98:617; 100:251; 103:831
  robustus 100:247
Hippoglossus hippoglossus 88:357; 90:489; 98:180
  oblonga 96:403
  stenolepis 87:286; 91:93; 97:85; 98:180; 102:22; 105:287
Hippolyte sp. 105:516
Hippolytidae 105:198
Hippuris sp. 101:561
Hirudinea 88:281; 89:71,195; 90:272; 95:24; 100:63; 101:652,710; 102:34; 103:321; 104:401
Hirudinella virina 90:419
  ventricosa 90:420
Histrio histrio 97:287; 103:86
Holocanthus sp. 99:729
Holocentridae [illegible]
Holocentrus 91:226; 97:287
  ascensionis 98:329
  [illegible]
  rufus 98:329
  vexillarius 89:13
Holopedium sp. 84:258; 88:330; 90:440; 104:722
  gibberum 92:21,249; 94:393; 100:326; 101:221; 104:89,392; 105:608
Holomastigotoides sp. 101:711
Holothurioidea 94:247
Homarus americanus 98:537,713; 100:117; [illegible]
Homoptera 88:304; 89:80; 90:272; 98:204; [illegible]
Hoplias malabaricus 100:184
Huso huso 105:13
Hyalella sp. 84:102,258; 85:200; 86:300; 88:213; 89:71,231; 90:52; 92:100,312; 96:218,308; 97:162; 99:440; 100:63; 101:597; 104:722
  azteca 84:98,290; 87:100; 88:115; 93:41; 94:5; 96:289; 98:438; 99:702; 100:127, 287; 102:797; 103:27,33; 105:87,488, 631
Hyas coarctatus 94:257
Hybognathus hankinsoni 94:150; 105:35
  nuchalis 102:127,289; 105:20
  placita 85:24
Hybopsis aestivalis 98:664
  amblops 87:243; 93:3; 101:373
  storeriana 86:58; 93:3,210; 104:600
Hydra sp. 89:193; 96:411
  fusca 90:330
  iheringi 90:330
  oligactis 90:329
  pallida 90:330
Hydracarina sp. 84:194; 87:100; 88:341; 89:71; 90:441; 91:218; 93:41; 96:244; 98:204; 99:554,598; 100:126; 103:128; 104:722
Hydachna sp. 99:598
Hydratina sp. 89:12
Hydrichthys sp. 90:330
Hydrilla verticillata 102:2,74
Hydrobaeninae 88:280
Hydrobaenus sp. 102:677
Hydrobia totoni 103:265
Hydrocynus sp. 100:184
  vittatus 97:462; 104:499
Hydrodictyon sp. 94:374; 96:244
Hydromermis sp. 88:278
Hydroperla crosbyi 102:806; 104:823
Hydrophilidae 88:279; 95:298; 97:384; 100:125; 101:616; 104:403
Hydrophilus sp. 98:431
Hydroporus sp. 88:279
  undulatus 101:711
Hydropsyche sp. 88:348; 91:244; 95:1; 96:411; 100:137; 101:711; 102:767; 103:272,321,363; 105:324
  bettoni 101:675
  orris 89:33
  recurvata 92:217
  simulans 104:823
  spuria 105:631
Hydropsychidae 86:215; 88:115; 92:153,216; 93:41; 95:1; 97:384; 100:285; 102:767; 103:442; 104:401
Hydroptila sp. 104:823
Hydroptilidae 86:215; 88:348; 100:125; 101:424; 102:767; 103;272
Hymenopenaeus robustus 86:196; 95:92
Hymenoptera 83:78; 84:194; 86:304; 88:341; 92:254; 97:301; 98:203; 100:492;101:376, 597; 103:128; 104:492,544
Hypentelium etowanum 103:460,610
  nigricans 83:206; 86:147; 87:243; 88:266; 89:256; 91:54; 92:307; 93:180,202,210; 94:350; 101:373; 102:289; 103:84,460, 761; 104:447; 105:35
Hyperprosopon argenteum 99:475
Hypomesus olidus 88:255
  pretiosus 99:127; 101:727; 102:344
Hypoplectrus sp. 94:314
Hyporhamphus unifasciatus 102:511,555
Hypostomus sp. 102:4
Hypothalmichthys molotrix 99:708; 100:184; 105:43
Hypsoblennius gentilis 105:333
  gilberti 105:333
  jenkinsi 105:333

Hysterocarpus traskii 87:324
Hysteromorpha triloba 94:147

I

Ichthyomyzon sp. 91:386; 92:307; 105:35
  castaneus 84:196; 90:83; 97:223; 101:662
  fossor 91:422; 101:662
  unicuspis 86:279; 90:83; 93:206; 101:662
Ichthyophthirius sp. 85:311; 98:464
  multifilis 83:221,265,298; 103:541
Ichthysporidium sp. 83:299
  hoferi 83:299; 97:92
Icosteus aenigmaticus 93:288
Ictaluridae 102:2
Ictalurus sp. 87:336; 97:28; 100:576; 101:218; 103:29; 105:176
  brunneus 97:455
  catus 83:267; 86:40; 87:202,325,336; 97:400,455; 98:468; 99:703,809; 100:758; 101:566; 102:610; 104:232; 105:169,558
  furcatus 83:50; 84:45; 87:336,439; 88:10,83; 91:95; 92:357; 97:455; 104:600
  lacustris 84:45; 87:360; 88:83
  lupus 97:455
  melas 83:133; 85:60,77; 86:363; 87:325, 360; 88:4,10,149,178,266; 89:185; 90:278,292; 91:15,42,315; 92:236,422; 93:3,180,269,316; 94:1; 95:325; 97:53, 455,493; 98:35,464; 99:21,28,499, 511,541,704,806; 101:101,302,412,483, 528,561; 102:77,127,574; 103:82,115, 460,670; 104:227,234,580,600; 105:20, 505
  natalis 85:42,210; 87:53,325; 88:10,191, 266; 89:352; 90:84,292; 91:15,42,342; 93:3,180; 94:129,366; 95:325; 97:400, 455; 98:300,468,632,650; 101:651; 102:289; 103:82,239,460,761; 104:600; 105:20,35
  nebulosus 83:265; 85:258; 86:240,258,279 286; 87:53,108,202,325; 88:83,178,198, 249; 89:27,145,352; 90:84,444; 91:42, 324; 92:220,236,312; 93:180; 94:10,129; 95:160; 96:11; 97:7,60,292,400,455; 98:683,692; 99:298,392,703; 100:55,326, 350,355,670; 101:56,317,651; 102:289, 599; 103:10,334,670,811; 104:232,383, 541; 105:35,169,233,395,454,456,521, 696
  platycephalus 88:191; 98:468; 105:696
  punctatus 83:50,266; 84:98; 85:42,148; 86:348; 87:118,202,325,336,438; 88:10, 54,149,178,191,331,348; 89:32,145; 90:84,292,377; 91:425; 92:2,18,165, 236,357,432; 93:3,181; 94:150,204; 95:325; 96:31,238,351; 97:65,140,209,260, 400,455; 98:35,196,266,295,464; 99:21, 55,89,90,392,499,511,540,746,808,809; 100:237,355,460,639,665,674,757; 101:94,101,113,302,342,384,412,528, 537,566,609,613,716; 102:111,137,444, 607,774,831,835; 103:53,115,360,366, 376,520,593,623,761; 104:140,226,259, 313,317,322,328,333,548,580,600,811; 105:20,167,247,267,301,460,463,469, 475,481,692,696,704,718,725
Ictalurus punctatus X *Ictalurus furcatus* 100:790
Ictiobus sp. 93:180; 94:4
  bubalus 84:45; 87:32,118,243,335,438; 88:10,83,137,149; 90:292; 92:357; 93:202; 96:70; 99:333; 100:276; 102:111; 103:142,522; 104:600; 105:222
  cyprinellus 87:32,335,360,438; 88:10, 83,149; 90:84; 94:204; 96:70,238; 97:209,400; 99:333,499; 100:276; 102:28; 103:522,670,737; 104:600; 105:13,287
  niger 87:243; 88:10,83; 99:333; 104:600; 105:13
Idiacanthidae 94:238
Idothea sp. 94:407; 99:729
  resecata 104:540
Idunella sp. 101:519
Illinobdella alba 98:115
  moorei 95:24; 98:115
Ilyocryptus sp. 105:75
  sorditus 92:21
Insecta 87:100; 88:341; 91:218; 96:71,244; 97:384; 101:110; 104:38,401
Ione sp. 98:483
Ictichthys phlegethontis 90:52; 98:404
Iridomyrmex humilis 97:5
Iron sp. 86:215; 103:321
Ischnura sp. 97:489; 102:75
  verticalis 99:89
Isochrysis sp. 98:745
  galbana 98:754; 102:646
Isogenus sp. 86:215; 102:677
Isonychia sp. 88:348; 96:411; 97:386; 101:710; 103:272
  bicolor 92:157
Isoperla sp. 86:215; 88:279; 96:411; 100:63; 102:768; 103:272; 105:631
  fulva 100:137
  minuta 103:511
Isopoda 88:280; 89:195; 91:95; 94:247; 96:299; 97:384; 101:597,673; 102:52; 104:38,401,544
Isopsetta isolepis 100:248
Isotomurus palustris 88:281
Istiophorus albicans 91:225
  platypterus 102:569; 103:96; 104:1
Ithytrichia sp. 104:823

J

Janthina sp. 98:709
Jenkinsia lamprotaenia 96:122; 99:381; 101:740
  stolifera 99:542
Jordanella floridae 95:109; 103:239,562; 105:558
Juglans cinerea 99:510
  nigra 99:510
  regia 99:510
Juncus sp. 95:373
  bulbosus 101:561
  effusus 92:20
Jussiaea sp. 94:130; 101:563
Justicia americana 86:146

K

Katsuwonus pelamis 85:13; 90:420; 94:236; 98:379; 99:60,93,153,629; 101:626; 102:335,762; 105:590

Kellicottia sp. 90:440; 100:328
bostoniensis 91:220
cochlearis 100:699
longispina 100:699; 101:221; 105:610
Keratella sp. 85:24; 90:440; 96:71,245; 97:301; 99:322,572; 100:328; 102:75, 451; 104:391,599; 105:78,127
cochlearis 87:97; 91:220; 93:41; 101:220
quadrata 93:41; 102:677
Kinosternon subrubrum 104:600
Konosirus punctatus 87:83
Kuhlia sandvicensis 94:378; 103:38
Kyphosidae 94:238

L

Labeo altivelis 97:462
chrysophekadion 99:127
congoro 97:462
rohita 90:1; 98:430
Labidesthes sicculus 87:256; 88:266; 89:231; 91:34; 92:108; 93:210; 97:293, 300; 98:632; 99:435; 100:608; 101:111, 651; 103:27,83,460,670; 104:518,600; 105:20
Labiosa sp. 98:291
Labridae 94:314
Laccophilus sp. 88:348; 101:711
fasciatus 88:277
Lachnolaimus maximus 83:333
Lactobacillus sp. 83:309
Lactophrys quadricornis 94:314; 98:290
trigonus 94:314; 98:329
triqueter 103:96
Lactua scariola 84:120
Laevicardium sp. 98:291
mortoni 103:264
Lagerheimia sp. 87:94
Lagocephalus sp. 91:226
laevigatus 98:290
Lagodon rhomboides 93:364; 96:298; 98:290; 100:300; 101:511; 102:511,555,574; 103:359,475,582,627,780; 104:302,584; 105:328,514,546,596
Lamna ditropis 93:288
Lampanyctus leucosaurus 105:198
ritteri 99:134
Lampetra fluviatilis 90:73; 101:664; 103:357
japonica 91:264
lamottei 91:386; 91:422; 93:207; 96;224; 97:400; 101:18,662
planeri 94:40; 96:224; 101:662
richardsoni 101:566
tridentata 91:407; 93:288; 94:40
zanandreai 101:662
Lampris regius 93:288
Laonereis culveri 94:155
Larsia acrocincta 102:38
Larus sp. 101:597; 103:363; 105:651
argentatus 100:343
Lateolabrax japonicus 99:710
Lates angustifrons 105:581
mariae 105:581
microlepis 105:581
niloticus 100:185; 101:511; 102:6; 104:503
Latona sp. 105:78
setifer 93:41
Latreutes parvulus 101:519
Lavinia exilicauda 87:324
Leander tenuicornis 101:694
Lebinia sp. 98:291
Lebistes 88:54
reticulatus 83:231; 84:150; 90:264; 94:149; 95:37; 97:400; 99:84; 100:575; 101:97
Lecane sp. 85:24; 93:41; 101:222
Ledum groenlandicum 92:20
Leiomyoma sp. 83:271
Leiostomus sp. 101:91
xanthurus 88:105; 91:90; 93:396; 94:153, 279; 95:145,227; 96:298; 97:400; 98:290; 99:439,489; 100:297; 102:137, 555,574; 103:359,582; 104:37,286,300, 584,780; 105:328,370,511,515
Lembos websteri 101:518; 105:204
Lemna sp. 94:374
minor 102:607
Lepadella sp. 85:24; 93:41; 101:222
Lepas anatifera 103:97
Lepidocybium flavobrunneum 104:301
Lepidomeda altivelis 103:531
mollispinis 102:459
mollispinis pratensis 103:531
vittata 95:138
Lepidopsetta bilineata 99:95; 100:248
Lepidoptera 83:78; 94:173; 98:204,542; 99:56; 100:125; 104:544
Lepidostoma sp. 103:321,363
Lepidostomatidae 86:215; 102:767
Lepidurus sp. 92:278
Lepisosteus sp. 84:45; 100:342
oculatus 90:292; 92:178; 96:297; 101:106, 362; 103:522; 104:600
osseus 83:50; 86:155; 87:243,336; 88:10, 83; 90:292; 91:251; 92:357; 93:180; 96:238,297; 98:467,632; 99:780; 101:106; 103:402,522,670; 104:600; 105:42
platostomus 87:32,360; 88:10,83; 92:178; 101:106; 104:600
platyrhincus 89:206; 97:491; 98:383; 103:239
productus 83:50; 88:10,83
spatula 88:10; 96:297; 101:106
Lepomis sp. 83:50; 86:304; 89:223,375; 90:449; 94:94,401; 97:63; 101:110,128 102:150; 103:29,127; 104:447
auritus 85:258; 88:191,249; 89:27; 91:333; 93:181; 98:468; 99:55,101,542; 100:728; 101:373,609,651; 102:289,638; 105:244,696
cyanellus 84:98,117; 85:42,60,210; 86:253,363; 87:118,202,243,325; 88:10, 35,266; 89:333; 90:27,278,292; 91:15, 39,176; 92:401; 93:3,181,316; 94:150, 204; 95:296,325; 96:414,428; 97:28,53, 209,400; 98:105,426,464,632,674; 99:101, 124,206,367,511,704,806; 100:124,208, 352,758; 101:101,270,412,528,561,566; 102:77,289,795; 103:84,460,522,620, 670,761; 104:227,234,580,600; 105:20, 107,169,505
gibbosus 84:241; 85:258; 86:279; 87:53, 325; 88:128,198; 89:27,69,185,256; 90:332; 91:34,42,54,425; 92:312,406; 93:3,207,269; 94:10,143,351; 95:10,160, 433; 96:2,11,168; 97:28,60,243,297,466, 489; 98:383,468; 99:55,298,392,490; 100:124,208,728; 101:56,81,609; 102:121, 289,427,795; 103:15,670; 105:35,167,616
gulosus 85:60,210; 87:247,325,335; 88:10, 181; 89:206; 90:292; 91:25; 93:3; 94:150; 95:280; 98:383,468; 99:101; 100:29,55,611,728; 102:77; 103:239, 460,522; 104:277,518,600; 105:20,696

humilis 86:363; 88:10,179; 90:292; 93:3; 97:164; 99:806; 105:20
macrochirus 83:52,206,264; 84:98,117; 85:60,77,192,208,242,311; 86:147,253, 363; 87:43,53,98,108,202,221,243,325, 335; 88:10,25,35,83,126,128,179,191, 266; 89:18,67,165,185,333,351; 90:84, 143,264,278,292,332,377,394; 91:9,25, 34,42,176,221,258,303,333,362; 92:25, 68,236,372,435; 93:3,181,199,269,316; 94:30,129,140,150,204,366; 95:212, 280,289,297,325,433,435; 96:2,32,163, 301,414,416,420,428; 97:28,59,140,185, 209,242,296,400; 98:266,295,383,398, 441,468,632,664; 99:1,20,74,89,101,363, 392,429,439,489,499,511,599,704,806, 808; 100:1,18,29,55,69,124,352,360, 611,674,757; 101:101,113,219,270,317, 373,420,435,507,528,561,563,620,651; 102:77,127,134,164,289,599,607,622, 629,630,795,838; 103:38,83,128,138,239, 255,277,343,366,402,460,522,630,670, 729,738,761,786; 104:132,227,234,277, 353,363,441,506,518,580,600,752; 105:20, 35,125,167,176,241,244,252,281,291,442, 486,536,550,634,683,692
marginatus 101:651; 105:696
megalotis 83:204; 85:45,210; 86:147; 87:243,335; 88:10,137,266,348; 90:292, 449; 93:3,181; 94:150; 98:650; 99:599, 776; 102:77; 103:83,309,460,522,761; 104:257,518,600; 105:20,176
microlophus 83:177; 85:60,208; 87:220, 325; 88:10; 89:351; 90:292; 91:9,333; 92:435; 94:129,135,150; 97:61,209,400, 493; 98:52,295; 99:20,101,808; 100:757; 101:651; 102:77; 103:84,522; 104:441, 600; 105:20,244,536,634,683
punctatus 85:120,210; 87:243; 88:10,191; 90:292; 94:150; 98:468; 101:651; 103:239; 104:518
pupurescens 83:177
Lepomis sp. X *Micropterus* sp. 95:200; 100:611
Lepomis sp. X *Pomoxis* sp. 100:611
Lepomis cyanellus X *Lepomis macrochirus* 97:466; 100:620; 102:631;
Lepomis gulosus X *Ambloplites rupestris* 99:102
Lepomis gulosus X *Lepomis cyanellus* 100:611
Lepomis gulosus X *Lepomis macrochirus* 99:102
Lepomis gulosus X *Micropterus salmoides* 99:102; 100:31
Lepomis gulosus X *Pomoxis nigromaculatus* 99:102
Lepomis macrochirus X *Ambloplites rupestris* 99:102
Lepomis macrochirus X *Centrarchus macropterus* 99:102
Lepomis macrochirus X *Enneacanthus gloriosus* 99:102
Lepomis macrochirus X *Lepomis auritus* 99:102
Lepomis macrochirus X *Lepomis cyanellus* 99:102; 104:333
Lepomis macrochirus X *Lepomis gulosus* 99:102; 103:460
Lepomis macrochirus X *Lepomis microlophus* 99:102; 100:619
Lepomis macrochirus X *Micropterus salmoides* 99:102
Lepomis macrochirus X *Pomoxis nigromaculatus* 99:102
Lepomis microlophus X *Lepomis auritus* 99:102
Lepomis microlophus X *Lepomis cyanellus* 100:619
Lepomis microlophus X *Lepomis macrochirus* 99:102
Leptocella sp. 100:125; 101:711
Leptocephalus sp. 94:238
Leptoceridae 86:215; 89:71; 93:41; 100:125; 101:424; 102:767; 104:401
Leptocheirus pinguis 94:247
Leptochela serratorbita 101:519
Leptocottus armatus 101:727; 104:577
Leptocylindrus sp. 105:204
Leptodora sp. 84:245,258; 92:312; 96:19, 218,253; 97:162; 98:122; 99:440,733; 100:308,476; 102:381; 104:722; 105:75, 78,625
kindti 87:100; 92:249; 93:41; 94:394; 97:386; 100:326,537,699; 103:26,33; 104:392,734; 105:90,608
Leptodoridae 97:386
Leptophlebia sp. 96:289; 101:710
nebulosa 101:675
Leptophlebiidae 100:63; 104:401
Leptorhynchoides thecatus 95:26
Leptorhynchus thecatus 105:487
Leptosynapta tenuis 103:265
Lernaea sp. 85:311; 94:205; 98:464; 101:597
carrassii 87:331
cruciata 95:24; 104:279
cyprinacea 88:128; 99:443
ranae 99:444
Lernaeenicus radiatus 98:111
Lernaeidae 95:24
Lernaeopodidae 95:24
Lethocerus sp. 96:411
Lethrinus minatus 89:11
variegatus 89:11
Leuceruthrus micropteri 95:24
Leucichthys sp. 83:226; 84:165; 85:102; 86:26
artedi 84:151,280; 99:757
Leuciscus sp. 83:265
cephalus 93:8; 99:127
idus 99:469; 100:184
leuciscus 88:156; 94:274; 95:207
rutilus 94:93; 99:147
Leucon americana 101:518; 105:204
Leucophoyx sp. 101:597
Leucorrhina frigida 101:710
Leucothoe spinicarpa 101:519
Leuctra sp. 86:215
Leuresthes tenuis 98:325; 100:606
Leurognathus marmoratus 104:678
Leydigia sp. 105:75
quadrangularis 87:100; 99:572
Libellula sp. 95:298; 98:438; 99:598; 102:75
Libellulidae 84:98; 88:348; 91:218,310; 95:298; 104:403
Libinia dubia 98:703; 103:265
Ligula intestinalis 97:54; 103:751
Limanda aspera 93:288; 97:86
ferruginea 89:373; 96:403; 98:617
limanda 102:615
yokohamae 102:615; 105:594
Limnaea sp. 92:276
Limnephilidae 86:215; 91:407; 99:598; 100:125,285; 101:337; 103:442
Limnephilus sp. 91:244; 92:312; 98:438; 99:440
submonilifer 88:279

Limnocalanus sp. 84:194
macrurus 92:248; 100:699; 101:223; 105:90
Limnochironomus sp. 94:213
Limnodrilus sp. 88:111,278; 97:502; 101:743
claparedianus 84:292; 89:193
hoffmeisteri 92:152
Limnophora sp. 103:272
Limnothrissa miodon 105:581
Limnus sp. 103:272
Limonia sp. 101:711
Limulus sp. 98:291
polyphemus 90:79; 103:265
Liopsetta putnami 96:402; 103:327; 104:31
Liparis atlanticus 97:278
florae 99:805
liparis 97:278
Lirceus sp. 89:195; 92:157; 100:353
Lironeca ovalis 105:327
Listriella barnardi 101:519
Littorina obtusata 103:265
Locustidae 88:348; 98:204
Loligo sp. 89:239
opalescens 102:181
pealei 103:96,500; 105:523
Lolita sp. 95:227
Lophius americanus 104:284
piscatorius 105:351
Lophogobius cyprinoides 99:838; 103:780
Lophothrix frontalis 105:198
Lota maculosa 85:201
lota 84:48,196; 86:279,393; 89:374; 92:312; 93:156; 94:172; 95:160,251; 97:63,292; 99:28; 100:342,700; 101:55,667; 103:10, 15, 221
Loxothylacus texanus 88:302
Lucania goodei 103:239
parva 94:153; 98:291; 102:555
Luciolates stappersii 105:581
Lucioperca sp. 91:355
lucioperca 98:383; 102:762
Lumbriculus sp. 100:796
inconstans 105:324
Lumbricus terrestris 88:348
Lumbrineris fragilis 94:248
Lunarca ovalis 103:265
transversa 103:265
Lutjanidae 89:9; 94:238,314
Lutjanus analis 98:329
apodus 98:329
blackfordi 92:310; 104:301
bohar 89:11
campechanus 99:428
gibbus 89:11
griseus 91:379; 102:467; 103:780
kasmira 89:11
monostigmus 89:11
rivulatus 89:11
synagris 98:329
vaigiensis 89:11
vivanus 102:844
Lygidium sp. 91:95
Lymnea sp. 83:226; 89:195; 101:710
stagnalis 101:734
stagnalis jugularis 84:292
Lynceus sp. 101:222
Lyngbya sp. 88:341; 99:337
Lyonsia hyalina 103:265
Lysianopsis alba 101:519
Lythrum salicaria 95:373

M

Macoma balthica 92:172; 103:265
tenta 103:264
Macrobrachium ohione 103:120,474
rosenbergi 102:6
Macrocallista sp. 98:291
nimbosa 100:113
Macrocyclops albidus 100:328; 104:89; 105:91
Macrognathus aculeatum 98:431
Macromia sp. 103:738
magnifica 101:710
Macronenum carolina 101:711
Macronychus sp. 101:711
Macropodus opercularis 102:4
Macrothrix sp. 105:75
laticornis 87:101
Macrozoarces americanus 94:248
Macrura 101:519
Mactra sp. 98:291
Makaira albida 91:225
audax 96:356
mitsukuri 90:420
nigricans 91:225; 97:131; 104:1
Malacanthus plumieri 98:329
Malapterurus electricus 100:184
Mallotus villosus 91:92; 94:407
Mancocuma altera 101:518
Mangelia plicosa 103:265
Margarites sp. 94:248
Marphysa sanguinea 101:518
Marsipometra hastata 92:243
Mastigophora 87:86
Mastocembelus pancalus 98:431
Masturus lanceolatus 99:729
Meda fulgida 95:138
Medusae 100:123
Megaceryle alcyon 94:143; 98:226,464; 102:757
Megalopae 94:238; 99:729
Megalops sp. 94:407; 102:762
atlantica 91:377; 103:96,472
cyprinoides 101:113
Megaloptera 83:78; 84:81; 88:281,348; 89:195; 98:204; 99:56; 104:402
Meganyctiphanes norvegica 99:726
Megastomatobus sp. 83:50
cyprinella 84:45
Melampus bidentatus 103:265
Melanogrammus aeglefinus 88:212; 94:243; 98:266,564
Melichthys radula 91:226
Melilotus alba 84:120
Melita appendiculata 101:518
nitida 101:519
Melongena sp. 98:291
Melosira sp. 88:341; 90:293; 99:336; 101:614
granulata 87:91
Membras sp. 97:317
martinica 102:555; 103:474
Menetus sp. 102:34
Menidia sp. 92:172; 103:96
audens 90:292; 99:70; 100:603; 101:110; 103:522; 104:600; 105:84,404
beryllina 94:153; 98:290,472; 100:291; 101:520; 102:511; 104:38,301; 105:327
extensa 98:466; 100:608,728
menidia 94:27; 95:155; 97:317; 99:96; 100:301; 102:554,599; 103:327,474; 104:31,762; 105:516
peninsulae 96:298

Menidia sp. X *Prionotus* sp. 105:13
Menippe sp. 98:291
mercenaria 98:289; 101:694
Mentha sp. 101:561
Menticirrhus sp. 96:298; 105:328
americanus 99:95; 102:574
littoralis 103:96
saxatilis 97:64; 102:555,599
Mercenaria mercenaria 98:744; 100:588; 103:264
Mergus sp. 102:757
merganser 99:312
Meridion sp. 96:225
Merismopedia sp. 102:78; 104:598
tenuissima 87:95; 99:578
Merluccius albidus 96:227
bilinearis 89:239; 94:248; 96:227; 99:179,726; 102:543; 105:525
gayi 96:227; 102:591
merluccius 93:12
productus 87:311; 93:288; 96:227; 102:22
Mermithidae 88:278
Mesocyclops sp. 84:194; 105:87
edax 92:249; 93:41; 99:322; 100:326; 101:221; 103:258; 104:392,599,734; 105:90,610
leuckarti 100:332
Mesogastropoda 99:729
Mesomermis sp. 88:278
Mesovelia sp. 101:711
Metridia longa 100:123; 105:198
lucens 100:122; 105:198
pacifica 105:198
Metridium senile 104:51
Metriocnemius sp. 102:677
Metrobates sp. 88:348
hisperius 101:711
Micrasterias sp. 101:222
Microactinium sp. 91:307
Microcystis sp. 88:341; 90:293; 102:79
aeruginosa 86:329; 87:80
Microgadus proximus 101:727
tomcod 86:348; 103:327; 104:31
Microgobius gulosus 91:377; 98:290; 103:780
microlepis 94:314
thalassinus 97:317; 102:555
Microlobus gulosus 102:511
Micrometrus aurora 99:475
Micronephtys minuta 103:831
Microphallus pygmaeus 99:790
Micropogon undulatus 88:105; 89:154; 90:444; 92:321; 93:364; 94:279; 95:145 96:298; 97:313,400,503; 100:291,301; 102:574; 103:359,582; 104:37,47,286, 300,408; 105:42,328,512
Microprotopus ranei 101:519
Micropterus sp. 83:203
coosae 83:202; 85:210; 88:191
dolomieui 83:203,266; 84:124; 85:42,77, 135; 86:112,279; 87:53,108,202,243,325, 335; 88:125,137,160,249,266; 89:27,151, 212,256; 90:84,325,449,459; 91:15,261, 342,413,425; 92:184,220,362; 93:3,181, 199,210,315; 94:10,143; 95:23,160,435; 96:2,11,168,414; 97:55,140,175,258; 98:533,632; 99:44,55,298,423,429,556, 758; 100:460,497; 101:55,528,609,723; 102:121,142,150,170,289,346,638; 103:127,462,577,738; 104:83,264,270, 390,447; 105:35,167,233,400
punctulatis 83:50,203; 85:42; 87:325,335; 88:10,35; 90:292; 91:324; 95:23,226; 97:140; 98:647,664; 99:542,780; 103:460; 104:264,447,600; 105:20
salmoides 83:50,177,204,266; 84:98,117, 241; 85:42,60,77,120,142,192,208; 86:113,147,363; 87:35,53,108,202,229, 243,325,335,360; 88:10,35,83,125,128, 137,178,191,198,266,332; 89:18,27,165, 185,206,222,295,333,351; 90:27,84,143, 277,292,332,334,377; 91:9,23,29,42,176, 221,261,303,342; 92:2,25,168,184,362, 385,391; 93:3,146,181,269,315; 94:94, 97,129,142,204,212,366; 95:23,52,226, 280,433; 96:2,74,210,373,420,427; 97:2, 55,59,140,209,246,258,400,453,493; 98:10,294,317,383,398,441,464,468,632; 99:20,89,101,331,367,392,703,746,758, 780,808; 100:29,55,208,355,465,503,544, 611,622,757; 101:57,110,367,412,421, 528,539,545,563,650,723,734; 102:77, 111,164,289,355,442,607,622,757,759,795; 103:83,134,239,277,343,357,460,522, 670,720,738,761; 104:56,77,227,232, 264,270,277,383,441,524,600,696; 105:20,35,125,167,176,233,240,244,247, 400,505,521,536,558,624,682
Micropterus sp. X *Lepomis* sp. 95:280; 100:611
Micropterus sp. X *Pomoxis* sp. 100:611
Micropterus salmoides X *Amboplites rupestris* 99:102
Micropterus salmoides X *Lepomis gulosus* 99:102; 100:31
Micropterus salmoides X *Lepomis macrochirus* 99:102; 100:31
Micropterus salmoides X *Pomoxis nigromaculatus* 99:102
Micropterus salmoides salmoides X *Micropterus salmoides floridanus* 105:240
Microsema sp. 100:63; 102:677; 103:363
Microstomus achne 98:107
pacificus 103:799; 105:561
Microtendipes sp. 96:289; 102:677
pedellus 88:115; 102:37
Minchinia nelsoni 100:100
Minytrema melanops 83:50; 87:255; 88:10, 191; 90:84,292; 93:3,202; 101:738; 103:82,460; 105:20
Misgurnus anguillicaudatus 89:376; 101:428
fossilis 105:13
Mitrax verrucosus 93:204
Mitrella lunata 101:518; 103:264
Mnemiopsis micradyi 98:707
Moapa coriacea 101:408; 105:505
Modiolus sp. 98:291
Mogurnda obscura 88:96
Moina sp. 97:163
micrura 87:93
Mola mola 105:328
Molanna sp. 89:195
Molgula sp. 98:292; 103:265
Mollienesia sp. 83:233
latipinnis 100:291; 104:301
Mollusca 83:40,78; 84:225; 85:185; 90:272; 99:598; 101:518,652; 104:403
Monacanthidae 94:238
Monacanthus 99:729
ciliatus 94:314
hispidus 94:314; 98:290,706; 103:96; 105:515
Monobothrium fossae 103:610
hunteri 103:610
mackiewiczi 103:610
ulmeri 103:610
Monochrysis sp. 98:745
Monoculodes edwardsi 101:519
Monogenea 95:24

Monopetalonema alcedinis 94:143
Monopylephorus sp. 88:278
Monospilus sp. 105:75
Monostyla sp. 85:24; 96:245; 101:222; 104:599
Monstrilla sp. 105:198
Mormyrus deliciosus 97:462
longirostris 97:462
Morone sp. 103:29
americana 85:258; 87:108; 88:249; 89:27; 91:318; 94:10,97; 95:160; 96:11; 97:497; 98:268,322,468; 99:298,704; 100:734; 101:608; 102:150,377,543,555; 103:15, 117,359; 104:390; 105:149,284,328
chrysops 83:50; 86:59; 87:335; 88:10, 35,55,83,149; 89:32,185,249; 90:84,292, 325; 92:312,362,389; 93:181; 94:346; 95:350; 96:219,247; 98:122; 99:324,440, 499,599; 100:474,537,567; 101:57,111, 455; 102:22,111,169,446; 103:10,25,32, 115,277,522,577,636,670; 104:56,600; 105:20,81,223
mississippiensis 87:34,81; 88:10,149; 89:185; 92:236,384; 97:223; 99:732; 102:739; 103:115,277,670; 104:513; 105:6,81
saxitilus 85:144,294; 86:40,348; 87:104, 325,335; 88:105,319; 90:13; 91:279; 94:97,278; 95:246,328; 96:327,405; 97:313,320; 99:848; 100:367; 101:442, 453; 102:13,21,169,421,543,599,636; 103:500; 104:410,560,600,696,703,710, 762,780; 105:13,149,281,328
Morone saxitilus X *Morone chrysops* 100:787
Mougeotia sp. 96:73; 104:598
Moxostoma sp. 83:50; 87:336; 88:83; 94:94; 99:423; 101:56
anisurum 86:279; 91:412; 93:202; 103:610
aureolum 83:265; 85:40; 87:251; 91:42
breviceps 93:202
carinatum 87:251; 92:357
duquesni 85:42; 87:243; 88:137; 92:357; 93:202; 99:546; 101:373; 103:82,761
erythrurum 83:206; 85:42; 86:147; 87:243; 88:137,266; 91:412; 92:357; 93:3,180, 202; 97:140; 101:373; 103:82,761; 105:20,35
macrolepidotum 86:286; 87:53,118,251; 90:84; 91:412; 99:29; 105:35
poecilurum 99:439; 103:610
Mugil sp. 100:291; 104:38
auratus 99:515
cephalus 88:10,191; 91:378; 94:27,153; 95:155; 96:298,356; 97:10,64,400; 98:290,706; 99:439,838; 100:301,579; 101:547; 102:127,555,574; 103:359,474, 831; 104:144,286; 105:42
curema 91:378; 96:29; 97:400; 102:555; 102:599; 103:96
Mugilidae 98:290
Mulinia sp. 98:291
lateralis 100:492; 103:264; 105:204
Mullidae 94:238
Mya arenaria 84:13; 92:172; 95:357; 98:310; 102:614; 103:265
Mycobacterium avium 105:564
platypoecilus 83:249
Mycteroperca bonaci 101:260
interstitialis 101:260
microlepis 93:301; 99:428; 105:515
Myctophidae 94:238; 99:729
Myctophiformes 100:291
Myctophus sp. 91:226
Mylocheilus caurinus 83:303; 86:123; 88:198; 90:27; 91:225; 97:297; 102:344; 103:386
Mylopharadon conocephalus 87:324
Mylopharyngodon piceus 99:710
Myoxocephalus sp. 84:152; 97:63
aenaeus 97:64; 103:329
octodecimspinosus 102:555
quadricornis 84:195; 86:393; 94:171; 95:251; 100:700
scorpius 96:359; 97:64; 103:327; 104:31
thompsoni 93:156
Myriophyllum sp. 92:92; 94:2; 95:289,373; 101:596; 102:2
brasiliense 102:607
exalbescens 90:270; 102:796
heterophyllum 98:454
spicatum 101:562
Myrophis punctatus 91:377; 92:321; 96:299; 100:301; 104:38
Mysidacea 89:195; 94:247; 101:518; 103:474; 104:38
Mysidae 91:93
Mysidopsis almyra 100:492; 104:37
Mysinae 105:198
Mysis sp. 84:194; 90:439; 97:157; 98:637
relicta 86:80; 89:195; 92:245; 94:172, 273; 95:216; 97:292; 99:418; 101:673; 103:127; 104:394
Mystacides sp. 100:125
Mystus vitatus 98:431
Mytilus edulis 96:26; 102:424; 103:265
Myxidium minteri 89:302
Myxobacteriales 83:241,297
Myxobolus kisutchi 89:302
moxostomi 83:265
piriformis 83:265
Myxophyceae 92:217
Myxosoma cerebralis 96:91; 97:104; 98:184; 103:541
Myzobdella moorei 104:280

N

Naiadidae 104:403
Naidium sp. 89:193
Najas sp. 102:2,74,622; 105:538
flexilis 101:562; 102:796
guadalupensis 91:10; 99:3
Nandus nandus 98:431
Nanochloris sp. 99:839
Nanophyetes sp. 103:543
salmonicola 94:149
Naso sp. 89:12
Nassa vibex 92:172
Nassarius obsoletus 103:265
trivittatus 103:265
vibex 103:265
Nasturtium sp. 101:597
officinale 98:454
Natantia sp. 101:519; 104:38
Natica pusilla 103:264
Naucrates ductor 97:287
Nauplius sp. 98:436
Navicula sp. 88:341; 90:293; 96:73,225; 102:79; 104:598
Neascus sp. 88:151; 98:464; 104:567
nolfi 88:342
rhinichthysi 93:305
Necromonas achromogenes 97:222
salmonicida 97:222

Necturus maculosus 86:74
Nehalennia sp. 101:710
Neidium sp. 96:226
Nelumbo sp. 102:80
Nemathelminthes 99:554
Nematoda 86:304; 87:100; 88:115,278,348; 89:71,193; 90:272; 94:247; 95:24; 99:598; 100:62; 101:673; 104:38,402
Nematomorpha 95:294
Nematopsis penaeus 99:790
Nemertea 94:247
Nemoura sp. 86:215
Nemouridae 103:442; 104:403
Neochanna apoda 97:7
  diversus 97:7
Neochoroterpes mexicanus 104:823
Neocloeon alamance 101:710
Neoechinorhynchidae 95:24
Neoechinorhynchus sp. 103:752
  cylindricatus 95:23; 104:279
Neogogatea kentuckiensis 94:147
Neomis rayi 88:318
Neomysis americana 101:518; 105:204
  awatschensis 101:449
  rayii 105:198
Neopanope texana sayi 101:519; 103:264
Neoperla sp. 101:710
  clymene 88:348; 104:823
Neophylax sp. 103:272
Neothunnus macropterus 90:420
Nepa sp. 98:431
  apiculata 88:276
Nepholopsis obscura 84:292
Nephrops binghami 95:92
  norvegicus 95:92
  rubellus 95:92
Nephropsis aculeata 95:92
  agassizii 95:92
Nephtys sp. 105:592
  incisa 94:248
Nereidiformia 94:217
Nereis sp. 98:291
  succinea 101:518; 105:204
  virens 105:592
Nerliidae 105:198
Neureclipsis sp. 97:384
  crepuscularis 88:115
Neuroptera 88:281; 94:273; 102:34
Nigronia serricornis 101:711
Nitella sp. 101:560; 102:607
  flexilis 98:454
  opaca 102:796
Nitzchia sp. 104:598
  closterium 105:204
Nocomis amoenus 102:289
  asper 103:84
  biguttatus 87:256; 88:266; 100:720; 103:761; 105:35
  leptocephalus 103:460,642; 104:447
  micropogon 89:256,263; 91:54; 94:350; 100:720; 101:373; 102:289; 105:35
Nomeidae 94:238
Nomeus gronovi 97:287
Normanicythare leioderma 103:830
Nosema bombycis 83:89
  nelsoni 88:130; 99:789
Notemigonus crysoleucas 84:103; 85:24,210, 258; 86:258,279,363; 87:108,202,324; 88:126,128,155,266; 89:28,165,212,223, 352,375; 90:143,278,292; 91:34,54,342, 425; 92:60; 93:3,6,316; 94:150,204; 95:272,325; 96:11,168,428; 97:28,260, 292,297,400,492; 98:300,468,642; 99:55, 298,806; 100:326,350,460,639,728; 101:57,317,511,609,651; 102:77,127, 289,355,806; 103:82,239,396,460,522, 670; 104:580,600; 105:20,35,241,245, 451,505,616
Nothalca sp. 85:24
  acuminata 87:101
Notommata sp. 85:24
Notonecta sp. 98:431; 101:711
Notonectidae 100:125; 102:35,75; 103:442
Notropis sp. 88:126; 90:439; 92:108; 94:2; 98:650; 99:324; 101:110; 104:447
  amnis 105:20
  analostanus 88:128; 102:289
  ariommus 87:256
  atherinoides 88:331; 90:325; 92:36,312; 93:3; 96:247; 97:164; 98:631; 99:758; 100:474,700; 101:219,673; 103:670; 104:600; 105:35
  atrocaudalis 105:20
  baileyi 102:54; 103:88,460
  bellus 103:460
  bifrenatus 89:28; 100:350; 101:270
  biguttata 100:287
  blennius 84:103; 93:3
  boops 103:80; 105:20
  buchanani 88:348; 90:292; 93:3
  callistius 103:460
  camurus 93:210
  cerasinus 103:642
  chalybaeus 98:468; 100:728
  chrysocephalus 93:3; 103:80,141,460
  coccogenis 101:373
  cornutus 83:206; 85:258; 86:279; 87:256; 88:128,266; 89:28,256,375; 91:54; 92:313; 93:210,305; 94:89,150,350; 95:160; 96:11; 97:292; 98:687; 99:55, 298,429; 100:208,285,326,720; 101:373, 552; 102:289,794; 105:35,450,616
  cummingsae 100:728
  deliciosus 85:24,193
  dorsalis 88:179; 98:452
  edwardraneyi 103:460
  emiliae 90:292; 103:522; 105:20
  exilis 97:456
  flavus 97:456
  formosus mearnsi 103:531
  fumeus 105:20
  galacturus 87:243; 101:373
  greenei 87:256
  heterodon 97:295; 102:803; 105:35
  heterolepis 88:179; 91:342; 94:150; 97:292; 102:803; 105:35
  hudsonius 85:193; 86:26,59; 88:128,331, 336; 89:28; 92:312; 93:35,41; 97:292; 99:55,499; 100:474,700; 101:56; 102:289; 103:10,29,670; 105:35,81
  insignis 97:456; 99:55; 102:289
  leuciodus 101:373
  lutrensis 84:98; 85:24; 87:331; 88:348; 90:292; 91:326; 98:452; 100:460; 101:412; 102:77,127,355; 103:522; 104:224,600; 105:20,220,505
  ortenburgeri 105:20
  petersoni 98:468; 100:726; 101:651
  pilsbryi 102:838; 103:80
  procne 99:55; 102:289
  roseipinnis 104:516
  rubellus 88:266; 93:3; 94:150,350; 100:725; 101:373; 102:289; 105:20,35, 521
  signipinnis 104:518
  spectrunculus 94:150
  spilopterus 88:266; 98:650; 101:373; 105:35,167,692

stilbius 103:460
stramineus 88:266,348; 93:3; 101:373,500; 104:225; 105:35
stramineus missuriensis 98:445
stramineus stramineus 98:445
telescopus 101:373; 104:447
texanus 98:664; 100:729; 103:460; 104:518
umbratilis 87:256; 88:266; 97:400; 105:20, 35
venustus 88:191; 90:292; 98:664; 103:460, 522; 104:518,600; 105:20
volucellus 85:193; 93:3; 97:295; 102:794 103:460; 105:20,35
welaka 104:518
whipplei 88:266; 94:150; 98:650; 105:20
xaenocephalus 100:729
zonatus 87:243; 99:549
zonistius 102:54
Noturus sp. 95:325
exilis 103:82
flavus 88:348; 94:2,350; 105:35
funebris 103:460
gyrinus 90:292; 94:2; 97:456; 98:468; 101:566
insignis 89:256; 91:54
leptocanthus 88:191; 104:518
nocturnus 88:348; 103:522; 105:20
Nucula proxima 103:264
tenuis 94:247
Nuculana sp. 94:248
Nuphar sp. 95:37
variegatum 92:92

O

Oceanodroma leucorhoa 91:226
Ochrotrichia xena 88:279
Ochthebius sp. 104:536
Octogomphus sp. 97:384
Octomitus sp. 87:378
salmonis 83:221,299
Octopoda 99:729
Octopus bairdi 103:97
Ocypode quadrata 98:703
Ocyurus chrysurus 94:314; 98:329
Odonata 83:79; 84:81; 85:185; 88:348; 89:33, 71,80; 90:272; 91:95; 92:100; 93:41; 94:173,273; 95:294,298; 97:303,384,444; 98:204,298,515,542; 99:56,598; 100:125, 284; 101:597,652; 102:34; 103:128,358; 104:92,403,722
Odontoscion dentex 94:314
Oedicerotidae 105:198
Oedogonium sp. 91:310; 96:73
Ogcocephalidae 94:314
Ogyrides limnicola 105:204
Oithona sp. 100:122
Olencira praegustator 96:357; 97:349; 98:111; 103:296; 105:327
Oligochaeta 85:185; 86:294; 87:101; 89:71, 193; 91:95,218; 92:313; 95:294; 97:303, 384; 98:122; 99:440; 100:62; 101:710; 102:52; 104:401,544,823
Oligocottus maculosis 99:803; 102:621
snyderi 99:803
Oligoplites saurus 91:226; 98:291,706; 102:511
Ommastrephidae 99:729
Oncorhynchus sp. 84:27; 87:286; 93:88; 97:42, 124; 98:723; 99:762; 100:319,439,546; 101:577; 102:341; 103:717; 104:56,696,766
gorbuscha 83:297; 84:138; 86:220; 87:132; 88:253; 89:371; 90:492; 91:90,133,321, 421,427; 93:288; 94:177,191,328; 95:177,188,210; 96:62,159; 97:51,84,202; 98:715; 99:105,397,649,677; 100:41,304; 101:128,276; 102:139,172,315; 103:569; 104:335; 105:673
keta 83:255,297; 84:138; 86:220; 87:132; 88:253; 90:58,492; 91:90,133,399,427; 92:305,313; 93:288; 94:177,191,328; 95:177,183,193,210; 96:62; 97:84,202; 99:105,649,677; 100:304; 101:498,727; 102:139,313; 103:371
kisutch 83:297,319,334; 84:37,86,138,155; 87:13,151,202,207; 88:7,88,255,310; 89:18,40,160,165,218,301,377; 90:58, 264,394,492; 91:90,138,155,265,399; 92:63,111,300; 93:95,288,333,342; 94:53,179,191,319,328,335,368,387; 95:112,196,357; 96:42,62,159,373; 97:84,202,223,453; 98:23,239,266,332, 334,393,486,599,677,762; 99:20,110,127, 240,529,532,591,649,664,689,767,811; 100:55,61,304,436,448,576; 101:2,61, 128,384,494,528,641; 102:139,172,313, 317,438,735; 103:10,43,50,126,308,371, 738,811; 104:112,133,349,383,461,800; 105:287,308,338,351,491,534,607
masou 99:240
nerka 83:248,259,297,321,331; 84:86,138, 241; 86:93,116,199; 87:132,216; 88:117, 186,198,203,253; 89:165,218,377; 90:27, 226,490; 91:1,133,168,173,225,263,399; 92:63,111,303,305,379; 93:137,288,399; 94:41,177,185,191,387,407; 95:113,177, 188,397,429; 96:159,373,424; 97:7,51,84, 242,297,360; 98:23,180,245,722,796; 99:649,664; 100:33,41,55,304,436,448, 683,739,792; 101:121,128,384,494,511, 699; 102:33,139,155,172,314,723; 103:12,127,357,375,423; 104:335,383, 474; 105:64,112,114,338,425,673
nerka kennerlyi 96:308
tshawytscha 83:249,255,297,319,334; 84:137,203; 85:203; 86:40,116; 87:47, 132,151,216,221; 88:58,88,255; 89:18, 160,164,218; 90:58,160,264,394,470,490; 91:1,399; 92:34,63,67,111,304,314,327; 93:70,95,288,306,333; 94:179,273,328, 387; 95:112,177,183,357,397; 96:158, 214,335,423; 97:7,84,126,223,356,453; 98:23,104,226,239,315,331,406,487,513, 677,762,777; 99:92,112,429,469,529, 532,649,664,672,689; 100:267,424,444, 448,769; 101:331,382,428,454,497,606, 696,727; 102:313,317,746,757; 103:379, 389,569,717,738,815; 104:335,383,805; 105:72,351,422,491,620,696
Oncorhynchus keta X *Gadus macrocephalus* 97:109
Oncorhynchus keta X *Oncorhynchus gorbuscha* 97:110
Oocystis parva 87:91
Opecoeloides fimbratus 99:790
Ophicephalus melasomus 100:184
microlepis 100:184
striatus 100:184
Ophidion holbrooki 94:314
Ophiidae 94:314
Ophiodon elongatus 105:333
Ophiogomphus sp. 96:411; 105:324
Ophiura sarsi 94:248
Ophiuroidea 94:247
Ophryoxus sp. 100:329

Opichthus sp. 101:520
Opisthobranchia 99:729
Opisthonema oglinum 98:219,527; 102:511,818; 105:370
Opsanus beta 94:314; 103:780; 104:301
tau 92:170; 101:520; 102:555,846; 104:775; 105:515
Optioservus sp. 103:272,363
Orectolobidae 94:314
Oronectes sp. 99:333; 105:324
causeyi 105:223
immunis 90:278; 105:637
limosus 101:608,710
nais 88:348
propinquus 88:280; 96:206
rusticus 92:157; 98:715
spinosus 104:447
virilis 88:280; 94:189; 96:202,289; 98:649; 102:364
Orthodon microlepidotus 87:324
Orthopristis chrysopterus 98:290; 100:301; 102:511; 103:780; 105:515
Orthoptera 83:79; 88:348; 94:173; 96:299; 98:204; 103:128
Oryzias sp. 88:54
latipes 83:232; 96:57; 97:18; 98:58; 99:124; 101:428; 104:342; 105:14
Oscillatoria sp. 90:295; 99:337; 104:536, 598
tenuis 102:774
Osmerus eperlanus 83:277
mordax 83:84,277; 84:196; 85:258,272; 86:279,348; 87:190; 88:241,331; 89:28, 212; 90:42,439; 91:419,425; 92:125,193; 93:156,383; 94:10,160,172; 95:160,251; 96:2; 97:63,292,297; 98:45,641; 99:298, 758; 100:326,474,700; 101:18,55,219, 608,673; 102:121,392,543,708,721,779; 103:10,50,127,309,327,396; 104:31,246, 524; 105:233,541,616
Osteichthyes 91:95; 97:386
Osteoglossum bicirrhosum 100:184; 102:6
Ostraciidae 94:314; 98:290
Ostraciontidae 94:238
Ostracoda 84:193; 85:24; 86:304; 87:100; 88:341; 89:75,195; 90:301,441; 91:220; 92:212; 94:175,210; 96:244; 97:444; 99:440,554,598; 101:376; 103:128; 104:92,823
Otodistomum veliporum 102:405
Oxygyrus keraudreni 99:729
Oxyurostylus smithi 101:518; 105:204

P

Pacifastacus leniusculus 99:409; 104:374
Pagastiella sp. 102:38
Pagrus major 83:275
sedecim 101:503
Paguridae 105:198
Pagurus floridanus 98:703
longicarpus 103:264
pollicaris 98:703; 101:519
Palaemonetes sp. 94:155; 96:299; 100:291; 102:2; 105:516
kadiakensis 99:89,696; 102:80,622
paludosus 103:239
pugio 92:172; 101:519; 103:474; 104:37, 584
vulgaris 101:519; 105:546
Palaemonidae 101:597
Palinurichthys sp. 98:703
Palmocorixa buenoi 101:710
Palopomyia sp. 91:218; 98:516; 102:800
Pandalus borealis 94:249; 98:60
jordani 86:197; 87:310
montaguei 105:198
platyceros 100:781
Pandorina sp. 88:341; 91:307; 96:244; 98:436; 104:598
Panopeus herbsti 101:519; 103:265; 104:37
Pantosteus clarki 101:413
delphinus 98:196
Panulirus argus 86:160; 93:204; 100:586; 104:675
penicillatus 104:577
Paracaprella tenuis 101:519
Paracirrhites arcatus 89:13
Paralinus marmoratus 94:314
Paracolobactrum aerogenoides 83:249
Paragnetina sp. 96:411; 100:63; 105:324
Parakiefferiella sp. 102:37
Paralabrax clathratus 101:67
Paralepididae 99:729
Paraleptophlebia sp. 86:215; 98:1; 103:272, 321
Paralichthys sp. 105:515
albigutta 93:364; 96:151; 98:290
californicus 96:403
debtatus 88:105; 93:374; 96:151; 99:96, 392; 102:555,599; 103:807; 104:158
lethostigma 93:364; 96:151,400; 98:107; 99:96; 104:158,302; 105:42
oblongus 98:617
Paralithodes camtschatica 92:318; 93:295, 303; 94:95; 100:583; 101:557
Paramoecium caudatum 103:543
multimicronucleatum 103:543
Paranephrops sp. 97:9
Parapenaeus longirostris 99:406
Parapleustes sp. 101:519
Paraponyx sp. 101:711
Parastacidae 101:597
Paratendipes albimanus 88:280
Parathemisto libellula 105:198
pacifica 105:198
Parathunnus atlanticus 90:420
sibi 90:420
Paratrygon brachyurus 100:184
brumi 100:184
hystrix 100:184
laticeps 100:184
motoro 100:184
Pareuchaeta japonica 105:198
Parexocoetus brachypterus 97:287
Parophrys vetulus 93:288; 96:26; 100:250; 101:496,694,727; 102:405; 103:808
Parupeneus sp. 89:13
Pasiphaea pacifica 105:198
Pasteurella sp. 103:359
tularense 83:246
Pecten magellanicus 97:278
Pectinaria sp. 98:291
gouldii 101:518
Pectinariidae 103:265
Pedalia sp. 85:24
Pediastrum sp. 96:244,254; 99:572; 101:222, 614; 102:75; 104:598
boryanum 93:41
duplex 88:341; 93:41
simplex 93:41
Pegasidae 94:238
Pelecypoda 84:194; 88:281,348; 89:80,195; 93:41; 94:175,247; 97:384; 99:56; 100:122,284; 101:673; 104:401

Pelomyxa illinoisensis 103:543
Peloscolex sp. 97:502
Peltodytes sp. 101:711
  dudoecimunctatus 103:513
  edentulus 103:513
  lengi 88:279
  litoralis 103:513
  punctatus 88:279
Peltoperla sp. 103:272
Peltoperlidae 103:442
Penaeopsis megalops 86:196
Penaeus sp. 96:298; 98:291; 100:291
  aztecus 88:130; 89:135; 92:430; 94:277; 96:29; 97:127,503; 98:751; 99:583, 843; 100:492,584; 101:226,547,748; 102:144,574; 103:107; 104:37,296,584, 793; 105:135,511,659
  brasiliensis 103:96
  duorarum 86:160; 88:130; 89:1,135; 90:462; 91:377; 98:289,739,751; 99:401,789, 844; 100:369,584; 101:226,547,694,748; 103:107; 104:296,584,793; 105:135,259, 659
  japonicus 90:468; 102:6
  setiferus 88:130; 89:6,135; 90:467; 96:29; 97:127; 98:751; 99:843; 100:492,584; 101:226,358,748; 102:144,574; 103:107, 474; 104:47,292,296,793; 105:660
Pentagenia sp. 88:348; 97:278,384
Pentaneura sp. 88:348; 93:41
  flavifrons 88:115
Pentaneurini 102:37
Pentapedilum sp. 88:115
Peprilus alepidotus 98:703
  paru 95:227
  triacanthus 88:105; 102:543,599; 103:96, 486; 104:301; 105:370,525
Perca flavescens 83:131; 84:196,239,249; 85:191,258,311; 86:26,59,258,262,279, 285,393; 87:34,53,98,108,360; 88:4,149, 198,248,330,332; 89:27,69,151,185,375; 90:190,221,312,321,332,413; 91:34,42, 63,342,425; 92:13,108,312; 93:3,137, 156,269,305; 94:89,97,150,212,351; 95:160,246,251,415,433; 96:1,135,168, 219; 97:28,61,164,292,296,297; 98:122, 468,632,683,694; 99:21,28,298,429, 441,470,499,571,704,758; 100:55,326, 474,739; 101:55,128,219,298,362,528, 651,661,673,721; 102:150,363,739,759, 779,795; 103:10,15,29,115,128,136,386, 462,577,670,736; 104:234,246,524,580, 718,726,731; 105:6,35,77,233,254,296, 395,491,521,607
  fluviatilis 84:245,252; 85:218; 87:81; 88:156; 96:135; 97:7; 99:469; 100:360, 739; 101:511; 102:739; 104:728
Percichthys sp. 101:597
Perciformes 100:291
Percina caprodes 86:279; 87:256; 88:213,331; 90:292; 93:3; 94:150; 97:63,292,300; 98:632; 100:474; 102:127; 103:15,29, 84,670; 104:600; 105:20,35
  copelandi 105:20,35
  macrolepida 103:522
  maculata 88:266; 89:256; 105:35
  nigrofasciata 102:48; 103:460; 104:518
  peltata 99:55; 102:289
  phoxocephala 88:348
  sciera 90:292; 98:647; 105:20
Percopsis omiscomaycus 84:196; 85:191; 86:59,279; 88:331; 92:312; 94:172; 95:251; 97:292; 98:122; 99:141,600; 100:482,700; 101:56,673; 103:15,272
Periclimenes longicaudatus 101:519
Peridinium sp. 92:18; 104:598
  limbatum 86:340
  miniatum 95:215
Perla sp. 97:51; 99:677
Perlesta placida 101:710; 104:823; 105:631
Perlidae 88:348; 101:379; 104:401
Perlodidae 102:768; 103:442
Persicaria hydropiper 92:92
Petalosarsia declivis 94:247
Petromyzon marinus 85:102; 86:269; 87:259; 88:305; 90:73; 91:342,384,422; 92:34; 93:21,156; 94:75,169; 96:11,163,224, 237,410; 97:289,484; 98:525; 99:298, 756,766; 100:705; 101:18,526,662; 102:156,779; 103:355,736; 105:6,287, 322
Phacus sp. 91:307
  acuminatus 87:92
  longicauda 87:97
Phaenospectra albescens 102:37
  protextus 102:38
Phaeodactylum sp. 98:752
  tricornatum 102:646
Phalacrocorax sp. 105:651
Phalaris arundinacea 92:92
Phanerodon furcatus 95:357; 99:475; 102:448
Phenacobius mirabilis 85:24; 88:266
  uranops 101:373
Philodina roseola 87:92
Philometra americana 102:405
Philonema sp. 94:184
  agubernaculum 94:180,185
  oncorhynchi 94:180
  salvelini 94:180
Philopotamidae 86:215; 103:442; 104:403
Philyprodon breviceps 97:7
  hubbsi 97:7
Phoca richardii 91:93
Pholis ornata 99:803; 101:727
Photus reinhardi 103:830
Phoxinus sp. 85:258
  eos 84:77; 86:262; 88:126; 89:212; 90:252; 94:10; 100:208; 105:35
  erythrogaster 94:150; 98:524
  laevis 83:199,275; 92:405; 95:113; 103:389
  neogaeus 94:150; 105:35
  phoxinus 88:156; 101:270; 102:841; 104:454
Phoxocephalidae 105:198
Phragmites sp. 94:2; 101:561
Phronima sedentaria 99:729
Phrosina semilunuta 99:729
Phryganea sp. 102:365
Phryganeidae 97:384; 100:125; 101:337
Phyllodocidae 103:265
Phyllopoda 92:278
Phyllosoma 94:238
Phylocentropus sp. 101:711
Physa sp. 84:98; 85;24; 86:299; 88:331; 91:244; 92:312; 95:298; 96:411; 101:710; 102:75,352; 103:402,587,738; 104:242; 105:324
  anatina 88:98
  eliptica 88:280
  gyrina 84:292
Physalia physalis 98:703
Physidae 94:211; 104:401
Picea glauca 94:252; 95:60,72
  mariana 94:252; 95:60,72
Pimephales notatus 83:274; 84:114; 87:256; 88:266; 89:256; 90:252; 92:53; 93:3; 94:150,350; 97:292,295,400; 98:115,632,

650; 99:489; 100:41; 102:289,794; 103:29, 82,460,670; 104:447,600; 105:20,35
promelas 84:98; 85:24,181; 86:245,262, 363; 87:42,324; 88:25,126,179; 89:165; 90:143,252,264,292; 91:15,176,327, 342; 92:183,372; 93:207,316; 94:29, 149,252,351,402; 95:71; 96:2,185; 97:28,52,164,400; 98:196,272,526,695; 99:2,13,21,89,429,499,600,703,807; 100:460,575,659,758; 101:129,298,317, 412,528,539,625; 102:355,599; 103:65, 129,343,562,738,743,761; 104:224,234, 353,441,447,567,600,801; 105:35,241, 244,550
vigilax 90:292; 98:650; 102:77,127; 103:522; 104:600; 105:20
Pinctada fucada 104:577
Pinnixa sp. 105:204
chaetoplerana 101:520
faba 104:539
littoralis 104:539
retinens 101:520
sayana 101:519
Pinnularia sp. 96:226; 102:79
Pinus ponderosa 84:242
Pisciamphistoma stunkardi 104:279
Piscicola geometra 86:27; 95:201
punctata 86:27
salmositica 94:331; 95:196; 104:336
Piscicolidae 95:24
Pisidium sp. 88:115,331,348; 89:195; 92:246; 93:41; 97:158; 102:34,677
amnicum 98:1
casertanum 92:254
conventus 84:194; 92:254
lilljeborgi 92:254
nitidum 92:254
Pithophora sp. 85:214; 89:125,352; 94:130; 105:538
kewensis 102:607
Placopecten magellanicus 88:73; 104:51
Planaria sp. 98:542
aquatica 88:8
Platichthys flesus 102:405
stellatus 88:255; 95:357; 96:403; 100:248; 101:727; 102:344,427; 103:807
Platichthys flesus X *Pleuronectes platessa* 105:12
Platycephalidae 94:238
Platydorina sp. 96:244
Platyias sp. 85:24
patulus 101:223
Platymonas sp. 98:745
Platypoecilus sp. 88:54; 92:405
maculatus 83:249
Platypoecilus maculatus X *Ziphophorus helleri* 83:268
Platyrhinoides triseriata 101:115
Platyscellus ovoides 99:729
Plecoptera 83:78; 84:81; 86:212; 88:278, 348; 89:33,80; 90:246; 91:407; 92:143, 216; 94:273; 97:51; 98:203,214,542; 99:56; 100:284; 101:12,379,673; 102:34, 50
Plectorhinchus orientalis 89:11
Plectropomus leopardus 89:11
maculatus 89:11
Pleidae 100:125
Pleurobema cordatum 101:709
Pleurocera sp. 103:738; 105:324
Pleurodeles sp. 96:57
Pleurogrammus monopterygius 93:288
Pleuromamma quadrangulata 105:198
Pleuronectes coenosus 96:403
flesus 83:332; 99:147
platessa 83:247,332; 93:12; 97:27; 99:147,179; 100:18; 101:428; 102:21, 87,615; 104:146; 105:281,594
verticalis 99:124
Pleuronectidae 96:403
Pleuronectiformes 100:291
Pleuronichthys coenosus 100:248
Pleuroxus sp. 93:41; 97:301; 105:75
denticulatus 92:21
Plistophora culicis 93:6
gadi 93:6
longifilis 93:8
macrozoarchidis 93:6
myotrophica 100:369
oolytica 93:6
ovariae 93:6
Ploesoma sp. 100:328
Pneumatophorus diego 84:152; 102:636
Pococeridae 105:198
Podilymbus gigas 96:210
podiceps 102:757
Poecilia sp. 105:284
formosa 97:110
latipinna 89:207; 94:153; 97:400; 99:489; 103:239,474
latipunctata 102:4
mexicana 101:411; 105:505
petenensis 102:4
reticulata 88:25; 90:334,335,394; 91:176; 97:18,22; 98:280; 99:489; 101:428,511; 102:4; 104:342
sphenops 96:213; 102:4
Poecilia velifera X *Poecilia latipinna* 102:4
Poeciliidae 102:2
Poeciliopsis gracilis 96:213
occidentalis 95:138
Pogonias sp. 101:91
cromis 98:291; 102:555,574,584; 104:301; 105:42,328
Polinices duplicatus 101:518; 105:204
Pollachius virens 91:227; 101:511; 102:543
Polyarthra sp. 85:24; 91:220; 96:245; 99:322; 100:328; 101:219; 102:451
vulgaris 87:101
Polycentropus sp. 89:195; 97:384; 100:63; 103:272
Polychaeta 104:38
Polycystis sp. 99:337
Polydactylus octonemus 104:301; 105:511
Polygonum sp. 97:159; 104:599
amphibium 84:278; 90:270
Polynices duplicatus 100:492
Polynoidae 103:265
Polyodon spathula 83:50; 86:155; 87:336; 88:10,50,83; 89:32; 90:85,125; 92:239,357; 94:91; 96:238
Polyonyx macrocheles 103:264
Polypedilium sp. 89:195; 93:41
convictum 88:115
nubeculosum 102:38
Polyphemus pediculus 92:249; 100:699; 101:222; 104:89,392; 105:90
Polypocephalus sp. 99:790
Polypodium sp. 90:329
Polyprion americanus 103:96
Pomacanthus annularis 105:333
arcuatus 94:314
Pomacea paludosa 102:8
Pomacentridae 94:238
Pomacentrus nigricans 89:12
Pomadasyidae 94:314; 98:290
Pomatomus saltatrix 95:145,155,261; 96:143; 99:719; 102:421,543,555,599; 103:327, 477,500; 104:762,773; 105:328,523

Pomolobus sp. 86:100
chrysochloris 83:50
pseudoharengus 93:156
Pomoxis sp. 83:50; 94:150; 103:29,115,277
annularis 83:277,304; 84:98; 85:42,60, 77,271; 86:147,363; 87:118,202,325, 335,360; 88:10,35,55,83,178; 89:32, 352; 90:278,292; 91:42; 92:27,236, 362,389; 93:3,181; 94:129,182; 97:140, 164,252; 98:326; 99:324,429,499,599, 743,806; 100:307; 103:83,522,670; 104:600; 105:20,81,167,176,404
nigromaculatus 83:176,249,266; 85:60, 192,242; 86:147,286; 87:53,98,108,202, 243,325,335,360; 88:4,10,178,198,331; 89:27,67,185,352; 90:84,292,332; 91:39, 42,63; 92:2,236,312,362; 93:199,269; 94:129,184; 95:160,280,434; 96:211; 97:61,63,400; 98:326,383,468; 99:28, 101,429,499,571,703; 100:29,570,611; 101:561; 102:795; 103:670; 104:441,600; 105:35,81,404
Pomoxis sp. X *Lepomis* sp. 95:280; 100:611
Pomoxis sp. X *Micropterus* sp. 95:280; 100:611
Pomoxis nigromaculatus X *Ambloplites rupestris* 99:102
Pomoxis nigromaculatus X *Lepomis gulosus* 99:102
Pomoxis nigromaculatus X *Lepomis macrochirus* 99:102
Pomoxis nigromaculatus X *Micropterus salmoides* 99:102
Pomphorhynchus bulbocolli 105:487
Pontoporeia sp. 84:193; 90:303,441; 97:157
affinis 89:193; 92:245; 94:172; 95:216; 98:645; 101:253,673
Populus deltoides 84:120
Porichthys notatus 101:727; 102:846
porosissimus 104:301
Poronotus burti 94:279; 98:703
triacanthus 95:264; 100:301
Portunus sp. 98:291
sayi 103:96
spinimanus 101:519
Postdiplostomum sp. 98:464
Posthodip-ostomum cuticola 94:149
minimum 94:144; 95:23; 104:279
Potamanthus sp. 88:348; 103:510
Potamocarcinus guatemalensis 96:210
Potamocypris sp. 104:536
Potamogeton sp. 88:8; 90:247; 91:8; 94:373; 95:373; 96:210; 102:607; 104:598; 105:538,696
amplifolius 89:199; 102:796
diversifolias 99:578
foliosus 84:123; 86:298,368; 98:454
gramineus 90:270
natans 102:796
nodosus 86:368; 98:298; 99:2
pectinatus 84:277; 85:242; 90:270; 91:10, 234,328; 92:421; 95:289; 97:54; 99:3; 100:283; 101:562; 102:796
perfoliatus richardsonii 101:562
praelongus 102:796
richardsonii 84:277; 90:270; 100:283
spirillus 86:368
zosteriformis 84:277; 102:796
Potamyia sp. 88:348; 97:386
flava 89:32
Priacanthidae 94:238
Priacanthus sp. 91:226
Prionace glauca 93:288
Prionotus sp. 95:227; 100:301
carolinus 102:555,599
evolans 99:343; 102:555
scitulus 91:378; 94:314; 98:290
tribulus 91:378; 98:290; 104:301
Pristis pectinatus 102:612
perotteti 102:612
semisagittatus 105:328
Procambarus blandingi 88:280; 93:316
clarki 92:428; 105:637
simulans 92:422
Prochilodus sp. 90:330
Prochristanella penaei 99:790; 101:226
Procladius sp. 88:115; 89:195; 91:218; 94:210; 100:562; 101:711; 105:87
denticulatus 102:37
Prodiamesa sp. 84:194
olivacea 102:677
Progomphus obscurus 101:710
Promoresia sp. 103:272
Prorocentrum cutellum 92:321
Prosimulium demarticulatum 105:630
Prosopium sp. 83:303
coulteri 84:161; 88:255; 91:265; 93:77; 94:171; 95:251; 100:700
cylindraceum 84:48,163; 86:241; 90:413; 91:196,266,407; 93:46; 94:171; 95:251; 98:7,533; 100:362,700; 105:35
williamsoni 84:170,203,241,275; 86:116; 88:72,153; 90:27,239,269; 92:147; 94:180,328; 97:391,400; 98:15,209; 100:424,572,769; 101:352,384; 102:627, 746,764; 104:68,221; 105:208,710
Prosopium cylindraceum X *Coregonus clupeaformis* 95:286
Protanypus sp. 102:38
Proteocephalidae 95:24
Proteocephalus sp. 83:221; 98:2
ambloplites 83:226; 95:24; 98:202; 103:811; 104:279
luciopercae 86:26
Proteus sp. 83:247
hydrophila 83:246
melanovogenes 83:247
vulgaris 104:289; 105:456
Protomedeia fasciata 94:249
Protoplasa fitchii 103:272
Protothaca staminea 95:357
Prototroches oxyrhynchus 97:2
Protozoa 87:86
Prymnesium sp. 98:745
Psectrocladius sp. 102:37
Pselaphidae 105:608
Psephenidae 98:542; 104:401
Psephenus sp. 88:115; 103:272
Psettichthys melanostictus 100:248
Pseudemys floridana 104:600
scripta 96:217; 104:600
Pseudocalanus minutus 100:122
Pseudocheilinus hexataenia 89:13
Pseudochironomous sp. 99:606
Pseudocloeon sp. 86:215; 88:115,279; 100:285; 103:272,510
Pseudodiaptomus coronatus 105:204
Pseudogramma polyacantha 89:13
Pseudomonas sp. 83:249; 89:310; 93:306; 102:596; 103:114
calo-acetica 83:243
fluorescens 83:246,300; 98:270
granulata 83:248
hirudinus 83:247
hydrophila 83:246,300,317
ichthyodermis 83:246
punctata 83:247,314,334
Pseudopentaceros richardsoni 93:288

Pseudopleuronectes americanus 91:189,233; 94:27,259; 95:155; 96:169,401; 97:64; 98:583,611,617,717; 99:483; 101:746; 102:83,554,599,614; 103:96,261,327,807, 828; 104:13,31; 105:592,596,647
Pseudoscopelus sp. 91:226
Pseudosuccinea 102:34
Pseudotsuga menziesii 101:2
taxifolia 84:242
Psorophora confinnis 90:143
Psychoda alternata 103:513
cinerea 103:513
Psychodidae 97:386; 104:544
Psychomyiidae 86:215; 97:384; 100:125,285; 104:401
Pterocaesio tile 89:11
Pterois sp. 102:7
Pteronarcella badia 100:137
Pteronarcidae 102:768; 103:442
Pteronarcys sp. 101:342; 103:272
californica 93:27,357
dorsata 92:217; 101:675,710
Pteropoda 94:238; 100:123
Pterycombus goodei 99:729
Ptilostomis sp. 97:384
Ptychocheilus grandis 87:324; 98:198; 99:703
lucius 87:324; 98:193; 104:217
oregonensis 83:303; 84:241; 86:116; 88:197; 90:27; 92:27,147; 96:424 97:281; 98:108,198,676; 99:670; 101:384; 103:362,736; 104:69; 105:710
umpquae 98:676; 103:736
Pugettia gracilis 102:415
Pungitius sp. 100:184
pungitius 84:77,150,196; 85:258; 86:26, 279; 88:255; 91:263,327; 94:172; 95:251; 97:292; 98:642; 101:57,350, 673; 102:708; 103:396; 104:31,534
Puntius sophore 98:431
Pycnogonida sp. 94:247
Pycnopsyche sp. 100:63
Pygidium sp. 100:184; 101:597
Pylodictis olivaris 83:50; 84:45; 85:42; 87:118,243,336,438; 88:10,55,83,149, 344,348; 90:84,292; 91:413; 92:357; 97:65,456; 98:118,533; 99:598; 101;526; 102:111; 103:522; 104:56,600
Pyralididae 98:542; 103:442
Pyrrophyta 91:308; 96:244; 99:335

R

Rachycentron canadum 96:343; 102:569; 103:96
Raja clavata 100:238
eglanteria 96:131; 99:96
radiata 100:238
stellulata 84:152
Rana sp. 102:80
catesbiana 90:278; 93:316; 99:443; 105:696
clamitans 99:444
nigromaculata 96:57
pipiens 90:278; 99:444; 101:717
sylvatica 99:444
temporaria 96:57
Ranatra filiformis 98:431
Ranunculus trichophyllus 90:270
Reinhardtius hippoglossoides 98:180
Reptantia 104:38
Retropinna abbreviata 97:7
chathamensis 97:7
lacustris 97:7
obtusirostris 97:7
osmeroides 97:7
retropinna 97:7
Retusa canaliculata 103:264
Rhabdochona cascadilla 103:752
Rhabdochonidae 95:24
Rhabdostyla sp. 104:598
Rhacochilus vacca 95:357; 99:475; 101:727
Rhagionidae 104:402
Rhagovelia obesa 101:711
Rheumatobates rileyi 101:711
Rhinichthys sp. 86:116; 100:424,769
atratulus 83:78; 88:128,151; 89:256,265; 90:256; 91:54,408; 92:307; 93:304; 94:10,150,351; 96:11; 97:292,400; 98:115; 99:55,298; 100:62,285,720; 101:373; 102:121,289; 103:271,637; 105:35,313,430,520
atratulus meleagris 98:454
cataractae 85:258; 86:279; 88:151; 89:256, 265; 90:240,256,270; 91:54; 92:307; 94:150,330,351; 98:209; 99:55; 101:511; 102:289,746; 103:637; 104:69; 105:35
osculus 87:324; 94:330; 98:196; 100:506; 101:412,715; 102:627; 104:69,223; 105:505
osculus reliquus 103:531
Rhipidocotyle papillosum 95:24
Rhithrogena sp. 83:78; 86:215
Rhithropanopeus harrisii 92:172; 100:291; 101:519
Rhizoclonium sp. 104:598
hieroglyphicum 102:607
Rhizodrilus sp. 88:278; 90:53
Rhodeus sp. 98:526
Rhodophyta 103:264
Rhomboplites aurorubens 100:366
Rhopalodia sp. 96:226
Rhyacophila sp. 102:767; 103:272,321,363, 510
lobifera 88:279
Rhyacophilidae 86:215; 101:337; 102:767; 103:442
Rhyncobdella 84:81
Rhyncobdellida 95:24
Rhyophora mangle 99:838
Richardsonius balteatus 83:161; 84:241,275; 86:90,116; 87:97; 88:4,36,153; 90:27; 98:196,683; 104:69,224
egregius 102:627
Richettsia pisces 83:249
Rissola marginata 100:301; 101:520
Rita rita 98:431
Rithrogenia hageni 103:363
Rivulus harti 97:204
uropthalmus 97:204
Rotatoria 87:86; 90:440; 96:244
Rotifera 91:220; 92:212,217; 93:41; 96:71; 99:572; 100:327
Ruppia maritima 91:234; 92:172; 102:513
Rutilus rutilus 99:544; 101:511; 102:762; 104:454

S

Sabella sp. 98:291
Sabellaria vulgaris 100:102
Sabellariidae 103:265

Sabellidae 103:265
Sabelliformia 94:247
Saccharomyces cerevisiae 86:161; 100:13
Sagitta sp. 105:198
Sagittaria sp. 85:121; 92:92; 94:374; 101:562
latifolia 95:289,373
Saldidae 103:442
Salix sp. 99:3; 104:599
nigra 88:8; 95:373
Salmo sp. 87:202; 100:546; 101:597
aguabonito 99:240
apache 105:294
carpio 83:275
chrysogaster 99:241
clarki 83:82,120,276; 84:203,241,275; 85:75; 86:350; 88:4,72,153,198; 89:40, 165,168,236; 90:27,219,240; 91:77; 92:27,67,141; 93:70; 94:40,334,389; 95:35,302,381; 96:62; 97:7,52,188,203, 400; 98:209,260,652,772,785; 99:240, 392,429,705; 100:33,41,50,55,302,672; 101:2,36,44,284,331,638; 102:344,676, 746,764; 103:309,334,423,440,811; 104:68,112,474,552,696
clarki lewisi 85:160
gairdneri 83:82,92,161,194,248,255,264, 303,314,331; 84:27,86,94,124,152,156, 203,241,261,275; 85:75,93; 86:62,84,116, 136,279,308.350; 87:46,172,185,221,335; 88:4,36,72,153,198,255,289; 89:28,41, 160,165,218,235,265,358,371; 90:58,139, 222,239,256,259,264,270,394,469; 91:1, 15,54,63,93,138,145,169,182,265,342,407; 92:27,34,58,63,67,140,146,202,304,313, 327,344,372,422,434; 93:70,137,194, 207,288,342; 94:40,53,84,96,150,180, 184,212,252,328,335,350,387,401,408; 95:35,60,71,101,170,207,210,251,289,327, 409; 96:1,62,67,159,220,223,266,278,308, 351,394,412,422; 97:7,32,37,42,57,138, 203,281,374,400; 98:1,15,20,23,27,104, 205,225,266,268,330,393,398,411,487,517, 632,677,723,762,772,785,796; 99:2,20, 55,89,110,127,240,392,511,515,518,532, 571,593,664,689,763,802; 100:20,33,55, 62,237,312,319,336,424,439,448,642,644, 683,769; 101:1,18,29,35,101,112,121, 125,128,268,317,331,345,352,382,420, 463,478,494,528,604,638,727; 102:33, 152,314,341,444,627,636,638,715,735, 745,753,795,826; 103:10,59,73,250, 271,308,318,375,389,424,431,593,637, 711,717,738,811; 104:56,69,88,132,220, 349,447,458,461,467,474,580,685,766, 785; 105:35,114,127,217,233,273,338, 351,492,505,534,558,596,601,669,675, 710,712
gilae 99:241
henshawi 97:7
lentica 100:185
salar 83:194; 85:258,310; 86:136,199, 208; 88:193,293; 89:165,212; 90:53,457; 91:99,173,208; 92:67,161,193,286,300, 344; 94:89,180,185,401; 95:160; 96:11, 157; 97:7,227,282,400; 98:26,45,266, 393,403,519,641,685,720; 99:105,229, 240,297,429,518,755; 100:325,436; 101:128,284,511,638; 102:121,392,728, 757; 103:1,375,396,437,448; 104:529, 548; 105:273,281,365,616
salar relictus 91:156
salar sebago 97:7
trutta 83:81,91,194,249,255,269,314, 334,348; 84:86,94,124,155; 85:75; 86:136,279; 87:97,172,186; 88:59,155, 289; 89:27,41,200,255,371; 90:139,222, 239,256,269; 91:53,63,94,140,145,168, 408,425; 92:35,42,58,132,263,265,276, 300,307,313; 93:71; 94:32,41,96,97,252, 327; 95:37,101,160,251,409; 96:265, 351,362; 97:7,26,37,51,391,400,472; 98:15,23,209,230,268,393,398,517; 99:20,55,105,127,229,312,429,489,515, 593,763; 100:41,62,288,572; 101:18, 128,352,428,463,479,528,605; 102:137, 289,315,627,638; 103:10,270,424,437, 738; 104:220,447,550,688; 105:35,93, 217,308,313,368,395,416,492
Salmo clarki X *Salmo gairdneri* 83:82
Salmo gairdneri X *Salvelinus fontinalis* 87:172
Salmo gairdneri X *(Salvelinus fontinalis* X *Salmo namaycush)* 87:172
Salmo trutta X *Lota marmorata* 97:109
Salmo trutta X *(Salvelinus fontinalis* X *Salvelinus namaycush)* 87:172
Salmonella pullorum 83:343
typimurium 83:345
Salmonicola sp. 87:374
californiensis 101:345
edwardsii 83:221
extumescens 105:492
Salsola kali 92:303
Salvelinus sp. 99:110
alpinus 86:136; 88:253; 92:276; 94:393; 97:7; 99:147; 102:708; 105:420,615
fontinalis 83:76,91,236,245,255,281,304, 314,334,348; 84:75,77,94,155,203,241, 275; 85:75,93,258,311; 86:66,136,279, 309,323; 87:172,183; 88:53,72,94,117, 176,289; 89:28,35,59,80,151,165,235,256, 265; 90:6,27,140,252,270,328,398,424; 91:54,140,145,168,185,208,244,295,388, 408; 92:35,53,63,111,142,173,180,193, 300,307,389; 93:58,71,96,103,194,309; 94:10,32,43,89,180,185,186,188,212,221, 227,350; 95:101,160,381,409; 96:11,169, 202,223,265,308,313,383,394; 97:7,32, 37,203,299,348,391,400,472,486; 98:15, 23,45,209,253,263,268,332,473,507,525, 641,677,687,723,762,796; 99:179,298, 429,529,593,763; 100:18,41,62,326,350, 424,456,527,576,642,769; 101:113,128, 262,343,463,478,498,511,528,609,638; 102:22,121,289,315,335,428,603,627, 638,676,708,734,754; 103:130,144,244, 270,353,396,424,431,440,815; 104:88, 132,353,363,414,447,467,529,550,677, 685,782; 105:13,35,57,287,308,361, 368,416,550,616,669
malma 84:203,241; 88:73,198,253; 89:165; 90:27,219; 91:90,138,265,401; 93:70, 288; 94:186,405,408; 95:320,429; 96:62, 223,424; 97:201; 99:429; 100:302,424; 101:330; 102:746; 103:711; 104:69
namaycush 83:91,247; 84:27,196; 85:102; 86:71,136,231,258,393; 87:172,259; 88:94; 89:27,151,165,218,274,308,344; 90:27,222,404; 91:223,253,425; 92:34, 185,193,315,432; 93:156; 94:62,75,169, 216,333; 95:162,251,415; 96:157,268, 373; 97:7,146,400,481; 98:225,332,564, 632; 99:392,755,766; 100:497,691; 101:128,528,667; 102:156,734,779; 103:221,738; 105:6,233,369,492,615
willughbii 100:41

Salvelinus fontinalis X *Salvelinus namaycush* 87:172; 89:165; 90:328; 95:327; 97:32; 99:193
Salvelinus fontinalis X *Salmo trutta* 87:172
Saprolegnia sp. 83:221,299,320; 86:239; 93:306; 95:430; 100:629; 103:542
parasitica 83:224,299
Sarcina lutea 103:542
Sarda chiliensis 95:203; 97:84; 98:385; 99:93; 100:528; 101:371
orientalis 95:227
sarda 85:14; 95:227; 103:487
Sardina pilchardus 99:726; 101:691
Sardinella sp. 94:126
anchovia 98:222; 100:87; 102:569,819
aurita 86:160
Sardinops caerulea 87:81,286; 96:246; 97:83; 98:398; 99:83,380; 101:691
sagax 98:529,562; 102:155,178,591
Sargassum sp. 103:94
Sargochromis codringtoni 97:462
Saxidomus sp. 104:539
giganteus 95:357
Scadanophasma sp. 102:708
Scaphirhynchus platorhynchus 87:360; 89:32; 90:84; 98:514
Scapholeberis sp. 101:110
kingi 96:76
mucronata 87:101; 92:21
Scaphopoda 94:247
Scardinius erythrophthalmus 88:156; 99:544; 105:13
Scaribiidae 88:279
Scarus sordidus 89:12
Scenedesmus sp. 102:79; 104:597
abundans 87:95
dimorphus 102:607
Schistocephalus solidus 103:632
Schizothaerus nuttali 95:357
Sciaenidae 94:314; 98:290
Sciaenops ocellata 91:377; 98:291; 100:290; 102:467,574; 103:96; 104:35,302; 105:41
Scirpus sp. 91:31; 96:210; 101:562
acutus 91:234,328
americanus 97:54
atrovirens 86:368; 92:92
paludosus 91:234
validus 84:242
Scoleciformia 94:247
Scomber colias 102:421
japonicus 97:84; 98:383; 102:181; 103:486
scombrus 83:282; 96:122; 99:729; 102:543; 103:486,500; 104:762
Scomberomorus sp. 95:227
cavalla 102:563; 103:96
maculatus 90:420; 103:96,587
regalis 98:329; 101:258
Scombridae 94:238
Scombroidei 99:729
Scopelogadus mizolepis bispinosus 99:134
Scophthalmus aquosus 98:617; 102:555,599
Scorpaena brasiliensis 94:314
grandicornis 94:314
Scorpaenichthys marmoratus 99:804
Scorpaenidae 94:238,314
Scorpionida 101:597
Scyliorhinus canicula 99:515
Scyphidia sp. 103:360
tholiformis 83:222
Sebastes sp. 91:231; 93:288; 97:86
aleutianus 105:196
alutus 97:86; 101:64,496; 105:191
auriculatus 94:194; 101:496
caurinus 94:194; 101:496; 102:412; 104:539
constellatus 105:333
crameri 105:200
maliger 105:333
marinus 84:371; 86:198; 93:12; 99:726
melanops 91:93; 95:357; 99:803
mystinus 99:803
nebulosus 105:333
saxicola 105:200
Seila adamsi 103:264
Selar crumenophthalmus 103:96; 105:328
Selene vomer 97:64; 98:291; 102:555; 103:96
Semotilus sp. 89:375
atromaculatus 83:203; 84:77,228; 85:181, 258; 86:279; 88:151,266,358; 89:256; 90:256; 91:54,408; 92:307; 93:3; 94:2, 150,350; 96:11; 98:115,464; 99:298; 100:283,326; 101:373; 102:52,289; 103:84,141,460,637; 104:225,447; 105:35, 520,616
corporalis 84:77; 85:258; 88:249; 89:28; 91:54; 94:89,150; 99:55,298; 100:717; 101:609; 102:121,289; 105:616
margarita 86:262,279; 88:151; 89:256; 91:54; 92:307; 94:150; 102:289; 105:35
Senecella sp. 84:194
calanoices 92:249; 100:699; 101:223; 105:90
Sequoia semperivirens 101:2
Sergestes similis 105:198
Seriola sp. 100:87
dorsalis 97:84
dumerili 103:96
quinqueradiata 102:617
Serpulidae 103:265
Serranidae 89:9; 94:238,314
Serrasalmus nattereri 100:184
piraya 100:184
punctatus 100:184
rhombeus 100:184
spilopleura 100:184
Sialidae 104:102,544
Sialis sp. 89:195; 92:278; 96:289; 101:711; 103:272
Sicyonia sp. 103:474
Sida sp. 84:259; 88:330; 97:301; 100:329; 104:722; 105:75
crystallina 92:22; 93:41; 94:394; 96:76; 104:734; 105:91
Siganus rivulatus 104:571
Sigara alternata 101:710
depressa 101:710
Signalosa petenensis 83:52; 85:75
Siliqua costata 103:265
Silurus glanis 100:238
Simocephalus sp. 93:41; 97:301; 101:110; 105:75
serrulatus 92:21; 95:165; 98:438
Simpsonia sp. 88:115
Simuliidae 86:212; 88:348; 95:161; 96:411; 97:301,386; 98:204; 100:63; 101:379; 102:767; 103:272,321,442; 104:402
Simulium sp. 84:80; 88:115,348; 90:143; 101:711; 102:34,677; 104:823; 105:324
vittatum 105:630
Siphateles bicolor 87:324; 90:271
Siphlonurus occidentalis 98:1
Siphonophora 100:123
Sipunculida 94:247
Siredon mexicanum 99:802
Skeletonema sp. 102:646
costatum 98:752; 105:204
Solea solea 104:146
vulgaris 84:150; 100:238

Soleidae 94:314; 100:291
Solemya velum 103:265
Solenopsis invicta 103:363
  richteri 97:185; 105:546
Solidago sp. 84:120
Spaniotoma sp. 89:195
Sparaganium sp. 95:373
Sparidae 94:314; 98:290
Sparisoma rubripinne 94:314; 101:260
Spartina sp. 101:560
  alterniflora 99:837
Sphaeriidae 85:183; 88:348; 89:71; 102:379; 104:401
Sphaerium sp. 88:115; 89:195; 93:41; 103:738
  corneum 98:1
  nitidum 92:254
  striatum 101:710
Sphaerodema annulatum 98:431
Sphaerotilus sp. 88:153; 92:159
  natans 92:220
Spherchopsis tesselatus 88:279
Spherocillus sp. 83:249
Sphoeroides sp. 104:302
  maculatus 95:153; 97:400; 102:555,599; 103:96
  nephelus 98:290; 102:511
  spenyleri 94:314
Sphyraena sp. 101:91
  barracuda 90:497; 97:208; 98:329; 100:89; 102:569
  borealis 102:555
Sphyraenidae 94:238
Sphyrna sp. 102:569
Spinitectus carolini 95:24; 104:279
  gracilis 95:24
Spioniformia 94:247
Spiraea douglasii 92:20
Spiratella helicina 105:198
Spirinchus thaleichthys 103:46
Spirogyra sp. 92:421; 93:171; 94:373; 95:366; 99:337; 102:607; 104:598; 105:538
Spirontocaris sp. 104:540
Spirulina sp. 104:536
Spiruridea 95:24
Sporocytophaga sp. 102:603
Sprattus sprattus 102:22
Sprinchus starki 99:127
Squalus acanthias 83:324; 84:152; 93:288; 97:85; 100:140; 101:727; 102:543
Squatina dumerili 96:131
Squilla sp. 100:291; 105:204
  empusa 96:298
Stagnicola palustris 88:98
Staurastrum sp. 91:307; 102:75,607; 104:598
Stauroneis sp. 96:226; 102:77
Stellifer lanceolatus 99:96; 104:301
Stenelmis sp. 88:115; 101:711; 103:272; 104:823
  crenata 88:279
  sexlineata 88:279
  vittipenis 103:512
Stenodus leucichthys 84:165; 94:272
Stenodus leucichthys nelma X *Coregonus autumnalis* 100:363
Stenodus leucichthys nelma X *Coregonus laurettae* 100:563
Stenodus leucichthys nelma X *Coregonus musksun* 100:363
Stenodus leucichthys nelma X *Coregonus pidschian* 100:362
Stenonema sp. 88:115,348; 96:411; 97:386; 100:63,125; 101:710; 103:272,510; 105:324,629
  ares 92:156
  heterotarsale 92:156
Stenothoe minuta 101:519
Stenotomus caprinus 94:279
  chrysops 95:215; 102:555,599; 103:499; 104:762; 105:328
  versicolor 88:105; 89:239
Stephanodiscus sp. 93:41
Stermaptyx diaphana 99:134
Stemaspis scutata 94:248
Stethojulis axillaris 89:13
Sthenelais sp. 98:291
Stichococcus sp. 99:838
Stigioclonium sp. 88:114
Stipa spartea 101:561
Stizostedion sp. 94:97
  canadense 85:77; 87:243,335,360; 88:83; 92:312,362; 94:270; 96:219,247; 97:159, 167,292; 99:441,469,756; 101:311,655; 104:600
  lucioperca 96:22; 105:13
  vitreum glaucum 90:153; 99:756; 101:655
  vitreum vitreum 83:50,131,277; 84:125; 85:77,191; 86:15,393; 87:34,52,53,191, 243,335; 88:149,178; 89:68,185,249,375; 90:85,130,175,190,230,308,312,475; 91:58,342,350,355,413; 92:13,47,220, 298,312,362,414; 93:35,156,199,269; 94:94,150,212,252,270,358,402; 95:60, 251,435; 96:17,219,278; 97:63,167,258, 292; 98:121; 99:28,324,423,499,518, 704,756; 100:276,474,700,740; 101:55, 528,620,644,655,720; 102:111,158,169, 739,778,795; 103:10,15,115,462,670, 738,744; 104:227,246,524,600,808; 105:35,77,167,223,233,254
Stokellia anisodon 97:7
Stolephorus purpureus 93:291; 104:53
Stolothrissa tanganicae 105:581
Stomatopoda 94:238; 100:291
Stomiatoideae 105:198
Stomolophus meleagris 98:703
Stratiodrilus platensis 101:598
Stratiomyidae 98:542
Streblocercus serricaudatus 92:22
Streptococcus sp. 103:359
  agalactiae 104:286
  durans 104:286
  faecalis 104:286
  liquefaciens 104:286
Streptomyces salmonicida 83:300
Strigeidae 95:24
Strombus sp. 98:291
Strongylocentrotus droebachiensis 94:249; 104:51
Strongylura sp. 91:226; 101:91
  marina 96:298; 102:511,555,599; 103:96
  notata 98:290,329
  timucu 98:290
Strophitus rugosus 88:281
Styela sp. 98:292
Stylochus ellipticus 98:313,755
Surirella sp. 96:226
  linearis 87:91
Syacium gunteri 94:279
Symbolophorus californiensis 99:134
Sympetrum sp. 102:352
Symphurus plagiusa 91:377; 94:279; 96:298; 98:290; 99:95; 101:520; 103:780; 104:301; 105:202
Symploca muscorum 102:775
Synchaeta sp. 100:699

Synedra sp. 86:116; 87:91; 88:341; 90:293; 96:225; 99:337; 104:598
Syngnathidae 94:314; 98:290
Syngnathus sp. 98:703; 100:291; 103:96; 104:301; 105:515
floridae 94:314; 98:290
fuscus 95:155; 97:317; 100:301; 102:555; 103:327
griseolineatus 101:727; 104:577
scovelli 94:314; 103:780
Synodontidae 94:238,314; 98:290
Synodus foetens 94:279,314; 98:290; 100:291, 511; 103:780; 104:38,301
variegatus 89:12
Synuvella sp. 92:157

T

Tabanidae 89:71; 95:294; 98:542;99:598; 100:63
Tabanus sp. 88:277,280; 103:272; 104:536,823
Tabellaria sp. 96:226; 99:337; 104:598
Taeniopteryx sp. 88:279; 100:63
Tagelus sp. 98:291
divisus 103:265
Talitridae 104:403
Tanaidacea 104:38
Tanypodinae 99:605
Tanytarsus sp. 88:280; 96:289; 99:606; 102:37,677
dissimilis 101:675; 103:562,722
nigricans 84:290
Taractes sp. 93:288
longipinnis 91:226
Taricha granulosa 92:28; 102:33
Tarletonbeania crenularis 105:198
Tautoga onitis 95:239; 96:134; 97:208; 102:555; 105:328
Taxodium distichum 88:8
Telestes soufia 88:157
Tellina sp. 98:291
agilis 103:264
Temora longicornis 100:122
Tendipedidae 84:226; 86:294; 88:280,348; 89:195; 90:441; 91:310,407; 92:100,249; 94:189; 95:294,298; 96:411; 97:301, 384; 98:438,515,635; 99:598; 100:125; 101:110,376,379; 103:321,442
Tendipes sp. 88:348; 89:195; 92:312; 93:41; 98:635
anthracinus 102:677
decorus 88:111
plumosus 84:290; 85:183
riparius 88:111
staegeri 102:677
tuxis 88:279
Tenebrio molitor 97:489
Terebelliformia 94:247
Terebra sp. 98:291
Terrapene coahuila 96:217
Tetracotyle sp. 94:144
Tetradontidae 94:314; 98:290
Tetraedron caudatum 87:94
Tetragoneuria sp. 102:365
cynosura 100:223
semiaquea 100:223
Tetragonurus cuvieri 93:288
Tetrapturus angustirostris 104:9
audax 104:1
belone 91:225
Tetrastrum staurogeniiaeformae 87:95
Teuthis spinus 89:12
Teuthoidea 99:729
Thais sp. 100:492
lapillus 103:265
Thalassia testudinum 91:377; 99:838; 105:546
Thalassiosira sp. 98:752
Thalassoma bifasciatus 101:260
Thaleichthys pacificus 93:288; 102:344
Thamnophis sp. 102:757
Thelohanellus notatus 83:274
Thelohania sp. 104:292
duorara 88:130; 99:789; 100:369
penaei 88:130; 99:789
Theragra chalcogramma 84:152; 91:93; 93:288; 97:86,202; 105:196
Thersitina gasterostei 103:633
Thiobacillus sp. 92:260
Thunnus sp. 105:281
alalunga 85:13; 93:288; 94:241; 96:126; 97:84; 98:589; 99:152,629
albacares 85:13; 86:197; 89:312; 93:288, 292; 94:241; 95:203; 96:122,126; 97:84; 98:569,589; 99:60,83,152,629; 101:75,634; 102:28,578; 104:8
atlanticus 85:13; 91:226,269
maccoyi 99:153; 102:28
obesus 85:13; 89:312; 94:241; 98:566; 99:60,152
thynnus 85:13; 90:420; 96:126; 97:84; 99:152,726; 102:578; 105:381
Thymallus arcticus 90:219,270; 92:389; 94:273; 100:288,358; 101:284,352; 102:52
signifer 83:91
thymallus 88:155; 99:127
Thysanoessa longipes 105:198
raschii 105:198
spinifera 105:198
Thysanoptera 98:203; 104:92
Tiaroga cobitis 95:138
Tilapia sp. 83:413; 84:377; 93:316; 99:291; 100:184; 104:503
andersoni 103:281
aurea 97:21; 102:4; 104:308,343; 105:14, 682
heudeloti 92:317
hornorum 104:347
macrochir 93:323; 97:462; 103:281
melanopleura 94:129; 97:462; 102:444
melanotheron 102:4
mossambica 87:302; 89:125,142; 93:291, 323; 94:129; 96:211; 97:18,197,462; 99:77,810; 102:4,428; 103:142; 104:308, 342,742,755
nigra 104:345
nilotica 89:125,142; 92:294; 93:210; 94:129; 97:198; 101:511; 105:578
rendalli 103:281
sparrmani 103:281
Tinca tinca 88:156,198; 97:7; 104:132
vulgaris 100:675
Tipula sp. 100:63; 101:711; 103:272
Tipulidae 92:278; 98:542; 101:379; 102:767; 103:442
Tokophyra sp. 104:598
Tortanus discaudatus 100:122
Trachelomonas sp. 91:307; 99:578
Trachinotus carolinus 98:288,478; 99:353; 100:486; 102:617,826; 103:96
falcatus 98:478; 102:511,555
glaucus 98:478
Trachurus japonicus 98:383; 102:101
lathami 103:96

murphyi 102:101,591
picturatus australis 102:101
symmetricus 87:311; 93:288; 97:84; 98:398; 102:101,181
trachurus 102:101
Trachycorystes sp. 90:330
Trachypeneus sp. 89:135
constrictus 101:519
Tracladia 92:143
Trematoda 88:96; 95:24,35
Trentonius sp. 100:63; 103:272
Trepobates pictus 101:711
Tresus capax 104:539
Triaenodes sp. 96:411; 101:711
Triaenophorus crassus 83:226; 85:272
stizostedionis 85:272; 86:26
Triborodon halconensis 105:558
Trichiurus lepturus 96:117; 105:511
Trichocera sp. 85:24; 96:245; 100:328; 101:222; 104:599
cylindrica 87:97
lata 87:97
Trichocorixa calva 101:711
Trichodina sp. 83:222,298; 101:424; 103:360
nigra 103:542
Trichodon trichodon 93:288
Trichogaster fasciatus 98:431
trichopterus 97:204; 102:4; 104:289
Trichoptera 83:40,79; 84:81; 86:212; 88:279,341,348; 89:71,80,195; 90:246, 272; 91:418; 92:143,217,254,276; 93:41; 95:1; 96:289; 97:162,303,384,386,444; 98:298,515; 99:56,598; 100:62,125,284, 327; 101:12,376,380,597,673; 102:34, 50,767; 103:128; 104:92,402,544
Tricladida 96:411
Tricorythodes sp. 88:348; 98:1; 100:63,285; 104:823
fallax 92:217
Tridens sp. 100:184
Triglidae 94:314
Triglopsis thompsoni 84:196
Trinectes maculatus 91:89,377; 94:279,314; 96:402; 98:106; 99:95; 102:511,555; 104:47,284,301,780; 105:202
Trionyx spiniferus 98:464
Tripneustes esculentus 98:529
Trissocladius sp. 102:37
Triton sp. 96:57
Tritonata japonica 98:184
Troglotrema salmonicola 83:298
Tropicorbis sp. 101:597
Tropiotermus sp. 101:711
Tropocyclops prasinus 100:328; 104:392; 105:92
Trutta fluviatilis 84:150
Trypanoplasma carassii 94:333
makeevi 94:333
Tubifex sp. 88:111,278; 91:95; 92:153; 97:502
tubifex 103:738; 105:324
Tubificidae 84:98; 85:183; 104:403
Turbellaria 88:281; 89:71,193; 101:673; 104:823
Turbonilla interrupta 103:264
Tylochromis bangwelensis 104:503
Tylosaurus marinus 85:148; 99:726
Typha sp. 96:210; 101:562,563
angustifolia 91:234; 95:373
latifolia 84:123; 85:214; 86:368; 91:234; 92:92; 94:2,130; 95:373; 99:3

U

Uca sp. 98:291; 100:291
minax 94:152
pugnax 96:299; 99:837; 105:546
Ulothrix sp. 96:73; 99:337
Umbra limi 90:256; 92:53; 94:150; 97:53; 102:76; 105:35
pygmaea 88:128; 92:406; 98:468; 102:289
Unicola inermis 94:247
irrorata 94:247
serrata 101:518
Unionidae 85:183; 96:411
Upogebia affinis 101:519
pugettensis 96:26
Uraspis heidi 91:226
Urocleidus acer 104:279
chaenobryttus 104:279
dispar 101:724; 104:279
ferox 104:279
furcatus 95:26; 101:724; 104:279
grandis 104:279
helicis 101:724
principalis 95:24; 101:724; 104:278
Urolophus jamaicensis 94:314
Urophycis sp. 100:297
chuss 102:599; 103:329,486
floridanus 94:279; 101:513
regius 99:95; 101:513
tenuis 102:599; 103:327
Urosalpinx cinerea 103:265
Utricularia sp. 90:332; 95:373; 101:562
Uvulifer ambloplites 93:305; 94:143; 103:752
claviformis 94:150
magnibursiger 94:143
semicircumcisus 94:150

V

Vallisneria sp. 94:2
americana 85:242; 102:607
Valonia sp. 101:694
Valvata sp. 88:331; 89:195; 100:125
Vandellia cirrhosa 100:184
Variola louti 89:11
Vaucheria sp. 101:596
geminata 98:454
Veliidae 99:437
Venus americanus 94:29
mercenaria 90:53; 96:29
Vertebrata 101:520
Vibrio sp. 83:297; 102:596
anguillarum 103:358
Vimba vimba 101:735
Viviparous gerogianus 101:734
Volvox sp. 92:212; 98:436; 104:598;
Vorticella sp. 104:598

W

Wolffia sp. 96:73; 105:538
Wormaldia sp. 101:711

X

Xanthichthys ringens 91:226
Xenochironomus xenolabis 102:38
Xererpes fucorum 99:803
Xiphias gladius 91:226
Xiphopeneus kroyeri 89:135
Xiphophorus helleri 83:230; 99:125; 102:4
  maculatus 83:236; 102:4
  montezumae 83:236
  variatus 102:4
  xiphidium 102:4
Xiphophorus helleri X *Xiphophorus maculatus* 102:4
Xyrauchen texanus 87:324; 104:217
Xystreurys liolepis 99:125

Y

Yoldia limatula 103:264

Z

Zanclus sp. 102:7
Zannichellia palustris 91:234
Zaus abbreviatus 100:122
Zizania aquatica 92:92
Zizaniopsis miliacea 102:607
Zoogonus dextrocirrus 102:405
Zootharmion sp. 104:598
Zosteria sp. 99:841
Zygnema sp. 94:373; 99:337
Zygonectes notatus 104:600
Zygoptera 89:33; 92:100; 100:126; 101:110; 104:544